

VOLUME 56

NUMBER 3, PART II

SEPTEMBER, 1963

AMERICAN JOURNAL OF OPHTHALMOLOGY

THIRD SERIES FOUNDED BY EDWARD JACKSON


TEN-YEAR CUMULATIVE INDEX

Volume 36-Volume 54
(1953-1962)

Publication office: Curtis Reed Plaza, Menasha, Wisconsin

Copyright, 1963, Ophthalmic Publishing Company, 664 North Michigan Avenue, Chicago 11, Illinois

Subscription price in United States twelve dollars yearly. In Canada and foreign countries fourteen dollars. Published monthly by the Ophthalmic Publishing Company. Subscription and Advertising Office: 664 North Michigan Avenue, Chicago 11, Illinois. Second class postage has been paid at the post office at Menasha, Wisconsin. Printed in U.S.A.



AMERICAN JOURNAL OF OPHTHALMOLOGY

THIRD SERIES FOUNDED BY EDWARD JACKSON

TEN-YEAR CUMULATIVE INDEX
(1953—Volume 36 to 1962—Volume 54)

EDITORIAL STAFF

DERRICK VAIL, *Editor-in-Chief*

FRANK W. NEWELL, *Associate Editor*

FRANCES HEED ADLER, *Consulting Editor*

ALAN C. WOODS,* *Consulting Editor*

BERNARD BECKER
WILLIAM L. BENEDICT
FREDERICK C. CORDES
SIR STEWART DUKE-ELDER
EDWIN B. DUNPHY
F. HERBERT HAESSLER
S. RODMAN IRVINE
BERTHA A. KLIEN
JAMES E. LEBENSOHN


DONALD J. LYLE
WILLIAM A. MANN
P. ROBB McDONALD
A. EDWARD MAUMENEE
JOHN V. V. NICHOLLS
ALGERNON B. REESE
DAVID SHOCH
PHILLIPS THYGESON

KATHERINE FERGUSON CHALKLEY, *Manuscript Editor*
MAXINE PETROFF, *Advertising and Business Manager*

COLLABORATORS

JOSEPH E. ALFANO, *Chicago*; CECIL B. BEEHLER, *Brookfield Air Force Base, Texas*; MILTON BONIUK, *Houston*; JAMES W. BRENNAN, *Buffalo*; WILLIAM C. CACCAMISE, *Rochester, New York*; ALSTON CALLAHAN, *Birmingham*; THOMAS H. F. CHALKLEY, *Chicago*; BEULAH CUSHMAN, *Chicago*; RAY K. DAILY, *Houston*; MORRIS DAVIDSON, *El Paso*; ALICE R. DEUTSCH, *Memphis*; IRWIN E. GAYNON, *Milwaukee*; BERTHA T. HAESSLER, *Alamo, California*; DAVID G. HANEY, *New Orleans*; PAUL HEIN, *Saint Louis*; MAURICE KADIN, *Panorama City, California*; MORRIS KAPLAN, *Denver*; WALTER KLEIS, *San Juan, Puerto Rico*; R. T. LOWE, *Melbourne, Australia*; GYULA LUGOSSY, *Budapest*; HARRY H. MARK, *New Haven*; WALTER MAYER, *Richmond, Virginia*; PAUL W. MILES, *Saint Louis*; YUKIHIKO MITSUI, *Tokushima, Japan*; EDWARD U. MURPHY, *Evansville, Indiana*; GUNTER K. VON NOORDEN, *Iowa City*; JEROME SALTZ, *Los Angeles*; MAURICE E. SHERMAN, *New York*; DAVID SHOCH, *Chicago*; JOHN J. STERN, *Utica, New York*; PHILLIPS. THYGESON, *San Francisco*; BENJAMIN ZIV, *Boston*.

PUBLISHED BY THE OPHTHALMIC PUBLISHING COMPANY
664 North Michigan Avenue, Chicago 11, Illinois



CONTENTS

Index of Original Articles and Notes, Cases, Instruments	5
Index of Abstracts	63
Index of Authors and Titles of Original Articles and Notes, Cases, Instruments ...	197

KEY

Numbers in **boldface** refer to the Volume number

VOLUME		YEAR
36		1953
37	January-June	1954
38	July-December	1954
39	January-June	1955
40	July-December	1955
41	January-June	1956
42	July-December	1956
43	January-June	1957
44	July-December	1957
45	January-June	1958
46	July-December	1958
47	January-June	1959
48	July-December	1959
49	January-June	1960
50	July-December	1960
51	January-June	1961
52	July-December	1961
53	January-June	1962
54	July-December	1962

The asterisk (*) or the dagger (†) or a double number (0000/000) indicates that the paper was published in a supplement (Part II) to a regular issue. (See page 4 for list of supplement issues.)

SUPPLEMENT ISSUES

MONTH	VOLUME	YEAR
June (Part II)	36	1953
July (Part II)	38	1954
February (Part II)	39	1955
April (Part II)	39	1955
November (Part II)	40	1955
October (Part II)	42	1956
April (Part II)	43	1957
October (Part II)	44	1957
November (Part II)	44	1957
April (Part II)	45	1958
July (Part II)	46	1958
September (Part II)	46	1958
November (Part II)	46	1958
January (Part II)	47	1959
May (Part II)	47	1959
July (Part II)	48	1959
September (Part II)	48	1959
November (Part II)	48	1959
May (Part II)	49	1960
November (Part II)	50	1960
May (Part II)	51	1961
November (Part II)	52	1961

TEN-YEAR CUMULATIVE SUBJECT INDEX (1953—Volume 36 to 1962—Volume 54)

A

- A and V syndrome, 46:835; 52:172
 present status of, 52:396
 Abducens paralysis, test for, 54:804
 herpes zoster and, 54:298
 Abnormalities: See Congenital anomalies
 AC/A ratio, effect luminance quantity on, 49:1140/54
 lateral heterophoria and, 49:1427
 Accidents, prevention automobile, 50:815
ACCOMMODATION, after age 40 years, 52:702
 autonomic innervation of ciliary body and, 48:*287
 card and rule, 44:553
 changes in tonogram during, 43:787
 convergence and, 43:788
 nonlinear relationships in, 47:*455
 effect ganglion blocking agents on, 42:747
 effect sympathomimetic drugs on amplitude of, 48:*169
 electric activity eye during, 45:717; 46:*231, 403
 impairment of, 39:583
 in amblyopia, 52:197
 in darkness, 38:749
 in people of India, 49:998
 in school children, 51:1255
 lens subluxation during, 39:551
 near-point, Prince rule to measure, 49:827
 paralytic unilateral, 52:711
 relative, 43:464
 residual, determination of, 36:1086
 under homatropine-cocaine, 36:649
 role sympathetics in, 43:789
 test for, 37:429
 variation of, 36:728
 vergence and 49:1140/54
 AC/A ratios defined, 48:*141
 pupil size changes and, 52:762/330
 Accommodative convergence, 45:722
ACETAZOLAMIDE, aqueous flow rate and, 51:1047/175
 effect on ocular tension, 50:291
 effect on response to anterior chamber puncture, 50:1141
 epinephrine and, in chronic glaucoma, 45:639
 misuse of, 43:799
 preparations, triturated by Wilzbach technique, 51:323
 See also Carbonic anhydrase inhibitors
 See also Diamox
 Acetone, disinfectant action of concentrated, 42:726
 Achromatopsia: See Color blindness
 Achromycin, in tetanus infections of cornea, 43:772
 Acoustic biomicroscopy: See Ultrasound. See Echogram
 Acrocephaly, nystagmus in, 42:633
 Acromegaly, 53:533
 Acrylic lenses: See Intraocular lenses
ACTH, 44:551
 exophthalmos and, 39:*146
 in keratoconjunctivitis sicca, 36:1775
 in office treatment, 39:100
 in uveitis, ocular tension increase after, 39:175
 influence on ocular tension, 38:*122, 655
 influence on vascular bed of eye, 38:*122, 655
 influence on vitreous hemorrhage absorption, 39:677
 role in diabetic retinopathy, 38:*53
 Actinomyces, infection lacrimal canaliculus, 49:1278; 52:36
 Adaptation, dark: See Dark adaptation
 light: See Light adaptation
 to glare, 46:353
 Addison's disease, syndrome with, 54:660
 Adenocarcinoma, metastatic to optic disc, 47:195
 Adenoma, bronchial metastatic to orbit, 49:833
 of pituitary, 38:721
 arcuate field defects due to, 45:505
 Adenoviruses, in conjunctivitis, 43:*20
 in keratoconjunctivitis, 43:*20
 infections, 43:*11
 Canadian cases, 43:*17
 in Toronto, 43:*26
 inoculation into human volunteer, 43:84
 Adenoviruses (*continued*)
 isolation of, from epidemic keratoconjunctivitis, 43:*91
 21 strains type 8, in outbreak keratoconjunctivitis, 48:238
 trachoma and, 48:*325
 type 8, epidemic keratoconjunctivitis and, 44:166
 See also under Viruses
 Adenylic acid deaminase, activity ciliary processes, 46:*96
 Adler Francis Heed, 50:1252
 biography, 50:1027
 editor, 50:339
 portrait of, 50:1025
 publications of, 50:1029
 salutations, 50:1025, 1026
 Adnexa of eye, effect ultrasound on, 42:696
 electrical burn of, 42:126
 tumor of, 38:860
 Adrenal, effect Neptazane and Diamox on, 53:107
 gland, exophthalmos and, 45:292
 Adrenalin, effect on eye, 36:*91
 in glaucoma, 40:666
 to modify aqueous production, 40:666
 Adults, amblyopia ex anopsia in, treatment, 43:918
 Africa, blindness in, 45:344
 congenital anomalies in, 45:344
 eye diseases in, 45:343
 glaucoma in, 45:356
 onchocerciasis in, 45:343
 tropical eye infections in, 45:355
 After-image method, correction on, 48:689
 improvement on, 46:71
 refinement of, 52:713
 to treat squint amblyopia, 47:809
AGE accommodation after 40 years, 52:702
 aqueous secretion decline with, 46:731
 dark adaptation and, 51:1262
 dependence lens phosphate metabolism on, 42:463
 effect on anhydrase activity, 36:500
 influence on aqueous dynamics, 43:467
 influence on ribonucleic acid in lens, 51:993/121
 lens metabolism and, 42:346
 visual perception and, 43:465
AGED, cataract formation in, 44:32
 eye in, 44:29
 operations on, 38:238, 239
 problems, 38:235
 glaucoma in, 38:239; 44:33
 keratoconjunctivitis sicca in, 38:238
 macular disease in, 44:36
 multiple cancer in, 43:228
 ocular tension in, 44:33
 optic atrophy in, 38:239
 refraction in, 38:240
 removal eyelid epithelioma in, 38:240
 retinal detachment operations in, 38:238
 scleral rigidity in, 44:35
 and tonometry, 48:539, 643
 tearing in, 38:238
 vision in, 38:235
 visual function in, 44:29
 vitamin deficiency in, 38:241
 Aging, aqueous humor dynamics and, 44:395; 46:845
 changes in ribonucleic acid in lens and, 51:993/121
 retinal pigment changes in, 49:1047
 Air injections, glaucoma induced by, 37:424
 in traumatic hyphema, 37:409
 to prevent synechia in keratoplasty, 51:320
 Aircraft, ejection from jet, trauma after, 48:399
 Air Force, visual and ophthalmic requirements, 36:353
AKINESIA, 46:85
 curare, in cataract extraction, 36:781
 lid paresis induced by oculomotor, 38:395
 Lidocaine for, 38:78
 of orbicularis, 36:1255; 45:442

- Alaska, phlyctenular keratoconjunctivitis in, 51:585
- Albinism, in Chediak-Higashi syndrome, 50:1197
- nystagmus in, 42:633
- Albumin, in lacrimal proteins, 43:295
- Albuminoid, synthesis in rat lenses, 48:500
- Alcohol, amblyopia due to, 53:967
- effect of, on binocular vision, 39:44
- injections, for iridocyclitis and glaucoma, 53:692
- methyl, ERG in chronic poisoning with, 54:34
- See also Methanol
- retrobulbar injections of, in glaucoma, 42:609
- Alkaptonuria, ochronosis oculi in, 49:440
- All-India Ophthalmological Congress, 46:753
- ALLERGY**, auto-immunity and, 49:36
- bacterial, manifestations of, 40:705
- corticosteroids and, 45:435
- drugs in ocular, 39:97
- due to antibiotics, 40:849
- due to seborrheic dermatitis, 53:686
- experimental, corneal, 48:37; 50:583
- iso-, eye and, 49:36
- glaucoma and, 47:477
- histopathology of, acute hypersensitive reactions, 40:631
- of chronic hypersensitive reactions, 40:631
- in eye inflammations, 40:705
- keratoconjunctivitis due to, 49:1324
- lens swelling and transient myopia due to, 45:454
- Metreton in, 45:27
- NF-12 solution for ocular, 41:1020
- ocular, treatment of, 45:435
- of conjunctiva, classification of, 36:1689
- treatment of, 36:1689
- prednisolone in, 41:593
- prednisone in, 41:593
- pterygium and, 50:635
- report on 35 patients, 40:705
- to simple chemicals, 50:937/267
- to terramycin, 40:264
- toxoplasmic uveitis and, 49:1423
- uveitis and, 50:1170
- anergex in, 52:340
- Allen Thomas Dyer, 41:715
- ALPHA CHYMOTRYPSIN**, 50:337
- antigenic properties of, 51:1104/232
- direct application of, 54:240
- effect on catgut sutures, 47:898
- effect on cornea, 51:598
- effect on suture materials, 49:64
- effect on viscosity of vitreous, 52:374
- histology zonulolysis with, 49:67
- hyaloid rupture and, 49:357
- in cataract extraction, 48:543; 50:649; 51:26
- method for use, 52:263
- in foreign body extraction, 51:147
- in juvenile cataract, 53:993
- in metaherpetic keratitis, 54:756
- irrigation cannula for, 50:500
- laboratory aspects of, 49:1117/31
- use in infants and children, 54:95
- See also Chymotrypsin and Zonulolysis
- Alpha irradiation, 37:183
- Alpha tocopherol, in diabetic retinopathy, 37:581
- Alvaro, Moacyr, 48:686
- Pan-American Association Ophthalmology and, 48:684
- AMAUROSIS**, angioid streaks and, 43:219
- during parturition, 37:586
- simulated, 43:636
- Amaurotic idiocy, 39:240
- infantile familial, 52:410
- pathology brain and retinal tissue in, 39:874
- Ambenonium, effect on rabbit pupil, 52:526
- AMBLYOPIA**, 36:1075; 53:537
- accommodation in, 52:197
- critical flicker frequency in, 42:473
- differential diagnosis hysteria or malingering in, 42:415
- due to tobacco, alcohol and nutritional deficiency, 53:967
- eccentric fixation in, 49:1315
- electric-arc welding, 46:885
- electro-ophthalmography to study, 46:68
- AMBLYOPIA (continued)**
- ex anopsia, fixation anomalies in, 52:19
- fixation patterns in, 41:1073
- orthoptic surgery to treat, 48:844; 49:631
- photoc driving in, 50:171; 51:463
- treatment of, in adults, 43:918
- fixation in, 45:923
- flicker thresholds in, 49:1048, 1194/108
- fovea centralis in, 54:821
- hypnotherapy in, 44:468
- follow-up study, 52:690
- hysterical, selective perception in, 41:1070
- in adults, treatment of, 36:1443
- in diseases eyes, 36:1443
- macula stimulator for, 40:580
- nutritional: See Nutritional, deficiency
- pleoptics in, 48:490; 51:654
- pursuit movements in, 53:325, 477
- receptor, 48:262
- regional hemiretinal difference in, 46:339
- separation difficulty and, 53:471
- strabismus and, 50:504
- after-images to treat, 47:809
- suppression, hypnosis in children with, 46:53
- tobacco clinics perimetry No. 4, 51:509
- toxic, 43:477
- due to quinine, 43:107
- due to sulfonamides, 40:486
- types of, 36:1075
- Ambulation, effect early on complications cataract surgery, 49:293
- Amebiasis, choroiditis and, 44:695
- American Academy Ophthalmology and Otolaryngology, meeting of, 36:1632; 38:732; 44:836; 46:905; 48:858; 50:816
- American Board of Ophthalmology, history of, 53:243
- American Committee on Optics and Visual Physiology, history of, 44:183
- American Medical Association, Section Ophthalmology, meeting, 37:644; 41:722; 43:628
- American Ophthalmological Society, 50:182
- Ametropia, pupil in, 40:481
- Amino acids, incorporation in lens protein, 51:1012/140
- Amphotericin B in coccidioidomycosis, 53:822
- in fungus infections, 53:630
- in histoplasmic chorioretinitis, 49:1288; 51:588
- Amyloidosis, after trachoma, 49:814
- of conjunctiva and tarsus, 49:1413
- pseudotumoral edema conjunctiva and, 52:901
- Analgesia, supplemental intravenous, 46:594
- Anaphylactic hypersensitivity, antigen-antibody interaction in, 46:282
- Anaphylaxis, with uveal tissue, 42:67
- Anderson, Joseph Ringland, 52:281
- Anectine: See Succinylcholine
- Anemia, iron deficiency, optic neuritis and, 52:276
- pernicious, retrobulbar neuritis in, 48:95
- Anergex, effect on immunologic uveitis, 52:340
- ANESTHESIA**, 49:846
- air-conditioner for, 40:563
- Avertin, 47:592
- development of ophthalmic, 51:1
- drugs for, 36:1136
- for children, chloroform, 43:27
- general, 45:731
- in children, 49:839
- mortality rates during, 45:847
- muscle relaxants and, 47:487
- hypnosis as, 50:163
- in cataract surgery, 41:424; 47:411
- intravenous in cataract surgery, 46:179
- Lidocaine for, 38:78
- local, agents for, 36:1744
- conjunctival staining after, 38:351
- corneal staining after, 38:351
- evaluation of, 49:1044
- Primacaine HCl for, 44:833
- medication before, in children, 36:1624
- observations on, 40:426
- retrobulbar, 51:845
- Mepivacaine for, 53:827
- Tubocurarine and Nembutal, 46:596

- Anesthetics, effect on corneal curvature, 53:49
 injections into optic nerve, 43:471
 local, Symptocaine as, 42:637
 solution Dyclone as, 45:671
 topical, 40:697
 corneal lesions produced by, 41:99; 43:606; 44:74
 Ophthaine as, 36:1619
- ANEURYSMS**, arteriovenous due to trauma, 38:404
 of retina, 37:908; 38:446
 capillary, in systemic diseases, 38:126
 carotid, 39:584
 convergence insufficiency due to, 40:110
 diplopia due to, 40:110
 intracranial, eye signs in, 38:125, 892
 head pain and, 50:654
 of cavernous sinus, 38:602, 760
 of internal carotid, 38:760
 Leber's miliary, 50:590
 microaneurysms: See Microaneurysms
 miliary retinal, 43:426
 ophthalmoplegia due to ruptured, 36:721
 supraclinoid internal carotid berry, oculomotor palsy due to, 54:609
 surgical treatment of, 54:609
 vascular, 54:769
- Angioblastoma, of orbit, 38:898
- Angiography, cerebral, 37:55
 anatomy in, 37:55
 complications of, 37:55
 in pre- and suprasellar tumors, 37:55
 in suprasellar tumors, 36:1784
 of orbit, 36:1771
- Angioid streaks, 36:1657; 38:759
 and associated lesions, 36:1781
 macular degeneration and, 51:704
 of fundus, 43:219
 sickle-cell disease and, 49:450; 50:21
 with pseudoxanthoma elasticum, 40:387
- Angioma, cerebral arteriovenous, exophthalmos in, 43:589
 of conjunctiva, Recklinghausen's disease and, 38:280
- Angiomatosis retinae, 38:275; 49:1430
 11 years, after diathermy coagulation, 46:525
 after irradiation, 36:1362
 photocoagulation in, 46:463
- Angioneurotic choriopathy, 36:8
- Angiosarcoma, 54:769
- Angioscotomy, effect nicotine on, 38:266; 43:923
 in glaucoma, 43:704
- Angiospastic, chorioretinopathy, 36:3
 retinopathy, 36:2
- Angle of resolution, visual sensory units and, 46:*102
- Anhydrase activity of lens, effect age on, 36:500
- Animals use of domestic in experimental ophthalmology, 49:1202/116
 vision emergence in, 46:447
- Anions, transport of organic, 50:862/192, 867/197
- Aniridia, 44:120
 congenital, 40:259
 glaucoma complicating, goniotomy in, 36:445
 surgery in, 36:907
- ANISEIKONIA**, 48:441, 539
 image alteration to determine, 45:253
 to measure, 43:464
 research with eikonometer, 38:121
 retinal irradiation and, 38:588
 retinal detachment and, 47:468
 screening tests for, 43:620
- Anisocoria, frontal lobe lesions and, 45:883
 space perception disturbance and, 36:1769
- Anisodominance, depth factors in, 37:98
- Anisometropia, bicentric lens in, 37:706
- Anisophoria, and anisometropia, final prescription, 36:643, 1461
- Anisopia, depth factors in, 37:98
- Ankyloblepharon, filiforme adnatum, 43:774
 pseudo-exotropia and, 43:460
 with cleft lip and palate, 53:126
- Anomalous projection 36:829
- Anophthalmos, 45:714
 congenital, 39:400
 inheritance of, maternal immunization and, 48:763
- Anophthalmos (*continued*)
 undifferentiated, paraxial mesoderm in, 36:1123
 unilateral degenerative, 51:698
- Anoxia, cerebral, hemianopia and, 50:654
 during muscle surgery, EKG in, 46:367
 retinal ischemia and, 45:*79
- Ansolsen, effect on aqueous dynamics, 46:499
- ANTERIOR CHAMBER**, air injections into, glaucoma and, 37:424
- ANGLE**, anatomy of, in congenital glaucoma, 40:1
 cyclodialysis and, 48:403
 deepening of after contusion, secondary glaucoma and, 54:547
 degeneration vicinity of, 50:365
 developmental anomalies of, 41:1073
 effect beta radiation on, 50:469
 electron microscopy of, 45:115
 gonioscopy of, in congenital glaucoma, 40:1
 in anterior segment inflammations, 38:622
 in interstitial keratitis, 43:719
 in primary glaucoma, 46:311
 in primates, 52:529
 innervation of, 42:*148; 44:*206
 method to block, 54:1089
 mucopolysaccharides, in fetal, 50:801
 photocoagulation of, 52:163
 primary degeneration near, in wide-angle glaucoma, 40:619; 43:193
 resistance to iris deformation, 42:734
 shortened, differential diagnosis of, 52:492; 53:155
 shortening of, in angle-closure glaucoma, 49:141
 behavior corneal epithelium in, 50:276
 changes in axial depth in glaucoma, 37:339
 collapsed, surgical correction of, 44:681
 conjunctival implants into, 39:*165
 crystals in, 40:817
 depth, glaucoma and, 40:571
 vitreous and, 43:781
 dislocated Soemmerring ring in, 36:1727
 epithelial cysts of, 41:932
 epithelial invasion of, 41:929
 after cataract extraction, 42:284
 X-ray therapy in, 39:868
 experimental production of, 47:815
 epithelial transplantation into, 45:927
 eyelash in, 42:773
 flat, after glaucoma operations, 47:248
 prevention of, in cataract extraction, 53:93
 fluorescein in, after intravenous injection, 40:581
 fluorescent dyes in, after intravenous injection, 42:595
 glass retained in, 48:110, 747
 hyaluronidase injected into, 39:198; 45:65
 implants: See Intraocular lenses
 implantation cysts in, posterior lamellar resection cornea in, 54:800
 in megalocornea, 49:908
 I¹³¹-labeled insulin in, movement of, 45:121
 irrigation of, irrigating device for, 47:134
 lenses: See Intraocular lenses
 perfusion studies, 44:*198
 pore size and controlled particle size in, 44:*198
 posterior chamber communication with, 36:1453
 puncture, effect acetazolamide on response to, 50:1141
 hypertensive response eye to, 36:1271
 reformation of, delayed, 38:453
 glaucoma due to, 39:1147
 method for, 54:457
 retention, in peripheral iridectomy, 41:964
 sclera implanted into, 46:534
 shortened, in angle-closure glaucoma, 49:1049
 steady-state, tritium in, 43:779
 turnover tritiated water in, 44:*375
 streptokinase toxicity to, 37:911
 technique to keep filled, 51:527
 unreformed, after cataract extraction, 46:88
- Anterior limiting membrane, retinal light reflexes and, 41:288
- Anterior segment, 46:225
 inflammations, chamber angle in, 38:622
 photography 39:288; 53:1012

Anterior segment (continued)

- photography (continued)
 - of rabbit eye, 39:*40
 - ultraviolet luminescence of, 45:924
- Anterior synechias, surgery of, 36:698
- Anthrax, of eyelid, 49:838
- ANTIBIOTICS**, 37:431
 - abuse of, 40:910
 - antagonism and synergism, 36:*75
 - bacterial sensitivity tests with, 36:480; 48:*19
 - corneal regeneration and, 37:544
 - effect on herpes simplex, 39:689
 - in aspergillosis, of orbit, 51:670
 - in fungus infections, 53:630
 - in herpes simplex, 48:517
 - in intraocular infections, 39:94; 40:86
 - postoperative, 50:1225
 - in ointments, used before cataract extraction, 36:475
 - in pyocyanus ulcer, 37:538
 - in trachoma, 36:1774; 40:553
 - insensitivity to, 40:425
 - neosporin combination of, 41:850
 - newer, intraocular penetration, 50:614
 - ocular penetration, by iontophoresis, 42:*89
 - steroids and, 46:736
 - topical, 47:590
 - toxic conjunctivitis due to, 40:849

See also under names various antibiotics

ANTIBODIES, deficiency of, after herpes vaccine, 52:569

- determination, by capillary tube, 38:744
- fluorescein-tagged, in herpes, 50:179
- fluorescent, to localize viral antigenic material, 52:72
- in aqueous, after trauma, 42:288
- production of, in rabbit eye, 48:265; 50:115
- Anticholinesterase agents, in myasthenia gravis, 52:331
- Anticoagulants in retinal vein obstruction, 49:368
- in retinal vein occlusion, 51:456
- Antiemetic drugs, in cataract surgery, 47:177
- Antifungal agents, in aspergillosis of orbit, 51:670
- See also names of various agents-Amphotericin B, etc.
- Antigen-antibody reactions, effect X-rays on intraocular, 45:293

- in anaphylactic hypersensitivity, 46:*282
- in keratoplasty, 44:477; 598
- Antigens in aqueous, after trauma, 42:288
- changes after injection into vitreous, 48:*447
- corneal heterografts and, 49:511
- corneal proteins and, 49:504
- of lens, 42:577

Antihistamines, in cataract surgery, 51:1240**Anti-inflammatory agents**, 51:824

- in postoperative infections, 50:1225

Aortic arch, syndrome of, 47:35**APHAKIA**, adjustment to, 39:249; 40:754

- binocular vision in monocular, 52:81
- bronchogenic carcinoma in eye with, 49:96
- cataract lenses to correct, 51:615
- congenital, 49:945
- conoid lenses in, 53:870
- contact lenses in, 40:754
- correction of, 52:423
- half-glasses for, 39:238
- Harrington-Flocks test in, 41:987
- intraocular lenses in, 44:579; 50:250
- in monocular, 49:417; 703
- lens for, 54:458
- management of, 39:67
- monocular, 36:1138
- contact glass for, 43:289
- contact lens for, 50:11
- phenomena in correction of, 51:1277
- pupil-block, 46:831; 52:270
- pupil level disparity in, 42:770
- refraction in, 39:749

Applanation tonometry: See Tonometry**Apprehension**, reading and, 44:501**Apraxia**, congenital ocular motor, 46:382**Aqueduct of Sylvius**, stenosis of, visual fields in, 49:261**AQUEOUS**, accumulation C¹⁴-labeled urea in 50:1130**adrenalin** to modify production of, 40:666**antibodies** in, 38:862**AQUEOUS (continued)****antibodies (continued)**

- after trauma 42:288
- to Toxoplasma, 44:*75
- antigens in, after trauma, 42:288
- ascorbic acid, after corneal injury, 40:*111
- after inflammations, 40:581
- bicarbonate concentration, effect Diamox on, 44:*402
- effect scurvy on, 44:*402
- carrying veins, on lens capsule, 43:972
- cells in, in uveitis, 47:163
- chemical composition of, 43:467
- corticosteroids in, 38:*101; 39:871
- chromatography to study, 44:91
- degenerative effect of, 50:365
- drainage, plastics for, 50:733
- DYNAMICS**, aging and, 46:845
- ascorbic acid turnover, Diamox and, 41:522
- differential equations, 44:*125
- effect extraocular muscle surgery on, 48:321
- effect hypothermia on, 49:1126/40; 1134/48; 51:1032/160, 1039/167
- effect pentolinium (Ansolsen) on, 46:499
- influence age on, 43:467
- influence photocoagulation on, 52:163
- ophthalmotonic consensual reaction and, 42:50
- osmotic pressure measurements and, 48:*32
- theoretic considerations, 41:383
- effect Diamox on, 43:780
- composition of, 40:*129
- NaHC¹⁸O₃ to study, 48:*71
- effect on connective tissue, 47:27
- FLOW**, acetazolamide and rate of, 51:1047/175
- after surgery extraocular muscles, 48:321
- anterior chamber restoration and, 38:453
- blood-aqueous barrier and, 45:128
- carbonic anhydrase inhibition and, 39:159
- Diamox and, 40:*139
- effect beta hypophamine on, 41:1071
- effect dichlorphenamide and chlorthiazide on, 45:929
- effect ganglion-blocking agents on, 44:*370
- effect pilocarpine on, 44:*380
- fluorescein appearance as index of, 44:225
- ophthalmotonic consensual reactions and, 42:50
- fluorescent dyes in, after intravenous injection, 42:595
- formation of, alterations in, 46:*299
- carbonic anhydrase and, 47:*342
- outflow modified by varying, 43:899
- hyaluronic acid in, 40:746
- hyaluronidase in, 40:746; 43:469
- influence aging on, 44:395; 46:845
- influence carbonic anhydrase inhibitors on, 47:1214
- influence potassium and sodium on, 47:1214
- inhibitory effect on cell growth, 42:70
- ion concentration variation after paracentesis, 39:517
- lactate concentration in, 42:406
- magnamycin penetration into, 39:*234
- Middlebrook-Dubos test of, in iridocyclitis, 51:627
- origin of, 49:780
- OUTFLOW**, bulbar compression test and, 54:421
- coefficient of, following Diamox, 40:693
- with water test, 40:693
- decline with age, 46:731
- diurnal tonography variations and, 38:629
- effect hypothermia on, 49:1126/40
- effect nerve stimulation on, 42:*182
- effect phospholine iodide on, 45:929
- species variation and, 42:*189
- facility of, perfusion vitreous and, 47:657
- in angle-closure glaucoma, 46:305
- in miotic-treated eyes, 48:313
- modified, varying aqueous formation and 43:899
- patterns, in cat eye, 45:724; 47:*547
- perfusion studies of, 47:657
- Schlemm's canal and, 39:165
- species variation and, 42:*189
- passages, in primary glaucoma, 50:37
- pathways of, in some cases glaucoma, 41:11
- plasma, osmotic pressure relationship, 45:121; 49:1425
- steady-state ratios, 43:290
- of sodium, 36:*64

AQUEOUS (*continued*)

- prednisolone in, 52:77
 radioelectrophoresis of, 45:716
 secretion, ciliary epithelium and 48:426
 decline with age, 46:731
 effect beta radiation on, 45:724; 47:553
 effect Prolinon on, 45:929
 serology of, 54:314
 serum sodium and potassium steady-state ratios, 44:409
 sodium distribution between plasma and, 41:809
 steady-state tritiated water in, 45:929
 study with NaHCO_3 , 47:530
 ultramicroscopy of, 40:581
 Aqueous veins, biomicroscopic aspect, 39:793
 venous and ocular pressure and, 39:793
 glaucoma and, 43:128
 velocity of flow in, 37:918
 Arachnoiditis, chiasmal, 38:722
 optochiasmatic, 42:370; 50:1031
 Argyll Robertson syndrome, mechanism and localization, 42:105
 Argyrosis, 48:402
 of lens, 38:402
 Aristocort: See Triamcinolone
 von Arlt, Ferdinand, 46:225
 Armed Forces, eye casualty management in Korea, 36:467
 Institute of Pathology, history of, 52:927; 53:694
 Armillifer armillatus, eyelid infestation by, 54:305
 Arsenic, toxic retinopathy due to, 50:64
 Arteriography, visual disturbances after vertebral, 53:540
 Arterioliitis, of retina, 42:835
 Arteriosclerosis, hypertension and, diagnosis of, 45:81
 and retinopathy, hormones for, 41:85
 retinal, uveitis and, 51:797
 Arteriovenous crossing phenomenon, 50:314
 Arteritis, segmental retinal peri-, 47:544
 temporal, 39:110; 45:573
 eye involvement in, 38:495; 45:617
 optic nerve atrophy and, 46:403
 syndrome of, 42:779
 treatment of, 45:617
 ARTERY aortic arch syndrome, surgery in, 47:135
 calcification, 36:1657
 carotid, insufficiency, eye and, 47:753
 thrombosis ophthalmodynamometry and, 47:453
 cilioretinal, occlusion of, 48:864
 ophthalmic, anatomy of origin, 39:1160
 Arthritis, iridocyclitis and, 49:1424
 retinitis pigmentosa, scleromalacia perforans and, 39:161
 rheumatoid, eye complications of, 43:575
 scleromalacia perforans and, 54:862
 and scleral granuloma, 51:71
 steroid therapy and cataracts in, 52:831/399
 Arthus reaction, effect irradiation on, 49:1424
 effect nitrogen mustard on, 49:1424
 Ascension phenomenon, of anterior vitreous, 53:55
 Ascorbic-dehydroascorbic acid, in lens metabolism, 40:224
 of aqueous, after corneal injury, 40:111
 studies of, in acid injury cornea, 40:111
 utilization of, by burned irises, 40:111
 See also Vitamin C
 Ascorbate, effect hypothermia on turnover of, 51:1032/160
 Ashton, Norman, 44:4
 after-dinner speech, 44:20
 biographical data, 44:17
 publications of, 44:19
 Asia, ophthalmic good-will tour of, 47:670
 Aspergillosis, of orbit, 51:670
 postoperative intraocular, 54:1124
 Aspherical objective lenses, in indirect ophthalmoscopy, 47:572
 Association for Research in Ophthalmology, 36:525; 37:643; 47:721; 43:627; 47:94, 235, 409, 585, 875
 Astatine, dosage, 38:251
 effects of, 37:183
 ASTIGMATISM, 38:407
 after cataract surgery, 53:606
 chromatic interval in, 36:1730
 corneal, 38:407

ASTIGMATISM (*continued*)

- corneal (*continued*)
 after surface diathermy, 48:336
 See also Cornea, astigmatism
 corneal half-incision for, 36:462
 Donders and, 49:1053
 equivalent sphere in, 36:1730
 intraocular, 41:813
 myopic, in new syndrome, 52:53
 refraction in, 39:731
 tests for, comparison of charts, 48:118
 dials for, 39:84
 Raubitschek, 40:117
 Watchglass nails, bronchiectasis and, 38:284
 Astrogia, of human retina, 40:88
 on inner surface, 43:470
 Ataractic drugs, in cataract surgery, 47:177
 Atherosclerosis, 50:215
 Atlases of Ophthalmology, a correction, 50:345
 Atomic bomb, cataract due to, 42:212
 Atomic radiation, lens opacities and, 39:285
 Atomic weapons, retinal hazards from, 46:700
 Atopy, keratoconus and, 45:904
 Atropine, cholinesterase neutralization by, 52:841/409
 Auditory findings in Boeck's sarcoid, 47:673
 Australia, Ophthalmic Research Institute of, 46:690
 Ophthalmological Society of, 46:226
 trachoma in, 47:134
 in Northern, 47:503
 through ophthalmoscope, 43:927
 Autopsy of eye, 50:424, 574; 53:681
 pathologic findings in, 51:369, 1221
 Avertin anesthesia with, 47:592
 Avian lymphomatosis, uveitis and, 51:424
- B**
- Bacillus, proteus, endophthalmitis due to, 43:86
 panophthalmitis due to, 54:87
 Bacteria, drug sensitivities of, 48:19
 resistance of, to antibiotics, 48:19
 toxins of in eye disease, 40:705
 Bacterial sensitivity tests, in external eye infection, 36:480
 Bacteriology, simplified office, 44:816
 symposium on, 53:689
 Bacteriophage typing, in postoperative infections, 48:519
 Bagley, Cecil Hopkins, 52:125
 BAL, effect hyaluronidase on therapeutic effect of, 36:777
 Ballantyne, Arthur James, 39:29
 Bandages, changes in volume under ocular, 40:193
 improved eye, 47:687
 new ocular, 53:518
 Velero for binocular, 54:303
 Barkan, Hans, 50:185
 Barkan Otto, 46:101
 BB, injuries due to, photographic study of, 54:675
 BC-48, in glaucoma, 52:553
 See also Demecarium bromide
 Beach, Sylvester Judd, 36:725
 Becker, Bernard, 47:336, 338, 340
 Bedell, Arthur J. Lecture, 41:3; 44:323
 Behçet's syndrome, 45:307
 case of, 41:55
 of 17 years duration, 53:132
 virus isolated from, 36:301; 41:41
 Behind the iron curtain, 50:110
 Bengal rose conjunctival staining with, 38:351
 corneal staining with, 38:351
 Bently hydrochloride, antispasmodic, 36:1735
 Benzocaine, for ciliary block in blind eyes, 47:867
 Besnier-Boeck-Schaumann sarcoid, involving orbital bone, 45:407
 Besnoitia infections, in hamsters, 39:203
 Beta irradiation: See under Radiation
 Bicarbonate, concentration in aqueous, 44:402
 ions, in intraocular fluids, 44:388; 45:724; 48:71
 concentration, in vitreous, 44:480
 Biochemistry, of eye, 54:314
 Biomicroscopy, 38:862
 acoustic, 51:552, 1203
 See also Ultrasound

Biomicroscopy (continued)

- luminescence in, 44:365
- of fundus, 50:805
- of posterior eye, 42:409
- without contact lens, to study zonule, 53:345
- Biopsy, in ciliary melanoma, 36:1628**
- intraocular, evaluation of, 36:1204
- of choroid, 36:1205
- of ciliary body, 36:1205
- of iris, 36:1217
- neoplasms, 36:1225
- of lens, 36:1219
- of retina, 36:1218
- percutaneous renal, in retinal vascular disease, 50:691
- Birth weight, visual acuity and, 38:850
- Bitot's spots, 36:109; 50:568
- in malnourished patients, 38:367
- Blaskovics (modified Iliff) operation, in blepharoptosis, 46:819**
- Blepharitis, neosporin in, 41:840**
- Selsun in marginal, 38:560
- Selsunef ointment in squamous, 49:820
- Blepharochalasis, in upper eyelids, 43:970
- Blepharophimosis, operation for, 49:1357
- surgical correction of, 36:765; 41:61, 71
- BLEPHAROPTOSIS, 48:75**
- acquired, 49:337
- Blaskovics (modified Iliff) operation for, 46:819
- congenital, 49:337
- levator advancement and resection for, 45:229
- surgical correction of, 36:765; 40:893; 46:220; 49:337, 845
- techniques, 38:129
- Blepharospasm, 45:899
- BLIND, Hadley school for, 45:583**
- reading aids for partially, 42:863
- rehabilitation facilities for, 45:583, 585
- state school for, congenital toxoplasmosis in, 43:165
- what to do when you meet, 48:548
- Blindness, due to multiple pterygia, 39:572
- effect maternal hypoxia on inheritance of, 44:94
- etymological note, 36:839
- in Africa, 45:344
- in Iceland, causes and prevention, 39:202
- League against, 49:1021
- Nation Committee research in, 45:130
- prevention of, 47:595
- Blindspot, mechanism of, 41:880
- in strabismus, 38:765; 40:802
- plotting of, 44:379
- syndrome, so-called, 42:792
- Bloch-Sulzberger syndrome, 45:265
- BLOOD, absorption in eye, cortisone and, 44:75**
- antibodies to Toxoplasma, 44:75
- aqueous barrier, aspects of, 38:377
- CO₂ equilibria of, ocular tension and, 50:291
- circulation of eye, angiospastic disturbances and, 36:660
- collateral, to eye 52:381
- formation, 50:691
- hypertension and, 45:302
- influence compression jugular veins on, 43:468
- coagulated, echogram from, 51:1203
- dyscrasia, cataract extraction in, 53:125
- effect on vitreous, 46:356
- flow, effect hypothermia on, 51:1039/167
- pattern, of uvea, in arterially perfused rabbit eyes; 54:1057
- fluorescence, in circulating, 50:176
- loss, acute, visual disturbances after, 38:817
- pressure, capillary retinal function, glaucoma and, 45:71
- diurnal variations in venous, ocular tension and, 39:793
- response to diencephalon stimulation, 39:711
- serum, exophthalmos-inhibiting factor in, 50:1193
- sludging, 36:1063
- in retinal vein, a diagnostic sign, 54:201
- supply, of orbit 53:96
- types, keratoplasty and, 45:928; 47:48
- vessels, cilioretinal artery, occlusion, 47:684
- cutaneous, response to diencephalon stimulation, 39:711
- of choroid, electron microscopy of, 51:1084/212

BLOOD (continued)

- vessels (continued)
- vena cava obstruction, glaucoma and, 42:685
- volume, aqueous outflow and, 47:547
- changes, in choroid, 42:161
- in retina, 42:161
- in choroid, 43:294
- factors influencing, 46:1
- in retina, 43:294
- factors influencing, 46:1
- Blowout fracture of orbit: See Fractures
- Blue sclerotics syndrome, 47:345
- Body build, glaucoma and, 47:176
- Boeck's sarcoid, auditory findings in, 47:673
- corneal findings in, 47:673
- of fundus, 52:633
- of orbit, steroid therapy in, 45:567
- Bone, formation in eye, 53:265, 290
- marrow, transplantation in ocular tumor, 51:785
- Bonnevie-Ullrich syndrome, 52:207
- Boo-Boo, a, 50:343
- BOOK REVIEWS: 36:131, 272, 406, 545, 733, 868, 1000, 1151**
- 1302, 1475, 1678, 1762, 37:127 282, 446, 599, 807, 963;
- 38:111, 251, 419, 579, 740, 870; 39:111, 255, 431, 602, 766,
- 894; 40:135, 276, 445, 591, 914; 41:146, 333, 555, 719, 881, 1088;
- 42:155, 320, 508, 799, 800, 940; 43:143, 315, 482, 642, 803,
- 994; 44:132, 281, 428, 554, 699, 842; 45:137, 313, 458, 585,
- 742, 947; 46:103, 236, 414, 605, 761, 915; 47:116 256, 418,
- 601, 700, 899; 48:117, 271, 405, 550, 689, 863; 49:167, 388,
- 648, 855, 1064, 1439; 50:189, 346, 508, 670, 818; 51:184,
- 342, 545, 724, 846, 1325; 52:127, 285, 425, 578, 733, 1003;
- 53:156, 393, 543, 703, 880, 1029; 54:151, 322, 476, 723, 879,
- 1155
- Bornholm disease, optic neuritis and, 46:81
- Borneville's syndrome, 45:110
- BOWEN'S DISEASE 36:1750; 38:652; 43:111**
- of conjunctiva, 41:801
- of cornea, 41:801; 48:527
- Bowman's membrane, histopathology of, 51:394
- in corneal dystrophy, 44:192
- ultrastructure of, 50:1013/343
- Boyes, Truman L., 43:141
- Brachycephaly, 37:385
- Brachydactyly, spherophakia with, Marfan's syndrome and, 36:1571
- BRAIN, damage to, children with, reading and, 47:74**
- role in congenital dyslexia, 50:583
- lesions, optokinetic nystagmus and, 48:187
- papilledema and, 50:1084
- maternal immunization with, anophthalmos in mice and, 48:763
- ophthalmoneurologic symptoms in frontal lobe lesions, 45:883
- pseudotumor of, or benign intracranial pressure, 47:215
- tumors, producing retinobulbar pain, 36:1627
- Brainstem, lesions of, oculomotor manifestations of, 41:1077
- Brightness discrimination, 43:786
- Bromide intoxication, eye in, 50:478
- Brown, Edward Vail Lapham, 36:865
- Brucella uveitis, effect adrenal cortex therapy on, 36:1025
- Brucellosis, complications of, 37:118
- eye complications in, 36:675
- uveitis and, 50:1170
- Bruch's membrane, flow and permeability study, 44:362
- Bücklers: A reappraisal, 38:251
- Buphthalmos, cataract extraction in, 54:848
- nevooxantho-endothelioma causing, 43:630
- Burch, Frank Earl, 44:554
- Burchell, Edgar Brower, 50:508
- Burke, James W., 48:863
- Burns, flash of retina 43:711
- See also under Injuries
- Butazolidin, corneal vascularization due to, 43:287
- Byers, W. Gordon, 44:840

C

- Calcinosis oculi, 54:771
- Calcium, blood, 36:1657
- deficiency, lens metabolism and, 36:79

Calcium (continued)

- deposits, in ocular tissues, 53:265; 54:771
- metabolism, local disturbances of, 36:1657
- ocular manifestations, 36:1657
- oxalate, crystallization in eye, 45:298
- California, epidemic keratoconjunctivitis in, 43:*41
- and trachoma in Coachella Valley of, 49:801
- Camera, hand-fundus, 42:639
- improved, 48:486
- Canada, adenoviruses from keratoconjunctivitis in, 43:*32
- Canadian Ophthalmological Society, 36:1146; 38:734; 40:272
- Canal of Schlemm: See Schlemm's canal
- Canaliculitis, lacrimal Candida, 53:933
- streptothrix, 52:36
- Cancer, intraocular V X 2 and treatment, 42:*27
- multiple, in aged, 43:228
- Candida, albicans, effect amphotericin B on, 45:300
- effect Nystatin on, 45:300
- infection of cornea, 36:379
- lacrimal canaliculitis due to 53:933
- mycodermis, corneal ulcer due to, 46:170
- Canthotomy, 47:83
- cantholysis and, 50:388
- Canthus, external ligament of, 47:83
- Carbohydrates, lens utilization of, 43:472
- metabolism, in chemical injuries of cornea, 44:243
- utilization of, lens, 44:*318
- Carbomycin, in ocular infections, 39:51
- Carbon dioxide, in retrolental fibroplasia, 38:342
- CARBONIC ANHYDRASE, 49:384**
- activity, and Diamox 40:*148
- aqueous formation and, 47:*342
- in young eye, 50:338
- inhibition, aqueous flow and, 39:159
- effect on ocular tension, 50:291
- effect on urinary excretion citrate, 49:929
- inhibitors, influence of aqueous potassium, 47:1214
- influence on aqueous sodium, 47:1214
- Squibb-MC-9367, 43:730; 44:550
- transient myopia due to, 48:534
- See also Caradrane, Daranide, Diamox, Ethoxzolamide
- Carcinogenesis, experimental ocular, 45:294
- Carcinogens, intraocular transplant of, 42:138, *27
- method to make and implant, 44:372
- Carcinoid syndrome, 44:257
- CARCINOMA, at limbus, 36:1292**
- bilateral, metastatic, 37:944
- bronchogenic, to aphakic eye, 49:96
- to eyelid, 54:135
- conjunctival hyperplasia simulating, 53:999
- echogram in, 51:1203
- experimental transplantation of, 42:*27
- exophthalmos due to metastatic, 49:1034
- metastatic, yttrium⁹⁰ in, 49:476
- of ciliary body, 39:37
- of choroid, 38:97; 45:654; 52:107; 53:1003
- metastatic, 37:873; 43:630, 723
- from breast, 46:14
- radioactive iodine to treat, 44:222
- of conjunctiva, 36:989, 1732
- of cyst of Moll, 43:968
- of eyelid, 37:270
- of iris, 39:37; 45:707
- metastatic, 45:221
- of lacrimal sac, 44:548
- of limbus, 42:630
- of maxillary sinus, 49:1337
- of meibomian gland, 37:259
- of optic nerve, 47:77
- metastatic, 43:630, 723
- of retina, metastatic, 47:44
- of uvea, 37:204
- ophthalmoplegia and breast, 49:723
- Carcinomatous meningitis, eye in diffuse, 52:681
- Cardiac arrest, 45:730
- during strabismus surgery, 41:748
- Cardiac resuscitation, 36:1468
- Cardase, in glaucoma, 45:225
- Carotene levels, 38:810
- Carotid, aneurysm, 39:584

Carotid (continued)

- artery, ligation of, effect hypothermia on, 51:1039/167
- occlusion, ophthalmodynamometry in, 48:735; 53:806
- cavernous fistula, 37:262; 39:521; 53:121
- ocular findings in, 48:585
- ocular manifestations of 44:812
- compression test, 52:862
- retinal artery pressure after, 50:259
- ligation, retinal artery pressure changes and, 45:364
- internal, retinal artery pressure and, 36:335
- thrombosis, retinal artery pressure and, 52:862
- surgery, retinal artery pressure in, 43:779
- Carrier state, detection genetic in ophthalmology, 37:841
- Cat-scratch disease, 45:452
- Catalase, of cataractous lens, 36:*51
- of normal lens, 36:*51
- Cations, cornea and 42:*167
- CATARACT, 53:537**
- after-, 36:1727
- after glaucoma surgery, 40:572
- surgical technique for, 47:548
- alloxan-diabetic, 39:510; 44:101
- aspiration of, congenital or soft, 50:1048
- atomic bomb, statistics on, 42:212
- biochemical study of, 43:754, 936; 44:94
- carrier for mask string, 42:487
- changes of, 44:*307
- complicated, subluxated lens and, 46:88
- CONGENITAL, 45:124, 302**
- aspiration of 50:1048
- classification of, 52:361
- due to herpes zoster, 39:157
- linear extraction in, 52:355
- needling for, 52:347
- ocular defects with, 53:853
- review 84 cases, 52:368
- surgery of, 43:979; 50:1048; 52:361
- complications of, 46:84
- evaluation of, 53:853
- failure in, 43:1
- syndromes with, 52:207
- cyclotron, 47:120
- diabetes and, 36:*143
- diabetic, 54:532
- dinitrophenol, 44:101
- in avian embryo, 49:1168/82
- due to carbohydrates, 36:*143
- due to diet human milk (rat), 44:387
- electric 54:865
- enzymology, 36:*51
- EXTRACTION, 45:128**
- after glaucoma surgery, 47:250
- alpha chymotrypsin in, 48:543; 51:26, 103
- See also Zonulolysis
- anesthesia in, 41:424
- anterior chamber flat after, 46:88
- as office procedure, 39:715
- aspergillosis after, 54:1124
- Baron Wenzel's operation for, 38:518
- bis-cholinesters as relaxants in, 38:429
- by eye residents, 52:111
- by traction, 47:396
- choroid detachment after, 49:1408
- ciliary staphyloma after, 45:906
- complications after, 36:1629, 1631; 53:1021
- analysis 1,001 cases, 36:929
- cortisone in, 38:201
- emergency treatment, 44:409
- neosone in, 38:201
- pathologic documentation, 37:672
- conjunctival flap in, 39:81
- suturing, 41:856
- corneal edema after, 47:244
- curare akinesia in, 36:781
- simplified administration, 39:697
- Diamox in wound healing after, 39:86
- drawn-up pupil after, 46:87
- endophthalmitis after, 53:35
- enzymatic zonulolysis in: See Zonulolysis
- epithelial downgrowth after, 36:524; 37:628; 42:284; 45:*182

CATARACT (continued)**EXTRACTION** (continued)

epithelial (continued)

- X-ray treatment in, 39:868
- expulsive subchoroidal hemorrhage in, 49:791
- glaucoma secondary to, 36:103; 40:570; 45:935
- gonioscopy and, 45:575
- hyaloid rupture in, alpha chymotrypsin and, 49:357
- hyaluronidase as relaxant in, 38:429
- hydrodynamic, 50:326
- hyphema after, Diamox to prevent, 44:637
- in buphthalmos, 54:848
- in deep corneal dystrophy, 52:677
- in infants and children, 54:1064
- in open-angle glaucoma, 42:608
- in patients with blood dyscrasia, 53:125
- in presence fluid vitreous, 47:249
- in younger age groups, 40:586
- incisions in, von Graefe vs. keratome, 36:350
- infections after, 41:981
- instrument for, 37:941
- intracapsular, forceps-loop for, 36:843
- hyaloid membrane rupture after, 37:657
- vitreous appearance after, 40:862; 45:59
- iris incarceration in, 36:1457
- iris inclusion with, 39:71
- iris prolapse after, 46:86
- lens capsule adhesion to hyaloid and, 46:495
- lens delivery in, 50:649
- lens forceps, with iris retractor for, 45:277
- macular edema after, 37:665
- observations concerning, 36:1245
- of Morgagnic, 53:862
- of secondary, 53:155
- optic neuritis after, 45:659
- peripheral iridotomies in round-pupil, 45:41
- preoperative use antibiotics in ointments, 36:475
- procedure for, 40:741
- ptosis after, 47:250
- recurrent congestion after, 38:106
- restoration anterior chamber after, 39:147
- Ridley implant in, 36:1471, 1568
- safeguards, 46:388
- section for, 41:272
- separation eyelids in, 51:35
- Smith technique modified, 48:111; 51:26
- Staph. aureus and, 41:981
- study of, 1,000, 44:649
- sutures in, 38:240
- nylon bridle, 40:251
- preplaced corneoscleral, 39:843
- tonography and, 45:575
- trauma after, 51:147
- unusual, 49:851
- urea in, 54:753
- uveitis after, 37:949; 40:205
- vitreous loss in, avoiding hammock pupil after, 36:56
- vitreous syndrome after, 36:599
- without assistant, 47:686
- zonulolysis in: See Zonulolysis
- formation, after beta radiation, 38:465
- after strontium⁹⁰, 52:573
- experimental, 49:1165/79
- influence on ribonucleic acid of lens, 51:993/121
- PAEE-enzyme and, 52:65
- galactose, 36:143; 37:792; 42:602; 44:101, 162
- proteins during development of, 44:332
- galactosemia and, 36:454, 841, 1380; 50:1151
- glaucoma and, operation for, 48:1
- surgery of, 36:925
- history of, 49:305
- hypermature, glaucoma secondary to, 42:97; 43:388
- lens capsule rupture in, 39:403
- in aged, 44:32
- in alloxan diabetes, 37:795
- in ectodermal dysplasia, 45:143
- in hypoparathyroidism, 36:1657
- in India, 36:1472
- in premature infants, 41:310
- in rheumatic arthritis, steroid therapy and, 52:831/399

CATARACT (continued)

- incision, complications of, 50:367
- scissors to enlarge, 47:388
- iodoacetic acid, 40:379
- juvenile, alpha chymotrypsin in, 53:993
- lamellar radiation, in newborn mouse, 45:882
- lens exfoliation and,
- lenses, conoid, 51:615
- luxated, extraction from fluid vitreous, 45:909
- mimosine, 47:1107
- monocular, 43:622
- morgagnian, 39:575; 40:102
- Myleran, 44:165
- naphthalene, 44:99
- nuclear, hereditary pulverulent, 54:123
- operations, causes failure in, 37:87
- history of, 49:305
- incision in, new technique, 37:905
- Wheeler discission and iridotomy, practice method, 50:494
- pathogenesis of, lens epithelium in, 44:159
- phosphate metabolism and, 42:466
- production of, with dinitrophenol, 43:936
- radiation, 39:285; 44:160
- ciliary body in, 38:673
- classification, 41:1016
- clinical manifestations, 41:1007
- enzyme studies in, 40:871
- histologic findings, 41:1007, 1072
- lens epithelium changes, 41:1017
- protein synthesis in, 47:368
- studies on, 41:1006
- threshold dose level, 41:627
- reading aid for persons with, 49:1401
- retinal detachment in, prevention of, 47:576
- retinal ischemia in, 47:862
- second decade, management of, 45:184
- secondary, giant cells in, 51:1306
- senile, 36:1241
- electron microscopy of, 49:1423
- genesis, 43:754
- geographic distribution of, 49:1039
- lens capsule channels and, 36:24
- SURGERY**, 52:990
- acrylic lenses in, 36:988
- alpha chymotrypsin in, method for use, 52:263
- See also Zonulolysis
- anesthesia in, 47:411
- general, 47:487
- antihistamines in, 51:1240
- ataractic and antiemetic drugs in, 47:177
- cases lost before, 47:172
- Chlorpromazine in, 43:744; 44:549
- choroid detachment after, 48:853
- complications of, 53:953
- effect early ambulation on, 49:293
- corneoscleral sutures and conjunctival flap in, 42:730
- denuding cornea in, 47:230
- diagnostic criteria in, 36:520
- digital compression preceding, 51:1237
- early ambulation in, 49:293
- experimental approach to, 53:296, 606, 953
- failure in, in congenital, 43:1
- forceps-irrigator for, 48:673
- 45 years of, 36:859
- flexible retractor for, 47:692
- fluorescing illumination in, 47:663
- hypotony and, 47:411
- late, after, 53:832
- incision in, 45:730; 48:79
- intravenous analgesia in, 46:594
- intravenous sedation in, 46:179
- iridectomy in, 49:286
- See also Iridectomy
- modified knife and techniques for discission, 47:756
- muscle relaxants in, 47:487
- Meperidine in, 53:672
- ocular tension after, 53:832
- prevention flat chamber in, 53:93
- pupil block in, 47:239
- refinement in, 54:273

CATARACT (continued)**SURGERY** (continued)

- retinal detachment after, 50:716
- safety measures in, 42:787; 43:129; 46:388
- simultaneous muscle surgery and, 54:108
- sutures in, 48:79; 51:1243
 - forceps for, 47:689
 - plain vs. chromicized catgut, 49:711
 - spreader for, 48:676
 - wound closure after, 47:246
 - optimum, 48:660
- transillumination in, 36:523
- traumatic, due to intralenticular foreign body, 54:856
- iritidocyclitis and, 37:121
 - in children, results of treatment, 52:43
- use Haidinger brush phenomenon as prognostic test, 54:811
- uveitis and, 45:128
 - peripheral, 49:1257
- wounds, sutures for, 54:1152
- X-ray, hexokinase in, 43:893
- Catgut sutures, in corneal surgery, 51:118
- Cats, cross-eyedness in Siamese, 53:70
- Cation transport, in lens, 48:528
- Cells, sex chromatin as marker for, 49:513
- Cephalosporium, keratitis due to, 48:330; 49:267
 - mycelium, corneal destruction by, 50:926/256
- Cerebellar symptoms, in ophthalmoplegia, 51:152
- Cerebral, angiography, 37:55
 - artery occlusion, 53:533
 - cortex, near-response and, 48:573
 - hemispherectomy, eye movements in adults with, 42:319
 - palsy, children with, ocular evaluation of, 48:721
 - ocular findings in, 54:1114
- Cerebrovascular disease, ophthalmodynamometry in, 48:220
 - ophthalmic diagnosis and management of impending, 50:395
- Chalazion, forceps for, 36:519
 - retractor, 52:260
 - treatment of, 53:146
- Chalcosis bulbi, 36:803
- Chameleon, eye movements in, 45:288
 - visual pathways in, 45:288
- Chédiak-Higashi syndrome, ocular manifestations, 50:1197
- Chemical burns: See under Injuries
- Chemotherapy, in ocular tuberculosis, 39:758
 - in ocular tumor, 51:785
- Chiasm, irradiation damage to, 44:483
- Chiasmal syndromes, neurosurgical evaluation, 54:563
- Chicago Clinical Conference, 39:599
- Chicago Ophthalmological Society, 36:265, 718, 847, 1457, 1747; 37:121, 787; 38:573, 721; 39:239, 586, 742; 40:119, 256; 42:309; 43:630; 44:825; 46:397, 895; 47:103; 48:107, 539; 49:631; 50:662
- Chickenpox, facial paralysis and, 52:723
 - herpes zoster and, 40:269
- CHILDREN**, behavior of, 37:598
 - cataract extraction in, 54:1064
 - cerebral palsied, ocular evaluation, 48:721
 - chloral hydrate as sedative for, 51:834
 - chloroform anesthesia for, 43:27
 - dacryocystorhinostomy in, 46:86
 - dacryostenosis in, congenital, 37:768
 - diabetic, fundus changes in, 36:849
 - eye clinic for, problems encountered in, 43:24
 - eye disease in, 49:362, 364
 - general anesthesia in, 49:839
 - heterophoria and myopia in, 54:111
 - mentally retarded, toxoplasmosis in, 48:813
 - myasthenia gravis in, 47:128
 - myopic, glasses and, 53:866
 - newborn, retinal hemorrhages in, 49:1005
 - penetrating injuries in, management of, 46:88
 - preanesthetic medication for, 36:1624
 - preschool, near-vision test for, 52:712
 - vision testing in, 44:38
 - reading disability in, 52:572
 - reading problems in, 47:67
 - referral standards for eye examinations, 37:710
 - rhabdomyosarcoma in, 53:463
- CHILDREN** (continued)
 - school, accommodation in, 51:1255
 - achievement in, visual skills and, 36:794
 - near vision in, 52:732
 - ocular anomalies in, 50:139
 - ophthalmology and health of, 52:278
 - reading efficiency of, 41:1029
 - effect reversal on, 41:1029
 - visual screening of, 52:278, 283
 - occluder for, 48:847
 - tests, 39:369; 46:219
 - comparison of, 52:511
 - near, 45:127
 - performance, 44:508
 - visual skills and achievement in, 36:794
 - visual study of, Danbury, Connecticut, 39:527
 - suppression amblyopia in, hypnosis in, 46:53
 - traumatic cataracts in, results treatment, 52:43
 - uveitis in, 45:304
 - with brain damage, reading problems in, 47:74, 50:583
 - with low vision, optical aids for, 46:813
 - xantho-granuloma in, 53:455
 - zonulolysis in, 54:95
 - Chlamydozoon trachomatis, fine structure of, 43:951
 - Chloral hydrate, pediatric sedative, 51:834
 - Chloramphenicol, 50:614
 - eye signs during, 44:18
 - in leptospirosis, 36:121
 - toxic eye manifestations, 44:18
 - Chloresium, lysozyme and, in corneal ulcers, 37:445
 - ointment, for abraded cornea, 36:1508
 - Chloroma, of orbit, 47:91; 48:270
 - Chloroquine, macular degeneration and, 54:381
 - retinopathy, 53:769; 54:321
 - Chlorothiazide, in glaucoma, 47:199
 - Chlorpromazine, 38:576; 39:110
 - effect on ocular tension, 42:107
 - in cataract surgery, 43:744; 44:549
 - Cholesteatoma, of orbit, 36:1468
 - Cholinesterase, activity, 50:115, 622
 - blood levels, in glaucoma, 52:242
 - inhibitors, 49:270; 51:885/13
 - neutralization by oximes and atropine, 52:841/409
 - ocular, 51:885/13
 - Choriocapillaris, in autopsy eyes, 50:582
 - study flat preparations of, 43:299
 - Choriopathy, angioneurotic, 36:8
 - Chorioretinal, atrophy in autopsy eyes, 50:424, 574
 - cicatization, traction induced by, 52:767/335
 - degeneration, ERG in, 54:54
 - lesions, produced by photocoagulation, 52:487
 - Chorioretinitis, amphotericin B in, 49:1288
 - as manifestation congenital toxoplasmosis, 46:135
 - histoplasmosis, amphotericin B in, 51:588
 - periphelebitis and, 36:848
 - progressive bilateral, Kodachrome record 18 years, 52:343
 - Staph, sensitivity in, 48:846
 - toxoplasmic, 36:845
 - in adults, 37:163
 - uveitis and, 47:1173
 - Chorioretinopathy, central angiospastic, 36:3
 - posttraumatic, 40:579
 - serous, extrabulbar mechanisms in pathogenesis, 51:231
 - toxic, 45:127
 - after MP-207, 44:603
 - Choristoma, episcleral osseous, 53:290
 - CHOROID**, 53:536
 - angiographic topography of, 54:232
 - artery, occlusion anterior, 40:796
 - biopsy of, 36:1205
 - blood circulation in, cyclodiathermy and, 45:127
 - effect high intensity light on, 54:277
 - effect vasodilators on, 42:899
 - blood vessels of, electron microscopy of, 51:1084/212
 - blood volume of, 43:294
 - factors influencing, 46:1
 - carcinoma, 38:97
 - bilateral metastatic, 45:654
 - bronchogenic, 52:107; 53:1003
 - I¹³¹ to treat, 44:222

CHOROID (continued)

- carcinoma (continued)
 metastatic of, 37:873
 metastatic to, 43:723
 cells, electron microscopy, 51:1057/185
 cellular infiltration of, 50:1197
 colobomas of, 48:597
 retinal detachment and, 49:628
 detachment of, after cataract surgery, 48:853; 49:1408
 in peripheral uveitis, 49:1257
 spontaneous, 49:898
 elevation, with polyvinyl sponge, 45:722; 47:428
 hemangioma of, 48:612; 50:3
 hematomas under retinal pigment epithelium simulating melanoma of, 53:897
 lymphosarcoma of, 51:1294
 melanoblastoma of, 45:51
 scotoma as sign of, 49:1406
 subretinal cellular deposits in, 45:705
 melanoma of, 37:107, 254; 46:402; 48:542; 50:330; 51:1296
 long-term follow-up of malignant, 36:61
 retinal involvement in, 51:517
 metastases to, from breast carcinoma, 46:14
 from bronchial adenoma, 39:33
 nerves of, electron microscopy, 51:1072/200
 neurofibromatosis of, 54:217
 rupture of, mechanism, 37:791
 photocoagulation in, 54:3
 sarcoma of, 48:855
 sclerosis and atrophy of, in collie dogs, 50:451
 vascularization, in rabbit, 52:807/375
 Choroideremia, ERG in, 39:166
 Choroiditis, amebiasis and, 44:695
 prednisolone in, 41:593
 prednisone in, 41:593
 simulating neoplasm, 37:122
 tuberculous, treatment of, 39:653
 with lymphocytic choriomeningitis, 38:231
 Choroidoscopy, supplementing ophthalmoscopy, 51:833
 Chromatography, to study corticosteroids in aqueous, 44:91
 Chromophobe, pituitary, 43:978
 Chymotrypsin, in ophthalmic surgery, 51:103
 intramuscular, in strabismus surgery, 51:106
 See also Alpha chymotrypsin
 Cilia: See Eyelash
 Ciliary block, with benzocaine, in blind eye, 47:867
CILIARY BODY, aqueous origin and, 49:780
 autonomic innervation of, accommodation and, 48:287
 basement membrane of, thickening in diabetes, 54:532
 biopsy of, 36:1205
 carcinoma of, 39:37
 cysts of, with glaucoma, 45:64
 dehydrogenase activity in, 48:550
 effect intracardiac injection dye on, 38:153
 epithelium, components of, 48:426
 studies on, 46:299
 histochemical studies, of primate, 50:407
 in radiation cataract, 38:673
 iris and, electrical resistance of, 51:1027/155
 preparations of, accumulation Diodrast in, 50:862/192
 leiomyoma of, 42:204
 medullo-epithelioma of, 46:19
 melanoma of, 38:104; 43:294, 307; 45:835
 organic anions of, transport of, 51:1047/175
 perforating wounds of, 47:399
 photocoagulation of, 52:156
 pigment epithelium of, 50:1066
 role intraocular pressure in developing, 44:85
 serous detachment of, hypotony and, 52:609
 trabecular attachment of, 45:189
 Ciliary epithelium, changes in, hypothermia and, 49:1134/48
 electron microscopy of, 45:720
 nonpigmented, membrane properties of, 51:1118/246
 potentials of, 50:855/185
 Ciliary ganglion, pharmacodynamics of, 40:202
 Ciliary muscles, effect sympathetic nerve impulse on, 40:155
 Ciliary nerves, anatomy of, 49:1425
 in autopsy eyes, 50:424
 Ciliary processes, adenylic acid deaminase activity of, 46:96
 blood flow pattern of, 54:1057
 oxidative phosphorylation by, 42:349
 Ciliary staphylococci, after cataract extraction, 45:906
 Ciliary veins, thrombi in, in infants, 43:93
 Cilioretinal artery, occlusion of, 47:684; 48:864; 50:188; 53:687
 Citral, effect on intraocular dynamics, 50:309
 Citrate, effect carbonic anhydrase inhibitors on urinary excretion of, 49:929
 Clapp, Clyde Alvin, 40:274
 Clinical investigations and test, 46:402
 Clinical pathologic conference, 37:107, 254, 420, 568, 774, 931; 38:222; 42:97, 284, 737; 43:223, 417; 45:86
 Coats' disease, 39:574; 41:1078; 54:175
 clinicopathologic study, 38:852
 miliary retinal aneurysms, form of, 43:426
 telangiectasis of retina and, 42:1
 telangiectatic or multiple vascular origin, 45:508
 Coccidioidomycosis, 53:822
 pulmonary, Jensen's disease and, 43:965
 uveitis and, 45:102
 Cockayne's disease, 52:116
 Cocos Islands, eye disease in, 51:1229
 Coffee, influence on ocular tension, 39:700
 Cogan, David Glendenning 39:2, *3, *4, *5
 Cogan's syndrome, 49:1017
 Colistin, in Pseudomonas infections, 50:33
 of cornea, 51:391
 Collagen, disease, episcleritis, erythema nodosum and, 36:510
 systemic, uveitis and, 45:11
 effect aqueous on, 47:27
 in stroma, 45:291
 sponge material, implants of, 54:19
 Collyrium, corneal stippling after, 51:723
 Colobomas, atypical of choroid, 48:597
 of uveal tract, 39:586
 Color blindness, photopic retinal receptors in, 46:81
 total, enigma of, 50:996/326
 Color, contrasts, size effects in, 50:177
 sense, in pregnancy, 50:188
COLOR VISION, 49:1047
 branched schema pathway for, 39:8
 cone participation in, 39:24
 defects, quantitative diagnosis, 51:298
 in school children, 50:139
 heterozygous carriers and, 48:231
 in native races of Australasia, 41:797
 self-testing device for screening, 54:139
 spectral hue loci in, 50:178
 of trichromates, 52:166
 spectral sensitivity in, 48:231
 study on, 50:177
 tests, evaluation Ishihara, Farnsworth and H-R-R, 51:298
 evaluation Tokyo Medical College, 52:650
 Hardy-Rand-Rittler, field study, 48:124
 Ishihara, 49:921; 51:340
 Color, yellow pigment of human lenses, 47:1144
 Colorado Ophthalmological Society, 36:264, 988; 37:118
 Commissurotomy, embolism central retinal artery after mitral, 47:90
 Compazine, acute myopia and, 54:793
 Compensation: See Disability compensation
 Compound F, in horse-serum uveitis, 36:690
 Compound 75GT, evaluation of, 36:1724
 Compression, digital preceding cataract surgery, 51:1237
 Conan-Doyle, Sir Arthur, an oculist without a patient, 37:799
 Concentration camp, ophthalmology in, 44:12
CONGENITAL ANOMALIES, ankyloblepharon, cleft lip and palate, 53:126
 anophthalmos, 51:698
 apical, congenital cataract and, 52:207
 cerebral, migraine symptoms with, 52:993
 coloboma, of choroid, 48:597
 distichiasis, 53:14
 due to maternal rubella: See Maternal rubella in Africa, 45:344

CONGENITAL ANOMALIES (continued)

- in rat embryo, after maternal thyroidectomy, 40:65
 - in school children, 50:139
 - microphthalmos, 38:716
 - See also Microphthalmos
 - ocular malformations, 40:580
 - ocular motor apraxia, 36:433
 - of anterior chamber angle, 41:1073
 - of cornea, 41:1073
 - posterior, 51:525
 - of eyes, in collie dogs, 50:451
 - of iris, 41:1073
 - of lacrimal apparatus, 54:854
 - of lacrimal passages, 42:227
 - of optic disc, 53:307
 - papilledema and, 50:1084
 - retinal dysplasia, 45:199
 - simulating tumor, 45:102
 - vascular, glaucoma secondary to, 53:872
 - syringomyelia and, 39:728
 - vertical muscle defects and, 40:529
 - See also under names of various organs, regions, etc.
- CONJUNCTIVA**, allergies of, classification, 36:1689
- amyloidosis of, 49:1413
 - "angle band" of, 36:1734
 - bacteriologic examination of 3,000 patients, 38:374
 - Bitot's spots of, 36:109
 - Bowen's disease of, 41:801
 - bulbar, melanomas of, 45:536
 - buttonhole, after trephining or iridencleisis, 47:245
 - cancerous melanosis of, 39:196
 - carcinoma of, 36:989, 1732
 - squamous-cell, experimental, 48:98
 - cells of, electrolytes and, 46:269
 - epithelial, test for viability, 52:923
 - chemosed, Snellen sutures for prolapse of, 42:774
 - coccidioid granuloma of, 53:882
 - cytology of, 37:576
 - cysts of, 54:458
 - dermolipoma of, 37:354
 - epibulbar osteoma of, 53:290
 - extirpation of, after enucleation, 51:227
 - flaps, in corneal disease, 54:1149
 - granuloma, due to imbedded eyelash, 51:706
 - hemangioma of, pedunculated, 52:266
 - hemorrhage of, 43:478
 - hyperplasia of, lymphomatous, 49:1415
 - implants of, into anterior chamber, 39:1165
 - lesions of, in hereditary telangiectasis, 41:672
 - lymphangiomas of, 51:481
 - lymphosarcoma of, 50:147; 52:412
 - malignant tumors of, 40:252
 - melanoma of, 44:408
 - mycotic flora of, 49:1174/88; 52:619
 - papillomatosis of, 37:589
 - precancerous conditions of, 42:112
 - melanosis, 39:196
 - preservation of, 47:305
 - pseudo-epitheliomatous hyperplasia of, 53:999
 - pseudotumoral edema of, 52:901
 - recession of, in muscle operations, 53:618
 - scars, late infection of filtering, 46:155
 - staining, after local anesthesia, 38:351
 - tarsal, keratinization of, keratitis and, 41:477
 - tuberculosis of, 50:265
- Conjunctival capillaroscopic index, 45:307
- CONJUNCTIVITIS**, adenoviruses in, 43:20
- agents recovered from acute, 43:32
 - at Moorfields in 1956, 45:304
 - bacterial, due to eye ointment, 52:251
 - bacteriologic survey of 3,000, 38:374
 - due to molluscum contagiosum, 39:302
 - follicular, APC virus from, 41:231
 - gonorrheal, 39:747
 - inclusion, experimental, 42:76
 - from egg-grown virus, 53:780
 - in newborn, isolation viruses from, 53:774
 - inoculation human volunteer with, 53:786
 - morphology inclusion bodies in, 45:423
 - influence age on, 39:540
 - Koch-Weeks epidemic, trachoma and, 49:801

CONJUNCTIVITIS (continued)

- ligneous, 36 years' duration, 45:246
 - lymph-gland suppuration with acute, 36:260
 - neospurin in, 41:850
 - N.F.12 solution for, 41:1020
 - Parinaud's, 45:452
 - pharyngitis, muscle pain, pyrexia and, 36:1534
 - pleuropneumonia-like organisms and, 43:296
 - Staph., resistant, 51:819
 - toxic, due to antibiotics, 40:849
 - vaccinia, 53:531
 - vernal, 38:859
 - review of 400 cases, 47:166
 - tarsectomy in, 53:429; 54:321, 878
 - Conjunctivoantrostomy, in epiphora, 49:246
 - Conjunctivodacryocystorhinostomy, congenital, 54:854
 - Conjunctivoplasty, in corneal disease, 54:146
 - Conoid refracting surfaces, conoid lenses and, 46:86
- CONTACT LENSES**, 39:750; 49:277
- containers, Pseudomonas contamination of, 54:461
 - corneal, 45:919
 - clinical study, 51:675
 - iris, 52:264
 - micrometric linear kerato-pupillometry in fitting, 51:1273
 - micro-, patient's acceptance of, 46:869
 - corneal ulcer due to, 53:678; 54:307
 - dimples and bubbles under, 54:827
 - endophthalmitis in wearer of, 54:847
 - for diagnosis, 48:849
 - low vacuum, 51:40
 - of fundus, 51:412
 - of retinal periphery, 51:413
 - functional results with, 48:110; 49:548
 - glare due to, 54:1135
 - in aphakia, 40:754
 - monocular, 43:289; 50:11
 - monocular, use of, 46:78
 - problems, 52:706
 - splint, in keratoplasty, 41:79
 - Tuohy, 36:1628
 - Contractile force, in cat iris, 48:316
 - Contrast phenomena, nature of, 51:1098/226
- CONVERGENCE**, accommodation and, 43:788
- nonlinear relationships in, 47:455
 - proximal, 43:788
 - asymmetric, electromyography of, 46:174
 - electromyographic study of, 45:716
 - insufficiency, 40:110
 - management of, 43:448
 - mechanism of, 49:1051
 - near-point of, modified Prince rule to measure, 49:827
- Copper sulfate, in cephalosporium keratitis, 49:267
- Co-Ral, coralox and, systemic effects of, 50:622
- ocular effect of, 50:170
- Coralox, Co-Ral and, systemic effect of, 50:622
- in glaucoma, 50:797
 - studies on, 50:115
- Cordes, Frederick Carl, 47:14, 15, 16, 111, 113, 116
- Corectopia, 38:721
- Corepraxy, 39:189
- CORNEA**, abraded, chloresium ointment for, 36:1508
- tantalum-oxide powder for, 36:1508
 - abrasions, foreign body acting as concave lens, 36:981
 - acid injuries of, 40:111
 - adhesions to, postoperative hyaloid, 45:99
 - allergy of, experimental, 48:37; 50:583
 - anesthesia, 40:428
 - antigen-antibody reaction in rabbit, 45:719
 - antivascularization factors in, 42:897
 - astigmatism, changes in after surface diathermy, 43:336
 - basement membrane of, fine structure of, 51:278
 - histochemistry of, 38:171
 - bathing, tube for, 42:918
 - Bowen's disease of, 36:1750; 41:801; 48:527
 - calcium deposits of, 40:580
 - Candida albicans of, 41:1073
 - cations and, 42:167
 - cells of, electrolytes and, 46:269
 - fixed, morphology after incision, 40:24

CORNEA (continued)

- cells of (continued)
 - silver carbonate study of, 40:368
- changes, due to metabolic and cutaneous disease, 47:1191
 - during long-term glycerol freezing, 51:579
 - histologic aspect of, 47:1191
- chemical injuries of, corticosteroids in, 48:253
 - phosphate buffer study, 49:1331
- conical: See Keratoconus
- contact lens, for fundus biomicroscopy, 50:805
- curvature, effect anesthesia on, 53:49
 - effect mydriatics on, 53:49
 - measurement of, in fitting contact lenses, 51:1273
- debrider for, 45:448
- defects of, penetrating, 48:787
- degeneration, 45:576
 - familial, 36:1628
- denuding of, in cataract surgery, 47:230
- deposits on, band-shaped, glaucoma and, 36:1458
- dermoids of, 53:661
- Descemet's membrane, in peripheral, 49:629
- destruction of, by cephalosporium mycelium, 50:926/256
 - Pseudomonas proteases*, 45:718; 46:249
- development of, 46:276
 - anomalies, 41:1073; 51:525
- diameter of inter-, exophthalmos-producing factor and, 53:973
- diffusion in, 49:1011
- dimples and bubbles of, under contact lenses, 54:827
- disease, conjunctival flap in, 54:1149
- conjunctivoplasty in, 54:146
- slitlamp diagnosis of, 36:1293
- virus, 36:1463
- dissolution, in alkali, 42:292
- DYSTROPHY**, 37:268; 45:576
 - bullous keratitis and, 36:1740
 - congenital hereditary, 50:1114
 - crocodile shagreen and, 46:748
 - Diamox in, 41:203
 - electron microscopy of, 45:518
 - endothelial, atrophy iris stroma and, 41:607
 - and epithelial, histopathology, 44:191; 45:518
 - treatment of, 48:70
- epithelial, Fuchs', 46:297
 - keratoplasty in, 54:812
 - treatment of, 48:70
- granular, 45:1
- Groenouw's, 49:1051
 - differentiated from lattice, 47:1
- hereditary deep, 45:636
 - lens extraction in, 52:677
- hereditary fleck, 51:275
- histopathologic differentiation of, 51:394
- histopathology corneal endothelium in, 53:215
- hormonal, 46:226
- intraocular surgery and, 38:240
- keratoplasty in, 36:524; 50:1100
- macular, 47:1
- paraproteinemia and, 52:895
- edema, 41:144
 - after cataract extraction, 47:244
 - genesis of, 40:37
 - iris stroma atrophy after, 41:607
- effect alpha chymotrypsin on, 51:598
- effect histamine on, 42:89
- effect topical anesthetics on, 43:606; 44:74
- effect vascularization on metabolism of, 48:418
- elasticity of, 39:811
 - in disease, 39:817
- electrical potential of, 43:468; 45:290
- electrophoresis of stored, 44:385
- endothelium of, 44:9
 - cell division and growth of, 51:955/83
 - healing of, 46:62; 49:683
 - histopathology of, 53:215
 - pigmentation of, 54:1121
 - proliferation of, 53:235
 - variations in normal, 36:1279
- epithelium of, and stroma, fine structure of, 54:969
 - basement membrane of, 36:895
 - cells, test for viability and vitality, 52:923

CORNEA (continued)

- epithelium of (continued)
 - fine structure of, 51:278
 - glucose metabolism in, aerobic pathways of, 48:47
 - in anterior chamber, behavior of, 50:276
 - penetrating defects and, 48:787
 - regeneration of, 37:544
 - ultrastructure of, 50:1013/343
- epithelization, effect various agents on, 48:210
 - in explanted eye with elevated pressure, 48:22
- erosion, enzymatic debridement in, 53:124
 - recurrent, 47:148
- evisceration with retention of, 45:433
- explants of, effect chick embryo extracts on, 40:582
- findings, in ichthyosis, 39:575
- fine structure of human, 49:1421
- fish, heterografts of, into rabbit eyes, 48:363
- fistula of, complicating keratoplasty, 50:368
- fluorescein in, factors influencing, 46:93
- fresh, viability of, 41:513
- frozen, viability of, 41:513
- fungus infections of, 42:59
- grafts: See Keratoplasty
- granuloma of, carrageenan, 49:628
- growth of, in tissue culture, 39:212
- guttata, pathology of, 48:161
 - secondary, 50:17
- half-incision of, for astigmatism, 36:462
- healing of, 48:238
 - effect beta radiation on, 40:170
- herpes of, proteolytic enzyme to treat, 53:75
- herpetic disease of, keratoplasty for, 43:147
- herpes simplex infections of, steroids in, 49:1355
- See also under Herpes and under Keratitis
- heterografts, antigenicity of, 49:511
- See also Keratoplasty
- heterotransplantation of, 53:911
- See also Keratoplasty
- histochemical changes in developing rat, 45:296; 46:47
- hydration of, 40:100
 - effect on ocular tension, 42:325
 - influence epithelium on, 42:330
 - physiologic control of, 44:262
 - role metabolism in, 38:182
 - transport inorganic ions and, 38:174
- hydrops of, 37:788
 - due to keratoconus, 41:1076
- implants, plexiglass, 41:793
- in Boeck's sarcoid, 47:673
- incisions, influence epithelium on healing of, 45:89
- indentation volume, tonometric pressure and, 47:557
- infections, *Candida albicans*, 36:379
 - in experimental animals, 53:359
- Pseudomonas*, 46:249
 - colistin in, 51:391
- injuries of, biochemical characteristics, 44:243
- gastro-intestinal extract in chemical, 44:541
- histopathology corneal endothelium in, 53:215
- Kayser-Fleischer ring of, in Wilson's syndrome, 44:623
- Krukenberg spindles of, in pigmentary glaucoma, 52:880
- lacerations of, 54:119
- lenses: See Contact lenses
- lesions, produced by topical anesthesia, 41:99
 - familial, 43:791
- lyophilized, in experimental heterografts, 54:265
- megalocornea: See Keratoglobus
- melanoma of, intra-epithelial, 54:1142
- metabolism, effect vascularization on, 48:418
- morphology of, silver stains to study, 51:1051/179
- mucopolysaccharides of, sulfate-S³⁵ into, 44:291
- nebulae of, in new syndrome, 52:53
- needles, sharpening of, 43:636
- nerves of, silver-carbonate study of human, 40:368
- normal, histochemical studies, 47:299
- nutritional supply of, 36:127; 38:174
- opacities, desiccation to treat, 36:1742
- steroids in, 49:906
- patency of openings in, anterior to plastic disks, 39:185
- pemphigus of, histologic findings in, 36:231

CORNEA (continued)

- penetrating autokeratoplasty of entire, 47:125
- penetrating injuries of, 39:742
- perforation of, 43:981
 - in metaherpetic keratitis, 54:756
- keratoplasty for necrotizing, 48:252
- peripheral, anatomy and pathology of, 45:723; 47:478
- phase-contrast study of, 36:799
- physiology of, effect plastic membranes on, 51:1146/274
- pigment epithelium proliferation in, 50:1066
- plastic artificial, trephine hole in, 43:472
- plastic material for replacement of, 36:168
- posterior lamellar resection of, in implantation cyst, 54:800
- preservation of, 47:303
 - durafilm container for, 54:462
- See also under Keratoplasty
- preserved, viability of, 47:772
- proteins of, antigenic properties of, 49:504
 - electrophoresis of, 48:77; 51:314
 - water-soluble, 40:583
- regeneration of, effect Harderian gland on, 36:1545
 - effect lacrimal gland on, 36:1545
- response of, to herpes simplex virus, 47:61
- retinal potential and, 43:784
- rust stains of, Versene to remove, 41:1075
- scarring, hyperopia and, 36:983
- splitting of, 46:855
- squamous-cell carcinoma of, experimental, 48:98
- staining, after local anesthesia, 38:351
- staphyloma of, 50:368
- stippling, after collyrium, 51:723
- structure of, 38:40
- surgery of, absorbable sutures in, 51:118
 - diagnostic criteria in, 36:522
- sutures in, bedside removal of, 45:111
- suturing forceps for work on, 47:689
- swelling of, in alkali, 42:292
 - effect vascularization on, 48:418
- swollen, histochemical studies of, 47:1229
- tattooing of, new pigment for, 50:325
- tetanus infections of, 43:772
- thickness of, changes in, 42:251
 - measurement of, 42:251
- tissues of, separate culture of, 46:294
- toxicity of metals to, 42:167
- transcorneal potential, 44:284
 - influence on, of medium composition, 48:834
 - of pH, 48:834
 - of temperature, 48:834
- transparency, 48:480
 - changes during rapid hydration, 46:276
 - endocrine factors in, 49:1421
 - tonicity of tears and, 36:127
- transplantation of: See Keratoplasty
- transport ions across, 44:284
- ULCERS**, bacterial, 48:775
 - bacteriology of, 43:89
 - chloresium and lysozyme in, 37:445
 - dendritic, 38:100
 - due to actinomyces, 44:417
 - due to Candida mycoderma, 46:170
 - due to cephalosporium, 49:267
 - due to contact lenses, 53:678; 54:307
 - due to Proteus vulgaris, 48:775
 - due to Pseudomonas, 48:741
 - aeruginosa extracts, 46:721
 - endogenous ring, tuberculosis and, 54:1137
 - glaucoma and, 45:826
 - keratoplasty in perforating, 46:67
 - Mooren's, keratotomy in, 42:883; 44:121
 - one like, in graft, 43:385
 - neosporin in, 41:840
 - nicotinic acid in healing of, 37:764
 - Nocardia asteroides causing, 42:303
 - streptokinase-streptodornase in, 41:847
 - vitamin A in healing of, 38:810
- vascularization of, due to Butazolidin toxicity, 43:287
 - hyperopia and, 36:983
 - inhibition of, by Thiotepa, 49:1111/25
 - steroid treatment of, 49:906

CORNEA (continued)

- viability of, 47:308
 - of frozen, 44:131; 44:182
 - of stored, 44:209
- water transport from, 40:100
- tritiated water to measure, 47:419
- wounds of,
 - closure of, 43:778
 - early components of, 44:825
 - early reactions in, 45:294
 - healing of, curettement and, 50:174; 51:930/58
 - effect beta radiation on, 40:170
 - effect cortisone on, 40:344; 42:759
 - tensile strength of, effect steroids on, 42:759
 - transformation stromal cells to fibroblasts in, 44:173
 - X-ray damage to, late, 45:137
- Corneoscleral trephining, in glaucoma, 41:399
- Correction, 48:689
- Correspondence: 36:131, 271, 403, 543, 728, 999, 1301, 1472, 1635, 1761; 37:127, 280, 445, 598, 803, 962; 38:111, 251, 418, 577, 870; 39:110, 253, 430, 601, 763, 894; 40:134, 275, 443, 590, 913; 41:144, 332, 555, 716, 880; 42:155, 320, 507, 797, 939; 43:311, 481, 639, 802, 993; 44:181, 280, 427, 698, 841; 45:137, 312, 457, 585, 742, 945; 46:102, 605, 913; 47:115, 255, 418, 600, 896; 48:114, 270, 548, 689; 49:164, 382, 644, 850, 1059; 50:188, 345, 511, 668, 818; 51:182, 339, 544, 722, 845, 1323; 52:126, 282, 423, 577, 732, 1002; 53:155, 391, 541, 701, 879, 1028; 54:151, 321, 475, 877
- Cortical hyperostosis, in infants, 53:976
- Corticogenic vision, 47:358
- CORTICOSTEROIDS**, 44:551
 - allergy of eye and, 45:435
 - Dexamethasone, 48:656
 - effect on herpes, keratitis, 51:945/73
 - keratoconjunctivitis, 43:131
 - in aqueous, 38:101; 39:871
 - chromatography of, 44:91
 - in cavernous sinus thrombosis, 54:1122
 - in chemical injuries, of cornea, 48:253
 - in experimental fungus keratitis, 48:330
 - in experimental toxoplasmosis, 50:919/249
 - in herpes keratitis, 49:627
 - in herpes zoster, 49:1430
 - in infections, 51:336
 - in keratoplasty, 50:1100
 - in sarcoidosis, 52:633
 - in uveitis, 50:236
 - two new, 47:536
- See also under names of various agents
- Corticotrophin dangers of, 43:638
- effect on thyrotrophic exophthalmos, 48:803
- CORTISONE**, acute glaucoma during, 36:389
 - after cyclodiathermy, 36:193
 - after cyclo-electrolysis, 36:193
 - blood absorption rate of eye and, 36:247
 - effect on congenital anophthalmos in mice, 48:763
 - effect on tensile strength corneal wounds, 42:759
 - exophthalmos and, 39:146
 - in Brucella uveitis, 36:1025
 - in chemical injuries, 37:239, 269
 - in complicated cataract extraction, 38:201
 - in Harada's disease, 39:499
 - in herpes of cornea, 36:269; 39:91
 - in intraocular infections, 40:86
 - in iris-inclusion surgery, 36:1617
 - in keratoplasty, 36:720
 - experimental, 36:120
 - in lime burns, 37:209
 - in muscle paralysis, 36:1454
 - in sarcoidosis, 36:1291; 40:264
 - in sympathetic ophthalmia, 40:248; 44:412
 - in uveitis, ocular tension increase after, 39:175
 - in vaccinia keratoconjunctivitis, 36:116
 - influence on ocular tension, 38:122
 - influence on vascular bed of eye, 38:122
 - influence on vitreous hemorrhage absorption, 39:677
 - local, effect on corneal wound healing, 40:344
 - in surgery, 39:89
 - penetration of ocular structures, 40:211
 - petechial hemorrhage after, 46:391
 - urticaria during, 36:120

- Cotton-wool spot, pathology of, 48:473
 Cranial nerves III, IV, VI, paralysis of, 46:787
 Craniofacial dysostosis: See Crouzon's disease
 Craniopharyngioma, 53:689
 Cranioplasty, 53:285
 Craniostenoses, 37:359, 380
 Craniostenosis, ocular aspects, 54:641
 operative indication, 54:641
 C-reactive protein, in ophthalmology, 41:942
 Crocodile shagreen, 46:748
 Cross, George H.: 39:762
 Cross-eyedness, in Siamese cats, 53:70
 Crouzon's disease, 37:387; 38:573; 45:306
 Cryoglobulinemia, 43:124
 Cryoscopic method, osmotic pressure intraocular fluids by, 48:32
 Cryptophthalmia, 40:219
 Crystal deposits, 40:579
 in anterior chamber, 40:817
 iridescent, of macula, 36:1591
 Cuba, League Against Blindness in, 49:1021
 Cul-de-sac, lymphomatous hyperplasia of conjunctival, 49:1415
 Culler, Arthur M., 52:125
 Curare, action on pupil, 37:41
 akinesia, in cataract extraction, 36:781; 39:687
 influence on ocular tension, after electroshock, 37:859
 CVP, in hemangiomas, 51:141
 Cyanopsin, 40:26
 Cyclitis, heterochromic, 54:464
 Cyclizine hydrochloride, to control nausea, 45:446
 to control vomiting, 45:446
CYCLODIALYSIS, 49:634; 50:1207; 54:925
 anterior chamber angle and, 48:403
 clefts, action DFP on, 50:789
 goniotomy and, in congenital glaucoma, 38:712
 in open-angle glaucoma, 42:609
 indications for, 40:575
 limited, combined with cyclodiathermy, 47:802
 scleral shrinkage and, 47:795
 submuscular sclerectomy, 36:365
CYCLDIATHERMY, 40:650, 742
 combined with cycloidalysis, 47:802; 48:341
 correlation tension with microscopy after, 36:1447
 cortisone after, 36:193
 cycloelectrolysis and, 50:599
 -dialysis, tunnelizing procedure for glaucoma, 48:341
 in glaucoma, 37:592; 40:77
 follow-up study, 38:242
 open-angle, 42:609
 influence on choroidal circulation, 45:127
 mode of action, 44:461
 results of, 40:650
 retroiliary, 44:417
 nonperforating, in glaucoma, 36:203
 vs. cycloelectrolysis, 46:27
 rubecosis iridis regression after, 40:253
 sympathetic ophthalmia after, 36:217, 728, 1635
 Cycloelectrolysis, cortisone treatment after, 36:193
 cyclodiathermy and, 50:599
 in glaucoma, 37:592
 open-angle, 42:609
 retroiliary, 44:417
 and retroiliary cyclodiathermy, 46:27
 Cycloniotomy, in chronic glaucoma, 42:63
 Cyclogyl, for cycloplegia, 37:948
 influence on tonography, 51:781
 re-evaluation of, 40:34
 Cyclomydril, a mydriatic, 49:1033
 Cyclopentolate hydrochloride, 38:831
 psychosis from, 53:879
 See also Cyclogyl
 Cycloplegia, accommodation under homatropine-cocaine, 36:649
 compounds 75GT, 92GT, 93GT in, 36:110, *69
 drugs for, 36:110; 37:948
 effect on corneal curvature, 53:49
 effect on trabecula, 43:294
 esotropia induced by, 43:119
 ganglion blocking agents and, 42:747
 homatropine in, 36:1086
 Cycloplegics, influence on miotics, 49:844
 single instillation of, 37:940
 study of, 44:617
 Cycloscopy, posterior, 40:*14
 Cycloserine, in herpes simplex, 48:517
 Cyclotonia, effect on trabecula, 43:294
 Cyclotron cataract, 47:120
 Cyproheptadine, effect on eye, 50:465
 Cyst of Mill, carcinoma of, 43:968
 Cysticercus, in vitreous cavity, 44:819
 cellosae, subconjunctival, 53:529
 Cystinosis, 46:89
CYSTS, bulbar subconjunctival epithelial, 49:151
 corneoscleral epithelial inclusion, 41:316
 dermoid, 54:767
 of lacrimal fossa, 43:305
 of orbit, surgery of, 54:145
 epithelial ingrowth, 40:261
 of anterior chamber, 41:932
 surgery of, 41:940
 from pigment epithelium, 50:1066
 implantation, corneal resection in, 54:800
 in congenital microphthalmos, 41:1059
 intraepithelial spontaneous, 45:931
 juxtatumoral, 51:517
 of ciliary body, with glaucoma, 45:*64
 of conjunctiva, 54:458
 of iris, 50:334
 diathermy coagulation in, 38:513
 epithelial implantation, 39:76
 glaucoma and, 45:*64
 intraepithelial, after DFP, 37:327
 postsurgical, 39:745
 traumatic, 41:115
 surgical aspects, 39:13
 of iris stroma, 44:106
 of pars plana, in autopsy eye, 51:1221
 of pituitary, 44:783
 of retina, 36:1748
 formation of, 36:29
 isolated, 53:377
 retention, suture material in, 39:746
 subretinal hydatid, 52:981
 Cytoid bodies, in optic nerve, 43:885
 of retina, 54:659
 photocoagulation and, 54:786
 Cytology, of external ocular disease, 39:*137
 of herpetic keratitis, 45:*240
 Cytomegalic inclusion disease, eye findings in, 47:*52
 virus isolation in, 45:300
- D**
- Dacryoadenitis, 38:88, 106
 Dacryocystitis, dacryocystography in, 52:245
 neosporin in, 41:850
 Dacryocystography, 39:220
 in dacryocystitis, 52:245
 Dacryocystorhinostomy, external, review 56 cases, 51:514
 in children, 46:86
 needle for, 49:153
 review 106 cases, 47:328
 tubular, 54:856
 wire fistulization in, 36:710; 48:769
 Dacryostenosis, congenital, location in children, 37:768
 Dacryostomy, 38:571
 Danbury, Conn., visual health study, 39:527
 Daraprim, penetration into monkey eye, 52:402
 toxicity of, 54:119
DARK ADAPTATION, age and, 51:1262
 amblyopia and, 46:*68
 cone participation in, 39:*24
 disturbances in, in Wilson's syndrome, 44:623
 ERG during, 40:*46 *71; 50:875/205
 in female genital disorders, 38:839
 process of pupillomotor photoreceptors, 48:*583
 Davenport, Robert Cecil, 52:422
 Daviel, Modern surgeon, 56:1071
 Deafness, keratitis and, 49:1017
 retinitis pigmentosa and, 52:575
 visual fields and industrial, 54:1003
 Decongestants, ocular, 48:395

- Deformities: See Congenital anomalies
 Dehydration, effect on viability of cornea, 47:308
 Dehydrogenase activity, of rabbit, 48:*550
 DeLong, Perce 52:732
 Demecarium bromide (BC-48), effect on eye, 49:270
 in glaucoma, 49:554; 50:270; 52:553
 Demyelinating diseases, optic neuritis and, 37:487
 Depo-Medrol, in inflammations anterior segment, 54:407
 Depth perception, in anisodominance, 37:98
 in anisopia, 37:98
 Dermatitis, atopic, glaucoma and, 49:351
 keratoconus and, 47:332
 Dermatoses, bullous, 39:233
 pigmentary, congenital cataract and, 52:207
 Dermoid, microphthalmos with cystic, 36:508
 of cornea, 53:661
 of limbus, 53:661
 of orbit, 47:863
 periocular, 53:1013
 Dermolipoma, of conjunctiva, 37:354
 Descemet's membrane, healing of, 46:*62
 histopathology of, 51:394
 in corneal dystrophy, 44:195
 in peripheral cornea, 49:629
 wrinkles in, in diabetes, 52:371
 Descemetocoele keratoplasty in, 50:1124
 DeWecker scissors, to remove corneoscleral sutures, 46:587
 Dexamethasone, in corneal opacities, 49:906
 in corneal vascularization, 49:906
 in ophthalmology, 48:656
 Dextro-thyroxine, in postthyrotoxic exophthalmos, 52:145
 DFP, action on cycloidalysis clefts, 50:789
 bilateral lens opacities after, 50:153
 in chronic wide-angle glaucoma, 36:226
 in strabismus, 43:791
 intra-epithelial cysts of iris after, 37:327
 neutralization by monoisonitrosoacetone, 50:414
 ocular tension increased by, 36:1709
 present status of, 39:104
 reactions to, 36:1122
 use of, 43:281
DIABETES, 46:227; 54:143
 alloxan, cataract in, 37:795; 39:510
 complications of, 44:421
 Descemet's wrinkles in, 52:371
 diagnosis of, by ophthalmologist, 48:843
 eye in, 41:285
 eye surgery in, 44:417
 forum on, 48:851
 fundus photography in, 36:986
 glaucoma, keratopathy, keratomycosis and, 45:832
 hemorrhage after iridectomy in, 47:240
 juvenile, 49:358, 370
 lens changes in, reversal of early, 46:219
 mellitus hyperopia in, 41:680
 incidence glaucoma in, 50:55
 retinal vascular changes in, 36:324
 vascular lesions of, 36:957
 neurologic complications of, 44:421
 neuropathy in, 50:808
 ocular aspects of, 45:303
 oculomotor neuropathy in, 50:808
 ophthalmoplegia in, 48:852
 retinal blood vessels in, 49:1044
DIABETIC RETINOPATHY, 37:953; 40:430; 45:306; 49:1052; 51:1123/251
 ACTH in, role of, 38:*53
 alpha tocopherol in, 37:581
 corneal wrinkles and, 52:371
 experimental, 49:1426
 glomerulosclerosis and, 36:957
 hemorrhagic, hypophyseal stalk section in, 52:993
 heparin in, 50:338, 483
 Kimmelstiel-Wilson syndrome and, 36:243, 854
 platelets in relation to, 45:930
 studies on, 54:532
 treatment of, 39:95
 vasodilators in, 38:237
 venous dilatations in, 36:1782
 vitamin B₁₂ in, role of, 38:*53
DIABETIC RETINOPATHY (continued)
 vitamin E in, 37:581
DIAGNOSIS, aids in, 44:546
 fundus reflexes in, 40:*8
 retrospective, 42:712
 use of Haidinger's brushes phenomenon in, 38:661
Diagnostic kit, 37:117
DIAMOX, action on ocular tension, 39:*177
 aqueous outflow after, 40:693
 dichlorophenamine and, 47:413
 distribution in rabbit eye, 40:*148
 effect of local, 40:*137
 effect on aqueous composition, 40:*129
 effect on aqueous flow, 40:*139; 43:780
 effect on aqueous : serum steady-state ratios, 44:*409
 effect on ascorbic acid turnover, 41:522
 effect on bicarbonate, concentration of aqueous, 44:*402
 ions in intraocular fluids, 44:*388
 effect on hypothalamic-pituitary-adrenal axis, 53:107
 hyphema and, 45:128
 effect on absorption, 49:625
 in experimental, 50:743
 in anaphylactic iridocyclitis, 41:667
 in cataract wound healing, 39:86
 in corneal dystrophy, 41:203
 in experimental hyphema, 50:743
 in glaucoma therapy, 38:109; 39:885; 40:574; 47:199
 acute, 40:905
 influence on, accumulation C¹⁴-labeled urea in aqueous, 50:1130
 aqueous : plasma steady-state ratios, 43:290
 intraocular fluid dynamics and, 40:*147
 local application of, 39:336
 long-term administration of, 40:673
 mechanism action of, 39:*177
 myopia induced by, 54:237
 NaHCO₃ to study effect on rabbit aqueous, 48:*71
 neptazane compared with, 49:1307
 ocular tension decrease after, 37:113
 research, recent trends in, symposium on, 40:*129
 study on, 39:159
 S³⁵, localization of, 50:169; 51:87
 to clear corneal grafts, 41:203
 to prevent hyphema, negative report, 44:637
 urinary citrates after, 43:781
 See also Acetazolamide
DIATHERMY, coagulation, angiomatosis retinae 11 yr. after, 46:525
 in Eales' disease, 43:882
 effect on experimental tumor, 48:*429
 effect on eye, 45:*113
 for recurrent hemorrhage, 39:189
 in retinal detachment, pathology of, 43:685
 in traumatic hyphema, 50:747
 retroiliary, indications for, 38:862
 surface, changes in corneal astigmatism after, 48:*336
 transscleral, in hemangioma of choroid, 50:3
 to treat, iris cysts, 38:513
 retinoblastoma, 45:*95
 Dibenzamine, influence on aqueous-plasma steady-state ratios, 43:290; 44:*409
 Dichlorophenamide, a carbonic anhydrase inhibitor, 45:120
 Diamox and, 47:413
 in glaucoma, 47:199
 Dicumarol, in retinitis pigmentosa, 39:46; 45:666
 Diencephalon, stimulation of, 39:111
 Digitalis, intoxication, visual symptoms of, 38:400
 Di-iodofluorescein I¹²⁵, to detect intraocular neoplasms, 54:191
 Diktyoma, 49:606
 of optic nerve, 44:4
 Dinitrophenol cataract produced by, 43:936
 Diodrast, accumulation in ciliary body-iris, 50:862/192
 in vivo transport of, 50:867/197
DIPLOPIA, due to aneurysm, 40:110
 fusion elicitation in, 48:*148
 in blowout fracture of orbit, 49:1037
 instrument to test fields in, 40:424
 intermittent monocular, 54:465
 pseudotumor and, 54:142
 strabismus and, 41:121

DIPLOPIA (continued)

- technique for balanced refraction in, 38:562
- Dipterex toxicity, 53:512
- Dissection, knife and technique, 47:56
- with fixation needle, 49:978
- Disability compensation, for ocular injuries, 39:821
- Diseases of eye, cytology of, 39:137
- regional distribution, 47:1134
- systemic diseases and, 53:315
- Disinfectants, acetone as, 42:726
- Distichiasis, 53:14, 702
- congenital ectropion and, 47:363
- Diurnal variation, to evaluate glaucoma operations, 50:430
- Divergence, excessive, 40:117
- mechanism of, 49:1051
- paralysis of, 36:1772
- DMO (5,5-dimethyl-2,4-oxazolidinedione), in ocular and cerebrospinal fluids, 51:969/97
- Doheny, Estelle, Lecture, 38:1
- Dor, Louis, 39:427
- Dorsacaine, clinical evaluation of, 40:841
- studies on, 40:704
- Driving, safety and, visual fields and, 44:657
- DRUGS**, allergy to simple, 50:937/267
- antiemetic, in cataract surgery, 47:177
- ataractic, in cataract surgery, 47:177
- autonomic, effect on flicker frequency, 47:464
- effect on iris, 49:1045
- effect various, 41:1071
- electric responses induced by, 46:238
- ganglion-blocking, accommodation and, 42:747
- effect on animal eyes, 42:752
- ganglioplegics, effect on eye, 41:1074
- hallucinogenic, effect on ERG, 41:1067; 42:206
- in ocular allergies, 39:97
- intolerance to, 39:102
- muscle relaxants, in cataract surgery, 47:487
- names of, 53:539
- NF12, for external eye disease, 41:1020
- passage of, 37:557
- ready-made mixtures of, 36:1636
- repository, in trachoma, 47:220
- selective effect of, 54:706
- sympathomimetic, effect on accommodation, 48:169
- vasodilating, effect on choroid circulation, 42:899
- Drusen, of lamina vitrea, 41:840
- of optic disc, 53:384
- of optic nerve, 37:790; 45:123; 54:651
- primary, 39:294
- Duane's retraction syndrome, 51:1257
- Duke-Elder, Sir Stewart, 45:5, *10
- presentation portrait to, 42:215
- Dwarf ectopia lentis in, 39:569
- Dyclone, anesthetic solution, 45:671
- Dysautonomia, familial, 49:372
- prostigmine in, 43:285
- Dysecephaly, congenital cataract and, 52:207
- Dyslexia, congenital, brain damage and, 50:583
- Dysostosis craniofacialis, 38:573
- Dysostosis mandibulofacial, 44:832; 48:670; 52:521
- conjunctival dermolipoma and, 37:354

E

- Eales' disease, 38:862
- diathermy coagulation in 43:882
- for recurrent hemorrhage of, 39:189
- plasmin in, 54:67
- X-ray therapy in, 49:1311
- Echogram, in intraocular tumor, 51:1203
- in vitreous opacities, 49:1301
- See also Ultrasonography and Ultrasound
- Echothiophate, clinical evaluation of, 49:1192/76
- effect on ocular tension, 49:470
- effect on rabbit pupil, 52:526
- in esotropia, 53:488
- in glaucoma, 49:808; 51:695
- in indigent patient, 52:867
- tonographic effects of, 47:635
- Ectodermal dysplasia, 45:143
- Ectopia lentis, in dwarf, 39:569
- ECTROPION**, cicatricial, lagophthalmos and, 46:77
- plastic repair of, 42:922
- congenital, distichiasis and, 47:363
- luxurians, tarsus incision in, 38:226
- senile, analysis of types, 38:787
- operation for, 41:1085
- surgical correction of, 38:787; 39:755
- Eczema, conical cornea and atopic, 45:904
- Edema, angioneurotic of orbit, 45:43
- EDITORIALS**: 36:126, 269, 400, 538, 723, 861, 991, 1146, 1297, 1469, 1632, 1757; 37:124, 277, 439, 596, 799, 960; 38:109, 247, 413, 575, 728, 863; 39:105, 249, 425, 597, 758, 890; 40:121, 267, 437, 585, 747, 908; 41:139, 331, 551, 712, 874, 1082; 42:150, 316, 504, 655, 795, 938; 43:137, 309, 479, 637, 799, 983; 44:125, 275, 423, 551, 696, 836; 45:130, 308, 455, 583, 735, 940; 46:90, 228, 407, 600, 755, 900; 47:110, 251, 415, 594, 694, 891; 48:112, 266, 430, 545, 682, 856; 49:157, 378, 641, 849, 1053, 1433; 50:182, 339, 506, 665, 816, 1252; 51:178, 336, 540, 718, 843, 1321; 52:123, 277, 415, 575, 729, 955; 53:151, 387, 539, 694, 875, 1027; 54:147, 319, 472, 717, 869, 1153
- Edrophonium chloride (Tensilon), effect on ocular tension, 49:1381
- Efocaine, as local anesthetic, 36:1744
- Egg membrane, in chemical burns of eye, 48:373; 49:853
- Egyptian Ophthalmological Society, 36:1148
- XVIII International Congress, 46:900
- EKC: See Keratoconjunctivitis, epidemic
- Elastic tissue, in sickle-cell disease, 49:450; 50:213
- Elastometry of eye, 39:811
- in relation to disease, 39:817
- ELECTRIC**, activity, during accommodation, 46:231, 203
- in eye of Limulus, 46:210
- burn, of eye and adnexa, 39:575; 42:126
- conduction velocities, in optic nerve, 46:223
- impulses, induced by ocular tension changes, 45:211
- potentials, of ciliary epithelium, 50:855/185
- of cornea, 43:468
- response, of cat eyes after drugs, 46:238
- stimulation, eye response to, 43:468
- of Limulus, 44:118
- Electrocardiogram, during muscle surgery, 46:367
- Electrocautery, in hemorrhagic glaucoma, 54:954
- Electrocyclography, 46:403
- Electroencephalography, in congenital dyslexia, 50:583
- in neuro-ocular disease, 41:1070
- in retinitis pigmentosa, 49:762
- in retrolental fibroplasia, 38:337
- ocular function and, 36:1705
- Electro-keratotome, to dissect lamellar grafts, 47:226
- Electrolytes, conjunctival cells and, 45:719; 46:269
- corneal cells and, 45:719; 46:269
- mixtures, effect on iris cells, 49:446
- Electromyography, 50:172
- in Moebius syndrome, 45:926
- in myasthenia gravis, 54:541
- of extraocular muscles, 49:679; 51:1157/285
- in fusion, 44:136
- of lateral rectus, 41:275
- to study asymmetric convergence, 46:174
- to study saccadic eye movements, 46:183
- ELECTRON MICROSCOPY**, 50:337
- of Bowman's membrane, 50:1013/343
- of choroid, 51:1057/185, 1072/200, 1084/212
- of ciliary epithelium, 46:299; 48:426
- changes, after hypothermia, 49:1134/48
- of corneal, basement membrane, 51:278
- dystrophy, 45:518
- epithelium, 50:1013/343; 51:278
- and stroma, 54:969
- of Descemet's membrane, 49:629
- of eye, 46:27
- of iris, 48:397; 49:1045
- of pigment granules retinal epithelium, 48:221
- of senile cataract, 49:1423
- of zonule, 46:299
- to study, neutron irradiation of eye, 50:175
- zonulolysis, 49:67
- Electro-oculograms, in ocular proprioception, 50:172
- Electro-ophthalmography, in amblyopia, 46:68
- in eccentric fixation, 53:642

- Electro-ophthalmography (*continued*)
 to study pursuit movements, 53:325, 477
 Electrophoresis in paraproteinemia, 52:895
 of aqueous and plasma, after I^{131} insulin, 46:196
 of corneal proteins, 48:77; 51:314
 of lens proteins, 51:305
 of subretinal fluid, 50:176
 of tears, 39:200; 45:67; 46:12; 47:499; 50:793
 to study collagen disease and uveitis, 45:11
 Electrophysiology of the visual system, a symposium on,
 46: part II Sept. complete index, 46:1179-182
 Electroretinogram, recording of, 38:60
ELECTRORETINOGRAPHY, 38:724, 862; 47:591
 amplitude of, inhibitory fibers and, 45:289
 at different levels of light adaptation, 40:50
 at various light intensities, 40:50
 changes in visual cell pathology, 43:470
 clinical, recording techniques in, 54:24
 present status of, 39:245
 collateral circulation to eye and, 52:381
 during blackout, 44:123
 during dark adaptation, 40:46, *71
 effect general metabolism on, 43:67
 effect hallucinogenic drugs on, 41:1067; 42:206
 effect hypoxia on, 44:57
 effect repetitive light stimuli on, 48:274
 effect retinal metabolism on, 43:67
 effect sympathectomy on, 45:927
 effect twin flashes on, 48:274
 equipment, standardization of clinical, 48:517
 experimental study of, 39:52; 40:71
 flicker, clinical studies, 42:227
 frequency of and, 45:290
 photopic components of, 42:212
 physiologic studies of, 42:212
 scotopic components of, 42:212
 fractionation of, by sodium glutamate, 50:900/230
 in animals after methanol, 39:52
 in choroideremia, 39:166
 in choroidoretinal degenerations, 54:54
 in chronic methyl alcohol poisoning, 54:34
 in congenital retinal dysfunction, 45:249
 in diagnosing retinal pigment degeneration, 47:649
 in glutamate poisoning, 50:172
 in night blindness, 38:70
 in normal cases, 54:54
 in retinitis pigmentosa, 47:565
 lens for, 51:416
 night blindness, dark adaptation and, 50:875/205
 origin of, 38:78
 photopic-scotopic relationships in human, 40:42
 potentials, induced by drugs, 45:718; 46:238
 role macula in, 50:889/219
 spectro-differential, in macular disease, 42:199
 stimuli and, 42:239
 to study retinal arteriospasm, 45:362
 to study visual toxicity of methanol, 40:76
 use of twin flashes in, 54:54
 Electroshock, glaucoma and, 37:857, 859
 lens opacities and, 45:926
 Elkosin: See Sulfadimetine
 Elephantiasis nostras, 40:730; 42:782
 Elles, Norma Bertha, 47:598
 Embryology, application to clinical ophthalmology, 47:885
 development fibrous tunic of eye and, 36:1294
 Embryotoxon, posterior, 51:148
 Emotion, factors of, in glaucoma, 47:173; 49:297
 Endamoeba histolytica, uveitis due to, 50:496, 662
 Endarteritis obliterans, fundus changes in, 49:373
 Endocrine, dysfunction, ocular changes due to, 50:26
 factors, in exophthalmos 54:938
 system, albuminoid synthesis in rat lens and, 48:500
 Endoderm, to seal macular holes, 37:649
ENDOPHTHALMITIS, acute tuberculous, 45:403
 after cataract extraction, 53:35
 after glaucoma surgery, 52:275
 bacillus proteus, 43:86
 chronic organizing, 53:873
 due to fungus, 53:869
 due to *Toxocara canis*, 47:1185
 immunogenic production of, 48:435
ENDOPHTHALMITIS (*continued*)
 in contact lens wearer, 54:847
 lens-induced, 40:120
 healing lens capsule and, 38:205
 metastatic pneumococci, 49:353
 mycotic, 54:817
 nematode, 45:853; 47:1185
 phaco-anaphylactia, 36:1449, 1460; 44:118; 45:251; 54:385
 experimental, 40:120
 postoperative, 37:897
 prophylaxis and treatment, 48:368
 Endothelial degeneration, retinal vein occlusion and, 36:
 316
 Endothelium, in corneal dystrophy, 44:196
 protective role of, 50:365
ENTROPION, cause and cure of, 49:29, 1059
 cicatricial, surgical correction of, 40:913
 treatment of, 53:149
 congenital, 43:303; 50:487
 epiblepharon and, 44:112
 correction of, 47:413
 of lower eyelid, 51:1312
 operation for, 43:245; 44:525
 repair of severe, 38:544
 senile, 53:150; 54:1143
 correction of, 48:607
 etiology of, 48:607
 operation for, 43:617
 relief of, 36:504
 spastic, correction of, 36:1372
 operation for, 44:67; 52:273
 spastic, 43:993
 correction of, 41:657
 temporary relief for, 48:247
 Wies operation for, 41:657
 surgery of, 38:97; 39:555, 755
 tarsotomy for, 42:104
 Enuclation, extirpation conjunctiva, tarsi and lid mar-
 gins after, 51:227
 in iris tumors, 47:118
 Environment, glaucoma and, 47:171
 Enzymatic debridement, in corneal erosion, 53:124
 Enzymatic zonulolysis: See Zonulolysis
 Enzyme activities of lens, 42:342
ENZYMES, fibrinolytic, effect on hyphema absorption,
 54:445
 in radiation cataract, 40:871
 in refractive media of eye, 44:281
 intracellular proteolytic, in lens, 48:29
 ointment of, 48:194
 therapy, 39:99
 Enzymology, of eye, 43:785
 of refractive media of eye, 52:65
 Epiblepharon, congenital, 50:487
 congenital entropion and, 44:112
 inferior oblique insufficiency and, 39:1130
 Epibulbar osteoma, 53:290
 Epicanthus, correction of, 53:138
 surgery of, 41:61, 71
 Epidemiology, of glaucoma, 47:162
 of toxoplasmosis, 48:112
 Epinephrine, acetazolamide and, in chronic glaucoma
 45:639
EPIPHORA, 43:203
 as initial sign nasopharyngeal tumor, 50:644
 causes of, 38:824
 conjunctivostomy in, 49:246
 lacrimal insufficiency and, 53:614
 myxedema and, 36:712
 surgery for, 38:824
 Epiphyses, congenital cataract and stippled, 52:207
 Episclera, nodules of, in erythema nodosum, 51:60
 Episcleral venous pressure, in glaucoma, 41:646
 Episcleritis, erythema nodosum and, 36:510
 Epitarsus, 40:275
 Epithelial downgrowth, 37:268
 after cataract extraction, 45:182
 invasion of anterior chamber, 41:929
 experimental, 47:815; 48:787
 Epithelial tumor, of lacrimal gland, 41:996
 Epithelioma, 43:141

Epithelioma (continued)

- Fuchs', in a filtering bleb, 54:842
 intra-epithelial, 43:111
 of eyelids, 36:1628; 37:426; 52:1
 benign calcified, 39:208; 44:629
 chemotherapy in, 53:151
 treatment of, 53:138
- Epithelium, in corneal hydration, 42:330
 pigment, of retina, toxic effects on, 36:103
 vagaries of, 46:226
- Erisophake, catheter, 54:866
 use silastic in, 54:297
- Erythema multiforme, 39:233
- Erythema nodosum, episcleral nodules and, 51:60
 episcleritis and, 36:510
 sclerokeratitis and, 52:269
- Erythromycin, in trachoma, 39:223
 ocular effects of, 39:395
 ointment, 37:938
 clinical trial of, 44:519
- Eserine, influence on ocular tension after electroshock, 37:859
- Esidrex effect on ocular tension, 49:1321
- Eskimos, phlyctenular keratoconjunctivitis in, 46:210; 51:585
- ESOTROPIA**, 38:191, 567; 46:835
 acute comitant, 45:55
 alternating, 40:118
 atypical accommodative, 41:955; 42:797
 changed to exotropia, 43:980
 convergent fixation disparity and, 41:825
 cycloplegia inducing, 43:119
 early treatment of, importance of, 51:634
 echothiophate in, 53:488; 54:468
 effect refraction on, 40:232
 infantile comitant, 54:804
 intermittent, 43:474
 and accommodative, 38:191
 miotics in, comparison of, 49:1350
 overcorrection of, 45:644
 surgery of, results in 315 cases, 47:508
 See also Strabismus
- Espino, Jose Manuel, 49:1058
- Ethanol, effect in methanol poisoning, 42:244; 48:153
- Ethnic groups, glaucoma and, 47:769
- Ethoxzolamide, 46:41
- Ethylene-oxide sterilization, 42:424
- Euthyscope, modification of, 52:406
- Evil eye, in medical history, 44:237
- Evisceration, 45:129
 braided white nylon sutures in, 42:611
 intrascleral implants with, 36:356; 44:644
 modified Burch, with scleral implant, 49:41
 with retention cornea, 45:129, 433
- Exenteration, orbital repair and, 51:217
- Exophthalmometry, 43:37; 45:128
- EXOPHTHALMOS**, 52:123
 ACTH and, 39:146
 adrenal gland and, 45:292
 clinical problems of, 36:395
 due to aneurysms, 36:1045
 due to dermoid, 36:1045
 due to endocrine dysfunction, 36:1044
 due to glioma optic nerve, 36:1047
 due to granuloma, 36:1046
 due to hemangiomas, 36:1045
 due to lymphomatous diseases, 36:1046
 due to meningioma, 36:1046
 due to orbital tumor, 36:1047
 due to paranasal sinus infection, 36:1047
 endocrine, 38:1; 50:26; 54:938
 sera patients with, 50:783
 experimental, 36:394, 1628; 43:296; 54:929
 extraocular muscles in, 54:937
 hydrophilia of orbital connective tissue in, 45:727; 47:380
 hypophyseal, 38:11
 idiopathic hypothyroid disease and, 53:1018
 in cerebral arteriovenous angioma, 43:589
 in myxedema and amyloidosis, 52:901
 inhibiting factors, in human serum, 50:1193

EXOPHTHALMOS (continued)

- malignant, 36:1286; 37:118
 surgery for, 54:589
 neurosurgical problems in, 36:395
 of Graves' disease, 36:45
 of unknown causes, 54:769
 ophthalmic problems in, 36:396
 orbital pathology in, 54:931
 orbitonometry in, 37:520
 pathogenesis of, 36:1043
 pituitary-thyroid disturbances and, 36:394
 postthyrotoxic, dextro-thyroxine in, 52:145
 treatment of, 52:145
 problems of, 36:391
 producing substance, 45:930
 in human serum, 50:783
 in pituitary extracts, 38:107; 39:146
 intercorneal diameter and, 53:973
 progressive, 38:8
 pulsating spontaneous unilateral, 36:40
 round-table conference on, 44:266
 surgery for eye complications of, 38:15
 therapy in, 36:1047
 thyroid dysfunction and, 37:123
 thyrotropic, effect corticotrophin on, 48:803
 eye changes in, 36:1049
 medical treatment of, 52:145
 surgical treatment of, 52:145
 unilateral, 38:11; 40:426; 52:10
 due to intracranial lesions, 47:206
 due to metastatic carcinoma, 49:1034
 orbitonometry in, 45:208
- EXOTROPIA**, ankyloblepharon and pseudo-, 43:460
 clinical aspects of, 40:53
 diagnosis in, 38:58
 esotropia changed to, 43:980
 intermittent, surgery of, 39:578; 42:619
 results of, 53:351
 physiology of, 40:53
 surgery of, 38:178; 46:646
 fusion and, 50:1158
- Extirpation, after enucleation, 51:227
- Extracts, autonomiclike effects of ocular, 49:1208/122
 parasympathomimetic properties of ocular, 49:1044
- Exudates, in autopsy eyes, 50:424
- EYES**, acoustic properties of, 46:319
 an etymologic note, 44:251
 armor for, 43:258
 autopsy of, 53:681
 in 100 cases, 53:315
 pathology of, 50:574; 51:369, 1221
 gross and microscopic, 50:424
 bandages, tape for, 47:687
 changes, induced by polysaccharides, 48:560
 chart, mobile, 53:1009
 clinic, for children, problems in, 43:24
 closure sign, visual efficiency and, 48:537
 cortisone penetration of, 40:211
 damage, in retrolental fibroplasia, 53:337
 depth of, focus of, 45:924
- DISEASES** due to nematodes, 40:41
 hereditary, advising patients with, 40:412
 in Africa, 45:343
 in Cocos Islands, 51:1229
 in Marshall Bennett Islands, 51:1229
 incidence of, in Australia, 46:226
 multiple screening for, 46:331
 plasmin in, 54:67
 regional distribution of, 47:1134
 treatment of, 40:744
 ultrasound to diagnose, 41:488
 distensibility of human, 45:291
 dominance, 41:716
 effect ultrasonic radiation on, 42:696
 embryologic defects of, 40:113
 enzymology of, 43:785
 epithelium, pigment of human, 53:79
 evaluation, of cerebral palsied child, 48:721
 evil, in medical history, 44:237
 evolution of, 48:856
 exerciser, 43:771

EYES (continued)

- extravascular pathways of, 49:135
- function of, EEG and, 36:1705
- growth of, 53:387
- handicaps, and other handicaps, 36:112
- hospitals, Wills, new research laboratories of, 49:160
- hydrocortisone penetration into, 40:*211
- in mongolism, 54:398
- in symbol and symptom, 40:115
- itching of, 43:306
- materials, clearing center for, 46:102
- movements: See Movements
- ointment, bacterial conjunctivitis due to, 52:251
- tetracycline 52:269
- outflow patterns of cat, 47:*547
- pain, homonymous hemianopia and, 54:1091
- pars plana cysts in autopsy, 51:1221
- perfusion of, 45:115
- problems, in aged, 38:235
- protection, against high-speed missiles, 51:80
- reflective properties of, 46:*319
- shields, method for attaching, 44:817
- specimens, 41:145
- survival of, after expulsive subchoroidal hemorrhage, 49:791
- template, 43:288
- tumors of, See Tumors
- Eye Study Club**, 48:116
- Eye-Banks**, committee on, 43:309
- federation of, 41:140
- International, first mission of, 54:781
- program, 41:419
- progress, 54:870
- Eye-Bank for Sight Restoration, Inc.**, 36:723
- Eyebrows, contamination of, in surgery, 46:888
- Eye-dressing tray, 37:943; 47:388; 51:158
- Eyelashes, contamination of, in surgery, 46:888
- distichiasis and, 53:14
- forceps for epilation of, 52:571
- imbedded, granuloma due to, 51:706
- in anterior chamber, 42:773
- EYELIDS**, abscess of, 46:77
- adhesion of, 43:774
- anatomy of lower, entropion and, 49:29
- anthrax of, 49:838
- baggy, repair of, 37:113
- bags of, treatment, 53:141
- blepharochalasis, of upper, 43:970
- carcinoma of, 37:270; 54:135
- chalazionlike neoplasms of, 54:249
- deformity, surgery for, 54:859
- entropion: See Entropion
- epithelial tumors of, 40:522
- epithelioma of, 36:1628; 37:426; 52:1
- benign calcified, 39:208; 44:629
- chemotherapy of, 53:151
- removal of, in aged, 38:240
- treatment of, 53:138
- eversion, of upper, 37:779
- fixation forceps for, 52:407
- fusion of margins, pseudo-exotropia and, 43:460
- grafts, in repair lower fornix, 36:694
- infestation, by Armillifer armillatus, 54:305
- by lice, 39:211
- hemangioma of, 36:989
- lacerations of, repair of, 53:139
- lesions of, statistics on, 45:415
- surgery of, 53:144
- lymphangiomas of, 51:481
- malignancies of, use and misuse radiation in, 52:1
- margins of, defects of, repair, 46:386
- extirpation after enucleation, 51:227
- plastic surgery of, 51:835
- melanoma of, 37:122
- molluscum contagiosum of, 39:302, 574
- operations on, for almond eyes, 52:122
- paresis, induced by oculomotor akinesia, 38:395
- plastic surgery of, 50:384
- construction fold of upper, 51:612
- halving, 50:386
- skin grafting, 50:389

EYELIDS (continued)

- plastic surgery of (continued)
- splitting, 50:385
- See also under Plastic surgery
- reconstruction of, 39:1
- technical features of, 53:1
- repair, of deformed lower, 37:591
- retraction of, due to secondary deviation, 45:565
- secondary to seborrhic meibomitis, 41:859
- separation of in cataract extraction, 51:35
- Staph, infection of, 53:137
- surgery of, basic techniques, 50:384
- in malignancies of, 52:1
- swelling of, in malignant lymphoma and varicella, 52:408
- tumors of, management of, 53:142
- See also under Tumors
- vitiligo of, ophthalmoluminescence to study, 44:363

F

- Face, lymphangiomas of, 51:481
- Facial agenesis, 46:886
- Facial paralysis, chickenpox and, 52:723
- Fascia lata, in ptosis correction, 54:1102
- Fat embolism, of retina, 41:1
- metabolism, eye diseases due to disturbances in, 45:*23
- iris and, 48:535
- Fatigue, fusion frequency and, 47:556
- Fehr, Oscar, life of, 54:1011
- Ferrer, Horacio, 50:186
- Fibrin, in uveitis, 47:1163
- Fibrinolysin, in retinal vein occlusion, 51:456
- Fight for Sight awards, 44:821
- Filaria loa, 45:901; 46:599
- Filters, millipore in ophthalmic surgery, 50:159
- Fisher syndrome, 51:701
- Fistulas, 54:769
- carotid-cavernous, ocular findings in, 44:812; 48:585
- FIXATION**, anomalies of, 52:19
- disparity, 48:339
- convergence, esotropia and, 41:825
- heterophoria and, 43:97
- eccentric, amblyopia and, 49:1315
- pleoptics in, 48:490
- phenomenology of, 53:642
- measurement of, in strabismus, 43:793
- modified ophthalmoscope to diagnose, 48:672
- pattern, in amblyopia ex anopsia, 41:1073
- photography to determine behavior of, 48:511
- spasm of, 40:724
- Flare, in uveitis, 47:1162
- Flicker fusion, critical in amblyopia, 42:473
- effect autonomic drugs on, 45:723; 47:*464
- ERG and, 45:290
- frequency, fatigue and, 47:556
- glare and, 45:924
- in dichromacy, 50:177
- in hypertension, 39:705
- perceptual set and, 48:352
- to study neural integration, 48:*594
- variation in target quality and, 39:171
- Flicker thresholds, centrally fixed in amblyopia, 49:1194/108
- Fludrocortisone, 49:619
- Fluids, bicarbonate ion in eye, 42:*195; 47:*530; 48:*71
- distribution DMO in ocular and cerebrospinal, 51:969/97
- effect Diamox on dynamics intraocular, 40:147
- osmotic pressure measurements of, 48:*32
- subretinal, drainage of, in detachment surgery, 47:198
- Fluorescein, appearance of, as index of aqueous flow, 44:225
- contamination of solutions of, 39:55
- diffusion of, in cornea, 49:1011
- in applanation tonometry, 49:1149/63; 50:668
- in cornea, factors influencing, 46:*3
- test, for lacrimal obstruction, 53:611
- Fluorescent antibody technique, to study herpes, 52:72
- to study trachoma, 52:72
- to study vaccine keratoconjunctivitis, 52:72
- Fluorescent lighting, in cataract surgery, 47:663
- Focus, depth of, in human eye, 45:924

Forceps-irrigator, for cataract surgery, 48:673

FOREIGN BODIES, 45:124

- clinicopathology of, 36:803
 - copper, 37:787; 41:128
 - detector, 45:304
 - extraction, alpha chymotrypsin in, 51:147
 - glass, retained in anterior chamber, 48:110, 747
 - glaucoma secondary to, 54:385
 - to retained, 50:169
 - in intraocular surgery, 43:625
 - in vitreous, management of, 39:752
 - intralenticular, cataract and, 54:856
 - intraocular, 43:130; 49:1431
 - bilateral, 42:646
 - localization of, 44:739
 - minute, 36:1293
 - phacoanaphylactic endophthalmitis and, 54:385
 - siderosis bulbi and, 54:385
 - surgical approach to, 44:745
 - unusual, 42:642
 - intraorbital, 44:739
 - localization, episcleral needles for, 46:76
 - radiologic slit method, 41:302
 - simplified, 44:739
 - ultrasound in, 49:249
 - X-ray, skeletal free, 53:494
 - magnetic, removal after 24 yr., 38:90
 - management of, 53:537
 - nonmagnetic, removal of, 39:763; 42:301; 45:911
 - of cornea, removal from posterior layers, 45:569
 - of orbit, arrow in, 36:1129
 - perforating, 45:451
 - retrobulbar, removal of large, 52:715
 - surgical approach to, 45:945
 - X-rays in diagnosis of, 36:620
 - bone-free technique, 51:421
- Formaldehyde, oxidation in retina, 46:42
- Fornix, melanoma of, 38:228
- molten metal burns of inferior, 44:178
- reconstruction of lower, 36:694; 38:75
- Foster-Kennedy syndrome, 36:983
- Fovea centralis, in amblyopia, 54:821
- Foveal co-ordination, 36:1220
- Fractures, blowout of orbit, 44:733; 49:1037; 53:841
- zygoma, involving orbit, 39:183
- See also under Injuries
- Franceschetti syndrome, 52:521
- Friedenwald, Jonas Stein, 41:139, 142
- Friedenwald Award, 44:259; 47:337; 51:877/5
- Friedenwald Lectureship, 45:944
- Friedenwald Memorial Lecture, 44:262; 47:342; 48:347; 51:885/13
- Fridenburg, Percy H., 50:667
- Fructose, in lens metabolism, 49:1045
- Fuchs, Ernst, 46:225
- Fuchs' epithelial dystrophy of cornea, 46:297
- histopathology corneal endothelium in, 53:215
- Fuchs' syndrome, 39:150
- Fuller-Albright syndrome, 44:77
- FUNDUS**, angioid streaks of, 43:219
- appearance, in hydraencephaly, 51:267
- biomicroscopy of, 50:805
- blank, to sketch lesions, 40:108
- blood vessels of, changes in, 46:227
- Boeck's sarcoid of, 52:633
- camera, improved hand, 48:486
- CHANGES**, due to vitreous alterations, 39:631
- in choroidal detachment, 49:898
- in diabetic children, 36:849
- in endarteritis, 49:373
- in hypertension, 39:1137
- in hypotony, 40:781; 41:1086
- in incontinentia pigmenti, 45:265
- in sickle-cell disease, 49:450
- retinographic study of, 50:314
- dark lesions of posterior, 41:975
- diagnostic contact lens, 51:412
- examination, indirect ophthalmoscopy in, 41:265
- methods of, 36:988
- of peripheral, 48:100
- slitlamp, 48:538

FUNDUS (continued)

- examination (continued)
 - with f55D lens, 48:782
 - findings, 46:401
 - after acute blood loss, 38:817
 - in Oguchi's disease, 51:243
 - in subhyaloid hemorrhage, 36:1192
 - in tuberculous meningitis, 37:215
 - photography, bedside, 54:651
 - by electronic flash, 44:170, 356
 - hand camera for, 42:639
 - in diabetics, 36:986
 - Polaroid, 54:452
 - to examine infants, 40:580
 - reflexes, new interpretation of, 40:8
 - slitlamp microscopy of, 42:887
 - spots in, 49:474
 - white, night blindness, xerosis and, 48:101
- FUNGUS** infections, 53:533
- after cataract extraction, 53:35
- after injuries, 48:151
- amphotericin B in, 49:1288
- aspergillosis, 54:1124
- blastomycosis of conjunctiva, 36:978
- canaliculitis due to, 49:1278
- Candida albicans, of cornea, 36:379
- chorioretinitis due to Histoplasma, 49:1288
- endophthalmitis due to, 53:35, 869; 54:817
- exogenous intraocular, 48:151
- keratitis due to, cortisone in, 48:330; 49:267
- mycotic flora conjunctiva in, 49:1174/88
- of cornea, 42:759
- of lacrimal duct, 52:619
- reclassification of, 53:630
- uveitis and, 50:1170
- Furacin, 36:1301
- Furaltadone, in ophthalmology, 54:114
- Fusion, binocular, 38:134
- electromyography extraocular muscles in, 44:1136
- elicitation of, in strabismus with diplopia, 48:1148
- exotropia surgery and, 50:1158
- G**
- Gailey, Watson, 47:599
- Galactose cataract: See Cataract
- Galactosemia, 36:143
- cataracts due to, 36:453, 1380; 42:602; 50:1151
- galactosuria and, 36:841, 852
- Galvanometer, tonography and recording, 49:80
- Gamma radiation: See under Radiation
- Ganglia, calcification basal, 36:1657
- Ganglion-blocking agents, cycloplegic effect, 42:747
- effect on accommodation, 42:747
- effect on animal eyes, 42:752
- effect on aqueous flow, 44:370
- effect on eye, 41:1074
- Gargoylism, eye manifestations of, 36:663
- forme fruste of, 53:753
- Gastro-intestinal extract, in corneal chemical injuries 44:541
- Gaudeamus igitur dum iuvenes sumus, 50:848/178
- Gaze, in horizontal heterophoria, 53:274
- Gelatin film, as seton in glaucoma, 47:690
- in ophthalmic surgery, 50:729
- Gelfilm, in ophthalmic surgery, 50:729
- in section lacrimal gland ducts, 51:1290
- Genetic, clinical detection carrier state, 37:841
- Geographic location, glaucoma and 47:765
- Geographic ophthalmology, 51:1229
- Gifford, Sanford R. Lecture, 36:1657; 38:765; 44:313; 51:1; 53:753; 54:347
- Gimbal-mounted projector, in torsion, 46:696
- Glare, adaptation to, 46:353
- protection from, polaroid glasses and, 36:1770
- Glass membranes, on iris surface, 53:235
- Glass retained in anterior chamber, 48:110, 747
- GLAUCOMA**, 42:792; 44:546; 46:401; 50:665; 53:537
- acute, after cataract extraction, 45:935
- angle-closure, urea in, 52:323
- complication of general surgery, 45:668
- complication of iritis, 45:728
- Diamox in, 40:905

GLAUCOMA (continued)

- acute (continued)
 - during cortisone therapy, 36:389
 - etiology of, 36:488
 - general surgery and, 46:403
 - peptic ulcer and, 36:1735
 - second eye in, 40:557
 - stress and, 39:332
 - urea in, 52:875
- adrenalin and sympathomimetic amines in, 40:666
- after cataract extraction, 40:570
- age and sex distribution of, 47:166
- allergy and, 47:177
- anatomic variations of iris and, 51:666
- angioscotomy in, 43:704
- angle-closure, 45:444
 - anterior chamber angle shortened in, 49:141, 1049
 - gonioscopy in, 52:492
 - intravenous urea in, 50:379
 - iridectomy for, complications of, 47:246
 - peripheral, 49:182
 - mechanism of, 43:271; 46:889
 - prevention of, 46:600
 - tonography and, 46:305
 - urea in, 52:872, 992
- aniridia complicated by, 36:907
- anterior chamber, angle degeneration and, 43:193
 - depth, changes in, 37:339; 40:571
 - flat, after operation for, 40:575
 - puncture and, 36:1271
- aqueous pathways in, 41:11
- aqueous veins and, 43:128
- atopic dermatitis and, 49:351
- band-shaped keratopathy and, 36:1458
- blood cholinesterase levels in, 52:242
- body build and, 47:176
- bulbar compression to detect, 54:421
- capsular, 44:119
 - lens exfoliation and, 37:1
- Cardase in, 45:225
- cataract and, operation for, 48:1
 - surgery of, 36:925
- central nervous system and, 42:130
- central origin of, 36:361; 44:540
- CHRONIC**, conical cornea and, 36:1777
 - cyclogoniotomy for, 42:63
 - early clinical diagnosis of, 47:590
 - epinephrine and acetazolamide in, 45:639
 - simple, heredity in, 40:828
 - miotic therapy of, 46:11
 - operation in, 40:574
 - therapy of, 48:81
 - surgery of, 40:243
 - wide-angle, DFP in, 36:266
- ciliary body cysts with, 45:64
- closed-angle, 46:227
- collagen loss in, 49:411
- complications in, 45:578
- CONGENITAL**, 46:894; 47:411
 - anterior chamber angle in, 40:1
 - blue sclerotic syndrome simulating, 47:345
 - choroid neurofibromatosis and, 54:217
 - goniotomy in, 47:190
 - cyclodialysis with, 38:712
 - management of, 48:681
 - megalocornea and, 49:908
 - pathogenesis of, 40:1; 47:827
 - retinal holes in, 53:365
 - surgery of, 36:1523; 45:936
- control, 47:641
- coralox in, 50:826
- corneal ulcer and, 45:826
- cotton-wool spot in eye with, 48:473
- cyclodialysis in: See Cyclodialysis
- cyclodiathermy in: See Cyclodiathermy
- demecarium bromide in, 49:554
- detection, 44:24
 - in general hospital, 44:20; 48:515
 - Phosphenator test in, 46:55
- developmental, operation for, 50:1187
- DFP in: See DFP
- diagnosis of, early, 39:585; 44:24

GLAUCOMA (continued)

- diagnosis of (continued)
 - bulbar compression in, 47:187
 - gonioscopy in, 40:579
- DIAMOX** in, 38:109; 39:885; 40:574
 - in acute, 40:905
 - long-term, 40:673
 - to lower tension, 37:13
- dislocated lens and, 50:701
- diurnal variation of plasma 17-hydroxy-corticoids and intraocular pressure in, 54:411
- due to delayed chamber restoration, tonographic study, 39:1147
- due to swollen lens, 38:239
- early, tonographic criteria in, 48:31
- echothiophate in, 49:808, 1162/76; 51:695; 52:867
- effect ganglion block on aqueous flow in, 44:370
- effect photocoagulation ciliary body on, 52:156
- electroshock and, 37:857, 859
- emotional factors in, 47:173; 49:297
- epidemiologic investigation of, 47:179, 185
- episcleral venous pressure in, 41:646
- ethnic and social groups and, 47:169
- family study of, 50:169, 557
- field loss in, 40:573; 45:128
- filtering cicatrices in, size changes of, 49:795
- filtering operations for, 53:571
 - cataract after, 40:572
 - indications for, 53:571
- flicker perimetry in, 53:373
- frequency of, in small urban communities, 43:539
- geographic distribution of, 47:165
- gonioscopy in: See under Gonioscopy
- hemorrhagic, 47:392; 49:1428
- filtering operation for, 54:954
- vasodilators in, 37:401
- heredity in, 50:557
 - in detection of, 40:681
 - study of, 40:681
- hormonal steroid therapy and, 39:175
- in Africa, 45:356
- in aged, 38:239; 44:33
- in Central and South Pacific, 51:253
- in diabetes mellitus, 50:55
- in essential iris atrophy, 49:147
- in moribund patient, 42:915
- in myopia, 45:305
 - operation in, 49:981
- in one-eyed youth, 39:748
- in uveitis, 47:1170
- incidence of, 47:164
- induced by, air injection, 37:424
 - steroid therapy, 45:108
- infantile, cyclodiathermy in, 36:1777
- goniotomy in, 36:445
- Hurler's disease and, 53:753
- tonography in, 43:624
- influence of, coffee on ocular tension in, 39:700
- heredity on, 47:173
- intermediate or combined form of, 53:602
- interstitial keratitis and, 53:602
- iridectomy in, 43:109
- iridocyclitis and, alcohol injections in, 53:692
- iridoschisis and, 45:451
- iris cysts with, 45:64
- iris resistance and chamber angle space in, 43:734
- iris stroma atrophy and, 41:607
- Ispuprel in, 43:412
- Krukenberg's spindles in, 51:324
- lacunar spaces in, 49:411
- lens-induced, 43:399
- low-tension, 39:248
 - surgical results in, 36:1067
- luxated and subluxated lenses and, 54:196
- malignant, 39:577; 43:388; 45:129
- urea in, 54:309
- management of, bulbar compressors in, 47:187
 - comparison dichlorophenamide, chlorothiazide and sulcarbilate with acetazolamide in, 47:199
 - in indigent clinic patient, 52:867
- Marfan's syndrome and, 50:1187

GLAUCOMA (continued)

- mass screening for, 51:248
- mechanically induced, 48:11
- medical control of, 45:304
- BC48 in, 50:270; 52:553
- intravenous urea in, 50:379
- 217-MI in, 50:270
- urecholine in, 36:442
- miotic control of, 51:781
- narrow-angle, 37:347
 - tonographic study of, 48:313
 - modern approach to, 39:312
 - morbidity types and, 47:181
 - mortality in patients with, 47:180
 - mydriatic, 43:975
- NARROW-ANGLE**, effect miosis on, 36:1387
 - etiology of, 36:901
 - gonioscopic observation of, 36:640
 - iridectomy in, 37:504
 - mechanism of, 37:332
 - occurrence of, 40:578
 - operation for, 47:34
 - choice of, 40:569
 - peripheral iris crypts and, 40:469
 - spontaneous tension control in, 48:400
 - suction anterior to iris and, 36:185
- Neptazane in, 49:1307, 1396
- nervus flammeus and, goniotomy for, 43:545
- new concept problems of, 49:1032
- nutrition and, 47:177
- occurrence of, review data on, 47:62
- OPEN-ANGLE**, 37:275
 - cyclodialysis with scleral shrinkage in, 47:795
 - nervus of Ota and, 54:453
 - surgery in, 42:606
 - tumor retinal pigment epithelium and, 47:311
 - visual field and optic disc in, 53:435
- OPERATIONS**, complications of, 54:465
 - conjunctival buttonhole at end of, 47:245
 - cyclogoniotomy in, 42:63
 - diurnal variation tension to evaluate, 50:430
 - filtering, 47:241; 54:919
 - blebs after, 47:16
 - comparative study, 53:571
 - external, 52:727
 - histology and mechanism, 47:16
 - results of, 43:132
 - fistulizing, 45:220
 - flat chamber after, 47:248
 - gonioscopy to evaluate, 50:631
 - in myopes, 49:981
 - iridocorneosclerectomy for, 50:45
 - late refractive changes after, 53:43
 - Nakajima's, 53:391
 - new, 52:503
 - plastics in, 50:733
 - retraction scleral wound edges in, 45:220
 - scleral insertion, 42:402
 - sclerectomy, posterior lip, 54:688
 - sclerocleisis, modified, 43:408
 - sclerolimbectomy, 54:960
 - selection of, 45:454
 - tonography to evaluate, 50:430
 - trabeculodialysis, 47:783
 - anterior, evaluation of, 48:294
 - posterior, 48:15
 - evaluation of, 48:294
 - trabeculotomy ab externo, 53:19
 - trephination, new technique, 38:21
 - late infections after, 47:887
 - limboscleral, 52:29
 - Weekers', 54:146
- optic neuritis and uveitis with, 39:573
- osteitis deformans and, 39:743
- patients, water drinking test in, 52:15
- perimetry in, 39:890; 40:571
- peripheral iridectomy, in angle-closure, 39:409
- peripheral uveitis and, 49:1257
- phacogenic, 47:682
- phacolytic, 45:303
- physiologic constriction eye veins and, 38:849

GLAUCOMA (continued)

- pigment migration in, 50:1066
- pigmentary, 52:880
 - relation to Krukenberg's spindles, 36:1398
 - sex differences in, 54:831
- plasmin in, 54:71
- predilection for left eyes, 40:877
- PRIMARY**, anterior chamber angle in, 46:311
 - aqueous solutions for, 37:391, 557, 744
 - biopsy trabecular meshwork in, 50:37
 - diagnosis of, 38:725
 - etiology of, 41:207
 - general considerations in, 41:207
 - management of, 44:323
 - mechanism of, 38:723
 - mechanical, 38:645
 - neurovascular, 38:645
 - open-angle, therapy, 48:81
 - trabecular meshwork in, 47:519
 - pathogenesis and classification, 37:724
 - Schlemm's canal in, 46:311
 - surgical complications of, 45:157
 - surgery for, 47:34
 - trabecula in, 46:311
- priscoline provocative test in, 40:510
- problems in, 47:107
- proliferation corneal endothelium in, 53:235
- provocative tests in, 40:569
- pseudo-, 36:1784; 40:902
 - a nutritional disease of optic nerve, 36:1784
- records in, 43:253
- refractive errors and, 47:173
- reoperation in, 37:119; 45:578
- retinal function and test for, 45:71
- round-table conference on, 40:569
- sclera in eyes with, 49:411
- seasonal distribution of, 47:766
- SECONDARY**, 52:270
 - gonioscopy in, 47:106
 - in systemic histiocytosis, 49:987
 - to carotid-cavernous fistula, 48:585
 - to cataract extraction, 36:103
 - to contusion, 54:547
 - to foreign bodies, 50:169; 54:385
 - to hypermature cataract, 42:97; 43:388
 - to hyphema, urea in, 53:590
 - to lens-iris diaphragm displacement, 36:901
 - to occlusion central retinal artery, 46:182; 47:335; 48:530; 51:793
 - to traumatic dislocation of lens, 47:242
 - to uveitis, 36:719
 - management of, 39:93
 - to vascular anomalies, 53:872
- seton in, gelatin film for, 47:690
- shock, 40:227
- SIMPLE**, 40:440; 45:302
 - basic problems of, 48:213
 - chronic, 47:591
 - in Iceland, 39:202
 - tonographic studies in, 40:693
- social and environmental factors in, 47:171
- steroid therapy and, 49:351
- SURGERY** of, 36:1778; 52:991
 - cataract extraction after, 47:250, 548
 - corneoscleral trephining, 41:399
 - endophthalmitis after, 52:275
 - Fuchs' epithelioma in filtering bleb complicating, 54:842
 - in Negro, beta radiation and, 47:54
 - incomplete peripheral iridectomy, 41:1043
 - late infection bleb after, 47:249
 - long-term prognosis in, 45:807
 - miotic iridocyclitis and, 48:634
 - ocular rigidity after, 53:30
 - perilimbal suction cup, to increase filtering, 54:844
 - ptosis after, 47:250
 - recent advances in, 54:917
 - tunnelizing procedure for, 48:341
 - survey, in San Diego, 44:696
 - in small community, 46:913
 - of 1,054 patients, 44:20

GLAUCOMA (continued)

- symposium on, 50:812
- TESTS**, bulbar compression, 54:421
 - functional, 42:789
 - provocative, 36:397
 - water, 52:15
 - Evaluation of, 51:451
 - mechanism of, 51:601
 - scleral rigidity in, 45:928
 - tonography in, 41:187
 - screening, 46:331
- therapy, debut of, 43:479
 - gonioscopy in, 40:579
 - long-term results of, 49:221
- tolerance to high tension in, 41:408
- tonography in: See Tonography
- tonometry in: See Tonometry
- trabecular meshwork in, 49:1089/3; 50:543
- trabeculectomy in, 51:623
- urea in, clinical study of, 52:323
 - in cataract extraction, 54:753
- uveitis, retrobulbar neuritis and, 38:615
- vena caval obstruction and, 42:685
- venous obstruction at disc in, 45:303
- visual fields in, defects in, 37:793
 - partial excavation of, 36:1777
 - pathogenesis of, 47:1177
 - with reduced illumination, 43:403
- wide-angle, medical treatment of, 40:578
 - primary degeneration near chamber angle and, 40:619
- See also Ocular tension
- Glaucomatocyclitic crises, 36:123; 37:267; 40:576; 50:163
 - in both eyes, 41:1056
 - observations on, 36:1778
- Gloma, of optic chiasm, 40:856
 - of optic nerve, 53:382; 54:767
 - management of, 46:654
 - Recklinghausen's disease and, 37:15
 - of optic tract, 42:585
- Globe, luxation of, voluntary, 37:351
- Glomerulosclerosis, diabetic retinopathy and, 36:957
- Gloves, light weight, 40:107
- GLUCOSE**, C¹⁴-labeled, in diabetic rabbit lens, 48:508
 - in normal rabbit lens, 48:508
- cataracts, 36:143
 - in lens, 39:99; *106
 - metabolism, 38:141; 42:358
 - transport across surface of, 39:161; 43:290
- levels, in aqueous, 45:925
 - in blood, 45:925
- metabolism, in corneal epithelium, 48:47
- retinal use of, 36:1766
- uptake of, by lens, 50:974/304
 - effect plasma on, 50:991/321
 - influence insulin on, 43:471
- Glutamic acid, effect on lens metabolism, 38:148
- Glutathione, effect light on, in retinal homogenates, 47:207
 - effect on formaldehyde oxidation in retina, 46:42
 - in lens, 46:36
 - permeability and, 36:54
- Glycerine, effect on corneal viability, 47:308
- Goldmann, Hans, 48:202, *204
- Goldmann applanation tonometer, clinical application of, 49:967
- Goniocycloscopy, and ophthalmoscopy, 40:11
- Gonioprism, use of Allen-Thorp, 40:11
- Gonioscope, in narrow-angle glaucoma, 36:640
- GONIOSCOPY**, 40:11
 - after iridencleisis, 50:439
 - an aid to teaching, 42:507
 - comparative study of, 41:256
 - device to rotate slitbeam in, 45:920
 - direct, and indirect image, 51:423; 54:243
 - early postoperative, 54:243
 - hand illuminator for, 46:84
 - in cysts, of iris and ciliary body, 45:64
 - in diagnosing shortened angle, 52:492
 - in glaucoma, diagnosis, 40:579
 - secondary, 47:106
 - treatment, 40:579

GONIOSCOPY (continued)

- in lens colobomas, 52:492
- in subluxated lens, 52:492
- in uveitis, 42:545
- lens for, 51:413, 415
- pool, 43:619
- prism for, 37:115
- teaching device for, 44:407
- to evaluate glaucoma operations, 50:631
- GONIOTOMY**, for glaucoma with nevus flammeus, 43:545
- cyclodialysis and, in congenital glaucoma, 38:712
- in congenital glaucoma, 47:190
 - review 196 eyes, 36:1523
- instrument for, 51:527
- lens for, 51:422
- loupe for, 54:1133
- present status of, 36:445
- vision after, 45:727; 48:264
- Graefe, Alfred and Albrecht von, 37:598
- Albrecht: The man and his time, 38:525, 695, 791
- Grant, W. Morton, 42:4, *5, *7, *8
- GRANULOMA**, 54:765
 - carrageenan, of cornea, 49:628
 - cholesterol-containing, of orbit, 41:234
 - in disturbances fat metabolism, 45:23
 - lethal midline, eye manifestations of, 42:21
 - of conjunctiva, due to imbedded eyelash, 51:706
 - of iris, 36:989; 49:829
 - pine-pollen, 51:941/69
 - of orbit, 37:571; 40:257
 - of sclera, in rheumatic arthritis, 51:71
 - telangiectatic, 43:872
- Granulomatosis, Wegener's, 50:1203
 - eye manifestations of, 42:21; 44:789
- Graves' disease, 50:26; 52:145
 - orbitonometry in, 36:45; 49:683
 - prognosis eye signs in, 52:123
- See also under Exophthalmos
- Great Britain, ophthalmic research in, 39:143
- Groenblad-Strandberg syndrome, 50:213; 51:704
- GT-75, GT-92, GT-93, for cycloplegia, 37:948
- Gumma, of orbit, 37:127; 40:435
- Gyrus rectus, herniation of, 50:1044

H

- Haden, Henry Cooper, 42:506
- Hadley School for the Blind, 45:583
- Haidinger brushes phenomenon, 54:807
 - clinical use of, 38:661
 - in diagnosing ocular disturbances, 38:661
 - visibility of, clinical use, 40:393
- Hallucinogenic drugs, effect on ERG, 42:206
- Handicapped, eye in, 36:112
- Harada's disease, 38:232; 53:368
 - cortisone in, 39:499
- Harderian gland, effect on corneal regeneration, 36:1545
- Hardy, LeGrand H., 38:249
- Harris, John E., 44:258, *260
- Hawaii, through ophthalmoscope, 42:393
- Head, movements of, in ocular motor apraxia, 36:433
- Headache, glasses and, 39:750
 - in intracranial aneurysms, 50:654
 - migraine, and tension, 37:951
- Hearing, in Boeck's sarcoid, 47:673
- Heat production, by slitlamp beam, 43:461
- Heed, Thomas D., 43:801
- Helmholtz, the musician, 50:1097
- Hemangioblastoma, of retina, 36:847
- HEMANGIOMA**, 54:763
 - of choroid, 48:612; 50:3
 - of conjunctiva, pedunculated, 52:266
 - of eyelid, 36:989
 - of orbit, 36:265, 970; 39:584
 - of retina, racemose, 40:904
- Hemangiomas, 51:141
- Hemangiopericytoma, of orbit, 40:237, 786; 46:89
- Hematoma, of orbit, 40:215
 - under retinal pigment epithelium, 53:897
- Hematopoiesis, in and around eye, 38:214
- HEMIANOPIA**, altitudinal, 36:1627
 - papilledema and, 39:738

HEMIANOPIA (continued)

- bilateral, 52:990
- dichroic mirror device for, 39:876
- due to cerebral anoxia, 50:654
- due to parietotemporal lobe lesions, 50:1056
- homonymous, 54:616
 - after occipital lobectomy, 54:623
 - bilateral, 38:44; 47:42
 - eye pain and, 54:1091
 - incongruous, 47:317
 - visual hallucinations and, 52:274
- retinal local signs in, 45:662
- spectacles for, 36:131
- traumatic, bilateral, 36:1623
- visual localization in, 43:465
- Hemiplegias, comparison right and left, 50:627
- Hemoglobin-C, sickle-cell disease and, 45:870
- Hemolysin, in hyphema absorption, 54:1093
- HEMORRHAGE**, after cataract extraction, 36:1780
 - after iridectomy, 47:240
 - diathermy for recurrent, 39:189
 - expulsive, during retinal detachment surgery, 51:264
 - influence weather on, 36:1765
 - pathology of, 40:15
 - subchoroidal, survival eye after, 49:7891
 - Verhoeff sclerotomy in, 51:264
- in autopsy eyes, 50:424
- in differential diagnosis fundus lesions, 41:975
- in peripheral iridectomy, cause of, 37:889
- in uveitis, 47:1165
- induced by hydro-uterine fluid, 45:928
- intraocular, plasmin in, 54:67
- of conjunctiva, 43:478
- of retina, 49:263; 51:721
 - in newborn, 46:658; 49:1005
- of vitreous, sickle-cell/hemoglobin-C disease and, 42:707
- petechial, after cortisone, 46:391
- photocoagulation in, 50:590
- retinal vein occlusion, and gastro-intestinal, 54:851
- retrobulbar, 43:977
- subarachnoid, intraocular symptoms and their pathogenesis, 38:501
 - with subhyaloid, 40:906
- subhyaloid, 52:257; 732
 - following subarachnoid, 36:1192
- telangiectatic granulomas and, 43:872
- Hemosiderosis, 48:628
 - after trauma, 53:65
 - siderosis and, 48:465
- Hemostasis, technique to aid, 51:527
- Heparin, experiments with, 36:1767
 - in diabetic retinopathy, 50:338; 483
 - in macular edema, 45:118
 - in senile macular degeneration, 51:57
- Hereditary eye diseases, advising patients with, 40:412
- HEREDITY**, 53:536
 - corneal changes due to, 47:1191
 - in color defective, 48:231
 - in corneal dystrophy, 45:636
 - fleck, 51:275
 - in ectodermal dysplasia, 45:143
 - in glaucoma, 47:173; 50:557
 - chronic simple, 40:828
 - detection, 40:681
 - study, 40:681
 - in keratoconus, 52:53
 - in macular degeneration, 42:304
 - in pterygium, 50:635
 - in retinitis punctata albescens, 53:450
 - in retinoschisis, 51:1193
- HERPES**, cerebral artery occlusion and, 54:142
- disciform keratitis due to, 48:57
- See also under Keratitis
- febrilis, of cornea, keratoplasty in, 45:106
- infections, epidemiology of, 43:134
- laboratory diagnosis of eye, 43:118
- of cornea, 36:269
 - cortisone in, 39:91
 - keratoplasty in, 43:147
- See 43: April, Part II

HERPES (continued)

- keratitis due to: See under Keratitis
- recurrent, keratoplasty in, 50:1124
- SIMPLEX**, 46:227
 - antibiotics in, 39:689; 48:517
 - chemical agents and, 49:1426
 - cycloserine in, 48:517
 - cytology of, 43:298
 - diagnosis of, 50:179
 - effect corticosteroids on, 51:945/73
 - experimental fluorescent antibodies in, 52:72
 - keratitis due to: See under Keratitis
 - of cornea, proteolytic enzymes to treat, 53:75
 - steroids in, 49:1355
 - studies on, 43:126
 - uveitis, 49:627
 - vaccine, antibody deficiency after, 53:569
 - virus of, corneal responses to, 47:61
 - in eye disease, 43:113
 - inactivation by chemical agents, 51:42
 - isolation of, 43:126
- tissue culture technique, 40:189
- ulcers due to, 45:934
- ZOSTER**, abducens paresis and, 54:298
- Argyll Robertson pupil after, 38:23
- as cause congenital cataract, 39:157
- chickenpox and, 40:269
- corticosteroids in, 49:1430
- in three and one-half year old child, 46:741
- ophthalmic, treatment of, 53:147
- retinal detachment in, 41:253
- Herpetic keratitis: See under Keratitis
- Heterochromic cyclitis, 39:150
- in identical twins, 41:768
- Heterophoria, fixation disparity and, 43:97
- horizontal, gaze and, 53:274
- myopia and, in children, 54:111
- of Johannes Mueller, 52:724
- Heterotropia, of macula, pseudostrabismus and, 45:683
- Hexokinase, in X-ray cataract, 43:893
- Highway, safety on, 43:265
- Von Hippel-Lindau disease, photocoagulation in, 50:590; 51:141
- Hirschberg, Julius, 48:329
- Histamine, effect on rabbit cornea, 42:89
- Histiocytosis, 45:23
 - systemic, ocular involvement in, 49:987
- Histoplasmosis, amphotericin B in, 49:1288
- chorioretinitis due to, amphotericin B in, 51:588
- experimental ocular, 54:427
- granulomatous uveitis and, 49:205
- Holmes, Edward L. Lecture, 38:291
- Homatropine, in cycloplegia, 36:1086
- substitutes for, 75GT, 92GT, 93GT, 36:69
- Honeybee, visual system of, 45:287
- Hong Kong, operation Vision, 54:781
- Hordeolum, neosporin in, 41:850
- Hormones, effect on uveal mast cells, 45:292; 47:509
- effect pituitary on ocular tension, 39:547
- in production exophthalmos, 39:146
- radioactive sulfate uptake after, 47:519
- therapy with, in eye diseases, 44:551
- thyrotrophic, exophthalmos and, 48:803
- effect corticotrophin on, 48:803
- to treat, arteriosclerosis, 41:85
- hypertension and retinopathy, 41:85
- Horner's syndrome, after phrenic crush, 42:920
- analysis of 216 cases, 46:289
- Raeder's syndrome and, diagnosis, 46:194
- striated levator in, 49:679
- Horoiter, subjective, 36:1768
- H-R-R pseudo-isochromatic plates, in diagnosis retrobulbar neuritis of multiple sclerosis, 41:833
- Horses, periodic ophthalmia in, 37:243
- Hospital Albert Schweitzer, Haiti, West Indies, 45:849
- Hospitals, management retinal detachment in, 52:548
- Veterans Administration, 48:689
- Hummelsheim operation, 46:397; 47:89
- Hungarian Ophthalmological Society, 52:269; 53:385; 54:144, 314, 1152
- Hurler's disease, 45:23

Hurler's disease (*continued*)
 diagnostic tests for, 53:753
 forme fruste of, 53:753
Hyaline bodies, of optic disc, 47:889
 papilledema simulating, 53:922
 See also Drusen
Hyaline corpuscles, evolution in optic nerve, 43:885
Hyaloid membrane, adhesion to cornea, 45:99
 lens capsule adhesion to, 46:495; 51:511
 rupture of, after cataract extraction, 37:657
 alpha chymotrypsin and, 49:357
Hyaluronic acid, effect ultraviolet light on, 43:469
 eye changes due to, 43:293
 in aqueous, 40:746
 sulfate, detection of, 47:428
 vitreous properties dependent on, 39:1100
HYALURONIDASE, 39:99
 effect on therapeutic effect BAL, 36:777
 effect on vitreous viscosity, 52:374
 in anterior chamber, 45:65
 in aqueous, 40:746; 43:469
 in coatings of trabecular meshwork, 44:200
 in vitreous hemorrhage absorption, 39:677
 influence on permeability Schlemm's canal, 41:65
 injections into anterior chamber, 39:198
 purification of, 49:626
Hyaluronate, vitreous, 49:1360
Hydration, of cornea, 40:100
Hydrocephalus, 53:689
 anterior staphyloma with, 46:395
 ocular signs of, 51:267
Hydrochlorothiazide: See Esidrex
Hydrocortisone, 37:533
 in interstitial keratitis, 44:217
 in optic neuritis, 49:824
 in uveitis, tension increase due to, 39:175
 ophthalmic use of, 39:839
 penetration into eye, 40:211
Hydrostatic pressure syndrome, 44:652; 45:127
Hydrosulphosol, evaluation, 37:239
 in lime burns, 37:209
 in regeneration corneal epithelium, 37:544
 See also Calsulphydryl
Hydroxycorticoids, diurnal variation tension and, 54:411
Hygromy, transient myopia due to, 54:1146
Hypercalcemia, conditions with, 36:1657
 eye findings in, 38:856
 eye signs of, 36:1657
Hypermetropia, correction of, 54:144
 effect on reading, 39:375
Hypernephroma, metastatic to orbit, 48:386
Hyperopia, corneal scarring and, 36:983
 corneal vascularization and, 36:983
 in diabetes mellitus, 41:680
Hyperostosis, internal frontal, 36:1627, 1785
Hyperparathyroidism, 36:1657
Hyperphoria, alternating, 42:241
 problems of, 40:332
 pupillary, 42:770
Hyperpiesin, effect on ocular tension, 39:547
Hyperplasia, lymphomatous, 49:1415
 of pigment epithelium, 44:119
Hypersensitivity, maternal, lens changes due to, 51:949/77
Hypertelorism, 37:387
HYPERTENSION, arteriosclerosis and, 45:81
 and retinopathy, hormones for, 41:85
 classification of, clinical significance, 49:365
 diagnosis of, 44:543
 essential, retinal changes in, 45:165
 flicker fusion frequency and, 39:705
 fundus changes in, 39:1137
 intraocular circulation and, 45:302
 retinal changes in, 39:243
 treatment of, 44:543
Hyperthyroidism, 52:123
Hypertropia, 41:438
HYPHEMA, 46:84
 absorption of, effect fibrinolytic enzymes on, 54:445
 after cataract extraction, Diamox and, 44:637
 Diamox and absorption of, 49:625
 effect mydriatics on absorption of, 48:215

HYPHEMA (*continued*)
 effect streptokinase on, 37:911
 experimental, 43:292; 52:58; 54:445
 Diamox in, 50:743
 effect hemolytic agents on absorption of, 54:1093
 trypsin in, 43:275
 glaucoma secondary to, urea in, 53:590
 increased ocular tension and, 47:697
 nonperforating eye injury with, 49:1298
 surgery of, 53:522
 traumatic, 46:873
 air injections in, 37:409
 prophylaxis in, 50:747
Hypnosis, 49:639
 in anesthesia, 50:163
Hypnotherapy, in amblyopia, follow-up study, 52:690
 suppression, 44:468; 46:53
Hypodermic syringe, by-product ophthalmology, 36:538
Hypoparathyroidism, 36:1657
 syndromes with, 54:660
Hypophoria, pupillary, 42:770
Hypophyseal stalk section, in diabetic retinopathy, 52:993
Hypophysectomy, yttrium⁹⁰, ocular complications of, 49:476
Hypopyon, after injury, 53:381
 in uveitis, 47:166
 leprous iritis with, 44:401
Hypothalamus, effect neptazane and Diamox on, 53:107
 pituitary secretion and, 54:944
Hypothermia, ciliary epithelial changes and, 49:1134/48
 effect on aqueous dynamics, 49:1126/40, 1134/48; 51:1032/
 160, 1039/167
 effect on aqueous outflow, 49:1126/40
 effect on ocular tension, 49:1126/40
Hypothyroid disease, exophthalmos and, 53:1018
Hypotony, acute, 38:241
 fundus changes in, 40:781
 in uveitis, 47:1170
 major cause of, 52:609
Hypoxia, effect on ERG, 44:57
 maternal, effect on inheritance blindness, 44:94
Hysteria, diagnosis of, in amblyopia, 42:415

I

Iceland, causes and prevention blindness in, 39:202
Ichthyosis, congenital, 39:748
 congenital cataract and, 52:207
 corneal findings in, 39:575
Icterus, congenital cataract and hemolytic, 52:207
Idiocy, amaurotic, late infantile, 38:470
 familial in Negro, 53:800
IDPN, ocular changes due to, Thyroxine to prevent, 44:
 763; 45:457
ILLUMINATION, Cibis technique in microscopy, 43:784
 effect on pupillary reflexes, 51:644
 fluorescing, in cataract surgery, 47:663
 in microscopy, Cibis technique, 43:784
 new technique, 42:278
 macular, recovery time in diagnosis and prognosis, 53:
 311
 quantity AC/A and, 49:1140/54
 response Limulus eye to, 46:210
IMAGES, alteration in, to measure aniseikonia, 43:464
 formation, 48:6
 Johannes Mueller on inverted, 47:185
 magnification, in retinal photography, 42:919
 multiple, in one-eyed man, 38:107
Immaturity, retinopathy of, 42:377
 See also Retrolental fibroplasia
Immunity, in vaccinia keratitis, 40:194
Immunogenic endophthalmitis, production of, 48:435
Immunologic organ specificity of lens, 46:187
Immunology, histoplasmosis and, 54:427
 of lens, 50:985/315
 to study reaction to chemicals, 50:937/267
 to study Toxoplasma infections, 50:945/275
 to study uveal tissue sensitivity, 39:377
IMPLANTS, anterior chamber: See Intraocular lenses
 buried, integrated, 41:313
 corneal, plexiglass, 41:793
 intracameral acrylic, 43:625
 intrascleral, after evisceration, 36:356; 44:644

IMPLANTS (continued)

- into lens, 43:625
- into Tenon's capsule, 43:118
- of collagen sponge material, 54:19
- orbital, 36:1136; 38:93
- plastic sponge, 36:1756
- polyvinyl, tissue response to, 51:1200
- Ridley, in cataract extraction, 36:1471
- See also Ridley lenses and Intraocular lenses
- results with motility, six-year study, 39:347
- scleral, modified Burch evisceration and, 49:41
- secondary, 50:502
- secretion evacuation technique, 36:705
- tapered, to insert along orbital floor, 40:112
- Incontinentia pigmenti, 45:143; 47:321
- congenital cataract and, 52:207
- fundus changes in, 45:265
- Index, for Symposium on Electrophysiology of Visual System, 46: Part II, September, 1179, 180, 181, 182
- India, accommodation in people of, 49:998
- need in, 52:577
- ophthalmology in, 43:307
- villages of, 36:1472
- surgery of eye in, 44:2759
- Indians, phlyctenular keratoconjunctivitis in American, 46:210
- Industry, amblyopia in adults in, 36:1443
- vision in, 36:1737
- visual screening in, 46:227
- INFANTS**, cataract extraction in, 54:1064
- cortical hyperostosis in, 53:976
- newborn, ophthalmoscopic findings in, 36:85
- optic atrophy in, 40:901
- retinal hemorrhage of, 46:658; 49:1005
- viruses inclusion conjunctivitis in, 53:774
- premature, postnatal cataract in, 38:65
- ocular tension of, 39:808
- rhabdomyosarcoma in, 53:463
- thrombi in ciliary veins of, 43:93
- visual testing of, 38:714
- zonulolysis in, 54:95
- INFECTIONS**, antibiotics for intraocular, 39:94
- carbomycin in, 39:51
- corticosteroids in, 51:336
- dust-borne, in ophthalmic surgery, 36:1258
- external, bacterial sensitivity tests in, 36:480
- intraocular, 40:86
- antibiotics in, 39:94
- postoperative, 50:1225
- late, after trephination, 47:887
- of filtering conjunctival scars, 46:155
- neomycin in, 47:417
- of orbit, papilledema and, 50:1084
- postoperative, 50:1225
- in ophthalmic hospital, 48:519
- negative preoperative cultures and, 51:723
- prevention of, 36:1091
- Pseudomonas, of cornea, colistin in, 51:391
- Staph., bacteriophage typing in, 48:519
- sulfacetamide in, 45:383
- trichobionium chloride in, 50:595
- INFLAMMATIONS**, anterior segment, Depo-Medrol in, 54:407
- anterior chamber angle in, 38:622
- effect iodoacetic acid on, 43:782
- in uveitis, 47:1156
- pancreatic dornase in, 52:572
- prednisolone in, 43:30
- toxoplasmosis and, 41:600
- triamcinolone in, 49:55, 516
- trypsin in, 38:84
- INJURIES**, 43:126
- acid, of cornea, biochemical study, 40:111
- after ejection from jet aircraft, 48:399
- aqueous antibodies after, 42:288
- aqueous antigens after, 42:288
- automobile, prevention of, 50:815
- BB, 54:675
- buffalo berry thorn, 45:285
- burns, eyelid and facial, 45:732

INJURIES (continued)

- burns (continued)
- chemical, egg membrane for, 48:373; 49:853
- chemical, cortisone in, 37:239, 269
- lewisite, BAL and hyaluronidase in, 36:777
- lime, 36:805; 37:962
- keratoplasty after, 36:523
- management of, 37:209
- of cornea, 44:243
- corticosteroids in, 48:253
- gastro-intestinal extract in, 44:541
- phosphate buffer in, 49:1331
- compensation for, in United States, 39:821
- See also Disability compensation
- concussion, optic nerve avulsion in, 48:528
- contusion, glaucoma secondary to, 54:547
- corneoscleral perforation, 42:588
- electrical, 42:126
- of eye and adnexa, 39:575
- fish hook, 39:582
- flash burns, 43:711; 46:700
- foreign bodies: See Foreign bodies
- fractures: See Fractures
- fungus infections after, 48:151
- hemosiderosis bulbi after, 53:65
- hyphema with, 49:1298
- hypopyon after, 53:381
- in acquired paralysis eye muscles, 41:951
- in children, 36:1787
- lacerations, of cornea and sclera, 54:119
- lateral rectus paralysis due to, 47:539
- lens, 37:120
- metabolic, of visual cells, 40:60
- molten metal burns, of inferior fornix, 44:178
- of orbit, arrow in, 36:1129
- blowout fractures: See under Fractures
- optic atrophy after, 36:722
- orbitocranial penetrating, 37:758
- pellet wound, of orbit, 53:130
- penetrating, in children, 46:88
- of cornea, 39:742
- of lens, 39:742
- perforating, 46:225
- due to BB, high-speed photography of, 54:675
- of globe, 36:375
- photocoagulation produced, 52:487
- Purtscher's disease and, 54:693
- reaction to, lactic dehydrogenase in, 54:363
- solar burns, 41:1048
- study of, 40:583
- treatment of, 48:680
- with small high-speed missiles, protection against, 51:80
- Innervation, autonomic of iris, 42:122
- of chamber angle, 42:148
- studies, on aqueous outflow, 42:182
- Instituto Barraquer, ophthalmology course, 46:908
- INSTRUMENTS**, 47:591
- accommodative card and rule, 44:533
- adapter for tangent screen projector, 40:109
- air conditioner, for anesthesia, 40:563
- anomaloscope, 40:559
- apparatus for visual screening, 41:1077
- Armed Forces eye field chest, 39:215
- arm rest, for ophthalmic surgery, 52:568
- aspheric lens, for indirect ophthalmoscopy, 48:256
- bandages, a new ocular, 53:518
- binocular, 54:303
- bar reader, 53:867
- blank, to sketch fundus lesions, 40:108
- bulbar compressor, for glaucoma, 47:187
- caliper, for eye surgery, 40:737
- camera, for fundus photography, 48:486
- campimeter, double projection, 40:891
- cannula, for alpha chymotrypsin irrigation, 50:500
- care of ophthalmic, 49:903
- carrier, for cataract mask string, 42:487
- case, for dressings and, 41:119
- catheter erisophake, 54:866
- cement, to fixate eye sheets, 36:119
- chalazion forceps, 36:519

INSTRUMENTS (continued)

chalazion retractor, 52:260
 cilia forceps, 52:571
 collated near-vision test card, 46:592
 combination unit for refractors, 46:747
 combining two sets of scissors, 48:105
 combining retinal photography and ophthalmoscopy, 49:1403
 contact lens, for biomicroscope, 50:805
 control for slitlamp biomicroscope, 39:571
 corneal, debrider, 45:448
 dissector, for keratoplasty, 48:677
 forceps, 49:616
 graft table, 46:591
 lens, for prolonged procedures, 45:922
 trephine, with centering devices, 49:1031
 coupling, for cataract knife, 38:403
 for diathermy current, 38:403
 "crab's eye," 39:430
 dacryocystorhinostomy needle, 49:153
 DeWecker scissors, to remove corneoscleral sutures, 46:587
 diagnostic contact lenses, 51:410
 diagnostic kit, 37:117
 diagnostic portable transformers, 38:563
 double-edge knife, 47:870
 drape retainer, and inhalator, 54:295
 dual-end, for iridectomy, 50:325
 electric erisophake, 52:269
 electrode, for retinal separation, 36:263
 electrokeratome, to dissect lamellar grafts, 47:226
 electrolysis-iontophoresis unit, 38:719
 electronic ophthalmodynamometer, 52:570
 episcleral needles, to locate foreign bodies, 46:76
 erisophake, with silastic, 54:297
 eye-dominance tester, 36:980
 eye-dressing tray, 37:943; 47:388; 51:158
 eye exerciser, 43:771
 eye template, 43:288
 fixation light, 41:119
 flashlight without batteries, 43:120
 flexible retractor, 47:692
 fluorescent, lamp examination unit, 45:279
 test object, for pantoscopic tangent screen, 47:688
 focus attachment, for close-up photography, 40:740
 for after-image test, 52:715
 for cataract extraction, 37:941; 38:518
 for corneal repair, 37:428
 for goniotomy, 51:527
 for keratoplasty, 45:571; 49:843
 for muscle surgery, 47:581
 for mushroom corneal grafts, 52:239
 for pleoptics, 50:156
 for scotometry, 36:1130
 forceps, corneoscleral suturing, 37:428; 39:237; 41:681
 for foreign bodies and rust stains, 40:568
 for iridectomy, 43:110
 irrigator, 48:673
 loop, for intracapsular extraction, 36:843
 fornix depressor, 52:259
 four-way sight screener, 49:154
 gimbal-mounted projector, for torsion, 46:696
 gonioscopy prism, 37:115
 goniotomy lens, 51:422
 grooved marking calipers, for eye surgery, 41:682
 guard, for Bard-Parker knife, 40:255
 hammer lamp, 36:386
 hand, fundus camera, 42:639
 illuminator, for gonioscopy, 46:84
 rest, for Tudor-Thomas stand, 48:106
 tangent screen, 39:565
 handle, for electro-keratome, 51:524; 52:284
 hook, for keratoplasty, 45:918
 for polyethylene tubes, 54:1148
 hot-air sterilizer, 41:858
 improved cutting edge for eye, 52:413
 inspection clamp, for keratoplasty, 48:251
 intracapsular forceps, 38:564
 iris repositor, 53:136
 Katzin mask, modified, 44:687
 keratograph, circline fluorescent, 45:104

INSTRUMENTS (continued)

keratome, modified, 50:168
 oblique angle, 36:114
 of new design, 47:408
 knife, for dissections, 47:156
 for ptosis surgery, 42:927
 lens forceps, 37:111
 and iris, 50:167
 with iris retractor, 45:277
 lens, to encourage macular perception, 40:419
 to transpose cylinders in refraction unit, 48:674
 lid fixation forceps, 52:407
 lid speculum, 40:423
 light-weight gloves, 40:107
 lighting system, for tangent screen, 42:486
 lorgnette occluder, 44:262
 loupe, for goniotomy, 54:1133
 mobile eye chart, 53:1009
 modified, erisophake, 53:862
 euthyscope, 52:406
 Prince rule, 49:827
 trephine, 45:112
 moist chamber, 46:589
 monocular trial frame 47:692
 multipurpose utility, 49:1420
 muscle tucker, 36:843
 needle-forceps, for fixation, 36:1772
 needle, cross-action holder, 50:166
 to extract dislocated lens, 50:701
 nonmagnifying reading aid, 49:1401
 ocluser, for screening children, 48:847
 office treatment tray, 38:95
 ophthalmometer, 36:1540
 ophthalmoscope, Schepen's binocular indirect, 45:915
 optical aid, for calibration in tonography, 49:1030
 optical, used in ophthalmology, 36:1467
 orbital retractor, 38:91
 perilimbal suction cup, 54:844
 perimeter attachment, 37:261
 photocoagulator, experimental new, 52:479
 photographic ophthalmoscope, 42:647
 photographing keratoscope, 53:371
 photostimulator, 50:149
 pocket flashlight, 42:488
 pocket vision tester, 53:860
 portable sterilizer, 47:86
 prerogatives in use of, 52:277
 pressure-sensitive crystal oscillator, 52:984
 probe, for canaliculus surgery, 54:461
 projector chart, 52:988
 protection of, from dust-borne infection, 36:1258
 punch forceps, for keratoplasty, 41:854
 recession forceps, 50:167
 refinement for hand ophthalmoscope, 46:750
 reflecting mirror, for Schepen's ophthalmoscope, 50:328
 refractor unit, portable, 46:218
 remote-control tangent screen, 40:897
 removable guard, for Lange knife blade, 54:134
 rust ring remover, 52:122
 scanning pupillometer, 48:259
 scintillation counter, to diagnose intraocular tumors, 39:170
 scissors, for placenta implants, 36:1771
 to enlarge cataract incisions, 47:388
 scleral retractor, 47:408
 self-illuminated stimulus, for perimetry, 54:301
 self-testing device, for screening color vision, 54:139
 single dose dispenser, 43:621
 speculum for animal surgery, 50:660
 speedlight unit, for photography, 38:396
 slitlamp attachment, for plotting scotomas, 45:913
 stand for binocular indirect ophthalmoscope, 53:859
 standardized Schirmer tear test kit, 51:840
 surgical galvanic unit, 40:423
 surgical tonometer, 54:295
 sutures, forceps for, 47:689
 loop retractor, 51:520
 marker, for keratoplasty, 48:255
 spreader, 49:854
 for cataract surgery, 48:676
 television reader, for subnormal vision, 47:580

INSTRUMENTS (continued)

- test charts, for near and far, 48:807
- timing unit, for tonography, 42:919
- to analyze ocular rotations, 43:765
- to center corneal grafts, 49:617
- to detect foreign bodies, 45:304
- to grade visual acuity, 44:693
- to hold excised donor cornea, 47:579
- to insert encircling tubes, 52:260
- to irrigate anterior chamber, 47:734
- to maintain airway in eye surgery, 41:681
- to manage chronic gut sutures, 41:858
- to photograph rabbit anterior segment, 39:*40
- to rotate slitbeam, 45:920
- to study eye in monochromatic light, 38:68
- to teach refraction, 45:921
- to test diplopia fields, 40:424
- to test infant's vision, 38:714
- to test retinal correspondence, 36:1121
- tonometer adapter, to measure scleral rigidity, 40:418
- traction suture deflector, 52:414
- transilluminator-cautery, 42:780
- transilluminator, for penlight, 40:900
- tube for corneal bathing, 42:918
- tubo-stat, for scleral buckling, 48:258
- voltage control, for electric tonometer, 42:777
- Insulin**, influence on glucose uptake of lens, 43:471
- lens and, 44:*341
- role in lens metabolism, 48:*394
- transport across lens, 43:290
- Insurance forms**, medical terminology and, 51:544
- Intraocular**, bruits, 42:504
- disease, ophthalmodynamometry and, 44:829
- lesions, unilateral exophthalmos due to, 47:1206
- pressure, pseudotumor cerebri and, 47:215
- Intraocular dynamics**, 41:813
- effect citral and vitamin A on, 50:309
- system of symbols for, 44:698
- Intraocular implants**, 49:417
- anterior chamber, in monocular aphakia, 49:417
- Intraocular lenses**, acrylic, 44:579
- anterior chamber implants of, 49:417
- complications of, 54:229
- experiences with, 46:127
- in aphakia, 51:1277
- monocular, 44:579; 49:703
- present status of, 50:250, 663
- Strampelli, in monocular aphakia, 52:81
- Intraocular pressure**: See Ocular tension
- Intrascleral nerve loops**, 47:105
- Iodide, ocular reactions after, 43:879
- I¹³¹**: See Radioactive iodine
- Iodoacetate, ocular lesions due to, 41:1071
- Iodoacetic acid, effect on inflammations, 43:782
- Iodo-Niacin, in vitreous floaters, 42:771
- in vitreous hemorrhages, 42:771
- Iodopsin, 40:*26
- Iontophoresis, penetration antibiotics by, 42:*89
- Iran**, trachoma in south, 38:665
- IRIDECTOMY**, 53:571; 54:918
- basal, anatomic variations iris and, 51:666
- classification, 51:261
- complications of, 40:571
- effect on hyphema, 52:58
- for drawn-up pupil, 36:1253
- for iris atrophy, 44:487
- forceps for, 43:110
- hemorrhage after, 47:240
- histology of, 54:204
- in cataract surgery, 49:286
- in glaucoma, narrow-angle, 37:504; 43:109
- with iris atrophy, 49:147
- in iris tumors, 47:118
- incomplete peripheral, 41:1043
- optical, results in nine eyes, 39:866
- peripheral, 37:889; 43:302
- complications of, 47:246
- incomplete, 41:1043
- with anterior chamber retention, 41:964
- surgical technique, 51:261
- IRIDENCELEISIS**, 40:577; 53:571; 54:920

IRIDENCELEISIS (continued)

- bleb, 44:683
- late infections of, 47:249
- effect on hyphema, 52:58
- Elliot trephination and, 40:581
- errors in techniques for, 47:250
- gonioscopic observations after, 50:439
- in glaucoma, open-angle, 42:608
- mode of action, 36:1778
- modification of, 49:1368; 51:724
- sympathetic ophthalmia after, 38:102; 51:829
- value of, 36:1779
- Iridocorneosclerectomy**, for glaucoma, 50:45
- IRIDOCYCLITIS**, alcohol injections in, 53:692
- arthritis and, 49:1424
- Behcet's disease and, virus causing, 36:301
- Diamox in anaphylactic, 41:667
- due to toxoplasmosis, 43:474
- heterochromic, 45:*262
- in uveitis, 47:167
- Middlebrook-Dubos test in, 50:180; 51:627
- miotic, 43:298
- in glaucoma surgery, 48:634
- photocoagulation and, 54:3
- prednisolone in, 41:593
- prednisone in, 41:593
- traumatic cataract and, 37:121
- Iridoma irides**, iris nevi and, 48:825
- Iridopathy**, 45:830
- Iridoschisis**, 36:967; 46:794
- glaucoma and, 45:451
- Iridotomies**, peripheral in round-pupil extraction, 45:*41
- IRIS**, abnormalities, deafness, glaucoma and, 41:745
- anatomic variations of, 51:666
- aniridia: See Aniridia
- anterior surface of, glass membrane of, 53:879
- anterior synechias of, surgery for, 36:698
- ATROPHY**, 50:370
- essential, 37:219; 49:147
- glaucoma and, 49:147
- iridectomy for, 45:312
- for early, 44:487
- progressive, 49:713
- in hemorrhagic glaucoma, 54:954
- in uveitis, 47:166
- of stroma, 36:967
- radiation induced, 40:*163
- atypical tumors of, 44:685
- autonomic innervation of, 41:1067; 42:*122
- biopsy of, 36:1217, 1225
- canalicular network of, microradiography of, 49:1267
- carcinoma of, 39:37
- metastatic, 45:221, 707
- cells of, effect electrolyte mixtures on, 49:446
- ciliary body and, electric resistance of, 51:1027/155
- crypts, relation peripheral to narrow-angle glaucoma, 40:469
- cysts, after DFP, 37:327
- diathermy coagulation for, 38:513
- epithelial, 54:800
- implantation, 39:76
- implantation, 38:723
- intra-epithelial, 37:327
- postsurgical, 39:745
- stratified squamous, 50:334
- traumatic, 41:115
- implantation, surgical aspects of, 39:13
- with glaucoma, 45:*64
- developmental anomalies of, 41:1073
- diffuse tumors of, experimental, 48:*98
- displacement root of, glaucoma secondary to, 54:547
- effect autonomic drugs on, 49:1045
- electrically induced, movements of, 45:289
- epithelial pearl tumors, 41:929
- glass membranes on anterior, 53:235
- granuloma of, 36:989; 49:829
- hemorrhage, after iridectomy, 47:420
- hyaluronidase-sensitive mucopolysaccharide in, 44:1
- in megalocornea, 49:908
- incarceration of, 36:1457
- inclusion, in cataract extraction, 39:71

IRIS (continued)

- infiltration, in systemic histiocytosis, 49:987
 - leiomyoidoma of, 42:924
 - leiomyomas of, 36:1225; 43:303, 457
 - lipid infiltration in rabbit, 48:535
 - melanoma of, 36:115; 43:307; 53:870
 - treatment of, 47:1118
 - melanosarcoma of, 37:781
 - nevi of, iridoma and, 48:825
 - nodules, in uveitis, 47:1164
 - of cat, distribution radial contractile forces in, 48:316
 - of primates, comparative and experimental studies, 52:384
 - operations, terminology in, 52:424
 - photocoagulation of, 45:932
 - pigment epithelium of, hyperplasia of, 50:1066
 - pigment nodules of, complicating mitotic therapy, 37:886
 - pine-pollen granuloma of, 51:941/69
 - prolapse, after cataract extraction, 46:86
 - repositor, 53:136
 - resistance peripheral, chamber angle and, 42:734
 - rubeosis of, regression after cyclodiathermy, 40:253
 - stroma of, atrophy, 41:607
 - cyst of, 44:106
 - suction anterior to, factor in glaucoma, 36:185
 - tumors of, 47:412
 - excision of, 43:305
 - ultrastructure of, 48:397; 49:1045
 - utilization ascorbic acid by burned, 40:111
 - white spots of, 46:587
 - wound healing of, 41:499
- Iris-clip lens, 49:703
- Irish Ophthalmological Society, 36:1149
- IRITIS**, acute glaucoma complicating, 45:728
- endophthalmitis phacoanaphylactica and, 36:1460
 - in sarcoidosis, 38:566
 - leprosy, with hypopyon, 44:401
 - prednisolone in, 41:593
 - prednisone in, 41:593
 - recurrent hypopyon and, 36:1776
- Iron, compounds, effect on vitreous, 46:356
- deposition in eye, 48:628
- See also Siderosis
- Irradiation, effect on visual purple, 39:849
- therapy: See under Radiation
- Ischemia, of retina, visual loss and, 45:79
- Ishihara test, efficiency of, 51:340
- in color-vision defects, 49:921
- Isoniazid, 39:103
- effect on ocular tuberculosis, 36:1767
 - in conjunctival tuberculosis, 50:265
 - in experimental tuberculosis, 38:199
- Isonicotylhydrazide, experiences with, 36:1770
- Isotop-PNP, in external eye infections, 49:726
- Isotopes: See under Radioactive
- Ispuprel, 43:632
- in noncongestive glaucoma, 43:412
- Italian ophthalmology, 46:602
- Italy, epidemic keratoconjunctivitis in, 43:50
- Itching, of eyes, 43:306

J

- Jackson-Lancaster controversy, aniseikonia and, 48:441
- Jackson Memorial Lecture, 36:433; 37:841; 40:317; 43:1; 44:159; 46:467; 48:441; 52:207, 927; 54:929
- James, Robert Rutson, 48:864
- Japan, epidemic keratoconjunctivitis in, 43:46
- Japanese Ophthalmological Society, 46:906
- Jaw-winking, ptosis and, surgery of, 47:352
- See also Marcus Gunn syndrome
- Jeancon, Etta, Memorial Lecture, 40:332
- Jensen's disease, coccidioidomycosis and, 43:965
- Jet aircraft, ejection from, trauma due to, 48:399
- Jimson weed, mydriasis due to, 44:109
- Judge, Harry Vincent, 44:130
- Juler, Frank Anderson, 53:877

K

- Kala-azar, retinal lesions in, 50:161
- Kanamycin, 50:614
- Katzin mask, modified, 44:687

- Kayser-Fleischer ring, 40:580
 - in cornea, Wilson's syndrome and, 44:623
 - Kenacort, effect in uveitis, 48:777
 - Keratotomy, lamellar, 42:860
 - Keratic precipitates, in uveitis, 47:1159
 - KERATITIS**, action prednisolone in, 41:596
 - bacteriologic studies of, 40:584
 - bullous, corneal dystrophy and, 36:1740
 - cephalosporium, 49:267
 - deafness and, 49:1017
 - filamentary, beta radiation in, 51:1292
 - parenchymatous origin of, 42:115
 - fungal, cortisone in experimental, 48:330
 - herpes simplex, cytology epithelial scrapings in, 43:298
 - effect corticosteroids on, 51:945/73 - HERPETIC**, corticosteroids in, 49:627
 - cytology of, 45:240
 - deep forms of, 43:109
 - disciform, random occurrence in rabbits, 48:57
 - immunity studies in, 39:226
 - immunization against, in rabbit, 44:88
 - keratoplasty in, 45:179; 46:671
 - pathology of, 41:639
 - proteolytic enzymes in, 53:75
 - silver nitrate in, 51:182
 - superficial forms, 43:107
 - tissue culture vaccine in recurrent, 54:255 - histopathology corneal endothelium in, 53:215
 - INTERSTITIAL**, 48:855
 - chamber angle in, 43:719
 - cortisone in acute syphilitic, 36:90
 - glaucoma and, 53:602
 - mydriatics and hydrocortisone in, 44:217
 - nonsyphilitic, 52:990 - medicamentosa, 52:282
 - metaherpetic, alpha chymotrypsin in, 54:756
 - corneal perforation in, 54:756
 - treatment for, 42:489
 - neospurin in, 41:850
 - neuromyolytic, congenital, 39:732
 - nummular, diagnosis from EKC, 43:58
 - postvaccinal, 44:810
 - secondary to, keratinization tarsal conjunctiva, 41:477
 - striate, chemically caused, 45:712
 - superficial, punctate, nerve palsy and, 48:97
 - tropica, 43:64
 - vaccinia, immunity in, 40:194
- Kerato-acanthoma, 49:822
- KERATOCONJUNCTIVITIS**, 46:226
- address welcome to symposium on, 43:2
 - adenoviruses in, 43:20
 - allergic, secondary to seborrheic dermatitis, 53:686
 - atopic, 36:937; 43:766
- EPIDEMIC**, 39:575; 40:580; 42:938; 43:41
- adenoviruses in, 43:91
 - in Canadian cases, 43:32
 - type 8, 44:766
 - isolation 21 strains during outbreak of, 48:238
- APC virus in, 40:200
- diagnosis, from nummular keratitis, 43:58
 - epidemiology of, 43:102
 - etiologic studies, 40:200; 43:65, 79
 - hospital epidemics of, 43:93
 - in California, 43:41
 - in home for aged, 42:266
 - in Italy, 43:50
 - in Japan, 43:46
 - in New York, 43:44
 - in Orient, 43:46
 - observations in four cases, 38:486
 - present status, 38:476
 - serologic study of, 38:490
 - study of small, 36:1367
 - transmission of, 43:98
 - virus of, 43:71
- herpes simplex, effect corticosteroids on, 43:131
 - herpetic, acute, 43:105
 - Monilia, nystatin in, 44:108
 - moniliasis, hypoparathyroidism and Addison's disease, 54:660
 - phlyctenular, at Point Barrow, Alaska, 51:585

KERATOCONJUNCTIVITIS (continued)

- phlyctenular (continued)
 - in Canadian Eskimos and Indians, 46:210
 - photoallergic, 49:1324
 - sicca, 53:614
 - in aged, 38:238
 - lysozyme and, 39:200
 - rose bengal test in, 39:253
 - symposium on viral, 43:Part II, April
 - vaccine, fluorescent antibodies to study, 52:72
 - vaccinia-virus, effect cortisone on, 36:116
 - viral, 36:1469
 - present status, 43:3
 - symposium on, summary of, 43:161
 - virus isolations in, 40:180
- KERATOCONUS**, atopic dermatitis and, 47:332
- histopathology corneal endothelium in, 53:215
- hydrops due to, 41:1076
- keratoplasty in, 50:1124
- posticus circumscriptus, 52:119
- in two siblings, 52:53
- Keratoglobus**, anterior chamber in, 49:908
- congenital glaucoma and, 49:908
- iris in, 49:908
- Keratome, of new design, 47:408
- Keratometry, after anesthesia and mydriatics, 53:49
- KERATOPATHY**, band-shaped, with glaucoma, 36:1458
 - with kidney disease, 39:878
 - bullous, corneal ulcer, glaucoma and, 45:826
 - surgery of, 50:815
 - glaucoma, keratomycosis and, 45:832
 - in uveitis, 47:1157
 - lentic, corneal guttata secondary to, 50:17
 - mustard gas, delayed, 36:1575
- KERATOPLASTY**, 47:591
 - after lime burn, 36:523
 - air injections in, 51:320
 - blood types and, 45:928; 47:48
 - donor-recipient, 47:48
 - chymotrypsin in, 51:103
 - complications in, management of, 45:938
 - contact lens splint for, 41:79
 - cornea stored for, electrophoresis of, 44:385
 - corneal fistula, complication of, 50:368
 - corneal heterografts in rabbits, 44:477
 - corneal trephine with centering device for, 49:1031
 - corticosteroids in, 50:1100
 - cortisone in, 36:720
 - experimental, 36:120
 - dehydration to preserve donor cornea, 43:353
 - Diamox to clear grafts in, 41:203
 - donor cornea, fresh and preserved, 49:1387
 - neospirin as prophylaxis for, 46:351
 - preservation of, 47:303, 308; 47:729
 - freezing for, 43:380
 - donor-recipient, blood types, 47:48
 - sensitization in, 45:843
 - emergency, corneas from frozen whole eyes in, 53:917
- GRAFTS**, 47:591
 - after long-term glycerol freezing, 51:579
 - clouding of, 54:76
 - corneal mushroom, 48:27
 - electro-keratotome to dissect lamellar, 47:226
 - frozen-stored interlamellar, 42:71
 - healing of, 51:1281
 - sex chromatin study, 52:91
 - heterografts, 48:259; 53:911
 - antigenicity of, 49:511
 - fish to rabbit, 48:363
 - lyophilized cornea in, 54:265
 - histopathology of opaque, 53:215
 - holder for, 46:554
 - host tissue reaction to fresh and frozen, 53:279
 - instrument to center, 49:617
 - interlamellar homografts, 44:598
 - Mooren-like ulcer in, 43:385
 - mushroom, 52:913
 - technique with new instrument for, 52:239
 - opacification of, 45:843
 - immunochemical study, 49:740
 - partial lamellar, survival stromal cells in, 45:242

KERATOPLASTY (continued)

- GRAFTS** (continued)
 - preservation of, 49:843
 - storage of, in vivo, 47:191
 - table for, 46:591
 - tract sutures in, 42:792
 - viability of, fresh and frozen, 41:513
 - preserved, 47:772
 - hook for, 45:918
 - immunochemical analysis of experimental, 49:740
 - in corneal dystrophies, 36:524; 50:1100
 - Fuchs', 54:812
 - in herpetic disease of cornea, 43:147; 45:179; 46:671
 - in keratoconus, 36:523; 37:118
 - in perforated corneal ulcers, 46:67
 - indications for, 39:61
 - instrument for, 49:843
 - corneal dissector, 48:677
 - hand rest for Tudor Thomas stand, 48:106
 - inspection clamp, 48:251
 - modern, 45:571
 - suture marker, 48:255
 - to center grafts, 49:617
 - to hold excised cornea, 47:579
 - LAMELLAR**, cutting grafts for, 51:512
 - experimental heterografts in, 49:1387
 - in herpetic ulceration cornea, 45:106
 - in necrotizing corneal perforation, 48:252
 - keratectomy, 42:860
 - posterior, 41:530
 - preservation cornea for, 53:445
 - PENETRATING**, graft fixation in, 46:541
 - of entire cornea, 47:1125
 - study 148 cases, 46:541
 - sutures in, 38:349
 - to excise limbal tumor, 53:670
 - reoperation in, 45:938
 - sex chromatin as graft marker in, 49:513
 - symposium on, 53:534
 - teaching of, in Hong Kong, 54:781
 - technique for, 36:81; 39:61
 - developed in New Zealand, 38:689
 - therapeutic, 50:1124, 53:691
 - total, 38:105
 - transparency and good vision in, 36:513
 - transplant maintenance, in chick embryos, 43:462
 - Tudor-Thomas stand for, modified, 47:870
 - viability cornea in, after long-term storage, 43:380
 - frozen, 44:131, 182
 - stored, 44:209
 - with frozen human cornea, 41:505
 - with preserved cornea, 43:353
 - with punch forceps, 41:854
- Keratoprosthesis, 54:284
- Keratroscope, photographing, 53:371
- Keratotomy, in Mooren's ulcer, 42:883
- Kidney, band-keratopathy with diseases of, 39:878
- Kimberleys, eye disease in, 47:1134
- Kimmelstiel-Wilson syndromes, 36:243, 854
- Kinsey, V. Everett, 36:3, 4
- Kirby, Daniel B., 37:443
- Korea, eye casualty management in, 36:467
 - ophthalmology in, 36:1715
- prisoners of war, nutritional amblyopia in, 39:1173
- Knapp, Arnold, 41:1084
- Krukenberg spindles, 52:880
- glaucoma with, 51:324
- microzonulocopy in, 53:845
- relation to pigmentary glaucoma, 36:1398

L

- Labyrinthine function eye, and, 45:74
- Labyrinthine stimulation, visual axes deviation and, 42:621
- Lacerations, of cornea and sclera, 54:119
- LACRIMAL APPARATUS**, air anomalies of, 47:105
- canal, stenosis in St. John syndrome, 40:83
- canaliculitis, due to Candida albicans, 53:933
- CANALICULI**, actinomyces infection of, 49:1278
- obliteration of, 49:1432

LACRIMAL APPARATUS (continued)**CANALICULI** (continued)

- obstruction of, 37:268
 - conjunctivoantrotomy in, 49:249
- reconstruction of, 36:1786; 53:520
- repair with hypodermic needle stylet wires, 37:936
- stenosis of, after radiation therapy, 44:249
- streptothrix infection of, 52:36
- surgery of, probe for, 54:461
- congenital anomalies of, 54:854
- developmental anomalies of, 42:227
- DUCT**, mycotic flora of, 52:619
 - occlusion, 36:264
 - management of, 36:1587
 - stenosis, in St. John syndrome, 40:83
 - supramid tubes in, 36:1787
 - surgery, Gelfilm in, 50:729
- dysfunction of, 48:854
- fistula, dacryocystography in, 39:220
- fossa, dermoid cyst of, 43:305
- GLAND**, ducts of, Gelfilm in section of, 51:1290
 - effect on corneal regeneration, 36:1545
 - epithelial tumor of, 49:1429
 - primary, 41:996
 - lymphosarcoma of, 47:859
 - tumors of, 39:575; 54:765
 - arising in, 41:3
 - X-ray diagnosis, 49:1428
- hook for retrieving tube from, 54:1148
- Nocardia asteroides infections of, 53:1006
- obstruction of, test for, 53:611
- passages, sodium saccharine to test, 43:114
- proteins, Schirmer test and, 46:12
- SAC**, carcinoma of, 44:548
 - neurofibroma of, 53:1016
 - obstruction, prophylactic treatment, 38:870
 - papilloma of, 51:1303
 - tumors of, 42:561; 49:1420
- surgery of, 37:593
 - problems of nasal and, 46:668
 - treatment disorders of, 53:39
- Lacrimal secretions, albumins in, 43:295
- See also Tears
- Lacrimation, in uveitis, 47:1156
- See also Tears
- Lactate concentration, in aqueous, 42:406
- Lactic dehydrogenase, reaction ocular tissue to injury and, 54:363
- Lagophthalmos, cicatricial ectropion and, 46:77
- Landolt ring test, guessing bias of, 46:77
- Latin America, lecture tour in, 48:114
- ophthalmologists of, 39:597
- Latin Ophthalmological Society, 37:594
- Laurence-Moon-Biedl syndrome, 49:1410
- Learning, perceptual, 44:233
- retention of, 44:233
- Leiomyoidoma, of iris, 42:924
- Leiomyoma, of ciliary body, P²³ uptake in, 42:204
- of iris, 36:1225; 43:303, 457
- LENS**, albuminoid synthesis in rat, 48:500
- anaerobic carbohydrate metabolism of, 39:106, *113; 40:237
- anhydrase activity of bovine, effect age on, 36:500
- antigens of, 42:577
 - systemic sensitivity to, 40:120
- aqueous-carrying veins on capsule of, 43:972
- ascorbic-dehydroascorbic acid in metabolism of, 40:224
- biopsy of, 36:1219
- capsule, adhesions of, 51:511
 - to hyaloid, cataract extraction and, 46:495
- channels in, relation to senile cataract, 36:24
- exfoliation of, 46:508
- healing, lens-induced endophthalmitis and, 38:205
- polysaccharides of, 38:165
- pseudo-exfoliation of, 37:1
- secondary removal of, 53:702
- carbohydrate, metabolism of aging, 49:1422
- utilization by, 43:472; 44:1318
- catalase of, cataractous, 36:51
- normal, 36:51
- cations of, and water balance, 45:720

LENS (continued)

cations of (continued)

- transport, 47:387
 - influence dyes on, 47:387
 - influence oxygen on, 48:528
- cell division in, 45:719
- changes, after X-irradiation, 42:44
 - in galactosemia, 50:1151
 - induced by maternal hypersensitivity, 51:949/77
 - reversal of, in early diabetes, 46:219
- coloboma of, gonioscopy in, 52:492
- culture of, 43:781
 - effect oxygen tension on, 43:782
 - maintenance of, for 24 hr., 45:372
 - synthetic medium for, 46:288
- dehydrogenase activity in, 48:550
- delivery of, in cataract extraction, 50:649
- development of, 47:591
- dislocated, extraction by Jose Barraquer method, 50:701
 - management of, 43:126
 - myopia and, 36:81
 - sclerocorneal transfixation in removal, 52:468
- ectopia of, in dwarf, 39:569
 - surgery for congenital, 39:189
- effect halogen acetates on, 52:65
- enzymatic activities of, 42:342
- epithelium, a strain of human, 45:925
 - cell division on, 46:288
 - changes, in radiation cataract, 41:1017
 - electron microscopy of, 45:298
 - in pathogenesis of cataract, 44:159
 - mitotic activity of, 40:216
- exfoliation, 37:1
- extraction, in deep corneal dystrophy, 52:677
- fibers, resorption in secondary cataract, 51:1306
- fluid injections into, 44:1298
- general argyrosis, involvement in, 38:402
- glucose of, 39:99, *106
- radioactive isotopes to study, 48:508
- transport across, 39:161
 - influence insulin on, 43:290
- uptake by, effect plasma on, 50:991/321
 - influence insulin on, 43:471
- glutathione in, 46:36
 - and permeability of, 36:54
- hexokinase activity of rabbit, 45:297
- histochemical changes in developing, 45:296; 46:47
- hydration, effect dyes on, 47:387
 - role metabolism in, 38:182
- immunologic, organ specificity of, 46:187
- studies of, 45:293, 716
- implantation solid substances into, 43:625
- in uveitis, 47:1163, 1169
- in vitro studies on, 45:372
- induced, endophthalmitis, 40:120
- glaucoma, 43:399
- influence autolysis on, 50:174
- influence fixatives on, 50:174
- influence insulin, on glucose transport across, 43:290
 - on glucose uptake of, 43:471
- injection dyes into, 44:298
- intracellular proteolytic enzyme in, 48:29
- ionizing radiation and, 50:175
- insulin and, 44:341
- iris diaphragm displacement, glaucoma secondary to, 36:901
- large, glaucoma and, 43:388
- luxated, and subluxated, management of, 54:196
- metabolism, age and, 42:346
 - cation shift, induced by calcium deficiency, 36:39
 - induced by cold, 36:39
 - effect glutamic acid on, 38:148
 - effect oxygen on, 38:148
 - fructose and, 49:1045
 - glucose in, 38:141; 42:358
 - insulin in, 48:394
 - phosphorus, 42:431
 - reversible cation shift to study, 38:141, *148
 - studies on, 40:224, *237
- nucleotides of, permeability and, 36:54
- of steroid-treated rats, 50:1147

LENS (continued)

- opacities of, bilateral after DFP, 50:153
 - due to atomic radiation, 39:285
 - due to X-rays, 36:1779
- electroshock and, 45:926
- organ specificity of, 49:1421; 50:985/315
- oxygen tension of, glucose uptake and, 50:974/304
- penetrating injuries of, 39:742
- peptidases of, 50:174
- phosphates of, 39:99, *106, *113
 - changes in, 39:155
- pigment rings of, 53:845
- posterior lenticonus, 39:308
- potential, 45:721; 47:1410
 - bioelectric, 47:1395
- preservation of, 47:306
- production cataractous changes in, 44:307
- proteases in, 49:1421; 51:1004/132
- PROTEINS** of, alpha crystallin, 44:357
 - and beta, 48:309
 - effect pH on, 48:52
 - changes, 45:721
 - composition, of human, 44:347
 - effect pH on, 48:52
 - electrophoretic study of, 51:305
 - incorporation labeled amino acids into, 51:1012/140
 - interaction with other proteins, 47:219
 - sulfhydryl groups, 46:36
 - toxicity in, Manuel Straub and, 48:463
- radiosensitivity of, species differences in, 43:693
- rainbow rings of, 36:1769
- reactivity sulfhydryl group in bovine, 44:326
- regeneration, 49:849; 52:919
 - experimental analysis, 36:31
- residual capsule and cortex, secondary removal of, 52:463
- ribonucleic acid of, influence age on, 51:993/121
 - influence cataract formation on, 51:993/121
- senile changes in, 36:1241
- spontaneous rupture of, in hypermature cataract, 39:403
- studies on, in vitro, 44:307
- subluxated, due to complicated cataract, 46:88
 - during accommodation, 39:551
- gonioscopy in, 52:492
- surgery of, Smith method, 39:1109
- swelling of, and transient myopia, due to allergy, 45:454
- transplantation of solids into, 44:298
- traumatic dislocation of, glaucoma secondary to, 47:242
- traumatisms of, 37:120
- tritium of, autoradiographic localization of, 49:1422
- yellow pigment of human, 47:1144
- Lenses**, anterior chamber: See Intraocular lenses
- aspherical objective, in indirect ophthalmoscopy, 47:572
- conoid, in indirect ophthalmoscopy, 47:572
- contact: See Contact lenses
- ophthalmic, radiographic characteristics of, 51:1268
- spectacle: See Spectacles
- Lenticonus**, anterior, 37:197; 53:636
- Lentiginosis**, ophthalmic luminescence to study, 44:363
- Leontiasis ossea**, involving orbit, 36:1131
- Leopold, Irving H.**, 51:876/4; 878/6; 879/7
- Leprosy**, ocular, 46:359
- vasculitis retinae** in, 51:831
- Leptothrix**, Chloromycetin in, 36:121
- Leptothrix**, infections by, 43:129
- Letterer-Seiwe disease**, 45:23
- Leukokoria**, 45:199
- Leukoma**, familial congenital, 50:810
- Lice**, eyelid infestation with, 39:211
- Lidocaine**, for akinesia, 38:78
 - for anesthesia, 38:78
- Liebmann effect**, binocular study of, 39:93
- Light adaptation**, amblyopic eyes in, 46:68
 - cone participation in, 39:24
- Light coagulation**: See Photocoagulation
- LIGHT**, effect on glutathione in retinal homogenates, 47:207
 - high intensity, effect on choroidal circulation, 54:277
 - monochromatic, study of eye in, 38:68

LIGHT (continued)

- pupillary reflex to, influence retinal adaptation on, 51:644
 - scotopic and photopic thresholds of, 48:87
- response Limulus eye to, 46:210
- scatter, in frog retina, 49:1046
- thresholds, foveal differential retinal image and, 52:755/323
 - transmission of, through ocular media, 42:907
- Lighting**, fluorescent, effect on eyes, 45:47
 - in cataract surgery, 47:663
- Limbscleral trephination**, in glaucoma, 52:29
- LIMBUS**, area of, 50:543
 - carcinoma at, 36:1292; 42:630
 - dermoids of, 53:661
 - girdle, white of Vogt, 50:101
 - pigment papilloma of, 51:154
 - tumors of, penetrating keratoplasty to excise, 53:670
- Limulus**, electric activity cells in eye of, 45:717; 46:210
- Luminosity functions**, in dichromasy, 50:177
- Lindau-von Hippel disease**, 36:1362
- Lindner, Karl D.**, 36:14
- Lip**, cleft and palate, ankyloblepharon and, 53:126
- Lipids**, in eye disease, 45:723
- Lister oration**, 46:447
- Lobectomy**, homonymous hemianopia after occipital, 54:623
- Loewenstein, Arnold**, 36:129
 - an appreciation, 36:402
- Looking**, psychodynamics of, 52:515
- Loupe magnification**, optical principles of, 40:831
- Low-vision clinics**, 48:177
- Lowe's syndrome**, 52:207
- Lymphadenoglucomatous syndrome**, 52:101
- Lymphangioma**, 54:766
 - of ocular adnexa, 51:481
- Lymphoma**, 54:764
 - eyelid swelling in malignant, 52:408
 - ocular involvement in malignant, 39:29
- Lymphomatosis**, avian, uveitis and, 51:424
- Lymphosarcoma**, intraocular, 52:412
 - of choroid, 51:294
 - of conjunctiva, 50:147
 - of lacrimal gland, 47:859
 - of salivary gland, 47:859
 - of superior tarsi, 53:527
- Lysozyme**, chloresium and, in corneal ulcers, 37:445
- in herpetic keratitis, 36:1775
- keratoconjunctivitis sicca and, 39:200

M

- MacCallan, Arthur Ferguson**, 40:130
- MacMillan, John A.**, 36:540
- MACULA**, aberrant vessels of, 45:106
 - choroid rupture through, 36:1769
- DEGENERATION** of, 36:1747
 - before angioid streaks, 51:704
 - chloroquine and, 54:381
 - disciform, 39:239; 46:896; 49:848
 - hereditary, 36:989
 - in five generations, 39:637
 - physiologic study of, 42:304
 - peripheral uveitis and, 49:1257
 - senile, 38:235; 43:633
 - advancing inferior oblique for, 42:911
 - heparin in, 51:57
 - pathogenesis of, 48:22
 - surgery of, 46:584
 - therapy of, 47:405
- diseases of**, ERG in, 42:199
 - Haidinger brushes phenomenon to diagnose, 38:661
 - in aged, 44:36
 - pathology of some, 39:420
- drusen** of, 38:236
- edema** of, 43:635
 - after cataract extraction, 37:665
 - heparin in, 45:118
 - in uveitis, 47:173
- endodiathermy** to seal holes of, 37:649

MACULA (*continued*)

- exudates of, 48:262
- Fuchs' spot of, 36:1126
- heterotopia-of, pseudostrabismus with, 45:683
- holes in, due to syphilis, 36:261
- endodiathermy to seal, 37:649
- significance of, 39:648
- surgery of, 39:648
- illumination of, in diagnosis, 53:311
- in prognosis, 53:311
- iridescent crystals of, 36:1591
- lesions of, vascular, 36:265; 48:401
- functional conditions and, 36:1
- pigment epithelium in area of, 50:1066
- projection of, in lateral geniculate nucleus of man, 54:597
- retinal blood supply at, 45:114
- role of, in ERG, 50:889/219
- solar burn of, 41:1048
- stellate figure in region of, 38:505
- Macular and extramacular serous chorioretinopathy, 51:231
- Macroglobulinemia, 48:402
- Macrophages, of human vitreous, 49:1185/99
- Maddox rod, optical theory of, 39:231
- Madrid Ophthalmological Society, 36:125, 267; 37:436, 791; 38:412, 571; 39:585, 744; 40:259; 41:133, 1080; 42:147; 43:477, 635; 48:262, 854; 49:1051, 1431
- Magnamycin, penetration into aqueous, 39:234
- Magnet, in foreign body extraction, 36:620
- Magitot, Andre, 47:895
- Malingering, test for, 36:985; 39:562; 42:415, 776
- Mandibulofacial dysostosis, 44:832; 46:886; 48:670; 52:521
- dermolipoma of conjunctiva and, 37:354
- eyelid correction in, 54:859
- Marchesani syndrome, 47:413
- Marcus Gunn syndrome, 37:119
- surgical correction of, 36:765
- Marezine, to control nausea and vomiting, 45:446
- Marfan syndrome, 37:791; 39:576; 41:331
- glaucoma and, 50:1187
- ocular complications of, 50:814
- spherophakia, brachydactyly and, 36:1571
- Williams' prior description of, 50:154
- Marinesco-Sjögren syndrome, congenital cataract and, 52:207
- Marshall Bennett Islands, eye disease in, 51:1229
- Massachusetts Eye and Ear Infirmary, ophthalmic laboratory of, early years of, 39:138
- Massachusetts Vision Test, analysis results with, 36:363
- Mauriac syndrome, 46:402
- May, Charles H., Memorial Lecture, 43:857
- Medicine, and the law, 51:339
- history of, evil eye in, 44:237
- ophthalmic problems in, 49:361
- Medullo-epithelioma, 45:495
- embryonal, 49:606
- of ciliary body, adult type, 46:19
- of optic nerve, 44:4
- Meetings: See Ophthalmic meetings
- Megalocornea: See Keratoglobus
- Meibomian gland, carcinoma of, 37:259
- Meibomitis, seborrheic, eyelid retraction and, 41:859
- Melanoblastoma, of choroid, pigment deposits in, 45:51
- scotoma as sign of, 49:1406
- retinal metastasis of, 48:172
- MELANOMA**, 39:588
- differential diagnosis, in fundus lesions, 41:975
- echogram in, 51:1203
- experimental, radioactive uptake in, 44:190
- intra-epithelial, of cornea, 54:1142
- intraocular malignant, in hamster, 51:977/105
- malignant, 38:101
- multiple, in one eye, 36:73
- of bulbar conjunctiva, 45:536
- of ciliary body, 45:835
- of uvea, 49:594, 612
- of uveal tract, management of, 44:313
- metastatic from choroid, 43:223
- of choroid, 37:107; 38:163; 46:402; 48:542; 50:330

MELANOMA (*continued*)

- of choroid (*continued*)
- long-term follow-up, 36:61
- malignant, 37:254
- long-term follow-up, 36:61
- retinal involvement in, 51:517
- of ciliary body, 38:104; 43:294, 307
- of conjunctiva, 44:408
- of eyelid, 37:122
- of fornix, 38:228
- of iris, 43:307; 53:870
- malignant, 36:115
- treatment of, 47:1118
- of retinal pigment epithelium, 42:207; 53:383
- of uvea, metastatic, 36:1199
- prepubertal intraocular, 47:202
- scintillation counter to diagnose, 39:170
- skin, choroid site first manifestation, 51:1296
- uveal, culture of, 46:163
- Melanosis, cancerous, of conjunctiva, 39:196
- ophthalmoluminescence to study, 44:363
- precancerous, 48:678
- of conjunctiva, 39:196
- Memphis Eye, Ear, Nose and Throat Society, 36:1291; 37:267; 38:566; 39:582, 745; 40:261, 433; 41:130, 321; 42:651; 43:474, 980; 47:886; 48:262, 400, 678; 51:1314; 52:274; 53:381, 691, 870; 54:464
- Meniere's disease, effect prisms on symptoms of, 39:558
- Meningitis, optic atrophy in tuberculous, 37:588
- MENINGIOMAS**, 54:766
- an ophthalmic problem, 39:828
- diagnosis of, 39:828
- mistaken, 51:15
- en plaque, signs and symptoms, 50:1087
- ocular signs of, 45:30
- of optic nerve, 46:745
- of sphenoidal ridge, diagnosis in, 36:1785
- of tuberculum sellae, 36:715
- suprasellar, 39:582
- surgery for, 54:581
- treatment of, 39:828
- Meperidine, in cataract surgery, 53:672
- Mepivacaine, evaluation of, 53:827
- Merthiolate, effect on corneal viability, 47:308
- Mesothelioma, 43:213
- Metabolic injuries, of visual cells, 40:160
- METABOLISM**, corneal changes due to disturbances of, 47:191
- fat, eye lesions and disturbances of, 45:23
- iris and, 48:535
- general, effect on ERG, 43:67
- glucose, in corneal epithelium, 48:47
- lens, age and, 42:346
- glucose in, 42:358
- insulin and, 48:394
- phosphorus, 42:431
- studies on, 40:224, 237
- of developing retina, 43:469
- Metachromasia, in normal cornea, 47:1229
- in swollen cornea, 47:1229
- Metal, burns from molten, 44:178
- toxicity of, to corneal stroma, 42:167
- Meteorology, ophthalmology and, 53:385
- Methanol, ERG of animals after, 39:52
- poisoning, effect ethanol on, 42:244
- ERG in chronic, 54:34
- ethanol therapy of, 48:153
- ocular effects of, 36:1677
- role acidosis in, 39:63, 86
- treated with base, 39:63, 86
- visual toxicity of, 39:63, 86; 40:76; 42:244; 48:153
- Methazolamide: See Neptazone
- Methyl alcohol: See Methanol
- Methyl cellulose, effect on responses to pilocarpine, 54:21
- to block aqueous outflow, 54:1089
- Methyl cholanthere, to produce ocular tumors, 48:98, 429
- Methyl methacrylate, to repair bony orbit defects, 53:285
- Methylene blue, decolorization, to test viability and vitality conjunctival and corneal epithelial cells, 52:923

Methylene blue (continued)

- effect on cation transport in lens, 47:387; 48:528
- effect on lens hydration, 47:387
- protein photosensitization by, 48:550
- Metimyd, clinical study of, 42:482
- Metretan Ophthalmic Suspension, clinical study of, 45:27
- Mexican Ophthalmological Society, 49:1056
- Microaneurysms, in diabetes, 54:532
- Microphthalmos, 38:716; 40:114
 - congenital, with cysts, 41:1059
 - cystic dermoid tumor and, 36:508
- Microradiography, to study inner wall of Schlemm's canal, 40:491
 - unknown canalicular network of iris revealed by, 49:1267
- Microscope, in eye surgery, 42:916
 - Zeiss operating, 42:302
- Microscopy, electron: See Electron microscopy
- illumination technique, 42:278
 - of Cibis, 43:784
- phase-contrast, of zonule fiber, 37:130
 - to examine cornea, 36:799
- slitlamp, golden anniversary of, 52:5
 - of fundus, 42:887
 - of vitreous, 42:887
- to study zonulolysis, 49:67
- Microzonulolysis, 53:345
 - in Krukenberg spindles, 53:845
 - in pigment rings of lens, 53:845
- Migraine, 45:729
 - and tension headaches, 37:951
 - scotoma in, study of 618 persons, 49:489
 - symptoms of, in cerebral anomalies, 52:993
 - vascular disturbance in, 36:1627
- Mikulicz disease, 38:88
- Mimosine cataract, 47:1107
- Miopia, effect on ocular tension, 39:547
 - mechanism formation of, 39:684
- Miosis, effect in narrow-angle glaucoma, 36:1387
 - postoperative, 36:1780
- MIOTICS**, comparison of, in esotropia, 49:1350
 - effect phenylephrine HCl on eyes treated with, 48:313
 - in glaucoma, prognostic value tonography in, 46:11
 - narrow-angle, 37:347
 - in strabismus, concomitant, 38:862
 - present status of, 51:1249
 - influence cycloplegia on, 49:844
 - influence mydriasis on, 49:844
 - iridocyclitis due to, 43:298
 - glaucoma surgery and, 48:634
 - pharmacology of, 37:391
 - phospholine iodide, 47:886
 - stability of, 37:557
 - therapy, iris pigment nodules complicating, 37:886
 - to control glaucoma, 51:781
- Missiles, small high-speed, eye protection against, 51:80
- Mizuo's phenomenon, in Oguchi's disease, 51:243
- Moebius syndrome, 41:304; 45:926
- Moist chamber, 46:589
- Molluscum contagiosum, 39:302
 - of eyelid, 39:574
- Molluscum sebaceum, 40:199; 49:822
- Mongolism, congenital cataract and, 52:207
 - eye findings in, 54:398
- Monilia, 36:379
 - skin test for, 41:1073
 - syndrome with, 54:660
- Moore, Walter Van Olinda, 53:878
- Moore's lightning streaks, 41:837; 42:939
- Mooren's ulcer, in corneal graft, 43:385
 - keratoplasty in, 50:1124
- Moorfields, 40:908
- Morbidity, glaucoma and types of, 47:181
- Mortality, in patients with glaucoma, 47:180
 - rates of, during general anesthesia, 45:847
- Motility, examination of, with colors, 36:1772
- Motor anomalies, in school children, 50:139
- Motor apraxia, congenital ocular, 46:382
- Motor vehicles, visual fields and safety in driving, 44:657
- MOVEMENTS** of eye, 41:438
 - brainstem, evoked, 49:623

MOVEMENTS (continued)

- brainstem (continued)
 - lesions and, 41:1077
- congenital apraxia of eye and, 46:382
- effect on ocular torsion, 40:735
- extraocular, in hydracencephaly, 51:267
- horizontal, in experiment Johannes Mueller, 42:289
 - effect target separation on, 42:296
- in adult with cerebral hemispherectomy, 42:319
- in chameleon, 45:288
- in parietotemporal lobe lesions, 50:1056
- motion picture record of, 45:118
- ocular motor apraxia and, 36:433
- pathways mediating decussation of, 54:591
- phenomena of, 38:724
- phosphene of quick, 43:787
- projector to demonstrate torsion, 46:696
- pursuit: See Pursuit movements
- reflex, pathology of, 42:233
 - physiology of, 42:233
- saccadic, electromyography of, 45:716; 46:183
- supranuclear lesions and, 42:873
- sympathetic nerve stimulation in extraocular muscle, 44:144
 - voluntary, in horizontal plane, 48:85
- with myoclonus, 46:205
- Mucocele, 54:768
 - frontal, invading orbit, 36:1785
 - of frontal sinus, 47:886
- MUCOPOLYSACCHARIDES**, acid, in beef retina, 47:203
 - distribution of, in mouse eye, 45:723
 - fate of, in healing corneal grafts, 51:1281
 - hyaluronidase-sensitive acid, in iris, 44:1
 - in trabecula, 44:1
 - in fetal anterior chamber angles, 50:801
 - in Hurler's disease, 53:753
 - in intraocular tissues, 45:299
 - sulfated of cornea, effect vascularization on, 48:418
 - incorporation sulfate-S³⁵ into, 44:291
- Mueller, Johannes, heterophoria of, 52:724
 - on inverted image, 47:185
- Mullen, Carroll R., 51:722
- Mumps, intraocular infection with, 39:579
 - scleritis after, 53:366
- Multiple sclerosis, optic nerve in, 37:487
 - retrobulbar neuritis and, 37:487, 494
- MUSCLES** of eye, A and V syndromes, values for, 50:753
 - adhesions of sheaths of, 43:115
 - anomalies, ptosis and, 43:630; 44:280
 - balance, confirmation test for, 48:532
 - monocular trial frames for testing, 47:692
 - ciliary, effect sympathetic nerve impulses on, 40:1155
 - defects, cerebral palsy and, 36:1719
 - divergence excess, surgery of, 50:297
 - drugs to relax, in cataract surgery, 47:487
 - electromyography, in Moebius syndrome, 45:926
 - of lateral rectus, 41:275
 - external, artificial paresis of, 46:213
- EXTRAOCULAR**, 46:227
 - cholinesterase in, 49:1426
 - co-contraction in, 45:119
 - congenital fibrosis of, 41:432
 - cooperation of, 51:469
 - effect succinylcholine on, 43:440
 - effect surgery of, on aqueous dynamics, 48:321
 - electrocardiographic alterations during surgery on, 46:367
 - electromyogram of, 49:679
 - in fusion, 44:136
 - in exophthalmos, 54:937
 - involvement by pituitary tumor, 40:363
 - ophthalmotropic determination combined actions of, 48:233
 - nystagmus and, 43:291
 - palsy of, in carcinoma of meninges, 52:681
 - striate, effect succinylcholine on, 44:221
 - sympathetic nervous stimulation in movements of, 44:144
- extrinsic, development of, 36:10
 - metastases in, 49:723
- imbalance, management of, 39:101

MUSCLES (*continued*)

- in blowout fractures of orbit, 53:841
- in thyroid disease, 50:473
- in Wernicke's disease, 37:431
- inferior oblique, advancement in senile macular degeneration, 42:911
- insufficiency, congenital epiblepharon and, 39:1130
- paralysis, 53:381
- surgery of, 47:667
- inferior rectus, paresis of, 46:896
- intrasceral nerve loop, in plane of rectus, 47:105
- involvement, in temporal arteritis, 45:617
- lateral rectus, paralysis of, 47:539
- testing function of, 54:804
- levator, ptosis without action of, 54:867
- surgery of, 53:143
- medial rectus, bilateral resection, in esotropia, 45:644
- pseudoparalysis of, 41:124
- vertical tendon transplants for absent, 42:93
- oculomotor, contraction of, ocular tension and, 49:1381
- double innervation of, 40:117
- OPERATIONS**, braided nylon sutures in, 42:611
- chymotrypsin in, 51:103
- Hummelsheim, 47:89; 53:874
- in ptosis, 52:200
- maximum and minimum recession, 38:547
- recession conjunctiva in, 53:618
- recession inferior oblique, 53:529
- simple recession technique, 53:676
- suture, for resection horizontal rotators, 48:103
- tendinoscleral muscle ending, 54:964
- orbicularis oculi, akinesia of, 45:442
- palsies, in carotid-cavernous fistula, 48:585
- PARALYSIS**, causes of, acquired, 41:951
- cortisone in, 36:1454
- double levator, 53:691
- inferior oblique, 44:544
- management lateral rectus, 43:625
- in Parinaud's syndrome, 36:1627
- of cervical sympathetic, EMG in, 49:679
- rectus, muscle transplant for, 36:1265; 48:248
- paresis, cerebrovascular lesions and, 50:395
- responses and distribution, 49:1178/92; 50:173
- striated levator, in Horner's syndrome, 49:679
- superior oblique, synovium of, 45:631
- tendon sheath syndrome, 48:264
- SURGERY**, and orthoptics, 40:883
- anoxemia during, EKG and, 46:367
- deviation degree and, 36:524
- EKG during, 46:367
- factors in failure of, 37:121
- fornix depressor for, 52:259
- in bilateral squint, 36:858
- in exotropia, 38:178
- intramuscular chymotrypsin in, 51:106
- muscle transplantation, 36:1265; 48:248
- new instruments for, 47:581
- of inferior oblique, 47:667
- of superior oblique, 36:1237; 37:548
- safeguard in, 48:396
- simultaneous cataract surgery and, 54:108
- tendon transplantation, 36:1267
- traction suture deflector for, 52:414
- tucker for, 36:843
- temporalis, transplantation of, in orbital exenteration, 45:386
- in orbital repair, 51:217
- thermodynamics of, 50:173; 51:1141/269
- transplantation, for external rectus paralysis, 48:248
- to sclera, 48:228
- vertical, anatomic study of, 45:128
- anomalies of, ptosis and, 44:841
- check mechanism of, 44:800
- defects of, developmental anomalies and, 40:529
- etiology, 36:1427, 1551
- See also under Strabismus
- Mustard-gas keratopathy, delayed, 36:1575
- Myasthenia gravis, 40:580; 44:833
- congenital, 47:128
- EMG evidence for myopathy in, 54:541
- in children, 47:128

Myasthenia gravis (*continued*)

- ocular anticholinesterase agents in, 52:331
 - ophthalmoplegia and, 47:128
 - symptoms of, evaluation of, 43:623
 - Mycotic flora, of conjunctiva, 49:1174/88
 - of lacrimal duct, 52:619
 - Mycotic infections: See under Fungus
 - Mydriasis, Jimson weed, 44:109
 - preoperative, 36:1780
 - unilateral, 48:854
 - MYDRIATICS**, compounds, 75GT, 92GT, 93GT, 36:69
 - cyclomydril, 49:1033
 - cyclopentolate hydrochloride, 38:831
 - effect on corneal curvature, 53:49
 - effect on hyphema absorption, 48:215
 - glaucoma due to, 43:975
 - in interstitial keratitis, 44:217
 - influence on miotics, 49:844
 - Ro 1-7683/15, new effective, 49:958
 - study of, 44:617
 - Myeloma, 46:402
 - Myelomatosis, ocular complications of multiple, 47:211
 - Myoclonus, eye movements with, 46:205
 - ocular and palatal, 43:121
 - MYOPIA**, acute, Compazine therapy and, 54:793
 - bifocals in, 54:475, 877
 - Diamox-induced, 54:237
 - effect on reading, 39:375
 - Fuchs' spot in, 36:1126
 - glasses for children with, 53:866
 - glaucoma in, 45:305
 - operation for, 49:981
 - gravis, frequency of, 49:1418
 - heterophoria and, in children, 54:111
 - high, Fukala's operation in, 36:1781
 - urea in cataract extraction in, 54:753
 - in ectodermal dysplasia, 45:143
 - in lymphadenoglucomatous syndrome, 52:101
 - of prematurity, 40:474; 41:292; 46:45
 - progressive sclerectatic, scleral support in, 52:853
 - refraction in, 39:750
 - retrolental fibroplasia and, 40:475
 - surgical approach to, 36:823
 - surgical correction of, 37:280
 - surgical support posterior sclera in, 49:1341
 - tachistoscopic training in, 44:25
 - transient, after sulfonamides, 36:1769
 - carbonic anhydrase inhibitors and, 48:534
 - due to allergy, 45:454
 - due to Hygroton, 54:1146
 - lens displacement and, 36:81
 - transplantation scleral homografts in, 54:1019
 - Myxedema, epiphora and, 36:712
 - in endocrine dysfunction, 50:26
 - pseudotumoral edema conjunctiva and, 52:901
 - Myxoma, endocardial, embolism central retinal artery from, 48:381
- N**
- NaHCO₃, to study effect Diamox on rabbit aqueous, 48:71
 - Narcolepsy, ocular manifestations of, 49:953
 - Nasal-lacrimal surgery, problems of, 46:688
 - Nasal-space syndrome, 53:614
 - Nasopharyngeal tumor, 42:368
 - epiphora as initial sign, 50:644
 - National Council to Combat Blindness, Fight for Sight awards, 44:821
 - National Institute of Neurological Diseases and Blindness, research grants program, 46:688
 - National Medical Foundation for Eye Care, 52:424, 995
 - Near reflex, spasm of, 43:790
 - Near-response representation, on cerebral cortex, 48:573
 - Nebacetin, in ophthalmology, 36:1686
 - Neck dissection, pseudotumor cerebri syndrome after, 51:605
 - Negro, glaucoma in, 47:54
 - tonography in, 40:224
 - Nematode, endophthalmitis due to, 47:1185
 - eye diseases due to, 40:41
 - infection with, 39:745

- Nematodiasis, due to filaria loa, 45:901
intraocular, 45:853
- Neomycin, in ocular infections, 47:417
- Neoplasms, ophthalmoluminescence to study, 44:365
- Neosone, in complicated cataract surgery, 38:201
- Neosporin, ophthalmic use of, 41:850
prophylactic use in donor eyes, 46:351
- Neosynephrine, influence on tonography, 51:781
- Nephropathy, with tapetoretinal degeneration, 52:625
- Neptazane, clinical effect of, 49:1396
- Diamox compared with, 49:1307
effect on hypothalamic-pituitary-adrenal axis, 53:107
in glaucoma, 49:1307
- NERVES**, abducens paralysis, tendon transplant in, 36:1267
central nervous system and, 42:130
ciliary, anatomy of, 49:1425
congenital paralysis VI and VII, 41:304
controlling ocular tension, 49:985
corneal, changes in dystrophy, 36:1774
cranial, III, IV, VI, paralysis of, 46:787
impulses, effect sympathetic on ciliary muscle, 40:155
innervation, of chamber angle, 42:148
of iris, 42:122
interruption of, in Horner's syndrome, 46:289
intrasceral, loops of, 47:105
palsies, impromptu occlusion in, 48:247
superficial punctate keratitis and, 48:97
paralysis, in tetanus, 36:1627
paratrigeminal syndrome, 36:714
sixth, palsy with post-pointing to opposite side, 40:899
paresis, bilateral, 45:449
simulating divergence paralysis, surgery of, 45:417
stimulation, effect on aqueous outflow, 42:182
sympathetic ocular, paralysis (Raeder's syndrome), 46:194
role in accommodation, 43:789
third, nuclear arrangement, 40:432
pupil abnormalities and, 38:27
trigeminal, in pituitary tumor, 40:365
unlisted branches of, 47:225
- Nervous control, of ocular tension, 46:898
- Nervous system, fatigue of, fusion frequency and, 47:556
metastatic diseases of central, 47:77
- Neural integration, flicker fusion to study, 48:594
- Neurilemmoma, 54:768
of orbit, 43:303; 51:522
- Neurinoma, of orbit, 39:239
- Neuroblastoma, 47:401
- Neurofibroma, of lacrimal sac, 53:1016
- Neurofibromatosis, 54:768
of choroid, 54:217
- Neuroma, of optic nerve, orbitotomy in, 39:885
- Neuro-ocular diseases, EEG changes in, 41:1070
- Neuro-ophthalmology, diagnosis problem cases, 50:1087
- Neuroparalytic keratitis, congenital, 39:732
- Neuropathy, oculomotor, in diabetes, 50:808
- Neuroretinitis, juxtaapillary, 43:977
- Neuroses, vasomotor ophthalmic, 39:8
- Neurospora sitophylla, infection after cataract surgery, 53:35
- Neutralize, in chemical injury cornea, 49:1331
- Nevoxanthoendothelioma, 47:683; 53:455
treatment of, 49:1
- Nevus, differential diagnosis fundus lesions, 41:975
flammeus, glaucoma with, goniotomy for, 43:545
of iris and anterior border layer, 48:825
ophthalmoluminescence to study, 44:363
of Ota, open-angle glaucoma and, 54:453
- Newborn: See under Infants
- New England Ophthalmological Society, 36:1463; 37:431, 592, 953; 38:410; 39:420; 40:426; 41:325; 548; 42:139, 493, 791; 43:129, 790; 44:114, 693; 45:597, 897; 47:107, 413, 592, 885; 48:851; 49:638, 846, 1428; 50:503, 814; 51:333, 536, 713, 1316, 52:990; 53:533, 689; 54:143, 467
- New Guinea, eye diseases in, 47:134
- New York, epidemic keratoconjunctivitis in, 43:44
- New York Academy of Medicine, and New York Society for Clinical Ophthalmology, 39:87
- New York Society for Clinical Ophthalmology, 36:120, 520, 858, 1139, 1293; 37:271, 586, 948; 38:235; 39:87, 243, 420, New York (continued)
573, 752; 40:117, 569, 744; 41:137, 698; 42:144, 787, 928; 43:126, 302, 794; 44:266, 834; 46:84, 403, 752; 47:105, 239, 411; 48:539; 49:361, 1049; 51:161, 539, 716; 52:273, 572; 53:137, 869, 1023
- New Zealand, ophthalmic problems in, 46:661
through ophthalmoscope, 43:927
- Newell, Frank W., 54:869
- News Items, 36:166, 297, 430, 596, 761, 893, 1023, 1187, 1330, 1496, 1654, 1789; 37:161, 324, 481, 647, 838, 984; 38:127, 288, 452, 612, 763, 903; 39:154, 282, 472, 627, 789, 930; 40:157, 314, 467, 616, 778, 949, 41:184, 369, 590, 721, 924, 1127; 42:187, 344, 530, 683, 828, 964; 43:189, 349, 536, 665, 852, 996; 44:156, 310, 459, 578, 703, 864; 45:185, 339, 494, 612, 803, 964; 46:124, 288, 444, 633, 786, 934; 47:148, 300, 450, 629, 749, 929; 48:148, 294, 437, 582, 718, 888; 49:201, 408, 674, 875, 1082, 1464; 50:211, 363, 539, 689, 839, 1289; 51:213, 366, 572, 755, 869, 1366; 52:144, 322, 460, 606, 749, 107; 53:211, 425, 565, 747, 888, 1082; 54:172, 342, 526, 747, 915, 1174
- Nicotinamide, in oxidation vitamin A to retinene 40:39
- Nicotinic acid, in healing corneal ulcers, 37:764
- Night blindness, ERG in, 38:70; 50:875/205
fundus white spots and, 48:101
heredity in, 36:1787
vitamin-A deficiency and, 40:36
- Nitro BT, to study injured ocular tissues, 54:363
- Nitrogen mustard, intravenous in retinoblastoma, 36:1721
- Nocardia asteroides, corneal ulcer due to, 42:303
infections, 47:104
of lacrimal system, 53:1006
- Noell, Werner K., 48:343, *344, *345
- Noise, deafness and, visual fields and, 54:1003
- Noradrenaline, effect on eye, 36:91
- Novobiocin, penetration and tolerance, 43:623
- NP207, toxic chorioretinopathy after, 44:603
visual impairment from, 40:753
- Nuclear weapons, retinal hazards from, 46:700
- Nucleotides, of lens, 36:754
- NUTRITION**, albuminoid synthesis in rat lens and, 48:500
Bitot spots and poor 50:568
deficiency in, amblyopia due to, 53:967
in Korean prisoners of war, 39:1173
Bitot spots in 22 patients with, 38:367
disease, of optic nerve, 36:1784
eye diseases and, 47:134; 52:726
in Africa, 45:347
glaucoma and, 47:177
in ophthalmology, 47:256
- NYSTAGMUS**, 36:250; 42:242
extraocular muscles and, 43:291
eye pain, hemianopia and, 54:1093
frontal lobe lesions and, 45:883
in acrocephaly, 42:633
in albinism, 42:633
in carcinoma of meninges, 52:681
latent, 42:245
monocular, study of, 40:685
operation for, 38:860
optokinetic, to test for parietal lobe lesions, 48:187
to test reading difficulty, 36:1234
pendular, 42:244
retraction, 37:177
visual defects due to fixation, 37:271
voluntary, 39:78
- Nystatin, in monilia keratoconjunctivitis, 44:108
- O
- OBITUARIES:**
Allen, Thomas Dyer, 41:715
Alvaro, Moacyr, 48:684
Anderson, Joseph Ringland, 52:281
Bagley, Cecil Hopkins, 52:125
Ballantyne, Arthur James, 39:429
Barkan, Hans, 50:185
Barkan, Otto, 46:101
Beach, Sylvester Judd, 36:725
Boyes, Tifman L., 43:141
Brown, Edward Vail Lapham, 36:865

OBITUARIES (continued)

- Burch, Frank Earl, 44:554
 Buchell, Edgar Brower, 50:508
 Burke, James W., 48:863
 Byers, W. Gordon, 44:840
 Clapp, Clyde Alvin, 40:274
 Cross, George H., 39:762
 Culler, Arthur M., 52:125
 Davenport, Robert Cecil, 52:422
 DeLong, Perce, 52:732
 Donegan, Justin M., 41:879
 Dor, Louis, 39:427
 Elles, Norma Bertha, 47:598
 Espino, Jose Manuel, 49:1058
 Evans, John Norris, 36:1759
 Ferrer, Horacio, 50:186
 Fridenburg, Percy H., 50:667
 Friedenwald, Jonas Stein, 41:142
 Gailey, Watson, 47:599
 Goulden, Charles Bernard, 36:1760
 Haden Henry Cooper, 42:506
 Hardy, LeGrand H., 38:249
 Heed, Thomas D., 43:801
 James, Robert Rutson, 48:864
 Judge, Harry Vincent, 44:130
 Juler, Frank Anderson, 53:877
 Kirby, Daniel B., 37:443
 Knapp, Arnold, 41:1084
 Loewenstein, Arnold, 36:129
 MacCallan, Arthur Ferguson, 40:130
 MacMillan, John A., 36:540
 Magitot, Andre, 47:895
 Moore, Walter Van Olinda, 53:878
 Mullen, Carroll R., 51:722
 Parker, Walter Robert, 40:273
 Parsons, John Herbert, 45:133
 Pascal, Joseph Irving, 40:132
 Philips, Alan Seymour, 42:154
 Polyak, Stephen L., 39:762
 Post, Lawrence T., 46:95
 Pusey, Brown, 36:1634
 Rychener, Ralph Orlando, 53:700
 Salzmann, Maximilian, 38:738
 Samuels, Bernard, 48:687
 Sato, Tutomu, 50:510
 Sitchevska, Olga, 46:235
 Smith, James W., 41:714
 Snell, Albert C. Sr., 40:442
 Sommers, Ignatius G., 38:869
 Sourdille, Gabriel Pierre, 43:140
 Stokes, William Herman, 43:993
 Thigpen, Charles A., 46:910
 Tooke, Fred T., 40:752
 Traquair, Harry Moss, 39:599
 Troncoso, Manuel Uribe, 47:597
 Veasey, Clarence Archibald, Jr., 51:543
 Velter, Edmond, 49:164
 Wagener, Henry P., 52:280
 Waite, John Herbert, 44:279
 Wolff, Eugene, 37:802
 Yudkin, Arthur M., 44:129
 Zentmayer, William, 46:412
 Occlusion, prolonged, 36:76
 Oculocor, for visual screening school children, 48:847
 Ochronosis, 41:712
 in alkaptonuria, 49:440
OCULAR, adnexa, lymphangiomas of, 51:481
 distensibility, temperature and, 51:1024/152
 extracts, autonomiclike properties of, 52:845/413
 hypersensitivity, experimental, 48:447
 neurosis, 52:515
OCULAR RIGIDITY, after glaucoma surgery, 53:30
 anelastic behavior sclera and, 52:539
 clinical determination of, 47:147; 54:375
 coefficient of, 52:789/357
 effect intraocular volume variations on, 52:789/357
 function of, 50:958/288
OCULAR TENSION, action Diamox on, 39:177
 adrenalin and sympathomimetic amines to reduce, 40:666
 after cataract surgery, 53:832

OCULAR TENSION (continued)

- anterior chamber, puncture and, 36:1271
 restoration and, 38:453
 aqueous outflow modified by varying, 43:899
 carbonic anhydrase inhibition and, 50:291
 Cardrase to lower, 45:225
 central nervous influences on, 42:130
 changes in, after tonometer application, 45:192
 electric impulses induced by, 45:211
 contraction oculomotor muscles and, 49:1381
 correlation of, with microscopic sections, 36:1447
 cyclodiathermy in normalizing, 44:461
 decay, after use perillimb suction cup, 53:927
 Diamox, to lower, 37:13
 diurnal variations in, plasma 17-hydrocorticoids and, 54:411
 to evaluate glaucoma operations, 50:430
 venous blood pressure and, 39:793
 dynamics of, changes with tonometry, 52:821/389
 effect argemone oil on, 49:1425
 effect artificial osmotic loads on, 48:487
 effect beta hypophamine on, 41:1071
 effect chlorpromazine on, 42:107
 effect corneal hydration on, 42:325
 effect edrophonium chloride on, 49:1381
 effect Esidrex on, 49:1321
 effect ganglion-blocking agents on, 42:952
 effect hyperpiesin on, 39:547
 effect hypothermia on, 49:1126/40
 effect local Diamox on, 39:336
 effect miopiesin on, 39:547
 effect muscle-relaxing drugs on, 36:1777
 effect phospholine iodide on, 49:470
 effect photocoagulation ciliary body on, 52:156
 effect Rauwolfia on, 43:550
 effect sanguinarine on, 49:1425
 effect stimulation orbital parasympathetic pathway on, 45:924
 effect succinylcholine on, 40:501; 44:221; 49:1381
 effect Thorazine on, 43:125
 effect various compounds on, 41:1071
 electroshock and, 37:857, 859
 frontal lobe lesions and, 45:883
 high, tolerance of in glaucoma, 41:408
 hypotony, after cyclodialysis, 36:1776
 fundus changes with, 40:781; 41:1086
 in aged, 44:33
INCREASED, by DFP, 36:1709
 corneal epithelization and, 45:22
 due to hormonal steroids in uveitis, 39:175
 hypheema and, 47:697
 in miotic-treated eyes, tonographic study, 48:313
 in pigmentary glaucoma, 52:880
 in uveitis, 47:170
 influence ACTH on, 38:122, 655
 influence coffee on, in glaucoma, 39:700
 in normal eyes, 39:700
 influence cortisone on, 38:122
 influence jugular vein compression on, 43:468
 influence pituitary on, 43:471
 influence steroids on, 46:328; 47:592
 phosphinator device to detect, 45:272
 miosis and, in narrow-angle glaucoma, 36:1387
 nervous control of, 46:898; 49:985
 of premature infants, 39:808
 ophthalmotonic consensual reaction and, 42:50
 pressure-volume relationship and, 45:725
 reduction of, using plastics, 50:733
 regulation of, fluid balance and, 54:317
 homeostatic reflex in, 47:871
 response of, to diencephalon stimulation, 39:111
 role in developing chick eye, 44:85
 steady-state relationships of, 50:950/280
 stress and, 39:332
 temporary elevation in, effect on hypheema, 52:58
 urea to reduce, 49:164
 See also under Urea
 variations in, aqueous outflow and, 38:629
 water provocative test and, 51:601
 See also under Glaucoma
 Oculocardiac reflex, prevention of, 53:506

- Oculogyric system, nuclei of, effect drugs on 54:706
 Oculomotor apraxia, 53:689
 Oculomotor decussation, 54:591
 Oculomotor palsy, due to aneurysm, 54:609
 Oculopalpebral phenomena, in ophthalmoplegia, 53:115
 Oedipism, 40:563
 Oguchi's disease, 36:718; 39:405
 fundus in, 51:243
 Ointments, antibiotics in, before cataract extraction, 36:475
 contamination of, 36:1389
 erythromycin, 37:938
 clinical trial of, 44:519
 Selsun in squamous blepharitis, 49:820
 sterile, maintenance of, 36:1394
 preparation of, 36:1394
 topical enzymatic, 48:194
 Old age, lens changes in, 36:1241
 Oleandomycin, 46:*10
 intraocular penetration of, 48:666
 Onchocerciasis, 45:304; 49:327
 ocular, 49:560; 50:188
 in Africa, 45:343
 pathogenesis and pathology of, 49:104
 Operation Vision: Hong Kong, 54:781
OPERATIONS, a new trephining, 38:21
 Baron Wenzel's, for cataract, 38:518
 Blaskovitz (Iliff modified), for blepharoptosis, 46:819
 for pterygium, 36:259
 for nystagmus, 38:860
 for ptosis, combined internal-external approach, 52:200
 for removal, dislocated lens, 52:468
 residual lens capsule and cortex, 52:463
 Fukala's in high myopia, 36:1781
 Hummelsheim, 46:397; 47:89, 896
 O'Connor cinch, 40:276
 posterior trabeculodialysis, 48:15
 reopening cicatrized trephination, 46:890
 Smith, in cataract extraction, 51:26
 trabeculectomy, in glaucoma, 51:623
 Opthaine, topical anesthetic, 36:1619; 40:704
 Ophthalmia neonatorum, 39:190
 prophylaxis of, 39:87
 Ophthalmia, periodic in horses, 37:243
 sympathetic: See Sympathetic ophthalmia
OPHTHALMIC, good-will tour to Asia, 47:112
 hospitals, postoperative infections in, 48:519
 St. John in Jerusalem, 51:540
LECTURES:
 Friedenwald Memorial, 48:*347
 Gifford, 49:221; 51:1; 53:753; 54:347
 Howe, 47:885
 Jackson Memorial, 46:467; 48:441; 52:207, 927; 54:929
 Proctor, 50:543
 Proctor Medal, 46:*163; 48:*213
 Schoenberg, 48:681; 52:145; 54:917
 deSchweinitz, 46:405; 50:1031
 Snell, 53:571
 literature, adventures in, 48:463
MEETINGS, Academy, 36:1682; 38:732; 40:747; 42:795; 44:816; 46:905; 48:858; 50:816; 52:729; 54:1153
 American College of Surgeons, 47:891
 AMA Section Ophthalmology 45:582
 and Research Association, 54:319
 AOS, 50:182; 54:147
 Asia-Pacific, 54:878
 Association Research: See under Association for Research
 Chicago Ophthalmological Society clinical conference, 45:738
 cruise congress, 45:943
 Eye Study Club, 48:116
 International Congress, 36:129, 271, 402, 542, 727, 867, 999, 1301, 1472; 37:126, 280, 444, 598, 801; 38:247, 575, 728; 46:900
 International Council, 37:445; 39:107; 40:271; 42:318; 47:110; 48:269; 50:344; 52:421
 International Course, Instituto Barraquer, 46:908
 Japanese Ophthalmological Society, 46:906
 Los Angeles, County Medical Association, 43:633
 Study Club, 53:696
 Miami Beach, 50:340

OPHTHALMIC (continued)

- MEETINGS (continued)**
 Mid-Year, 1961, 52:415
 Oxford, 42:656; 44:277; 47:590; 48:545; 52:418; 54:718
 Pan American Congress, 48:115; 49:641
 Pan American interim cruise, 36:401
 speakers at, care and nutrition, 46:409
 spring, 36:991; 42:150; 46:233; 48:266
 Wills Eye Hospital, 45:739
 Wilmer Institute, 42:152; 46:410; 47:694; 51:843
 Pathology Club, 44:425
 practice, psychologic aspects of, 52:515, 696
 problems, in New Zealand, 46:661
 Ophthalmic Research, 40:582; 41:1067; 42:129, 307; 43:464, 622, 778, 44:417, 688, 821; 45:114, 251, 286, 716; 46:892; 47:94, 235, 409, 585, 875; 49:623, 843, 1044, 1421; 50:169; 51:159, 328, 709
 funds available for, 51:528
 Ophthalmic Research Institute of Australia, 46:690
 Ophthalmitis, due to Histoplasma capsulatum, 54:427
OPHTHALMODYNAMOMETRY, 52:85
 collateral circulation to eye and, 52:381
 electronic 52:570
 in carotid artery, ligation, 45:366
 occlusion, 48:735; 49:1047
 surgery, 53:806
 thrombosis, 47:453; 52:862
 in diagnosis cerebrovascular disease, 48:*220
 intracranial disease and, 44:829
 posture test and, 48:735
 review of, 50:419
 to diagnose renal hypertension, 48:326
 Ophthalmological Society of United Kingdom, 48:679
OPHTHALMOLOGISTS, contributions of, 50:815
 dispensing, 37:439; 39:601
 in prevention auto accidents, 50:815
 Latin American, 39:597
 patient relationship, 52:696
 readings problems and, 47:67
 training of, 40:750
OPHTHALMOLOGY, American, progress of, 46:90
 anatomic method of reference in, 39:430
 changes in, 53:1023
 clinical, embryology and, 47:885
 contributions Vienna school to, 36:15
 Dutch, 54:874
 experimental, 44:275, 423
 animals for, 49:1046
 geographic, 51:1229
 in concentration camp, 44:12
 in India, 43:307
 in Korea, 36:1715
 in South America, 43:983; 52:95, 1002
 in Union of South Africa, 37:411
 Italian, 46:602
 memorandum on, 54:472
 meteorology and, 53:385
 national committee research in, 45:130
 office practice in, visual aids in, 46:186
 optometry and, 51:718
 Philippine, history of, 51:93
 progress of, 50:848/178
 research in, 39:129
 in Great Britain, 39:143
 teaching of, need to revise undergraduate, 36:861
 under attack, 40:588
 useful techniques in, 40:745
 Ophthalmoluminescence, definitions, 44:360
 description of, 44:360
 Ophthalmometer, a new, 36:1540
 in refraction, 38:407
 Ophthalmomyiasis, after enucleation, 36:1787
 Ophthalmopathy, thyroid, 54:763
OPHTHALMOPLAGIA, acute, 39:240
 differential diagnosis, 38:781
 ataxia, areflexia and, 51:701
 bilateral nuclear, cerebellar symptoms in, 51:152
 carcinoma breast, exophthalmos and, 49:723
 due to hyperostosis frontalis interna, 36:1785
 external, due to aneurysm, 36:721
 dystrophic, 50:815

OPHTHALMOPLEGIA (continued)

- external (continued)
 - myasthenia gravis and, 47:128
 - progressive, 38:245; 53:380
 - in diabetes, 48:852; 50:808
 - in endocrine dysfunction, 50:26
 - internal, in ocular varicella, 51:1307
 - hereditary congenital, 41:615
 - of neural origin, 39:757
 - retinitis pigmentosa, quadriplegia and, 43:231
 - superficial punctate keratitis and, 48:97
 - synechistic oculopalpebral phenomena in, 53:115
- Ophthalmoplegic exophthalmos, surgery for, 43:58
- Ophthalmoscope, binocular indirect, 40:251
 - stand for, 53:859
 - uses for, 36:131
- modified, for diagnosing fixation behavior, 48:672
- refinement for hand, 46:750
- Ophthalmoscopic findings, in infants, 36:85
- OPHTHALMOSCOPY**, atlases of, a bibliography, 49:881
 - direct, without reflexes, 42:647
 - goniocyloscopy and, 40:111
 - in diagnosis, 45:932
 - indirect 36:1467; 49:380
 - adaptation slitlamp to, 51:837
 - aspheric lenses in, 47:572; 48:256
 - method for, 48:257
 - modern, 41:265
 - peripheral, 40:114
 - retinal light reflexes and, 41:288
 - retinal photography combined with, 49:1403
 - slitlamp, central, 40:116
- Ophthalmotonic consensual reaction, aqueous dynamics and, 42:50
- Ophthalmotrope, to study actions: extraocular muscles, 48:233
- Optic canal, decompression of, 52:577
 - by transthemoidal route, 51:659
- Optic chiasm, interesting medical records of, 45:283
- pathology involving, clinical problems of, 50:1031
- primary glioma of, 40:856
- tumors of, 42:347
- OPTIC DISC**, adenocarcinoma metastatic to, 47:195
- congenital anomalies of, papilledema and, 50:1084
- congenital edema of, 49:1431
- congenital pits of, 53:307
- drusen of, 53:384
- edematous, differential diagnosis, 49:150
- hyaline bodies of, 47:889
- papilledema simulating, 53:922
- in pituitary tumor, 37:880
- situs inversus, 38:854
- status of, in open-angle glaucoma, 53:435
- swollen, 48:679
- tumors of, 44:320
- Optic foramina, enlargement of, 48:107
- OPTIC NERVE**, 53:536
 - adenocarcinoma metastatic to distal, 47:195
 - anesthetic injections into, 43:471
 - aplasia of, 37:498
- ATROPHY** of, 39:587
 - after blunt injury, 36:722
 - compression, 45:133
 - in aged, 38:239
 - in carcinoma meningitis, 52:681
 - in craniosynostosis, 54:641
 - in newborn, 40:901
 - in peripheral uveitis, 49:1257
 - in pituitary tumor, 40:360
 - in Recklinghausen disease, 37:36
 - in tuberculous meningitis, 37:588
 - penicillin in, 36:1784
 - placenta implantation in, 36:1783
 - temporal arteritis and, 46:403
 - therapy in, 45:133
 - unilateral, 36:1459
 - visual defects due to, 37:271
- avulsion of, in concussion injuries, 48:528
- carcinoma of, 47:77
 - metastatic to, 43:723
- cellular infiltration of, 50:1197

OPTIC NERVE (continued)

- changes, in uveitis, 47:173
- circulatory, disturbances of, 47:767
- insufficiency, visual field loss due to, 47:177
- compression, visual fields in, 44:834
- conduction velocities in rabbit, 45:717; 46:223
- degeneration, nerve fibers in, 42:110
- dictyoma of, 44:4
- diseases of, papilledema and, 50:1084
- drusen of, 37:790; 45:123; 54:651
- primary, 39:294
- evolution hyaline corpuscles in, 43:885
- glioma of, 53:382; 54:767
 - and Recklinghausen disease, 37:15
 - management of, 46:654
- hyaline bodies of, 54:651
 - evolution of, 43:885
- in multiple sclerosis, 37:487
- injury to, decompression optic canal in, 51:659
- involvement, in osteopetrosis, 53:943
- lesions of, 44:418
- medullo-epithelioma of, 44:4
- meningioma of, 46:745
- metastatic diseases of, 47:77
- neuroma, Krönlein orbitotomy for, 39:885
- nicotine absorption of, 36:1766
- nutritional diseases of, 36:1784
- retinoblastoma spreading to contralateral, 49:815
- sectioning of, 52:283
- strangulation of, eye findings in, 51:1308
- tumors involving, 42:347
- Optic nervehead, pigmented lesions of, 53:535
- pigmented tumors of, 50:338
- OPTIC NEURITIS**, 43:790
 - after cataract extraction, 45:659
 - bilateral, simulating papilledema, 36:124
 - Bornholm disease and, 46:81
 - clinical aspects of, 37:273
 - corticotropin in, 40:433
 - cross scotomas in, 43:960
 - demyelinating disease and, 37:487
 - due to chloramphenicol, 44:18
 - glaucoma, uveitis and, 39:573
 - hydrocortisone in, 49:824
 - in hypoparathyroidism, 36:1657
 - in iron-deficiency anemia, 52:276
 - internuclear paralysis and, 36:1772
 - juxtapapillary, 43:977
 - of virus origin, 54:846
 - pathologic studies of, 37:272
 - pleochromocytoma mimicking, 47:471
 - retrobulbar: See Retrobulbar neuritis
 - temporal arteritis and, 45:617
 - visual field defects in, 37:273
- Optic papilla, new findings on, 44:448
- Optic tract, glioma of, 42:585
- Optical aids, for children with low vision, 46:813
- Optical principles, for loupe magnification, 40:831
- Optics, visual physiology and, 36:33
- Optochiasmic arachnoiditis, 42:370
- Optometry, ophthalmology and, 40:588, 41:874; 51:718
- Optometrists unmasked, 39:425
- Orbicularis, akinesia of, 36:1255
- ORBIT**, angiography of, 36:1771
- angioneurotic edema of, 45:43
- arrow in, 36:1129
- arteries of, in rabbit, 53:96
- aspergillosis of, 51:670
- blowout fractures of, 44:733; 49:1037; 53:841
- Boeck's sarcoid of, steroids in, 45:567
- involving bone, 45:407
- chloroma of, 47:91; 48:270
- cholesteatoma of, 36:1468
- connective tissue of, hydrophilia of, in experimental exophthalmos, 47:380
- decompression, in osteomyelitis, 43:768
- defects of, repair with methyl methacrylate, 53:285
- deformed, prosthesis fitted in, 36:516
- repair of, 48:854
- dermoid cysts of, surgery for, 54:145
- dermoid tumors of, 47:863

ORBIT (continued)

- diseases of, intracranial operation for, 54:581
- exenteration of, 45:386
- and repair, 51:217
- expanding lesions of, 54:761
- treatment of, 41:3
- extravascular pathways of, 49:135
- fascia of, development of, 42:269
- granuloma of, 37:571; 38:88; 40:257
- cholesterol-containing, 41:234
- gumma of, 37:127; 40:435
- hemangioma of, 36:265, 970; 39:584
- hemangiopericytoma of, 40:237, 786
- recurrent 46:89
- hematoma of, 40:215
- hypernephroma metastatic to, 48:386
- inflammations of, retinal artery occlusions in, 36:346
- internal fracture of, 44:733
- leontiasis ossea involving, 36:1131
- lesions of, diagnosis of, 52:994
- lymphangiomata of, 51:481
- metastases to, from adenoma of pancreas, 48:107
- mucocele invading, 36:1785
- neurilemmoma of, 43:303; 51:522
- neurinoma of, 39:239
- osteoma of, 43:615; 46:392
- pathology, in exophthalmos, 54:931
- pellet wound of, 53:130
- penetrating injuries of, 37:758
- plasmocytoma of, 39:43
- reconstruction floor of, polyethylene in, 52:672
- using temporalis muscle, 41:519
- sarcoidosis of, 41:1054
- skin grafting to, 47:591
- surgery of 53:869
- tension of, in Graves' disease, 36:45
- tumors of, 49:1431
- metastatic from bronchial adenoma, 49:833
- primary, 46:501
- retinal folds and, 48:111
- parallel horizontal, 53:26
- thyroid disease and, 53:467
- volume changes, 40:193
- zygoma fractures involving, 39:183
- ORBITONOMETRY**, clinical use of, 37:520
- in Graves' disease, 36:45; 49:683
- in unilateral exophthalmos, 45:208
- of Krönlein, in optic nerve neuroma, 39:885
- Organ specificity, immunologic of lens, 46:187
- Orient, epidemic keratoconjunctivitis in, 43:46
- Orinda vision study, 51:339
- Orthography, perverted, 40:591
- ORTHOPTICS**, apparatus for, 36:1628
- in convergence insufficiency 43:448
- lens to encourage macular perception, 40:419
- muscle surgery and, 40:883
- practice of, 46:755
- surgery, in amblyopia ex anopsia, 48:844
- Osmosis, effect artificial on ocular tension, 48:487
- Osteitis deformans, 50:215
- glaucoma and, 39:743
- Osteoma, epibulbar, 53:290
- of orbit, 43:615; 46:392
- Osteomyelitis, orbital decompression in, 43:768
- Osteopetrosis, optic nerve involvement in, 53:943
- Osteosarcoma after radiation therapy, 43:417
- Otricotin, 51:824
- Otrivin, 51:824
- solution of, 50:467
- Oxidative phosphorylation, by ciliary processes, 42:349
- Oximes, cholinesterase neutralized by, 52:841/409
- in ophthalmology, 46:724
- Oxycephaly, 37:382; 54:142
- congenital cataract and, 52:207
- OXYGEN**, cation transport in lens and, 48:528
- concentration, retrolental fibroplasia and, 44:110
- duration in, retrolental fibroplasia and, 44:110
- effect on lens metabolism, 38:148
- imbalance, retinopathy immaturity and, 42:377
- in retinal artery occlusion, 40:789
- in retrolental fibroplasia: See Retrolental fibroplasia

OXYGEN (continued)

- poisoning, mechanism of, 41:1069
- studies, in pulseless disease, 38:418
- tension, glucose uptake lens and, 50:974/304
- to produce metabolic injury of visual cell, 40:63

P

- Paba: See vitamin H'
- Paget's disease, glaucoma and, 33:743
- Pacific, glaucoma in Central and South, 51:253
- Pain, in uveitis, 47:1155
- Pakistan, ophthalmology in, 40:134
- Palate, cleft, and lip, ankyloblepharon and, 53:126
- Palpebral fissure, antimongoloid obliquity of, 50:487
- nodule in, 38:108
- Palpebral fold, absence in slit eyes, 42:298
- plastic construction of, 38:556
- Palpebral phthiriasis, 42:305
- Palsy, cerebral, spasmus fixus and, 36:1719
- Pan-American Congress, 40:585; 48:115; 49:641
- interim, 38:735; 43:992
- Pancreas, adenoma of, metastatic to orbit, 48:107
- Panniculitis, relapsing uveitis and, 48:730
- Panophthalmitis, endogenous proteus, 54:83
- Pantothenic acid: See Vitamin B
- Paper chromatography, to study polysaccharides, 48:560
- Papilla, anatomic study, 44:48
- pathologic study, 44:48
- PAPILLEDEMA**, due to hyperostosis, 36:1785
- hemianopia and, 39:738
- in carcinoma meningitis, 52:681
- in Chediak-Higashi syndrome, 50:1197
- in craniostylosis, 54:641
- in hypoparathyroidism, 36:1657
- in occlusion superior temporal artery, 54:1147
- in pituitary tumor, 40:365
- in tuberculous meningitis, 48:297
- optic neuritis simulating, 36:124
- pathogenesis of, 48:107
- simulating hyaline bodies optic disc, 53:922
- unilateral, 50:1084
- Papillitis, uveitis, poliosis and, 43:304
- Papilloma, of conjunctiva, 37:589
- of lacrimal sac, 51:1303
- pigmented, of limbus, 51:154
- Papua, eye diseases in, 47:1134
- Para-aminosalicylic acid, in conjunctival tuberculosis, 50:265
- in tuberculosis, 39:103
- local use of, 36:1628
- Paracentesis, aqueous ions after, 39:517
- in embolus central retinal artery, 54:1129
- ocular hypertension after, 41:1075
- Parallax test, memory aid for, 36:262
- Paraproteinemia, corneal dystrophy and, 52:895
- Parasites, intraocular, 45:853
- Paratrigeminal syndrome, 36:714
- Parietotemporal lobe, lesions of, hemianopia due to, 50:1056
- Parinaud's syndrome, 36:121, 1627
- due to cat scratch, 36:1773
- from obstetric trauma, 40:738
- Parker, Walter Robert, 40:273
- Parkinson's syndrome, 40:262
- Parotid duct transfer, in xerophthalmia, 54:1150
- Parotid gland, tumor of, 46:227
- Pars ciliaris retinae, detachment, 36:515
- tumors of, 52:659
- Pars plana cysts, in autopsy eyes 50:424; 51:1221
- Parsons, John Herbert, 45:133
- Parturition, amaurosis during, 37:586
- PAS**: See Para-aminosalicylic acid
- Pascal, Joseph Irving, 40:132
- Pathologic conference, 42:92
- Patron gods of vision, 42:903
- Pediatrics, ophthalmic problems in, 49:361
- syndromes, 46:597
- PEMPHIGUS**, 39:233
- corneal, histologic findings in, 36:231
- ocular, 36:1773; 48:355
- cicatricial, 46:882

PEMPHIGUS (continued)

- ocular (continued)
 - surgery of, 36:237
- Penicillin, benzathine, in trachoma, 47:1221
- in optic nerve atrophy, 36:1784
- Pentolinium, effect on aqueous dynamics, 46:499
- Peptidase, action in lens, effect halogen acetates on, 52:65
- Perception, 44:501
 - role retina in speed of, 45:675
 - selective, in hysterical amblyopia, 41:1070
- Perceptual, judgments, 44:232
 - learning, 44:233
 - set, critical flicker frequency and, 48:352
- Perfusion studies, on eyes four species, 50:302
- Periarteritis nodosa, ocular changes in, 42:567
- retinal detachment in, 42:569
- Pericytes, of human choroid, 41:990
 - of human retina, 53:981
- Perilimbal suction cup, tension decay after use of, 53:927
 - to increase function filtering operations, 54:844
- Perimeter, Aimark, in color perimetry, 54:1085
 - attachment for projection, 37:261
- PERIMETRY**, 38:862
 - clinics in 47:42, 317; 51:15, 509
 - color, 54:1085
 - evolution of clinical, 42:316
 - flicker, in glaucoma, 53:373
 - in glaucoma, 39:890; 40:571
 - reduced illumination and, 43:403
 - tangent screen, self-illuminated stimulus for, 54:301
- Periorbital dermatid, 53:1013
- Periphebitis, chorioretinitis and, 36:848
- Peritoneum, in plastic surgery, 36:1249
- Perivascularitis, 47:1176
- Perphenazine, in ocular surgery, 46:349
- Phacogenic glaucoma: See under Glaucoma
- Phagocytic elements, in eye, 50:173
- Pharyngoconjunctival fever, clinical manifestations, 43:111
 - epidemiology of, 43:36
 - sporadic cases of, in California, 43:14
- Phase-contrast microscopy: See under Microscopy
- Phenomena, jack-in-box, in aphakia, 51:1277
- Phenomenon, Mizuo's, in Oguchi's disease, 51:243
- Schwartzmann, 51:1330
- Phenylephrine hydrochloride, effect on mitotic-treated eye, 48:313
- Phleochromocytoma, malignant hypertension due to, 40:579
 - mimicking optic neuritis, 47:471
 - ocular changes in, 47:471
- PHILADELPHIA**, College of Surgeons, Section on Ophthalmology: 36:394, 714, 1136; 37:275, 792, 944; 38:241, 404; 39:577, 757, 885; 40:428, 746; 41:136, 543, 1076; 42:312, 496, 782; 43:121, 305, 477, 979; 44:548, 695, 832; 46:89, 404, 599, 899; 48:110, 264, 853; 49:845, 1430; 50:338
- Philippines, history of ophthalmology in, 51:93
- Phlyctenular keratoconjunctivitis: See under Keratoconjunctivitis
- Phosphate, buffers, chemical corneal injuries and, 49:1331
 - in lens capsule, 39:199; *106, *113
 - changes in, 39:155
- Phosphenator,
 - test, to detect glaucoma, 46:55
 - to detect increased ocular tension, 45:272
- Phospholine iodide, as a miotic, 47:886
 - in anterior chamber block, 54:1089
 - in esotropia, 54:468
 - in glaucoma, 50:270
- See also Echothiophate and 217MT
- Phosphate, metabolism of lens, 42:431
- Phosphorus, radioactive: See under Radioactive
- secretion of inorganic in tears, 49:941
- Phot driving, in amblyopia ex anopsia, 51:463
- Photoallergy, keratoconjunctivitis due to, 49:1324
- PHOTOCOAGULATION**, 49:87
 - chorioretinal lesions produced by, 52:487
 - clinical experiences with, 49:1046, 1212/126
 - clinical results of, 50:590
 - effect on choroidal circulation, 54:277

PHOTOCOAGULATION (continued)

- effect on trabecular meshwork, 52:163
- histopathology of experimental, 54:3, 786
 - complication, 54:3
 - graded lesions, 54:3
 - vitreous effect, 54:3
- in choroidal hemangiomas, 50:3
 - in hemorrhage, 50:590
 - in Leber's miliary aneurysms, 50:590
 - in pigment atrophy, after scleral buckling, 54:393
 - in retinal detachment, 52:474
 - in retinoblastoma, 50:590
 - in von Hippel-Lindau disease, 50:590
 - influence on aqueous dynamics, 52:163
 - of anterior chamber angle, 52:163
 - of ciliary body, 52:156
 - of iris, 45:932; 49:629
 - ciliary body and retina, 52:479
 - of retina, 45:932
 - in angiomatosis, 46:463
 - pathology of, in early stage, 53:665
 - receptor orientation and, 52:767/335
- Photocoagulator, experiences with a new, 52:479
- PHOTOGRAPHY**, anterior segment, 39:228; 53:1012
 - of rabbit eye, 39:40
 - electronic stereo-, of retina, 40:809
 - focus attachment for closeup, 40:740
- FUNDUS** bedside, 54:651
 - by electronic flash, 44:170; 44:356, 633
 - cinematography, to study retinal circulation time, 48:3
 - hand camera for, 42:639; 48:486
 - in diabetes, 36:986
 - new camera for, 44:522
 - Polaroid, 54:452
 - single exposure stereo-, 44:633
 - high-speed, of BB injury, 54:675
 - in corneal affections, 53:371
 - of external eye, 36:386
 - of fluorescence, in circulating blood, 50:176
 - of retina, 47:415
 - combined with ophthalmoscopy, 49:1403
 - image magnification in, 42:919
 - serial level micro-, 39:881
 - speedlight unit for, 38:396
 - stereographic, to analyze metastatic adenocarcinoma, 47:195
 - to determine behavior fixation, 48:511
 - to record chorioretinitis over 18 years, 52:343
 - to study eccentric fixation, 53:642
 - to study vitreous proliferations, 44:609
- Photophobia, in Chediak-Higashi syndrome, 50:1197
 - in uveitis, 47:1156
- Photopic-scotopic relationships, in human ERG, 40:42
- Photoreceptor, process in vision, 40:18
 - pupillomotor, dark adaptation of, 48:583
 - structures, 43:469
- Photostimulator, 50:149
- Phthiriasis palpebrarum, 39:211; 42:305
- Phthisis bulbi, in retinoblastoma, 47:403
- Physiology of eye, tracer substance study, 36:64
- PIGMENT** of eye, 43:126; 53:79
 - changes, after choroid detachment, 49:898
 - of retinal, in aging, 49:1047
 - epithelium, role in ocular pathology, 50:1066
 - vagaries of, 46:226
 - ochronotic, in alkaptonuria, 49:440
 - of retinal epithelium, ultrastructure of, 49:935
- Pigmented lesions, of optic nervehead, 53:535
- Pilocarpine, effect on aqueous flow, 44:380
 - response to, effect methyl cellulose on, 54:21
 - stability of, 43:296
- Pinguecula, 47:341
- Pittsburgh Society of Ophthalmology, 48:833
- PITUITARY**, adenoma of, 38:721
 - apoplexy, 42:784
 - chiasm damage during radiation to, 44:483
 - chromophobe of, 43:978
 - cyst of, 44:783
 - effect Diamox on, 53:107
 - effect Neptazane on, 53:107

PITUITARY (continued)

- extract, exophthalmos-producing principle in, 38:107, 39:146
- influence on ocular tension, 43:471
- secretion, hypothalamus and, 54:944
- thyroid disturbances, exophthalmos and, 36:394
- tumors, 40:434; 42:362
- arcuate field defects due to, 45:505
- ophthalmic changes in, 40:353
- optic discs in, 37:880
- strangulation optic nerve in, 51:1308
- Plagiocephaly, 37:387
- Plasma, effect vitreous on clotting of, 53:51
- Plasmin, in eye disease, 54:67
- Plasmocytoma, of orbit, 39:43
- paraproteinemia in, 52:895
- Plastic lenses: See under Spectacles
- Plastic materials, for replacing cornea, 36:168
- PLASTIC SURGERY, 49:1050**
- after exenteration of orbit, 51:217
- braided white nylon sutures in, 42:611
- evaluation procedures in, 40:113
- in cicatricial ectropion, 42:922
- in constructing superior palpebral fold, 41:1040
- in scleromalacia perforans, 52:693
- of eyelid, 38:544; 39:1; 46:386; 50:384; 53:1; 54:859
- construction fold of upper, 51:612
- of deformed, 37:591
- of margin, 51:835
- of lower fornix, 36:694; 38:75
- of palpebral fold, 38:556
- peritoneum in, substitute for conjunctiva, 36:1249
- to repair baggy eyelids, 37:113
- to repair defects from ophthalmic malignancies, 46:635
- Pleoptics, 49:1315; 51:654
- in amblyopia, with eccentric fixation, 48:490
- synoptophore modification for, 50:156
- Plica semilunaris, lymphomatous hyperplasia of, 49:1415
- Poikiloderma congenitale, 45:129
- Poliosis, uveitis, papillitis and, 43:304
- Polyak, Stephen L., 39:762
- Polycythemia, in eye pathology, 39:362
- vera, retinal arteriospasm and, 45:358
- Polyethylene, in orbital floor reconstruction, 52:672
- ocular reaction to, 52:61
- tubes, to re-establish tear drainage, 41:1063
- Polymyxin B, in pyocyanus ulcer, 37:538
- Polysaccharides, acid mucic, in developing eye, 47:488
- ocular changes induced by, 45:721; 47:428; 48:560
- of lens capsule, 38:165
- paper chromatography to study, 48:560
- Polyvinyl, implants of, tissue response to, 51:1200
- sponge, to elevate choroid, 47:437
- Porocephalasis, human, 54:138
- Porphyropsin, 40:24
- Post, Lawrence T., 36:1189, 1190, 1191; 46:95
- recollections of, 46:605
- testimonial program, 36:1297
- Posterior chamber, in incontinencia pigmenti, 47:321
- Potassium of aqueous, influence carbonic anhydrase inhibitors on, 47:1214
- Potentials: See Electric potentials. See also Electroretinography
- Prednisolone, alcohol solution of, 44:260
- in aqueous, 52:77
- in eye disease, 41:593
- in inflammations, 43:30
- in postoperative complications, 43:30
- 21 phosphate-neomycin solution, 46:736
- results from, 43:30
- Prednisone, in eye diseases, 41:593
- Pregnancy, color sense in, 50:188
- Premature infants: See under Infants
- Prematurity, myopia of, 40:474; 41:292; 46:45
- postnatal cataracts and, 41:310
- retinopathy of, 46:89
- See also Retrolental fibroplasia
- Presbyopia, age at which develops, 36:709; 49:998
- Primacaine HCl, for local anesthesia, 44:833
- Primates, anterior chamber angle in, 52:529
- effect restricted visual space on eye of, 52:799/367

Primateg (continued)

- vision of, 52:384
- Priscoline, provocative test in glaucoma, 40:510
- Prisms, effect on symptoms of Meniere's disease, 39:558
- effect on vertigo, 42:621
- vertical imbalances and, 39:751
- Proctor, Francis L., Foundation for Research dedication laboratories of, 38:866; 39:Part II, April
- Lectures, 36:599; 38:453; 42:347; 43:667; 50:543
- Medal, 46:146
- presentation of, 50:843/173
- Remarks on Acceptance of, 36:7; 38:3; 40:2; 44:5; 46:156; 48:203; 50:847/177
- Proctor Award Lecture, 44:7; 46:163; 48:213; 50:848/178
- Promizole, in eye disease, 36:1771
- Proptosis, asymmetric, 52:10
- cortical hyperostosis causing, 53:976
- in craniosynostosis, 54:641
- in pituitary tumor, 40:366
- management of, in orbital tumor, 53:467
- in thyroid disease, 53:467
- Prostheses, complications of, 44:814
- in deformed orbits, 36:516
- perforated, 40:110
- plastic, for opaque cornea, 36:1776
- Prostigmine, in dysautonomia, 43:285
- Proteases, of bovine lens, 51:1004/132
- PROTEINS, alpha crystallin, in lens, 44:357**
- corneal, antigenic properties of, 49:504
- electrophoresis of, 48:77; 51:314
- c-reactive, in ophthalmology, 41:942
- tests, in uveitis, 48:502
- dynamics, in eye, 47:361
- radioactive study of, 45:720
- of lens, 44:347; 45:295
- alpha and beta crystallin, 48:309
- effect pH on alpha crystallin, 48:52
- electrophoresis of, 51:305
- fractionation, to study antigens of lens, 42:577
- interactions with other proteins, 47:219
- sulfhydryl groups of, 46:36
- of tears, electrophoresis of, 46:12
- Schirmer test and, 45:116
- of vitreous, residual, 50:228
- photosensitization of, by methylene blue, 48:550
- protein synthesis and, in radiation cataract, 47:368
- in tryptophane deficiency, 47:368
- residual, of vitreous, 42:338
- study of, during developing galactose cataract, 44:332
- sulfhydryl groups of, in lens, 46:36
- visual pigments as, 40:29
- Proteus vulgaris, corneal ulcers due to, 48:775
- Protopam, effect on rabbit pupil, 52:565
- Prowazek-Halberstaedter inclusion bodies, morphology of, in inclusion conjunctivitis, 45:423
- in trachoma, 45:423
- Pseudomonas aeruginosa, cell-free extracts of, corneal ulcers produced by, 46:21
- contamination, of contact lens containers, 54:461
- corneal ulcers due to, 48:741
- infections, colistin in, 50:33
- of cornea, 53:359
- colistin in, 51:391
- proteases, corneal destruction by, 46:249
- Pseudotumor, cerebri, 47:215
- syndrome, after neck dissection, 51:605
- diplopia and, 54:142
- Pseudoxanthoma elasticum, angioid streaks with, 40:387
- Psoriasis, ocular, 36:1786
- Psychiatry, in ophthalmology, 49:638
- Psychologic aspects, of ophthalmic practice, 52:515, 696
- Psychologic factors, in refraction, 39:567
- Psychopathology, in adults with uveitis, 48:312
- Psychotic patients, management of, for eye surgery, 37:854
- PTERYGIUM, beta radiation in, 51:441**
- to prevent, 44:417
- recurrent, 40:582
- Blaskovics operation for, 36:259
- blindness from, in Alaskan natives, 39:572
- conjunctival autoplasty for, 36:1774

- PTERYGIUM** (*continued*)
 etiology of, 38:682; 50:635
 excision of, 45:879
 incidence and heredity, 50:635
 operation for, 37:903
 incision in, 45:137
 recurrent, management of, 47:248
 operation for, 44:258
 surgery of, 36:267; 51:441
 and strontium-90, 49:1024
 Gelfilm in, 50:729
 symblepharon and, 39:894
 therapy, chronology of, 36:1601
 treatment of, 38:682
 triethylene thiophosphoramide to prevent recurrence, 54:751
- PTOSIS**, 52:725
 after cataract surgery, 47:250
 after glaucoma surgery, 47:250
 analysis of 142 cases, 45:692
 congenital, surgical correction of, 36:765
 correction of, with prepared fascia lata, 54:1097
 exotropic retraction syndrome and, 44:777
 in carcinomatous meningitis, 52:681
 jaw-winking and, surgery of, 47:352
 levator resection in, 52:200
 monocular, without levator action, 54:867
 muscle anomalies and, 43:630
 myogenic familial, 37:118
 operation for, 37:529; 40:263; 45:303; 48:392
 construction palpebral fold during, 41:1040
 results in 162 operations, 38:129
 with buried silk sutures, 45:282
 surgery in, knife for, 42:927
 results in, 39:408
 surgical methods in, 38:129
 treatment of, 53:140
 vertical muscle anomaly and, 44:280, 841
- Pulfrich stereo-effect, 36:240
- Pulseless disease, 37:784, 788; 38:418; 43:583; 52:725
 ocular manifestations of, 47:135
 ophthalmodynamometry in, 48:326
- PUPIL**, 44:833
 action curare on, 37:41
 Argyll Robertson, after herpes zoster, 38:23
 mechanism and localization, 42:105
 unilateral, pathogenesis, 38:209
 significance of, 38:34
 artificial, vision restored by, 37:403
 block, and narrow-angle glaucoma, 37:332
 in aphakia, 46:831; 52:270
 in cataract surgery, 47:239
 changes, in pituitary tumor, 40:364
 dilation reflex, 40:119
 drawn-up, after cataract extraction, 46:87
 correction of, 47:1227
 iridectomy for, 36:1253
 effect echothiophate and ambenonium on rabbit, 52:526
 effect protopam on rabbit, 52:565
 efferent pathways of, 38:23
 Gunn, sign in, 54:1109
 hammock, avoiding after vitreous loss, 36:56
 in carcinomatous meningitis, 52:681
 in Horner's syndrome, 46:289
 in syphilis, 36:493
 iris innervation and, 42:122
 level disparity, in aphakia, 42:770
 light reflex of, retinal adaptation and, 48:536
 scotopic and photopic thresholds of, 48:87
 membrane, after cataract extraction, removal of, 52:463
 reactions of, scanning pupillometer to measure, 48:259
 to light, in hydraencephaly, 51:267
 reflex, retinal adaptation and, 49:1427
 to light, 51:644
 restoration of, coreprax in, 39:189
 role of, in ametropia, 40:481
 size, accommodation, vergence and, 52:762/330
 in bromide intoxication, 50:478
 space perception and disturbances of, 36:1769
 Pupillary threshold, effect bright light on, 48:536
 Pupillometer, scanning, 48:259
- Pupillometry, in fitting corneal lenses, 51:1273
 Pupillomotor photoreceptors, dark adaptation process of, 48:583
- Purkinje phenomenon, 40:330
- Pursuit movements, in amblyopia, 53:477
 physiology of, 53:325
- Purtscher's disease, 54:693
- Pusey, Brown, 36:1634
- Pyocyanus ulcer, 37:538
- PzAM (pyridine-2-aldoxime methiodide), to reverse echothiophate, 47:635
- Q**
- Quadruplegia, ophthalmoplegia and, 43:231
 retinitis pigmentosa and, 43:231
- Quinidine, toxic amblyopia due to, 43:107
- Quinine, visual loss after, 44:110
- Quinoid substances, cataract and, 44:94
- R**
- Racial groups, glaucoma and, 47:169
- RADIATION**, alpha, 37:183
- BETA**, 39:764; 47:592
 cataract formation after, 38:465
 effect on anterior chamber angle, 50:469
 effect on aqueous secretion, 47:553
 effect on corneal healing, 40:170
 for glaucoma in Negro, 47:54
 in conjunctival lesions of telangiectasis, 41:672
 in filamentary keratitis, 51:1292
 in pterygium, 51:441
 to prevent, 40:582; 44:417
 indications, technique and complications, 49:7
 using strontium-90 applicator, 37:945; 39:413
 cataract due to, ciliary body in, 38:673
 chiasm damage during, 44:483
 gamma, effect on eye, 45:115; 46:114
 injuries to eye, 36:804
 ionizing, of lens, 50:175
 of posterior segment, 50:1215
 retinal changes after, 40:784
 iris atrophy in mice after, 40:163
- THERAPY**, 43:300; 46:227
 development osteosarcoma and, 43:417
 in angiomas retinae, 36:1362
 in Bowen's disease, 38:652
 in hemangioma of choroid, 50:3
 in pterygium, surgery and, 49:1024
 in retinoblastoma, 43:865
 radon seeds, in intraocular tumors, 46:649
 stenosis of canaliculus after, 44:249
 X-ray: See under X-rays
 ultrasonic, blood absorption from vitreous and, 44:150
 effect on eye and adnexa, 42:696
 with radioactive yttrium, 42:85
- RADIOACTIVE**, Diamox-S³⁵, localization of in eye, 51:87
 di-iodofluorescein-I¹²⁵, to detect intraocular neoplasms, 54:191
 iodine, to treat choroid carcinoma, 44:222
- ISOTOPES**, 43:857
 electrophoretic patterns after, 46:196
 in diagnosis, 41:1079; 43:623
 incorporation into corneal mucopolysaccharides, 44:291
 strontium-90, cataract formation after, 52:573
 to study lens glucose, 48:508
 to study protein dynamics of eye, 47:361
 uptake, in experimental melanoma, 44:190
- PHOSPHORUS**, in bilateral uveal carcinoma, 37:207
 in leiomyoma, of ciliary body, 42:204
 test, 49:484
 to detect intraocular tumors, 38:93; 39:170, 888; 41:507; 45:128
 uptake, by intraocular neoplasms, 37:45
 by neoplastic ocular tissues, 36:774
- SULFATE**, in developing eye, 44:102
 incorporation in guinea pig eye, 45:724
 to study healing corneal grafts, 51:1281
 to study primate ciliary body, 50:407
 to study sodium sulfate uptake, 47:519
 tracers, to study physiology of eye, 36:764

RADIOACTIVE (continued)

- urea, localization in rabbit eye, 54:63
- Radioelectrophoretic patterns, of aqueous and plasma, after I¹³¹ insulin, 46:196
- Radiography, contrast in lacrimal sac tumors, 42:561
- to study ophthalmic lenses, 51:1268
- Radiosensitivity of lens, species difference in, 43:693
- Radiothyroxine, ocular uptake of, 51:1018/146
- Radiotracer-iodothyronine, ocular uptake of, 51:1018/146
- Radon seeds, in intraocular tumors, 46:649
- in retinoblastoma, 53:622
- Raeder's paratrigeminal syndrome, 36:714; 46:194; 54:1074
- Rauwolfia, effect on ocular tension, 43:550

READING, aid for, 49:1401

- for partially blind, 42:863
- apprehension and, 44:501
- difficulty, due to visuo-oculogyric lesion, 36:1234
- disability, in children, 52:572
- effect hypermetropia on, 39:375
- effect myopia on, 39:375
- efficiency, effect reversal on, 41:1029
- perception and, 44:501
- problems, in children with brain damage, 47:74
- ophthalmologist looks at, 47:67
- recognition, 44:501
- retardation: See Dyslexia
- visual factors in, 36:1577
- width and height numerals and, 36:1768

Receptor orientation, retinal pathology and, 52:767/335**Recklinghausen's disease, 54:217**

- glioma optic nerve manifesting, 37:15
- optic atrophy in, 37:36

Recognition, reading and, 44:501**Reese, Algonon B., 46:147, 148****REFRACTION**, anisophoria, anisometropia, and final prescription, 36:643

- changes in, after glaucoma operation, 53:43
- combination unit for, 46:747
- comparison results in same individuals, 37:696
- confirmation test for, 48:532
- diplopia techniques for balanced, 38:562
- discrepancy, in subjective and objective, 36:264
- effect on esotropia, 40:232
- errors in, glaucoma and, 47:173
- in school children, 50:139
- general discussion of, 39:751
- in aged, 38:240
- in cerebral palsy, 54:1114
- in different countries, 49:998
- in fundus lesions, 40:580
- lens to transpose cylinders in, 48:674
- low-vision clinics and, 48:177
- media of eye, enzymology of, 44:281; 52:65
- monocular trial frame for, 47:692
- of deaf mutes, 42:127
- physiologic factors in, 36:717
- practical suggestions for, 45:187
- problems of, 39:749
- psychologic factors in, 39:567
- Reid streak-retinoscope in, 39:719
- Rodenstock refractometer in, 39:719; 43:311
- clinical value of, 42:59
- strong reading additions, for subnormal vision, 38:362
- subjective, refractor for, 36:1770
- symposium on, 54:142
- teaching of, device for, 45:921

Registry of Ophthalmic Pathology, Past, Present, Future 52:927**Reiter's syndrome, 37:588; 54:1008****Renal hypertension, ophthalmodynamometry to diagnose, 48:326****Research, in blindness, 45:130**

- in ophthalmology, 39:129; 45:130
- in Great Britain, 39:143

Research grants, National Institute Neurological Diseases and Blindness, 44:688**Rethotelsarcoma, 36:1786****RETINA**, 53:536

- acid mucopolysaccharides in beef, 47:203
- adaptations of, 54:352

RETINA (continued)

- adaptations of (continued)
 - pupillary reflex and, 48:536; 49:1427
 - to light, 51:644
- anatomic study, of peripheral, 36:29, 169
- aneurysms of, 37:908
- miliary, 43:426
- angiomatosis of, 36:1362
- 11 years after diathermy coagulation, 46:525
- photocoagulation in, 46:463
- architecture of, 54:347
- arterioles of, sclerosis of, 38:236
- arteriolitis of, 42:835
- idiopathic focal, 42:9
- arteriosclerosis, uveitis and, 51:797
- ARTERY**, closure of, 39:90
- embolism, 49:854
 - of central, after mitral commissurotomy, 47:90
 - from endocardial myxoma, 48:381
 - paracentesis in, 54:1129
- occlusion, glaucoma secondary to, 46:182; 47:355; 48:530
- prognosis in, 51:793
- in orbital inflammation, 36:346
- oxygen in, 40:789
- treatment of, 43:947
- pressure, by ophthalmodynamometry, 52:85
- changes in, induced by carotid compression, 45:364; 50:259
 - induced by carotid ligation, 45:364
- diagnostic significance, in carotid involvement, 36:335
- effect occlusion on, 43:778
- in carotid surgery, 43:779
- in diagnosis internal carotid thrombosis, 52:862
- pulseless disease and, 37:784, 788
- spasm of, in polycythemia vera, 45:358
- thrombosis, 37:578; 40:580; 45:726; 47:888
- astroglia of, on inner surface of, 43:470
- and other glial elements, 40:88
- persistent hyperplastic vitreous and, 47:491
- blood circulation time in, 45:114
- blood supply at macula, 45:114
- blood vessels of, in diabetes, 49:1044
- injection technique to study, 48:138
- perivascular glia of human, 44:766
- blood volume of, 43:294
- factors influencing, 46:1
- biopsy of, 36:1218
- breaks, without detachment, 51:369
- capillaritis, 42:839
- carcinoma metastatic to, 47:44
- changes in, after ionizing radiation, 40:784
- in amaurotic idiocy, 38:470
- in hypertension, 39:243
- essential, grading and recording of, 45:165
- circulation of, crush syndrome and, 36:660
- time, 46:8
 - fundus cinephotography to study 48:3
- Coats' disease and, 45:508; 54:175
- cones in, different types, 39:24
- mechanism in retinal degeneration, 54:629
- cysts of, 53:377
- bilateral, 36:1748
- formation of, 36:29
- cytoid bodies of, 54:655
- DEGENERATION**, cone mechanism in, 54:629
- cystic peripheral, 36:29; 43:472
- Leber's, 54:175
- neuro-ophthalmologic considerations, 42:15
- of blood vessels, 42:10
- of neuronal elements, 42:10
- of peripheral, a histologic study, 47:153
- of pigment epithelium, 42:10
- peripheral cystoid, 36:29; 43:472
- pigmentary, ERG in, 47:649
- lipoid neuronal, 42:15
- tapetoretinal, 36:1782; 38:572
- ERG in, 54:54
- juvenile familial, nephropathy with, 52:625
- luminescent crystalline, 36:1416
- of late onset, 39:633
- detachment of: See Retinal detachment

RETINA (continued)

- diseases of, 37:420
- dysfunction, congenital, 45:249
- dysplasia of, 45:199
- effect hallucinogens on, 50:172
- electronic stereophotography of, 40:809
- epithelium of, pigment, acid mucopolysaccharides in, 47:488
- granules of, electron microscopy of, 45:925; 48:221; 49:935
- hematomas under, 53:897
- hyperplasia of, 50:1066
- simulating neoplasm, 45:235
- melanoma of, 42:207
- tumors of, 45:495; 47:311; 53:383
- fat embolism of, 41:1
- flash burns of, 43:711; 45:128; 46:700
- fold in, congenital, 39:643
- in orbital tumors, 48:111
- formaldehyde oxidation in, effect glutathione on, 45:297; 46:42
- function of, glaucoma and, test for, 45:71
- Visuscope to map, 47:677
- ganglion cells of, 41:1068
- glia of human, 48:370
- glial tumors of, tuberous sclerosis and, 41:428
- glucose utilization of, 36:1766
- hazard to, from nuclear weapons, 46:700
- hemangioblastoma of, 36:847
- hemorrhage of, 51:721
- in newborn, 46:658; 49:1005
- Iodo-Niacin in, 42:771
- peripheral, 48:263
- photocoagulation and, 54:3
- holes in, endodiathermy to seal, 37:649
- formation of, 36:29
- in congenital glaucoma, 53:365
- pathogenesis of, 40:515
- photocoagulation and, 54:3
- homogenates of, effect light on glutathione in, 47:207
- in diabetes, 49:1052
- involvement, in choroid melanoma, 51:517
- ischemia of, cataract and, 47:862
- with visual loss, 45:79
- knowledge of, gaps and paradoxes in, 54:359
- lesions of, in kala-azar, 50:161
- uveal disease and, 42:831
- light reflexes of, anterior limiting membrane and, 41:288
- lipemia of, 45:23
- local signs in, 43:465
- macrophages of, 49:1046
- metabolism, effect on ERG, 43:67
- faults in, 54:357
- of developing, 43:469
- metastasis to, of malignant melanoblastoma, 48:172
- mucopolysaccharides in, 45:929
- acid, 47:203
- nerve fiber layer of, cytooid lesions and, 54:786
- neural integration at, flicker fusion to study, 48:594
- neuronal lipidosis of, 45:23
- neurons, in tissue culture, 52:834/402
- new vessel formation in, factors influencing, 52:637
- nicotine absorption of, 36:1766
- parallel horizontal folding of, 53:26
- pathology of, in amaurotic idiocy, 39:874
- receptor orientation in, 52:767/335
- pathophysiology of, 54:347
- perforation of, during strabismus surgery, 50:1167
- periarteritis of, 40:256, 580
- segmental, 47:544
- pericytes of human, 53:981
- periphery of, diagnostic contact lens for, 51:413
- periphebitis, 42:837
- phlebitis, 42:837
- photocoagulation of, 45:932
- in angiomatosis, 46:463
- photography of, 47:415
- image magnification in, 42:919
- photopic receptors of, in achromates, 45:288; 46:81
- racemose hemangioma of, 40:904
- receptors of, wave-guide modes in, 51:1107/235

RETINA (continued)

- rod degeneration, 11-cis vitamin A in, 45:716; 46:205
- role of, in speed of perception, 45:675
- rosettes of, congenital, 36:169
- sensitivity of, after light flashes, 38:60
- separation of, 45:129
- electrode for, 36:263
- macular holes in, 39:648
- spike responses in, 46:723
- spontaneous vascular repair of, 50:691
- stimulation, spatial perception and, 45:119
- structure of, 54:347
- subretinal fluid, electrophoresis of, 50:176
- survival, induced by drugs, 45:923
- sutures in, to treat retinal detachment, 45:553
- tears in, clinical, without detachment, 41:773
- in autopsy eyes, 50:424
- tumors and, 46:74
- without detachment, 36:122
- surgery in, 36:524
- telangiectasis of, Coats' disease and, 42:1
- toxic effects on, 36:103
- traumatic angiopathy of, 54:693
- vascular changes in, in diabetes mellitus, 36:324
- vascular diseases of, percutaneous renal biopsy in, 50:691
- spontaneous repair, 50:691
- X-ray therapy in, 49:1311
- vascular patterns in, 42:554
- vascularization of, in health and disease, 44:7
- vasculitis of, in leprosy, 51:831
- VEIN**, blood sludging in, as diagnostic sign, 54:201
- obstruction syndrome, 47:593
- anticoagulants in, 49:368
- OCCCLUSION** of, 38:236
- endothelial degeneration and, 36:316
- gastro-intestinal hemorrhage and, 54:851
- in peripheral uveitis, 49:1257
- prophylactic therapy in, 36:316
- therapy of, 51:456
- thrombophlebitis of, 40:580
- thrombosis of, 36:331; 44:118
- management of, 39:98
- trypsin in, 38:84
- vessels, dilatation of, 39:88
- visual cells of, toxic effects on, 36:103
- Retina Foundation, 54:722
- Retinal correspondence, after-image test in, 46:71
- refinement of, 52:713
- apparatus to test, 36:1121
- RETINAL DETACHMENT**, 38:97, 861; 45:303; 47:590; 53:536
- after cataract surgery, 50:716
- after intraocular surgery, 47:246
- analysis 300 operated cases, 36:1782
- aniseikonia after, 47:468
- choroid coloboma and, 49:628
- clinical tears without, 41:773
- congenital, 46:742
- diagnosis in, criteria for surgery and, 36:521
- differential, 54:467
- diathermy in, pathology of, 43:685
- surgery, 45:113
- endodiathermy in, 37:649
- etiology, pathology and surgery, 47:565
- exudative, 43:679
- familial, 51:33
- hospital management of, 52:548
- human vitreous in, 50:108
- idiopathic, 37:438; 41:660
- serous, 46:896
- in collie dogs, with scleral ectasia, 50:451
- in herpes zoster, 41:253
- in periarteritis nodosa, 42:569
- in peripheral uveitis, 49:1257
- in toxoplasmosis, 54:451
- lamellar undermining for, 41:633
- lamellar infolding sclera in, 54:1030
- management of, 45:227
- melanoma producing, 44:121
- operations, 48:262

RETINAL DETACHMENT (continued)

- operations (continued)
 - gelatin film in, 52:561
 - in aged, 38:238
 - pathology of, 43:685, 908
- photocoagulation in, 49:87; 50:590; 52:474; 54:3
- postoperative care, 36:25; 45:544
- prevention of, in cataractous eyes, 47:576
- prognosis in, 36:1739
- prophylactic operation for, 39:189
- receptor orientation in, 52:767/335
- retinal breaks without, 51:369
- retinal sutures to treat, 45:553
- scleral buckling in, 53:593, 795
 - complications of, 54:143
 - experimental, 42:189
 - pigment atrophy after, 54:393
 - tubostat, to handle tube, 48:258
- scleral encircling operation in, 54:951
- scleral folding operation in, 42:95
- scleral resection in, 36:629; 1140, 1757; 38:410; 51:1211
 - meridional lamellar, 38:777
 - pathology of, 43:908
- See also Scleral resection
- shortening eyeball in, 51:1211
- SURGERY**, 50:1247; 53:1024
 - changing concepts in, 45:940
 - complications of, 43:796; 44:115
 - drainage subretinal fluid in, 47:798
 - expulsive hemorrhage during, 51:264
 - failure in, 52:274
 - forceps localization in, 54:1130
 - instrument for, to insert encircling tubes, 52:260
 - postoperative care, 44:115
 - preoperative care, 44:114
 - present status, 50:441
 - results in, 41:247; 43:796
 - scleral strips for, 53:937
 - systemic complications of, 37:582
 - techniques of, 44:114
 - transilluminator-cautery for, 42:780
 - use steel wire in polyethylene tube in, 48:199
 - vitreous in, 52:374
 - symposium on, 43:794
 - tissue therapy in, 40:581
 - traumatic, and pars ciliaris detachment, 36:515
 - treatment in, 36:1739; 43:795; 48:680
 - ultrasound in, 49:249
 - uveitis and, 47:7174
 - vitreous changes and mechanism of, 44:335
 - with scleral staphyloma, surgery of, 40:12
- Retinal image, foveal differential, light thresholds and, 52:755/323
- Retinal local signs, in hemianopia, 45:662
 - in normal vision, 45:662
 - in strabismus, 45:662
- RETINITIS**, exudative, 38:852
 - neuro-juxtapapillary, 43:977
- PIGMENTOSA**, acanthrocytosis, neuromuscular disease and, 45:453
 - cone vision in, 42:253
 - deafness and, 52:575
 - Dicumarol in, 39:46; 45:666
 - EEG in, 49:762
 - ERG in, 47:565
 - ophthalmoplegia, quadriplegia and, 43:231
 - or rubella, 45:93
 - psychosis with, 53:640
 - rod vision in, 42:253
 - scleromalacia perforans, rheumatic arthritis and, 39:161
 - serum protein disturbances in, 53:640
 - unilateral, 41:308
- proliferans, 50:171
 - after trauma, 37:791
 - factors influencing, 52:637
 - systemic disease and, 49:375
- punctata albescent, 37:436
 - evaluation of, 53:450
- serosa, 42:831

RETINOBLASTOMA, 41:22; 42:375; 45:391

- bilateral, 43:417
- calcium deposition in, 53:265
- clinicopathologic study of, 38:222
- diathermy treatment in, 45:795
- echogram in, 51:1203
- genetics of, 53:523
- hereditary characteristics of, 43:240
- in adult, 52:405
- induction factor, evidence for, 39:20
- intracranial extension of, 46:201
- intravenous nitrogen mustard in, 36:1721
- management of, 44:313
- metastasis in, 48:47
- photocoagulation in, 50:590
- phthisis bulbi in, significance of, 47:403
- radiation to treat, 43:865
- recurrent, five-year survival in, 53:376
- regression and progression, 52:717
- rosettes of, neuro-epitheliomatous, 52:497
- spread to contralateral optic nerve, 49:815
- ten-year cure, 53:1010
- tissue culture study of, 45:117
- treatment of, 52:573; 53:622
- triethylene melamine to treat, 43:865
- X-ray treatment of, long-term, 44:411
- Retinography, to study fundus changes, 50:314
- RETINOPATHY**, angiospastic, 36:2; 40:902
 - central, 41:105; 42:840
 - arteriosclerosis, hypertension and, 41:85
 - hormones to treat, 41:85
 - central serous, 52:126
 - clinical studies, 42:531
 - experimental studies, 42:531
 - receptor orientation in, 48:262
 - test for, 49:147
 - chloroquine, 53:769; 54:321, 381
 - degenerative, 36:921
 - diabetic: See Diabetic retinopathy
 - hypertensive, vasodilators and, 38:237
 - Jensen's juxtapapillary, 42:9
 - of prematurity, 42:377
 - pathogenesis of, 46:89
 - See also Retrolental fibroplasia
 - scleroderma with, 36:120
 - sickle-cell disease and, 38:204
 - toxic, in arsenic poisoning, 50:64
- Retinopexy, phenomena of, 51:113
 - basic, 45:547
 - thermal, effects of, 43:299
 - shrinkage measurements in, 46:37
- Retinoschisis, hereditary, pedigree of, 51:1193
- Retinoscopy, fractionized cylinder, 46:403
- Retrobulbar neuritis, diagnosis of, 50:1087
- digitalis toxicity causing, 36:976
- in multiple sclerosis, 37:487, 494
 - H-R-R pseudo-isochromatic plates in diagnosis of, 41:833
- in pernicious anemia, 48:95
- uveitis, glaucoma and, 38:615
- RETROLENTAL FIBROPLASIA**, 36:128, 1783; 37:68; 38:243; 39:105, 1153; 40:903; 41:332; 43:802; 46:89, 226, 896; 49:382
 - active phase, stages in, 36:1334
 - and related ocular diseases, 36:1336
 - bibliography on, 50:511
 - birth date and, 38:317
 - carbon dioxide in, therapeutic possibilities of, 38:342
 - causative factors in, 38:317
 - changes in pathology of, 49:1155/69
 - cicatrical stage of, 38:308
 - grades in, 36:1335
 - classification, 36:1333
 - clinical course, 40:159
 - degree prematurity and, 38:317
 - discussion of, 40:187
 - EEG in, 38:337
 - epitaph for, 40:267
 - etiology of, 40:166
 - experimental studies, 40:174; 41:619
 - general health and, 38:317

RETROLENTAL FIBROPLASIA (continued)

- in an adult, 36:1291
- in Negroes, 36:271
- influence developmental maturity on, 39:475
- leaflet on, 40:590
- management of, 40:183
 - of retinal detachment in, 36:1782
- myopia and, 40:475; 46:45
- ophthalmoscopic findings, in first two weeks life, 36:85
- oxygen imbalance and, 42:377
- oxygen-induced changes in, 41:619
- oxygen studies in, 36:1511; 37:78; 38:291; 44:*110
 - pulseless disease and, 38:418
- oxygen therapy and, 38:317
- oxygen withdrawal and, 41:619
- pathogenesis of, 39:475
- pathology of, 40:162
- pediatric considerations in, 40:163
- statistics on, 41:117
- symposium on, 40:159
 - conclusions of, 40:186
- visual and ocular damage in, 53:337
- Rhabdomyosarcoma, 54:768
 - in infancy and childhood, 53:463
- Rheology, of human sclera, 52:539
- Rheumatic fever, eye complications of, 43:575
- Rheumatism, eye and, 36:393
 - uveitis and, 45:127
- Rheumatoid arthritis: See under Arthritis
- Rhodopsin, 40:*18; 45:286
 - mechanism of bleaching, 45:286
- Ribonucleic acid of lens, influence age on, 51:993/121
- influence cataract formation on, 51:993/121
- Ridley acrylic lenses, 36:988, 1471, 1586, 1779
 - experience with, 36:1779
 - suction cup to insert, 36:1781
- See also under Intraocular lenses
- Ridley operation, 40:581
 - interim report, 43:622
- RIGIDITY** of eye, clinical estimation of, 47:1147.
 - See also Ocular rigidity
- Rimifon, in experimental tuberculosis, 36:1628
- Ristocetin, 50:614
- Rod activity, at photopic levels, 49:1427
- Rodenstock refractometer, clinical value of, 42:59
- Roentgenography: See X-rays
- Rose bengal test, in keratoconjunctivitis sicca, 39:253
- Rothmund's syndrome, 45:*143; 52:207
- Rubeosis iridis, regression of, after cyclodiatheirmy, 40:253
- Russia, ophthalmic trip in, 50:110
- Rust-ring remover, 52:122
- Rychener, Ralph Orlando, 53:700

S

- Safety in driving, relation to visual fields, 44:657
- Saline solutions, effect normal on eye tissues, 49:895
- Salivary gland, lymphosarcoma of, 47:859
- Salt solutions, effect on eye tissues, 49:895
- Salzmann, Maximilian, 36:128; 38:738
- Samuels, Bernard, 48:687
- San Diego, glaucoma survey in, 44:696
- Sarcoid, Boeck's of fundus, 52:633
 - orbital bone involvement in, 45:407
- SARCOIDOSIS**, 52:633
 - cortisone in, 36:1291; 40:264
 - iritis in, 38:566
 - of orbit, 41:1054
 - uveitis and, 50:1170
- Sarcoma, of choroid, 48:855
- Sato, Tutomu, 50:510
- Sato operation, discission with fixation needle, 49:978
- Saudi Arabia, conjunctivitis in, agents in acute, 43:*32
- Scaphocephaly, 37:386
- Schafer's syndrome, 52:207
- SCHLEMM'S CANAL**, 50:543
 - anatomic relations of, 39:165
 - anastomoses of, 39:165
 - drainage of, 38:848
 - in primary glaucoma, 46:311; 50:37
 - influence hyaluronidase on permeability inner, 41:651

SCHLEMM'S CANAL (continued)

- inner wall of, histology of, 48:204
- microradiographic study of, 40:491
- obstruction of, in glaucoma, 40:623
- microradiographic study of, 40:491
- staining technique for, 53:405
- Schoenberg, Mark J., Lecture, 52:145; 54:917
- Schools, eye health in, 49:631
 - See also under Children
- Schwannoma, 54:768
- deSchweinitz, George E., 46:404
- Schweitzer, Hospital Albert, Haiti, West Indies, 45:849
- SCLERA**, anelastic behavior of, 52:539
 - blue, buphthalmos and, 47:345
 - congenital posterior ectasia of, in collie dogs, 50:451
 - depression, indirect ophthalmoscopy and, 41:265
 - diathermic scars of, 44:461
 - disease, slitlamp diagnosis of, 36:1293
 - ectasia of, in collie dogs, 50:451
 - of posterior, in dogs, 49:628
 - granuloma of, in rheumatic arthritis, 51:71
 - homographs of, transplantation of, 54:1019
 - implants of, into anterior chamber, 46:534
 - in glaucomatous human eyes, 49:411
 - infolding of, in retinal detachment, 54:1030
 - inner surface of, 44:11
 - internal, ruptures of, 46:855
 - intracorneal transplantation of, 40:581
 - lacerations of, 54:119
 - muscle transplantation to, 48:*228
 - nodules, calcified, due to excess vitamin D., 39:658
 - perforation of, during strabismus surgery, 50:807
 - posterior, scleral support of, clinical results, 52:853
 - preservation of, 47:306
 - resection of, in retinal detachment, 36:629
 - See also under Retinal detachment
 - rheology of human, 52:539
 - rigidity, See Scleral rigidity
 - splitting of, 46:855
 - staphyloma of, 37:420
 - surgical treatment of, 40:12
 - strips of, in retinal detachment surgery, 53:937
 - surgery of, experimental, 42:36
 - surgical support of posterior, in myopia, 49:1341
 - suture in, for zonulotomy, 47:867
- SCLERAL BUCKLING**, 54:468
 - complications of, 54:143
 - experimental, 42:189; 53:593, 795, 891
 - lamellar undermining in, 41:633
 - pigment atrophy after, photocoagulation in, 54:393
 - polyvinyl implant for, 51:1200
 - with inclusion chronic surgical gut, 44:773; 54:226
- Scleral encircling operation, with Mersilene threads, 54:951
- Scleral folding operation, 42:*95
- Scleral insertion operation, for glaucoma, 42:402
- SCLERAL RESECTION**, braided white nylon sutures in, 42:611
 - experimental, 42:36
 - in retinal detachment, 36:1140
 - lamellar, 41:92
 - undermining, 44:420
 - pathology of, 43:908
- Scleral retractor, 47:408
- SCLERAL RIGIDITY**, correction, 45:196
 - determinations, after tonography, 51:150
 - before tonography, 51:150
 - in aged, 44:35
 - tonometry and, 48:539, 643
 - in infants and children, 54:95
 - measurements, in water provocative tests, 45:928
 - tonometer adapter for, 40:418
 - tonometry and, in aged, 48:539, 643
- See also Ocular rigidity
- Sclerectomy, cautery, 54:921
 - posterior lip, 54:688
- SCLERITIS**, after mumps, 53:366
 - complications of, 37:590
 - cortisone in, petechial hemorrhage after, 46:391
- Scleroecleisis, 43:481

- Sclerocorneal transfixation, for removal dislocated lens, 52:468
- Scleroderma, cytooid bodies of retina and, 54:655
- linear, ocular changes in, 51:807
- retinopathy with, 36:120
- Sclerokeratitis, erythema nodosum and, 52:269
- Sclerolimbectomy, in glaucoma, 54:960
- SCLEROMALACIA**, paralimbus, 54:1145
- perforans, fascia lata graft in, 52:693
- granuloma sclera and, in rheumatoid arthritis, 51:71
- retinitis pigmentosa, rheumatoid arthritis and, 39:161
- rheumatoid arthritis and, 54:862
- surgery of, 46:598
- Sclerosis, multiple: See Multiple sclerosis
- nuclear, vitreous detachment and, 54:837
- tuberos: See Tuberos sclerosis
- Sclerotomy, exploratory in intraocular malignancies, 48:211
- in open-angle glaucoma, 42:609
- Verhoeff in expulsive hemorrhage, 51:264
- SCOTOMA**, as sign melanoblastoma of choroid, 49:1406
- central, after occlusion cilioretinal artery, 53:687
- cross, in optic neuritis, 43:960
- in optic chiasm lesions, 50:1031
- in vascular hypotension, 48:402
- migrainous, study in 618 persons, 49:489
- plotting of, slitlamp attachment for, 45:913
- roving ring, with aphakic spectacles, 51:1277
- Scotometry, apparatus for, 36:1130
- Screening, for glaucoma, 51:248
- Scurvey, effect on bicarbonate in aqueous, 44:*402
- Seasons, influence on glaucoma, 47:166
- Seborrheic dermatitis, keratoconjunctivitis and, 53:686
- Sedative, chloral hydrate as pediatric, 51:834
- Sedation, intravenous in cataract surgery, 46:179
- properative, perphenazine for, 46:349
- Sedimentation rate, in uveitis, 44:393
- Selsun, in marginal blepharitis, 38:560
- Selsunef ointment, in squamous blepharitis, 49:820
- Sensitivity, to uveal tissue, immunity study, 39:377
- Sensitization studies, 40:581
- Sensory stimuli, primitive, 43:466
- Separation difficulty, visual acuity and, 53:471
- Serendipity, 46:*156
- Sex chromatin, as cell marker in corneal transplants, 49:513
- to study healing corneal grafts, 52:91
- SICKLE-CELL DISEASE**, angioid streaks and, 49:450
- elastic tissue degeneration in, 50:213
- fundus changes in, 49:450
- hemoglobin-C disease and, 45:870
- vitreous hemorrhage and, 42:707
- retinopathy and, 38:204
- vitreous hemorrhage and, 38:204; 45:870
- Siderosis, bulbi, 54:385
- hemosiderosis and, 48:*465
- ocular effects of systemic, 44:*158; 48:628
- spontaneous clearing of, 45:259
- systemic, 48:628
- Siemen's syndrome, congenital cataract and, 52:207
- Silastic, as rubber substitute, in new erisophake, 54:297
- Silver nitrate, in herpetic keratitis, 51:182
- Sinus, cavernous, thrombosis of, steroids in, 54:1122
- frontal, mucocele of, 47:886
- maxillary, carcinoma of, eye involvement in, 49:1337
- Sinusitis, 54:768
- Sitchevskaya, Olga, 46:235
- Sjögren's syndrome, congenital cataract and, 52:207
- Skiascope, 47:600
- Skiascopy, phases of, 36:1769
- Skin, corneal changes due to diseases of, 47:1191
- SLITLAMP**, adaptation of, to indirect ophthalmoscopy, 51:837
- beam, heat production by, 43:461
- biomicroscope, control for, 39:571
- examination, of fundus, 48:538
- of vitreous, 48:538
- in diagnosing corneal disease, 36:1293
- in diagnosing scleral disease, 36:1293
- microscopy, golden anniversary of, 52:5
- of fundus, 42:887
- SLITLAMP** (continued)
- microscopy (continued)
- of vitreous, 42:887
- cavity, 36:1497
- to examine vitreous detachment, 36:1497
- Smith, James W., 41:714
- Snell, Albert C., Sr., 40:442
- Lecture, 53:571
- Snellen, on visual acuity, 53:152
- Social factors, in glaucoma, 47:771
- SOCIETY PROCEEDINGS**, 36:120, 264, 391, 520, 714, 847, 986, 1136, 1291, 1457, 1627; 37:118, 267, 431, 586, 787, 38:97, 235, 404, 566, 721; 39:87, 239, 408, 573, 742, 885; 40:113, 256, 426, 569, 741; 41:130, 321, 543, 698, 1076; 42:139, 309, 490, 651, 783, 923; 43:126, 300, 474, 630, 977; 44:114, 266, 418, 543, 693, 825; 45:123, 302, 573, 726, 931; 46:84, 225, 397, 597, 752, 895; 47:103, 239, 411, 590, 885; 48:107, 262, 400, 539, 678; 49:361, 631, 845, 1051, 1428; 50:337, 502, 661, 812; 51:161, 332, 536, 713, 1314; 52:269, 572, 725, 990; 53:137, 381, 533, 689, 869, 1021; 54:142, 314, 464, 1149
- Socket contraction, 47:591
- Sodium, distribution between aqueous and plasma, 41:809
- effect hypothermia on turnover of, 51:1032/160
- glutamate, ERG fractionation by, 50:900/230
- of aqueous, influence carbonic anhydrase inhibitors on, 47:724
- saccharine, to test lacrimal passages, 43:114
- steady-state between plasma and aqueous, 36:*64
- sulfate, S³⁵-labeled, uptake by eye, 47:*519
- Soemmerring, ring, in anterior chamber, 36:1727
- SOLUTIONS**, alkaloid, self-sterilizing, 54:101
- aqueous, for glaucoma, 37:744
- primary, 37:391, 557
- balanced salt, effect on eye tissues, 49:895
- chemical preservatives for, 39:385
- contamination of, 36:1389
- fluorescein, 39:55
- Isopto-NP, in external eye infections, 49:726
- N.F. 12, for external eye disease, 41:1020
- ophthalmic Otrivin, 50:467
- preservatives for, 40:443
- chemical, 39:385
- sterile, 36:544
- maintenance of, 36:1139, 1391
- preparation of, 36:1139, 1391
- Sommers, Ignatius G., 38:869
- Sondermann, internal canals of, 48:204
- Sonography, time-amplitude, evaluation in ocular diagnosis, 54:1103
- See also Ultrasound
- Sourdille, Gabrielle Pierre, 43:140
- South Africa, Ophthalmological Society of, 46:225
- ophthalmology in Union of, 37:411
- South America, ophthalmology in, 43:983; 52:95, 1002
- Spatial perception, disturbance in anisocoria, 36:1769
- retinal stimulation and, 45:119
- SPECTACLES**, acceptance of, 52:696
- anterior chamber lens: See Intraocular lens
- aids for low vision, 48:177
- aphakic, roving ring scotoma with, 51:1277
- bicentric lens, in anisometropia, 37:706
- bifocals, in myopia, 54:475, 877
- binocular, to correct low vision, 45:23
- conoid, conoid refracting surface and, 46:*86
- in aphakia, 51:615; 53:870
- contact: See Contact lenses
- corneal lens, for prolonged procedures, 45:922
- devices, for correcting subnormal vision, 40:29
- dichroic mirror device, for hemianopia, 39:876
- dispensing of, by ophthalmologist, 37:439
- evaluation new plastic lens (telor Orma 1000), 54:418
- for aphakia, 39:238; 54:458
- for children with low vision, 46:813
- for hemianopia, 36:131
- for low vision, acceptance of, 47:582
- rejection of, 47:582
- for partially sighted, 41:30
- for submerged eye, 48:265
- occluding lens for, 48:247

SPECTACLES (*continued*)

- plastic lens, as protection against small high-speed missiles, 51:80
- evaluation new, 54:418
- in clip-on frame, 44:415
- polaroid, glare protection and, 36:1770
- prisms and: See Prisms
- radiographic characteristics of lenses of, 51:1268
- reading aids, for partially sighted, 42:863
- for poor vision, 36:1143
- telescopic, evaluation of, 51:433
- in low visual acuity, 53:443
- temporary postcataract, 44:419
- tinted, night driving and, 36:404
- Spherophakia, 50:333
- with brachydactyly, Marfan's syndrome and, 36:1571
- Spielmeier-Vogt disease, 42:15
- Spike responses to light, retinal antidromic, 46:*223
- Spinal fluid, for vitreous replacement, 37:234
- Spiramycin, 50:614
- Squibb-MC-9367, carbonic anhydrase inhibitor, 43:730
- Staining methods, for hyaluronidase-sensitive acid mucopolysaccharide, 44:1
- hyaluronic acid, of trabecular meshwork, 45:189
- in study of normal cornea, 47:1229
- in study of swollen cornea, 47:1229
- saccharated iron oxide, 45:929
- silver, to study corneal morphology, 51:1051/179
- Staphylococcus aureus, infections, 41:981
- conjunctivitis due to, 51:819
- cultures, sensitivity tests of, 36:389
- identification of, 52:783/351
- infections, action penicillin-Chloromycetin in, 36:*75
- sensitivity, in chorioretinitis, 48:846
- Staphyloma, bilateral ciliary, 45:906
- hydrocephalus and anterior, 46:395
- Stereo-ophthalmoscopic investigation, of fundus reflexes, 40:*8
- Stereophotography, electronic retinal, 40:809
- to study fundus reflexes, 40:*8
- Sterilization, dry-heat, 44:259
- ethylene oxide, 42:424
- Sterilizer, hot-air, 41:858
- portable, 47:86
- STEROIDS**, antibiotics and, 46:736
- as prophylaxis, in sympathetic ophthalmia, 45:*162
- effect on tensile strength corneal wounds, 42:759
- glaucoma induced by, 45:108
- in Boeck's sarcoid, 45:567
- in chronic uveitis, 45:923
- in corneal opacities, 49:906
- in corneal vascularization, 49:906
- in fungus infections, 53:630
- in glaucoma, 49:351
- in herpes simplex of cornea, 49:1355
- in retinal vein occlusion, 51:456
- in rheumatoid arthritis, cataracts and, 52:831/399
- influence on ocular tension, 46:328
- lenses rats treated with, 50:1147
- therapy, influence on ocular tension, 47:592
- See also under names various steroid preparations
- Stevens-Johnson disease, 39:233
- lacrimal canal stenosis in, 40:83
- lacrimal duct, stenosis in, 40:83
- Stigmatoscopy, image formation and, 48:*6
- Stimulus orientation and threshold, 48:*6
- Stokes, William Herman, 43:993
- STRABISMUS**, 42:238; 44:546; 52:726
- A and V syndromes in, 57:172
- present status of, 52:396
- values for, 50:753
- accommodative, DFP in, 43:791
- alternating, criteria for management of, 39:351
- amblyopia in, 46:339
- angulations bony orbital walls in, 43:624
- anomalous projection in 146 operated cases, 36:829
- atypical accommodative esotropia, 41:955
- bilateral, surgery of, 36:858
- blindspot mechanism in, 38:765; 40:802
- comitant, convergent, of acute onset, 45:*55
- management of, 49:1046

STRABISMUS (*continued*)

- comitant (*continued*)
- muscle surgery and orthoptics in, 40:883
- primary and secondary deviation in, 48:647
- concomitant, method for recording deviation, 45:278
- miotics in, 38:862
- convergence insufficiency, orthoptics in, 43:448
- convergent, paralytic, 40:905
- diagnosis of, 40:265
- criteria for surgery of, 36:520
- test for, 54:804
- distance fixation measurements in, 43:793
- divergent, inferior rectus weakness and, 39:359
- paralytic, operation for, 48:678
- Duane's retraction syndrome, 51:1257
- esotropia: See Esotropia
- exotropia: See Exotropia
- exotropia retraction syndrome, ptosis and, 44:777
- fixation anomalies with, 52:19
- fixus, 48:751
- fusion elicitation, with awareness of diplopia, 48:*148
- head tilt in, choice surgery and, 36:523
- hyperphoria, nature of innervation, 39:854
- problems of, 40:332
- in cerebral palsy, 54:1114
- in craniosynostosis, 54:641
- in Siamese cats, 53:70
- inhibition in, treatment of, 45:235
- lens to encourage macular perception, 40:419
- management of, 50:757
- near fixation in, measurement of, 43:793
- nonparalytic, 45:455; 49:1046
- convergent, miotic therapy in, 51:1249
- etiology of, 49:1218/132
- occlusion in, 44:537
- prolonged, 36:76
- pathologic physiology of, 36:1772
- pseudostrabismus, with heterotopia of macula, 45:683
- retinal local signs in, 45:662
- review of, 36:1772
- separation difficulty, in amblyopia of, 53:471
- suppression in, 46:339
- SURGERY** for, and degree of deviation, 36:524
- cardiac arrest during, 41:748
- medications in, 52:172
- intramuscular chymotrypsin in, 51:106
- pseudoparalysis medial rectus after, 41:124
- retinal perforation during, 50:1167
- scleral perforation during, 50:807
- use Tenon's capsule in, 45:*15; 46:599
- symposium on, 43:134; 50:503
- thyroid disease and, 50:473
- V syndrome, divergence and convergence excess in, 50:765
- with diplopia, 41:121
- Straub, Manuel, toxicity in lens proteins and, 48:463
- Streptococcal antihyaluronidase, 43:307
- Streptodornase, in vitreous hemorrhage, 39:677
- Streptokinase, effect on hyphema, 37:911
- evaluation of intraocular, 39:*119
- in vitreous hemorrhage, 39:677
- streptodornase, in corneal ulcers, 41:847
- toxicity to anterior chamber, 37:911
- Streptomycin, in conjunctival tuberculosis, 50:265
- in eye diseases, 36:1771
- therapy, labyrinthine disturbances and, 45:*74
- Streptothrix, canaliculitis, 52:36
- Stress, acute glaucoma and, 39:332
- ocular tension and, 39:332
- Stroma, collagen patterns of, 45:291
- cyst of iris, 44:106
- in corneal dystrophy, 44:194
- study of, in granular corneal dystrophy, 45:1
- Strontium-90, in pterygium, surgery and, 49:1024
- Sturge-Weber syndrome, 50:338
- Subarachnoid hemorrhage, 38:501
- Subhyaloid hemorrhage, 52:257
- following subarachnoid hemorrhage, 36:1192
- Succinylcholine, effect on extraocular muscles, 43:440; 44:221

SUCCINYLCHOLINE (*continued*)

- effect on ocular tension, 40:501; 44:221; 49:1381
- in ocular surgery, 49:773
- Sulfacetamide, effect on eye bacteria, 45:383
- Sulfadimethine, 36:1621
- Sulfiramide, in external eye disease, 40:406
- Sulfonamides, amblyopia due to, 40:486
- in postoperative intraocular infections, 50:1225
- in toxoplasmic uveitis, 42:217
- in trachoma, 40:553; 47:222
- myopia, transient, after, 36:1769
- Sulphydryl groups, in bovine lens, 44:326; 45:295
- Sulocarbilate, in glaucoma, 47:199
- Sunburn, chorioretinitis and, 41:1048
- Supranuclear lesions, ocular motility and, 42:873
- SURGERY**, 41:1082; 44:547; 48:401
 - absorbent sutures in cornea in, 51:118
 - acute glaucoma complicating general, 45:668
 - aid in minor, 52:424
 - arm rest for, 52:568
 - cardiovascular, in aortic arch syndrome, 47:135
 - certification for, 43:137, 639
 - chymotrypsin in, 51:103
 - complications of, 54:469
 - due to antiseptic, 52:261
 - round-table discussion of, 46:84; 47:239
 - curare in, 36:789
 - device to maintain airway in, 41:681
 - dissection, with aid fixation needle, 49:978
 - ether screen in draping for, 53:864
 - experimental, of sclera, 42:36
 - for blepharophimosis, 49:1357
 - for collapsed anterior chamber, 44:681
 - for congenital cataract, 52:361
 - linear extraction, 52:355
 - needling, 52:347
 - for divergence excess, 50:297
 - for exotropia, 46:646
 - fusion and, 50:1158
 - for pterygium, strontium-90 and, 49:1024
 - for retinal detachment, 50:1247
 - See also under Retinal detachment
 - for senile spastic entropion, 44:67
 - for subluxated lens, Smith method, 39:1109
 - for "tear drop" pupil, 47:1227
 - for unilateral almond eye, 52:122
 - foreign bodies in intraocular, 43:625
 - fungus infections complicating, 48:151
 - general, glaucoma and, 45:688; 46:403
 - grooved marking calipers for, 41:682
 - in diabetics, 44:417
 - in eyelid malignancies, 52:1
 - in India, 44:759
 - in strabismus, retinal perforation during, 50:1167
 - luminescence in, 44:365
 - management psychotic patient for, 37:854
 - metals and plastics in, 47:253
 - microscope in, 42:916
 - millipore filters in, 50:159
 - muscle: See under Muscles
 - muscle transplant, for external rectus paralysis, 48:248
 - nasal-lacrimal, problems of, 46:668
 - office, 39:96
 - perphenazine in, 46:349
 - pig eyes for instruction and practice in, 36:1134
 - pigment epithelium in, 50:1066
 - plastic approach to, 46:406
 - plastic: See Plastic surgery
 - prevention infection in, 36:1091
 - psychologic considerations in, 45:576
 - recession-resection, in intermittent exotropia, 53:351
 - retinal detachment, after intraocular, 47:246
 - scleral buckling operation, 42:189
 - See also Scleral buckling
 - separation corneal scleral trabecula from its bed, 48:15
 - special indications and techniques in, 39:189
 - strabismus: See under Strabismus
 - succinylcholine in, 49:773
 - tranquilizer in, 49:361
 - trifluoromazine in, 53:683; 54:129
 - use plastic materials in, 52:61

SUTURES, absorbable, in corneal surgery, 51:118

- advances in, 45:731; 46:49
- braided white nylon, 42:611
- buried, in entropion operation, 43:245
- silk, in ptosis operations, 45:282
- catgut, corneal scleral and conjunctival flap, 42:730
- effect alpha chymotrypsin on, 47:898
- corneal, bedside removal of, 45:111
- corneal scleral, 42:791; 43:635
- buried catgut, 43:482
- DeWecker scissors to remove, 46:587
- forceps for, 41:681
- double traction, 51:1304
- effect alpha chymotrypsin on, 49:64
- for resection horizontal rotators, 48:103
- identification of, by multiple colors, 54:1033
- in cataract surgery, 48:79, 660; 51:1243
- in sclera, for zonulotomy, 47:867
- instrument, to manage chronic gut, 41:858
- intrasceral, nonabsorbable, 43:611
- La Rocca, 47:418
- McLean, modified, 44:538
- repair of cut, 38:398
- nylon bridge, in cataract extraction, 40:251
- Paiva Goncalves Filho, in entropion lower lid, 51:1312
- plain vs. chromicized catgut, in cataract surgery, 49:711
- radial, chromic gut, in keratoplasty, 38:349
- retinal, to treat retinal detachment, 45:553
- retractor for loops of, 51:520
- safeguard, in muscle surgery, 48:396
- sclerocorneal, removal of, 42:421; 44:427
- results with preplaced, 39:843
- Snellen, for prolapsed chemosed conjunctiva, 42:774
- spreader for, 48:676; 49:854
- tract, in corneal grafts, 42:792
- traction, deflector for, 52:414
- Swan, Kenneth C., 38:2, *5, *6
- Swiss Ophthalmological Society, 36:1627; 40:579; 44:546; 46:401; 48:401; 50:812; 53:536
- Symblepharon, congenital, 39:236; 41:144
- corneal conjunctival grafting in total, 40:190
- pterygium and, 39:894
- SYMPATHETIC OPHTHALMIA**, after cyclodiathermy, 36:217, 728, 1635
 - after iridencleisis, 38:102; 51:829
 - cortisone in, 40:248; 44:412
 - frequency of, 51:156
 - pathogenesis of, history of, 36:1100
 - steroid prophylaxis in, 45:162
 - studies on, 36:150
 - visual results in, 39:340
 - Vogt-Koyanagi syndrome and, 43:433, 735
 - without history of injury, 47:106
- Sympathomimetic drugs, effect on aqueous production, 40:666
 - effect in glaucoma, 40:666
 - effect on ocular tension, 40:666
- Sympocaine, in local anesthesia, 42:637
- studies on, 40:697
- Symposium on Electrophysiology Visual System, index for, 46: Sept. Part II, 1179, 180, 181, 182
- SYNDROMES**, A and V, 46:835; 52:172
 - present status of, 52:396
 - values for, 50:753
 - blue sclerotics, buphthalmos and, 47:345
 - Bonnevie-Ullrich, 52:207
 - Chediak-Higashi, 50:1197
 - chiasmal, neurosurgical evaluation of, 54:563
 - Cogan's, 49:1017
 - Duane's retraction, 51:1257
 - Fisher, 51:701
 - Franceschetti, 52:521
 - Groenblad-Strandberg, 50:213; 51:704
 - hydrostatic pressure, 44:652
 - keratoconjunctivitis, moniliiasis, hypoparathyroidism and Addison's disease, 54:660
 - Laurence-Moon-Biedl, 49:1410
 - Lowe's, 52:207
 - lymphadenoglaucomatous, 52:101
 - malignant carcinoid, 44:257
 - Marchesani, 47:413

SYNDROMES (continued)

- Marfan's, 41:331
 - glaucoma and, 50:1187
- Williams' prior description of, 50:154
- Mauriac, 46:402
- Moebius, 41:304
- oculo-muco-cutaneo, 43:477
- of aortic arch, 47:735
- pediatric, 46:597
- previously unrecognized, 52:53
- pseudotumor cerebri, after neck dissection, 51:605
- Raeder's paratrigeminal, 54:1074
- Reiter's, 54:1008
- retinal venous obstructive, 47:593
- Rothmund's, 52:207
- Schafer's, 52:207
- Siemen's, congenital cataract and, 52:207
- Sturge-Weber, 50:338
- superior oblique tendon sheath, 48:264
- Treacher Collins, 46:886
- Uyemur's, 48:101
- V, divergence and convergence excess in, 50:765
- Vogt-Koyanagi, 43:433, 735
- Weber-Christian, 48:730
- Wernicke's, 52:990
- Wilson's, dark adaptation and, 44:623
- with congenital cataract, 52:207
- Synechias, air injections to prevent, in keratoplasty, 51:320
 - in uveitis, 47:1167
- Synovium, of superior oblique, 45:631
- Syphilis, pupil in, 36:493
- tarsitis due to, 47:389
- Syringomyelia, vascular anomalies and, 39:728

T

- Tachistoscopic training, in myopia, 44:25
- Takayasu's disease, 37:784, 788; 43:583
- ophthalmodynamometry in, 48:326
- Tangent screen, hand, 39:565
- lighting system for, 42:486
- test, for malingering, 39:562
- Tantalum oxide powder, for abraded cornea, 36:1508
- Tape, for eye bandage, 47:687
- Tarsal plate, bone formation in, 49:814
- Tarsectomy, in entropion, 42:104
- in trichiasis, 42:104
- in vernal conjunctivitis, 54:321, 878
- for proliferating palpebral, 53:429
- radical, in cicatricial trachoma, 44:779
- Tarsitis, syphilitic, 47:389
- Tarsorrhaphy, 50:387
- Tarsus, amyloidosis of, 49:1413
- excision, in ectropion luxurians, 38:226
- extirpation, after enucleation, 51:227
- lymphosarcoma of, 53:527
- Tattooing, of cornea, 50:830
- new pigment for, 50:325
- Tay-Sachs disease, 45:23; 52:410
- in Negro, 53:800
- Tearing, in aged, 38:238
- surgery for, 54:1152
- TEARS**, drainage of, polyethylene tubes for, 41:1063
- electrophoresis of, 39:200; 45:67; 46:12; 47:499
- agar microelectrophoresis, 50:793
- epiphora: See Epiphora
- insufficiency of, 53:614
- See also Keratoconjunctivitis sicca
- See also Sjögren's syndrome
- kit for testing, 51:840
- lack of, in Cockayne's disease, 52:116
- proteins of, dog, 49:626
- Schirmer test and, 45:116
- secretion inorganic phosphorus in, 49:941
- tonicity of, corneal transparency and, 36:127
- Teflon, ocular reaction to, 52:61
- Telangiectasis, choroidal melanoma and, 36:1787
- granulomas and, 43:872
- hereditary hemorrhagic, 36:1787
- conjunctival lesions in, beta radiation for, 41:672
- of retina, Coats' disease and, 42:1

- Telor Orma 1000 plastic spectacle lens, 54:418
- Temperature, ocular distensibility and, 51:1024/152
- Tenon's capsule, implant into, 43:118
- in strabismus surgery, 45:15; 46:599
- Tension: See Edrophonium chloride
- Terramycin, 36:1767
- allergy to, 40:264
- in tuberculosis, 39:103
- ointment, 52:269
- ophthalmic use of, 39:839
- Test charts, to measure visual acuity, 48:807
- Tests, malingering, Gunn pupil sign in, 54:1109
- Middlebrook-Dubos, in iridocyclitis, 51:627
- water provocative, mechanism of, 51:601
- value of, 51:451
- Tetanus, infection of cornea, 43:772
- ocular paralysis in, 36:1627
- Tetracycline, ocular use of, 39:691
- Tetrahydrozoline, ocular decongestant, 48:395
- THERAPY**, beta radiation: See Radiation, beta
- chemotherapy, in ocular tumors, 51:785
- copper sulfate, in cephalosporium keratitis, 49:267
- desensitization, in ocular tuberculosis, 49:378
- of bullous dermatoses, 39:233
- of retinal vein occlusion, 51:456
- photocoagulation: See Photocoagulation
- See also under names of various organs and agents
- Thermodynamics, of extraocular muscles, 51:1141/269
- of intraocular muscles, 51:1141/269
- Thigpen, Charles A., 46:910
- Thiotepa, corneal vascularization inhibited by, 49:1111/25
- Thorazine, effect on ocular tension, 43:125
- in cataract surgery, 43:744
- THYROID** disease, exophthalmos and, 36:1049, 1785
- idiopathic hypothyroid, 53:1018
- orbital tumor and, 53:467
- strabismus associated with, 50:473
- Thyroidectomy, congenital defects in rat embryo after, 40:65
- Thyrototoxicosis, 50:26, 783; 54:142
- exophthalmos of, 38:7
- Thyroxine, to prevent eye changes due to IDPN, 44:763; 45:457
- T illusion, 50:336
- TISSUES**, calcification in, 53:265
- cholinesterase activity in, 50:115
- CULTURES**, fluid in virus studies, 36:162
- growth Toxoplasma strains in, 51:920/48
- of cornea, 39:242; 45:720
- viability, 47:772
- of human eye, 40:582
- of lens, synthetic medium for, 46:288
- organ type, 49:624
- technique for, growing corneal tissues separately, 46:294
- in herpetic infections, 40:189
- to study preservation tissue for keratoplasty, 49:729
- vaccine, in recurrent herpetic keratitis, 54:255
- effect balanced salt solution on, 49:895
- effect diathermy on, 45:113
- ossification in, 53:265
- preservation of, 47:303
- in vivo storage of corneal grafts, 47:191
- reaction, to fresh and frozen cornea, 53:279
- responses, in ocular wounds, 43:667
- to polyvinyl implants, 51:1200
- studies, on corneal epithelium
- therapy, in retinal detachment, 40:581
- transplantation, to chorioallantoic membrane, 36:1766
- uptake, of radioactive phosphorus, 36:774
- Tobacco, amblyopia due to, 51:509; 53:967
- evolution and natural history, 50:71
- effect on normal angiostoma, 43:923
- Tokyo Medical College, color vision test, evaluation of, 52:650
- Tonogram, changes in, 43:787
- TONOGRAPHY**, 42:784
- after Diamox, 40:693
- after water-drinking test, 40:693
- anelastic behavior sclera and, 52:539
- angle-closure glaucoma and, 46:305

TONOGRAPHY (*continued*)

- bulbar pressure test and, 41:1074
- calibration curves in, optical aid for, 49:1030
- changes in ocular tension dynamics with, 52:821/389
- clinical, recording galvanometer in, 49:80
- scleral rigidity correction in, 45:196
- constant pressure, 43:783
- effect echthiophate on, 47:635
- experimental, 41:1071; 49:627; 50:170
- in glaucoma, early, 48:31
- infantile, 43:624
- in miotic-treated eyes, 48:313
- in office practice, 40:573
- in provocative tests for glaucoma, 41:187
- in right and left normotensive eyes, 40:877
- influence Cyclogyl, in open-angle glaucoma, 51:781
- influence Neosynephrine, in open-angle glaucoma, 51:781
- intraocular pressure changes during, 45:127
- of normotensive eyes, in Negroes, 40:224
- in Whites, 40:224
- of one eye, influence tonography fellow eye, 48:*130
- prognostic value of, 46:11
- scleral rigidity, after, 51:150
- before, 51:150
- timing unit for, 42:919
- to evaluate glaucoma operations, 50:430
- to study effect muscle surgery on aqueous dynamics, 48:321
- to study glaucoma due to delayed chamber restoration, 39:1147
- with restoration of initial pressure, 47:233
- TONOMETER**, applanation of Maklakov, 54:1152
- calibration scale for, 39:109
- consistency of 1955, 48:*602
- electric, 36:400
- voltage control for, 42:777
- Goldmann applanation, 46:865
- clinical application of, 49:967
- ocular tension changes, after application of, 45:192
- Schiøtz, new calibration scale for, 45:308
- standardization of, 38:863
- surgical, 54:295
- Wolfe scleral, 49:355
- validity of, 49:1047, 1221/135
- TONOMETRY**, 45:126
- applanation, 47:*557
- and Schiøtz, 48:389
- fluorescein in, 49:1149/63; 50:688
- changes in ocular tension dynamics with, 52:821/389
- experimental, on rabbit, 49:627
- in aged, scleral rigidity and, 48:643
- in research, 49:1044
- in screening for eye disease, 46:331
- ocular rigidity and, 47:1147
- pressure-sensitive crystal oscillator for, 52:984
- pressure-volume relationship, at low pressure, 47:*557
- routine, 43:21
- in office, 40:579
- in 2,100 patients, 47:649
- scleral rigidity and, in aged, 48:539, 643
- Tonsils, uveitis due to infected, 40:434
- wound infections and, 41:1080
- Tooke, Fred T., 40:752
- Toronto, adenovirus infections in, 43:*26
- toxoplasmosis tests in, 43:470
- Torsion**, 38:406
- demonstration of, with gimbal-mounted projector, 46:696
- method for measuring, 47:349
- Toxocara canis, endophthalmitis due to, 47:1185
- nematode endophthalmitis and, 45:853
- TOXOPLASMA**, antibodies, detection of, 50:945/275
- in aqueous and blood, 44:*75
- growth strains of, in tissue culture, 51:920/48
- heat-killed, dye-test antibodies and, 48:*322
- in hamsters, 39:*203
- persistence of, in ocular tissues, 42:*84
- recovery of, from human eye, 45:115
- uveitis due to, 53:1021
- pyrimethamine and sulfadiazine in, 42:217

TOXOPLASMOSIS, 38:194; 43:291, 297

- chorioretinitis due to, 36:845
- chronic, 45:719; 46:*261
- congenital, 43:444; 49:843
- case finding in, 48:813
- chorioretinitis only manifestation of, 46:135
- in state school for blind, 48:165
- diagnosis of ocular, 44:42
- dye-test antibodies in, 48:*322
- epidemiology of, 48:112
- experimental, 41:1069
- corticosteroids in, 50:919/249
- Daraprim in, 52:402
- in adult chorioretinitis, 37:163
- intraocular inflammation and, 41:600
- iridocyclitis due to, 43:474
- nature of virulence, 46:*255
- ocular, 44:41; 46:467
- retinal detachment in, 54:451
- suspected, 36:1457
- tests for, 40:437
- survey of, in Toronto, 43:470
- uveitis and, 50:1170
- virulence of, 45:719
- nature of, 46:*255
- TRABECULA**, ciliary body attachment to, 45:189
- corneoscleral, in glaucoma, 47:783
- effect cycloplegia on, 43:294
- effect cyclotonia on, 43:294
- electron microscopy of, 46:*27
- function of, mechanistic element in, 45:189
- hyaluronidase-sensitive acid mucopolysaccharides in, 44:1
- in primary glaucoma, 46:311
- normal, 49:1089/3
- of wall Schlemm's canal, drainage in, 49:1045
- trabeculum, 47:696
- TRABECULAR MESHWORK**, 48:204
- aqueous degenerative effect and, 50:365
- biopsy of, in primary glaucoma, 50:37
- changes of, in primary glaucoma, 50:37
- coating substance of, 44:200
- histopathology of, 49:1089/3
- hyaluronic acid staining of, 45:189
- in health and disease, 50:543
- in primary open-angle glaucoma, 47:519
- influence photocoagulation on, 52:163
- morphology of, 46:802
- pathology of, 46:802
- replica technique to study, 44:7
- Trabeculectomy, in glaucoma, 51:623
- Trabeculodilysis, 47:783
- evaluation of anterior and posterior, 48:*294
- Trabeculectomy, ab externo, 50:1187; 53:19
- Trabeculum corneo-sclerale, 47:255
- TRACHOMA**, antibiotics in, 36:1774; 40:553
- amyloidosis and, 49:814
- bone in tarsal plate and, 49:814
- cicatricial, radical tarsectomy in, 44:779
- clotting phenomena in, 44:493
- dubium, 45:41, 132
- epidemic Koch-Weeks conjunctivitis and, 49:801
- erythromycin in, 39:223
- etiology of, 48:*325
- experimental, 42:*76; 49:623
- produced by virus propagated in yolk sac, 50:907/237
- fine structure of, Chlamydozoon trachomatis, 43:951
- fluorescent antibodies to study, 52:72
- in Australia, 47:1134
- Northern, 47:503
- in Mexicans, in United States, 49:624
- in southern Iran, 38:665
- inclusion bodies, in nasal and urethral mucous membranes, 36:947
- morphology of, 45:423
- mass treatment of, 42:269
- meeting WHO committee on, 40:912
- mode onset of, 45:44
- pathology of, 36:1773
- prevention of, 50:506
- problems of, 39:1112

TRACHOMA (*continued*)

- repository drugs in, 47:1220
- review of, 38:382
- sulfonamides in, 40:553
- therapy of, 36:1773
- trichiasis surgery in, 40:383
- virus, cultivation of, 48:682
 - isolated from, 49:623
 - past and present, 46:228
 - studies, 36:1775
- Tranquilizers, ophthalmic surgery and, 49:361
- Traquair, Harry Moss, 39:599
- Trauma: See Injuries
- Transcorneal potential, influence pH and temperature on, 48:834
- Treacher Collins syndrome, 46:886
- TREPHINATION**, 53:571; 54:924
 - complications of, 54:465
 - corneoscleral, in glaucoma, 41:399
 - in open-angle glaucoma, 42:608
 - late infections after, 47:248, 887
 - limboscleral, 52:29
 - reopening of cicatrized, 46:890
- Triphine, modified design of, 45:112
- Triamcinolone, in corneal opacities, 49:906
 - in corneal vascularization, 49:906
 - in ocular inflammations, 49:55, 516
 - See also Kenacort
- Trichiasis, surgery in, 39:555
 - in trachoma, 40:383
 - of cicatricial, 40:913
- tarsectomy for, 42:104
- treatment of, 53:142
- Trichromates, spectral hue loci of, 52:166
- Triclobisium chloride, in external ocular infections, 50:595
- Triethylene melamine, in retinoblastoma, 43:865
- Triethylene thiophosphoramide, to prevent pterygium recurrence, 54:751
- Triflupromazine, in ophthalmic surgery, 53:683; 54:129
- Tritium, steady-state in anterior chamber, 43:779
- Troncoso, Manuel Uribe, 43:855, 856; 47:597
- Tropical eye infections, in Africa, 45:355
- Tropometer, 36:1628
- TRYPsin**, in experimental hyphema, 43:275
 - in hemorrhage, 40:209
 - in inflammations, 38:84; 40:209
 - in thrombosis, 38:84
 - in trauma, 40:209
- Tryptophane deficiency, protein synthesis in, 47:368
- Tuberculin sensitivity, after sensitization with leukocytes, 49:1423
- Tuberculum sellae, meningioma of, 36:715
- TUBERCULOSIS**, chemotherapy in, 39:758
 - choroiditis, treatment of, 39:653
 - desensitization therapy in ocular, 49:378
 - effect isonicotinic acid hydrazide on, 36:1767
 - endogenous corneal ring ulcer and, 54:1137
 - endophthalmitis, due to activation of latent, 45:403
 - isoniazid in, 38:199
 - Middlebrook-Dubos test in, 51:627
 - of conjunctiva, 50:265
 - old tuberculin in, 36:990
 - PAS in, 39:103
 - Rimifon in, 36:1628
 - surgery in ocular, 38:568
 - terramycin in, 39:103
 - therapy of ocular, 39:103
 - eye changes in, 48:402
 - roentgen-ray, 36:1772
 - uveitis and, tuberculin reaction in, 40:647
- Tuberculosis meningitis, fundus in, 37:215
- neurosurgery in, 41:753
- ocular complications of, 48:297
- ocular sequelae of, 41:753
- Tuberous sclerosis, 38:573; 45:110
 - glial tumor of retina and, 41:428
 - pathologic description of, 42:737
- Tubocurarine chloride, in cataract surgery, 47:487
- TUMORS**, 45:574
 - angiography, in presellar and suprasellar, 37:55

TUMORS (*continued*)

- angioma: See Angiomas
- angiosarcoma, 54:769
- at limbus, 36:1292
- bronchogenic carcinoma, metastatic to aphakic eye, 49:96
- carcinoma: See Carcinoma
- cells, behavior in rat eyes, 52:816/384
- chemotherapy in, and marrow transplantation, 51:785
- congenital anomalies simulating, 45:102
- cystic dermoid, 36:508
- diagnosis of, P³² in, 39:170, 888
- diktyoma, 49:606
- di-iodofluorescein-I²⁵, to detect intraocular, 54:191
- epithelioma: See Epithelioma
- exophthalmos due to metastatic, 49:1034
- experimental production of ocular, 48:98
 - effect reoperation and diathermy on, 48:429
- exploratory sclerotomy for, 48:211
- Foster-Kennedy syndrome, 36:983
- Fuchs' epithelioma, in filtering bleb, 54:842
- hemangioma: See Hemangioma
- identification, ultrasound in, 49:249
- intra-epithelial epithelioma, 43:111
- intraocular, acoustic biomicroscopy of, 51:1203
 - lymphosarcoma, 52:412
 - management of, 44:313
 - radon seeds to treat, 46:649
 - uptake P³² by, 37:45
- involving optic chiasm, 50:1031
- lymphoma: See Lymphomas
- lymphangioma, 54:766
- melanoma: See Melanoma
- meningioma, 54:766
 - ocular signs of, 45:30
- mesothelioma, 43:213
- metastases, in extrinsic muscles, 49:723
- metastatic, malignant, 54:767
 - management of, 44:313
- nasopharyngeal, 42:368
- epiphora as sign of, 50:644
- neurofibromatosis: See Neurofibromatosis
- of adnexa, 38:860
- of anterior visual pathways, 42:347
- of brain, 36:1627
- of choroid, 37:107, 254, 873; 38:97, 163; 39:33; 43:630, 723; 45:51, 654; 46:402; 48:542, 612, 855; 49:1406; 50:3, 330; 51:517, 1294, 1296; 52:107
- long-term follow-up, 36:61
- metastatic, from breast, 46:14
- neurofibromatosis, 54:217
- radioactive iodine to treat, 44:222
- of ciliary body, 38:104; 39:37; 43:294, 307; 45:835
- adult type medullo-epithelioma, 46:19
- P³² uptake by, 42:204
- of conjunctiva, 36:989; 37:589; 39:96; 44:408; 50:147; 52:266, 412
- malignant, 40:252
 - melanomas, 45:536
- of cornea, 53:661; 54:1142
- of cyst of Moll, 43:968
- of distal nerve, 47:195
- of eye, 37:944; 38:860
- of eyelid, 36:989, 1628; 37:122, 270, 426; 39:208; 44:629; 52:408; 53:142; 54:135
- chalazionlike, 54:249
- epithelial, 40:522
- of fornix, 38:228
- of iris, 36:989; 37:781; 39:37; 42:924; 43:303, 305, 307, 457; 44:319, 685; 45:221, 707; 47:412; 48:825; 53:870
- management of, 44:319
- melanoma of, treatment for, 47:118
- of lacrimal gland, 39:575; 47:859; 49:1428, 1429; 54:765
- primary epithelial, 41:996
- of lacrimal sac, 42:561; 44:548; 49:1420; 51:1303
- of limbus, 42:630; 51:154; 53:661
- keratoplasty in, 53:670
- of maxillary sinus, eye involvement in, 49:1337
- of meibomian gland, 37:259
- of ocular adnexa, 38:860; 51:481
- of optic chiasm, 40:856; 42:347

TUMORS (continued)

- of optic disc, 44:320; 47:195
- of optic nerve, 39:885; 42:347; 43:630, 723; 44:4; 46:745; 47:77; 53:382; 54:767
- of optic nervehead, 50:338; 53:535
- of optic tract, 42:585
- of orbit, 36:265, 970, 1468; 37:571; 39:43, 239, 584; 40:257, 786; 41:234; 43:303, 615; 46:392; 47:91, 863; 49:833, 1431; 51:522
- expanding, 41:3
- hypernephroma metastatic to, 48:386
- primary, 46:501
- retinal folds in, 48:111; 53:26
- sarcoidosis, 41:1054
- thyroid disease and, 53:467
- of pancreas, metastatic to orbit, 48:107
- of parotid gland, 46:227
- of pars ciliaris retinae, 52:659
- of peripheral nerve, 54:768
- of pituitary, 37:880; 38:721; 40:434; 42:362
- arcuate field defects due to, 45:505
- ophthalmic changes in, 40:353
- of retina, 36:847; 47:44
- pigment epithelium, 42:207; 45:495; 47:311; 53:383
- retinoblastoma: See Retinoblastoma
- of salivary gland, 47:859
- of skin, keratoacanthoma, 49:822
- of superior oblique, 45:631
- of superior tarsi, 53:527
- of third ventricle, 42:371
- of tuberculum sellae, 36:715
- of uvea, 36:1199; 37:204; 49:612
- melanoma, 49:594
- prepubertal, 47:202
- metastatic, 37:867
- plastic surgery to repair defects from, 46:635
- radiation to treat, 50:1215
- radioactive phosphorus, to detect, 38:93; 41:507
- uptake, by eye, 36:774
- retheliosarcoma, 36:1786
- retinal tears and, 46:74
- rhabdomyosarcoma, 54:768
- in infancy and childhood, 53:463
- rosettes of, 52:497
- sphenoidal ridge, 36:1785
- suprasellar, 36:1784
- meningioma, 39:582
- xantho-granuloma, 53:455
- Twins, heterochromic cyclitis in identical, 41:768
- 217MI: See Phospholine iodide
- Type, printers, for subnormal vision, 48:122
- Tyzine, ophthalmic use of, 42:121

U

- U-0045, as local anesthetic, 36:1744
- ULCERS**, dendritic, alpha chymotrypsin in, 50:496
- bilateral, 45:934
- of cornea, due to Proteus vulgaris, 48:775
- glaucoma and, 45:826
- Pseudomonas, 48:741
- pyocyanus, 37:538
- See also under organ, region, etc.
- ULTRASONICS**, in ocular diagnosis, 41:488
- locator, 46:319
- radiation, blood absorption from vitreous and, 44:150
- effect on eye and adnexa, 42:696
- ULTRASOUND**, 49:249
- biomicroscopy, 51:1203
- in locating techniques, in ophthalmology, 45:720
- study, of vitreous, 46:361
- time-amplitude, in ocular diagnosis, 54:1103
- to diagnose intraocular tumors, 51:1203
- to study acoustic properties of ocular media, 46:319
- Ultrastructure: See Electron microscopy
- Ultraviolet, action spectra, ophthalmic, 41:969
- light, effect on hyaluronic acid, 43:469
- luminescence, of anterior segment, 45:924
- UREA**, 53:988
- C¹⁴-labeled, intraocular transport of, 50:1130
- localization, in rabbit eye, 54:63

UREA (continued)

- in acute angle-closure glaucoma, 52:323, 872, 875, 992
- in glaucoma secondary to hyphema, 53:590
- intravenous, 50:818
- hypertonic, in cataract extraction, 54:753
- in angle-closure glaucoma, 50:379
- in malignant glaucoma, 54:309
- to reduce, intracranial pressure, 49:164
- intraocular pressure, 49:164
- Urecholine, in chronic glaucoma, 36:442
- Urticaria, cortisone causing, 36:120
- UVEA**, bilateral metastatic carcinoma of, 37:204
- blood flow pattern of, 54:1057
- coloboma of, 39:586
- diseases of, retinal lesions with, 42:831
- mast cells in, 49:1426
- hormones and, 45:292
- and vitamin C, 47:509
- melanomas of, culture of, 46:163
- malignant, 49:594, 612
- metastatic, 36:1199
- prepubertal, 47:202
- metastatic tumors of, 37:867
- sensitivity to tissue of, 39:377
- tissues of, hypersensitivity to, 39:196
- UVEITIS**, 45:125; 47:591
- after cataract extraction, 37:949; 40:205
- ancillary consultations in diagnosis of, 51:761
- anterior, 47:1155
- aqueous in, 36:1776
- auto-immune, 49:629
- avian lymphomatosis and, 51:424
- bacterial allergy and, 40:705
- Brucella, effect adrenal cortex therapy on, 36:1025
- c-reactive protein tests in, 48:502
- cataract, secondary glaucoma and, 37:570
- chronic, steroids in, 45:923
- complications of, 50:247
- serum sickness, 41:534
- diagnostic problems in, 39:423
- due to Endamoeba histolytica, 50:496, 662
- effect cyproheptadine on, 50:465
- effect Kenacort on, 48:777
- endogenous, 40:265; 45:123; 52:269
- in adults, 50:179
- tuberculin reaction in, 40:647
- entities of, 45:251
- etiologic diagnosis of, 45:20
- etiology of, modern concepts of, 50:1170
- experimental, effect trauma on, 41:299
- glaucoma, optic neuritis and, 39:573
- retrobulbar neuritis and, 38:615
- secondary, 36:719
- gliomatous pseudo-, diagnosis of, 45:439
- gonioscopy in, 42:545
- granulomatous, 38:194
- coccidioidomycosis and, 45:102
- histoplasmosis and, 49:205
- immunologic reactions in, 51:761
- herpes simplex, experimental, 49:627
- hormonal steroid therapy in, tension increase due to, 39:175
- horse-serum, compound F in, 36:690
- hypertensive, of virus origin, 54:846
- immunologic, effect Anergex on, 52:340
- in childhood, 45:304
- intestinal protozoa and, 50:179
- lens-induced, 45:251
- lens protein toxicity and, 48:463
- nongranulomatous, 39:247
- nonspecific tests in, 48:502
- panniculitis, and relapsing, 48:730
- papillitis, poliosis and, 43:304
- pathogenesis of, 45:251
- peripheral, 49:1257
- pathogenesis, etiology and treatment, 51:19
- perivasculitis and, 47:176
- personality inventory in, 50:180
- phacotoxic, 45:251
- plasmin in, 54:70
- pleuropneumonia-like organisms in, 43:597

UVEITIS (*continued*)

- posterior, manifestations of, 47:171
- prednisolone in, 41:593
- prednisone in, 41:593
- psychopathology in, adults with, 48:312
- retinal arteriosclerosis and, 51:797
- retinal detachment in, 47:1174
- rheumatism and, 45:127
- sedimentation rate in, 44:393
- sensitivity studies, in nongranulomatous, 51:761
- serologic reactions in, 51:761
- signs and symptoms of, 47:155, 171
- study of, 43:637
- survey, correction, 52:282
 - sponsored by American Academy of Ophthalmology and Otolaryngology, 51:761
- systemic collagen disease and, 45:11
- therapy of, 48:539; 50:236, 661
 - management of side-effects in, 50:246
- tonsil infection and, 40:434
- toxoplasmic, 53:1021
 - allergic recurrence of, 49:1423
 - pyrimethamine and sulfadiazine in, 42:217
- triamcinolone in, 49:55
- tuberculous, 39:749
- vitreous detachment in, 47:172
- vitreous opacities in, 47:171
- Uyemura's syndrome, 48:101

V

- Vaccination, keratitis due to smallpox, 36:1774
 - with heat-killed Toxoplasma, 48:322
- Vaccine, tissue culture in recurrent herpetic keratitis, 54:255
- Vaccinia, conjunctivitis, 53:531
 - keratitis, immunity studies in, 40:194
 - of eyelids, aureomycin in, 36:1786
- Vail, Derrick, 45:735
- Varicella, eyelid swelling in, 52:408
 - ocular, 51:1307
- Varidase, buccal, in ophthalmology, 48:823
 - See also Streptodornase and Streptokinase
- Vascular bed of eye, influence ACTH on, 38:122, 655
 - influence cortisone on, 38:122
- Vascular changes, in Coats' disease, 54:175
 - visual failure and, 47:590
- Vascular disease, new theories of, 39:362
 - papilledema and, 50:1084
 - retinal changes in, grading and recording, 45:165
- Vascular lesions, of diabetes mellitus, 36:957
- Vascular proliferation, in toxic retinopathy, 50:64
- Vascular system, anomalies of, syringomelia and, 39:728
- Vasoconstrictors, 51:824
 - Tyzine, ophthalmic use of, 42:121
- Vasodilators, comparison of, 49:625
 - effect on choroidal circulation, 42:899
 - in hemorrhagic glaucoma, 37:401
 - in retinal vein occlusion, 51:456
- Vasomotor neuroses, 39:8
- Veasey, Clarence Archibald, Jr., 51:543
- Veins, physiologic constrictions in eye, 38:845
- Velcro, in binocular bandages, 54:303
- Velter, Edmond, 49:164
- Vena cava obstruction, eye signs in, 42:685
 - glaucoma and, 42:685
- Vergence, accommodation and, 49:1140/54
 - AC/A ratios defined, 48:141
 - pupil size changes and, 52:762/330
- Verhoeff, sclerotomy, in expulsive hemorrhage, 51:264
- Vernal conjunctivitis: See under Conjunctivitis
- Versene, to remove corneal rust, 41:1075
- Vertigo, effect prisms on, 42:621
- Vestibulo-ocular system, 45:774
- Veterans Administrations Hospitals, 48:689
- Vienna, ophthalmologists of, contributions to ophthalmology, 36:15
 - salute to, 36:126
- VIRUSES**, adenoviruses: See Adenoviruses
- APC**, in follicular conjunctivitis, 41:231

VIRUSES (*continued*)

- APC** (*continued*)
 - isolated in case of epidemic keratoconjunctivitis, 40:200
- Behcet's disease caused by, 36:601; 41:41
- cultivation of, of trachoma, 48:682
- cytomegalic inclusion disease due to, 47:152
- diseases, 46:402
 - medication in, 39:91
 - of cornea, 36:1463
- epidemic keratoconjunctivitis, 43:71
- fluorescent antibodies to study, 52:72
- herpes simplex, in eye disease, 43:113
 - isolation of, 43:126
- See also under Herpes
- in keratoconjunctivitis, 36:1469; 40:180
- See also 43: April, Part II
- inclusion conjunctivitis, egg grown, infectivity of, 53:780
- inoculation human volunteer with, 53:786
- isolation of, 53:774
- infections, neuritis due to, 54:846
 - uveitis due to, 54:846
- mumps, experimental intraocular infection with, 39:579
- pleuropneumonia-like, in uveitis, 43:597
- studies, metabolism fluid tissue cultures for, 36:162
- trachoma: See Trachoma
- vaccinia, effect adrenal steroids on, 36:116
- Visine, an ocular decongestant, 48:395
- VISION**, after congenital cataract surgery, 52:368
 - after goniotomy, 48:264
 - binocular, bar reader to train, 53:867
 - effect alcohol on, 39:44
 - blurred in uveitis, 47:157
 - clinics for low, 48:177
 - cone, in retinitis pigmentosa, 42:253
 - corticogenic, 47:358
 - direction sense in, 36:139
 - emergence of, in animal world, 46:447
 - failure in, vascular changes and, 47:590
 - four-way screener to test, 49:154
 - in aged, 38:235
 - in carcinoma meningitis, 52:681
 - in industry, 36:1737
 - limited, 49:157
 - loss of, gradual, 38:568
 - low binocular correction for, 45:23
 - children with, newer optical aids for, 46:813
 - optical aids for, 47:582
 - near, in school children, 52:732
 - optic nerve circulatory disturbances and, 47:767
 - patron gods of, 42:903
 - photoreceptor process in, 40:18
 - physiology of, optics and, 36:1769
 - pocket tester for, 53:860
 - retinal local signs in normal, 45:662
 - rod, in retinitis pigmentosa, 42:253
 - subnormal management of, 49:1430
 - optical devices to correct, 40:29
 - print for, 48:122
 - strong reading additions for, 38:362
 - television reader for, 47:580
 - uncorrectible, assistance in, 43:466
- TESTS**, for infants, 38:714
 - for near, 45:127
 - for school children, 44:508
 - mobile eye chart for, 53:1109
 - water-to-air, lens system for, 48:265
- VISUAL ACUITY**, apparatus for grading, 44:693
 - birth weight and, 38:850
 - determination of, according to Goldmann, 42:123
 - deterioration under glare, 46:353
 - frequency distribution of, 49:1047
 - in pituitary tumor, 40:362
 - in retinitis pigmentosa, after Dicumarol, 39:46
 - international nomenclature for, 36:909
 - Landolt ring test for, guessing bias of, 46:77
 - normal without glasses, 36:1768
 - orientation preference and, 48:6
 - separation difficulty and, 53:471
 - Snellen on, 53:152

VISUAL ACUITY (continued)

- tests, charts for, 37:803
- to measure far and near, 48:807
- for near, 45:127
- Visual adaptation, bleaching visual pigments and, 40:34
- synthesis visual pigments and, 40:34
- Visual aids, for partially sighted, 41:30
- in office practice, 46:186
- Visual axes, deviation, after Barany test, 42:621
- after turning test, 36:1768
- labyrinthine stimulation and, 42:621
- VISUAL CELLS**, electric manifestation of life processes of, 48:347
- layer, of developing eye, acid mucopolysaccharides in, 47:488
- metabolic, injuries to, 40:60
- manifestations of life processes of, 48:347
- of retina, toxic effects on, 36:103
- oxygen production metabolic injury of, 40:63
- pathology of, ERG changes in, 43:470
- X-radiation production metabolic injury of, 40:63
- Visual damage, in retrolental fibroplasia, 53:337
- Visual disturbances, after vertebral arteriography, 53:540
- Visual efficiency, 44:231
- eye closure sign related to, 48:537
- Visual examinations, referral standards for school children, 37:710
- Visual excitation, chemistry of, 40:18
- Visual experience, brightness in, 43:786
- form in, 43:786
- Visual factors, in reading, 36:1577
- Visual failure, in lesions optic chiasm, 50:1031
- in tuberculous meningitis, 48:297
- VISUAL FIELDS**, after acute blood loss, 38:817
- arcuate defects in, due to pituitary tumor, 45:505
- changes, in retinal ischemia, 45:79
- charts, international standardization of, 36:1771
- DEFECTS**, bitemporal, 50:1031
- in amblyopia, due to alcohol, 53:967
- due to nutritional deficiency, 53:967
- due to tobacco, 53:967
- in lesions parietotemporal lobe, 50:1056
- in optic neuritis, 37:273
- in pituitary tumors, 40:354
- in tuberculous meningitis, 48:297
- in war casualties, 36:1144
- examination, tachystoscopic, 37:719
- findings, in functional diseases, 42:75
- fluorescent test object for taking, 47:688
- for colors, direct current measurement of, 36:1594
- Harrington-Flocks test in aphakia, 41:987
- in bilateral homonymous hemianopia, 47:42
- in glaucoma, 45:128
- pathogenesis of, 47:177
- in lesions of optic chiasm, 50:1031
- in optic nerve compression, 44:834
- in partial glaucomatous excavation, 36:1777
- in pituitary tumor, 37:880
- in retinitis pigmentosa, after Dicumarol, 39:46
- in stenosis aqueduct of Sylvius, 49:261
- industrial deafness and, 54:1003
- loss, in glaucoma, 40:573
- due to circulatory insufficiency optic nerve, 47:177
- perimetry: See Perimetry
- relation to driving safety, 44:657
- screening test, 41:683
- status of in open-angle glaucoma, 53:435
- studies, 43:483
- after occlusion anterior choroidal artery, 40:796
- tests, with binocular fixation, 39:566
- visual perception and, 43:279
- with reduced illumination, in glaucoma, 43:403
- Visual function, effect visual training on, 44:230
- higher, testing of, 48:819
- in aged, 44:29
- Visual hallucinations, hemianopia and, 52:274
- Visual impairment, from NP207, 40:753
- in hydraencephaly, 51:267
- Visual localization, in hemianopia, 43:465
- Visual loss, after quinine, 44:110

Visual loss (continued)

- following mitral commissurotomy, for mitral stenosis, 44:213
- retinal ischemia and, 45:79
- Visual malingering, test for, 42:776
- Visual motor gestalt test, relation to eye and other handicaps, 36:112
- Visual pathways, appraisal function of, 40:580
- in chameleon, 45:288
- tumors of anterior, 42:347
- Visual perception, age and, 43:465
- sensory stimuli and, 43:466
- T illusion, 50:336
- visual fields and, 43:279
- Visual pigments, as proteins, 40:29
- bleaching of, visual adaptation and, 40:34
- synthesis of, visual adaptation and, 40:34
- Visual purple, effect irradiation on, 39:849
- Visual requirements, in Air Force, 36:353
- VISUAL SCREENING**, apparatus for, 41:1077
- four-way screener for, 49:154
- Gunn pupil sign in, 54:1109
- in industry, 46:227
- in school children, 52:278, 283
- comparison two tests for, 52:511
- in Danbury, Connecticut, 39:527
- occluder for, 48:847
- tests, 39:369
- multiple, for eye diseases, 46:331
- near tests in, 45:127
- Visual sensitivity, absorption spectra and, 40:30
- Visual sensory units, minimal angle resolution and, 46:102
- Visual skills, school achievement and, 36:794
- Visual space, effect on primate eye, 52:799/367
- Visual stimulation, binocular summation of subliminal repetitive, 49:1121/35
- Visual system, electrophysiology of, symposium on, complete index, 46:Part II, Sept. 1179, 180, 181, 182
- of honeybee, 45:287
- VISUAL TESTS**, card for near vision, 46:592
- comparison two for school screening, 52:511
- evaluation of, Ishihara, Farnsworth and H-R-R, 51:298
- Ortho-Rater and wall chart, 37:699
- for children, 46:219
- preschool, 44:38; 52:712
- for malingering, 36:985
- Massachusetts, analysis results with, 36:363
- near vision, for preschool children, 52:712
- picture test, with illiterate E., 44:38
- projector chart for, 52:988
- Visual training, effect on visual function, 44:230
- Visumotor reactions in hemiplegics, 50:627
- Visuosensory reactions, in hemiplegics, 50:627
- Visuscope, to map retinal function, 47:677
- VITAMINS:**
- A, deficiency of, Bitot's spots and, 36:109; 50:568
- effect on central nervous system, 50:171
- eye disease and, 52:726
- night blindness and, 40:36
- effect on intraocular dynamics, 50:309
- 11-cis, to prevent retinal rod degeneration, 46:205
- eye and, 44:694
- in healing corneal ulcers, 38:810
- intoxication, 50:165
- B in oxidation vitamin A to retinene, 40:39
- B₁₂, role in diabetic retinopathy, 38:53
- C, deficiency, effect on uveal mast cells, 47:509
- radioactive sulfate to study, 47:519
- study of, in corneal acid injuries, 40:111
- turnover, effect Diamox on, 41:522
- See also Ascorbic acid
- deficiencies of, in aged, 38:241
- D, excess of, calcified scleral nodules due to, 39:658
- E, in diabetic retinopathy, 37:581
- VITREOUS**, acoustic properties of, 46:361
- after intracapsular cataract extraction, 40:862
- after intravenous NaHCO₃, 42:195
- alterations, fundus changes due to, 39:631
- anterior chamber depth and, 43:781
- anterior, ascension phenomenon of, 53:55

VITREOUS (continued)

- antibacterial properties of, 51:326; 54:797
- aspiration, replacement with spinal fluid, 37:234
- bicarbonate ion concentration in, 44:480
- blood absorption from, ultrasonic radiation and, 44:150
- bulge, emergency treatment of, 44:409
- cavity, cysticercus of, 44:819
- slitlamp microscopy of, 36:1497
- changes, after injection antigen into, 48:447
- and mechanism of retinal detachment, 44:335
- pathologic, clinical aspects of, 38:8
- collection, storage and selection, 50:108
- detachment, as seen by slitlamp, 36:1497
- in uveitis, 47:1172
- nuclear sclerosis and, 54:837
- diffusion studies with ox, 51:814
- discussions on, 38:37
- edema of, 39:83
- effect blood on, 46:356
- effect hemoglobin on, 43:292
- effect iron compounds on, 46:356
- effect on plasma, 53:51
- effect photocoagulation on, 54:3
- extraction luxated cataract from fluid, 45:909
- face, after intracapsular cataract extraction, 45:59
- floaters, dispersing of, 46:225
- Iodo-Niacin in, 42:711
- fluid, cataract extraction in presence of, 47:249
- foreign body in, management of, 39:752
- formation, role vitreous cells in, 45:291
- hemorrhage, absorption of, 39:677
- in arsenic retinopathy, 50:64
- Iodo-Niacin in, 42:771
- sickle-cell disease and, 38:204; 45:870
- and hemoglobin-C disease, 42:707
- ultrasound in, 49:249
- hyaluronate, 49:1360
- in ectodermal dysplasia, 45:143
- in retinal detachment surgery, 52:374
- loss of, 46:87; 50:786
- avoiding hammock pupil after, 36:56
- prevention of, 36:1618
- macrophages of, 49:1046, 1185/99
- nucleus retained in, 50:814
- opacities, echogram in, 49:1301
- in uveitis, 47:1171
- oxygen in, in anoxia, 41:1067
- in hyperoxia, 41:1067
- tension of, 42:764
- pathology of, 40:743
- perfusion, aqueous outflow and, 47:657
- persistent hyperplastic, congenital aphakia and, 49:945
- histology of, 47:491
- primary, 40:317
- plasma, aqueous and, 49:1046
- posterior detachment of, 40:580
- preservation of, 47:304
- prolapse, handling eyes with, 48:397
- sequelae of, 39:1100
- treatment of, 39:1100
- proliferations, 45:127
- clinical study with Kodachrome fundus photography, 44:609
- properties of, dependent on hyaluronic acid, 39:100
- self-sterilizing, 53:501
- proteins of, residual, 42:338; 50:228
- retinal adhesion, 44:339
- senile liquefaction of, 44:336
- slitlamp microscopy of, 42:887; 48:538
- stability, biochemical studies on, 41:1024
- steady-state tritiated water in, 45:929
- studies on, 39:1100
- structure of, 36:599; 38:21, *29
- diffusion studies of, 49:625
- surgery, 47:103
- synchrony of, 39:744
- syndrome, after cataract surgery, 36:599
- transplantation of, 43:139
- ultrasound study of, 46:361
- vascular veils of, 39:742
- viscosity study, of aspirated human, 52:374

VITREOUS (continued)

- whitish mass in, 38:568
- Vitreoretinal degeneration, 50:813
- Vogt, white limbus girdle of, 50:101
- Vogt-Koyanagi syndrome, precipitated by lens extraction, 39:488
- relation to sympathetic ophthalmia, 43:433, 735
- Voluntary ocular fibrillation, 39:78

W

- Wagener, Henry P., 52:280
- Waite, John Herbert, 44:279
- Wald, George, 40:3, *4, *5
- Wallerian degeneration, electron microscopy of, 45:928
- Walsh, Frank Burton, 54:717
- a visitor at the city morgue, 54:530
- portrait, 54:529
- War, casualties, visual field defects in, 36:1144
- Water, diffusion of, in cornea, 49:1011
- drinking test, aqueous outflow after, 40:693
- evaluation of, 51:451
- mechanism of, 51:601
- transport, from cornea, 40:100
- tritiated to measure, 47:419
- Weather, influence on expulsive hemorrhage, 36:1765
- Weber-Christian syndrome, 48:730
- Wegener's granulomatosis, 50:1203
- ocular manifestations of, 44:789
- Werner's syndrome, 45:143
- Wernicke's disease, 37:431; 52:990
- Wiegert, ligament of, effect drugs on, 50:170
- Wills Eye Hospital conference, 36:863; 39:759; 45:237
- Wilmer Institute, new research building, 53:389
- Wilmer Residents Association, 36:993; 46:410
- Wilson's syndrome, abortive form of, 44:623
- Wilzbach technique, in preparation tritiated acetazolamide 51:323
- Wire fistulization, dacryocystorhinostomy with, 48:769
- Wolff, Eugene, 37:802
- Women, dark adaptation in, with genital disorders, 38:839
- Woods, Alan C., 41:373, 374, 551
- WOUNDS**, closure, 46:85
- after cataract surgery, 47:246; 48:660
- corneoscleral, 46:397
- early components of, 43:778
- effect cortisone on healing of, 40:344
- gaping, emergency treatment of, 44:409
- healing of ocular, 46:405
- after cataract surgery, 36:1779
- cortisone and, 40:344
- influence epithelium on, 45:89
- of sutured limbal, wound strength and, 39:859
- incisions, of cornea, 45:89
- infections of, tonsils and, 41:1080
- nonhealing, after cataract extraction, 36:1780
- of cornea: See under Cornea
- perforating, of ciliary body, 47:309
- regeneration of intraocular, 36:987
- strength, 39:859
- tissue responses in, 43:667
- See also under area, organ, etc.

X

- Xanthogranuloma, juvenile, 49:1
- intraocular, 53:455
- Xanthomatosis, 54:310
- Xanthomatous diseases, eye findings in, 44:530
- Xerophthalmia, Bitot's spots and, 36:109
- parotid duct transfer in, 54:1150
- Xerosis, fundus white spots and, 48:101
- X-RAYS**:
- cataract due to, hexokinase in, 43:893
- characteristics, of ophthalmic lenses, 51:1268
- effect on intraocular antibody-antigen reactions, 45:293
- localization, of foreign bodies, 53:494
- slit-method for, 41:302
- metabolic injuries of visual cell and, 40:63
- radiation, effect on ocular tissues, 42:51
- lens changes after, 42:44
- reference contact lens, 51:417

X-RAYS (*continued*)

- THERAPY**, in bilateral metastatic carcinoma of choid, 45:654
 in Coats' disease, 54:175
 in Eales' diseases, 49:1311
 in epithelial downgrowth, 39:868
 in eyelid malignancies, 52:1
 in intraocular tumors, 44:313
 in lymphadenoglaucomatous syndrome, 52:101
 in neovoxanthoendothelioma, 47:683; 49:1
 in optic nerve tumors, 44:4
 in retinal vascular disease, 49:1311
 in retinoblastoma, long-term, 44:411
 in xanthogranuloma, 53:455
 late corneal damage after, 45:137
 to diagnose lacrimal gland tumors, 49:1428

Y

- Yale University Clinical Conferences, 36:391, 986; 37:119, 270, 593; 38:97, 568, 724; 39:245, 749; 40:113, 265, 741; 41:1079; 43:132, 300, 977; 44:543; 50:337, 502, 661

- Yale University Postgraduate Series, 52:270, 573; 53:537, 1021; 54:317, 469, 1149
 You and Your Eyes, 50:245
 Yttrium⁹⁰, hypophysectomy, ocular complications of, 49:476
 studies of eye after, 42:85
 Yudkin, Arthur M., 44:129

Z

- Zentmayer, William, 45:945; 46:412
 Zephiran, effect on corneal viability, 47:308
 Zonula, electron microscopy of, 45:720
ZONULE, effect drugs on, 50:170
 studies on, 46:299
 by microzonulotomy, 53:345
ZONULOLYSIS, enzymatic, 46:235; 49:531; 54:89
 in cataract extraction, 49:531
 experience in, 812, 52:195
 histology of, 49:67
 in infants and children, 54:95
 Zonulotomy, suture in sclera for, 47:867
 Zygoma, fracture involving orbit, 39:183

TEN-YEAR CUMULATIVE ABSTRACT INDEX (1953—Volume 36 to 1962—Volume 54)

A

A and V syndromes, 53:402
 Abducens, EMG studies palsy of, 39:906
 operative treatment of, 47:282
 paralysis, 40:938; 41:545
 bilateral, 51:1315
 congenital, 51:851
 in cranial lesions, 46:284
 Abduction, defective, surgery of, 36:878
 deficiency, elbow dysgenesis and, 36:286
 Aberdeen, adenovirus eye infections in, 45:486
 Ablatio falciformis, retrolental fibroplasia and, 41:1107
 Abnormalities: See Congenital anomalies
 Abortion, visual disturbances after clinical, 40:612
 Abscess, of cornea, 48:881
 of eyebrow, in twins, 37:642
 of sclera, 47:718
 Acanthosis nigricans, 48:146
ACCOMMODATION: 40:455
 action sympatholytics on, 41:893
 antagonist innervation of, 37:136
 applanation tonometry and, 51:330, 52:143
 centering lens surfaces during, 36:1168
 changes during, in ciliary band, 45:472
 observed by gonioscopy, 40:760
 ciliary muscles and, 42:515
 innervation and, 44:431
 Colenbrander's method to study, 46:766
 convergence and, 38:750, 39:129, 42:518, 45:958, 53:714
 associated, 47:270
 ratio of, 40:455
 curve, 45:959
 distance between eye and lens and, 45:760
 disturbance of, pilocarpine test for, 36:1485
 during vestibular stimulation, 39:920
 dynamics of, 51:736
 effect drugs on, 37:136; 47:585
 effect homatropine on, 42:947
 effort syndrome, 44:138
 electric response in, 47:263
 equal and unequal maximum, 48:562
 excessive, 49:862
 exercise for, 45:960
 eye focus and, 37:140
 eye tonic "Stulln" and, 40:144
 functional spasm of, 48:122
 hyperbolic equations of, 41:541, 43:817
 in asthenopes, 44:137
 in myopia, 53:1043
 in nutritional retrobulbar neuritis, 36:416
 in presbyopia, 41:898
 in strabismus, 47:121
 influence age on, 42:166
 influence illumination on, 37:470
 influence sound on, 44:286
 influence size test object, 38:751
 intracapsular, 36:566
 intraocular factors in, 51:187
 lens during, 37:139
 metabolic changes of, 41:891
 replacement activity of, 36:282
 levels, under asymmetric convergence, 36:1170
 measurement of, 51:850
 with concave lens, 38:432
 mechanism of, 36:565
 motility of lens in, in aged, 37:605
 near-point of, 36:1305; 41:572
 lability of, 36:1170
 of resting eye, 37:136
 paralysis of, 43:336; 50:684
 optic neuritis and, 41:353
 pupilligraphy in, 48:134
 phenomenon of, 50:825
 phoria and, 41:160, 908
 potential at rest, 45:142
 pupil size and, 51:712
 range through distance correction, 37:606
 research on, 36:1168

ACCOMMODATION (continued)

responses to electric stimuli, 37:967
 role sympathetic in, 45:468
 spasm of, 40:455
 in central nervous system disease, 52:1018
 stimulus to, 40:739
 sympathetic control of, 47:585
 through a reading glass, 36:562
 time characteristics of, 36:742, 1641
 tonogram changes during, 47:721
 trifocals and, 36:1169
 vergence and, 47:120, 585
ACETAZOLAMIDE: ciliary body metabolism after, 48:871
 constrictive action of, 53:398
 effect on aqueous outflow, 51:550
 effect on venous pressure of eye, 50:822, 51:347
 ocular tension drop after, 49:183
 transient myopia after, 52:739
 pharmacology of, 49:1442
 retinal metabolism after, 48:871
 See also Daraprim, Diamox, and similar agents
ACETYLCHOLINE: in corneal grafts, 42:811, 44:435
 in epidemic keratoconjunctivitis, 40:293
 in healing eye burns, 43:819
 metabolism, in visual pathways, 37:465
 of iris, 36:1162
 shock, blood-aqueous barrier and, 44:706
 skin reaction to, 36:742
 synthesis, in corneal epithelium, 45:464
 topical administration of, 36:577
 Achromatopsia: See Color blindness
 Achromycin, effect on anterior chamber, 43:810
 in trachoma, 51:553
 levels, in aqueous and vitreous, 48:120
 passage into anterior chamber, 43:810
ACIDS: alpha ketoglutaric, in lens, 52:581
 deficiencies of, eye signs of, 53:165
 desoxyribonucleic in eye, 52:292
 effect on action potential optic nerve, 54:330
 iodoacetic, effect on aqueous, 54:1160
 lactic, in aqueous and plasma, 52:431
 in lens, 52:742
 neuraminic, of aqueous, 50:823
 of cornea, 50:823
 of vitreous, 52:459
 pyruvic, in lens, 52:742
 sialic, in eye, 52:291, 54:330
 tioctic, action on vision, 52:131
 Acoustic, section of eye, 53:173
 stimuli, visual functions and, 52:744
 Aerodynia, eye symptoms of, 38:901, 42:824
 Acromegaly, diabetes and, 45:333
 ocular tension in, 50:533
 Acrylic, fast polymerizing, in orbital tumors, 45:181
 lens: See Intraocular lens
ACTH: 36:1175, 1306; 37:471, 472, 473, 607; 39:132
 after intravenous typhoid vaccine, 42:132
 blood-aqueous barrier permeability and, 43:809
 clinical experience with, 36:1767
 collagen disease and, 36:735
 effect on, aqueous, 39:121
 mitosis corneal epithelium, 51:731
 ocular tension, 42:816
 P²² uptake of cornea, 41:565
 retinal metabolism, 45:752
 glycogen of retina after, 44:707
 histopathologic findings after, 36:736
 hydrolyzate of, 40:295
 in angioneurotic edema, 37:310
 in cataract surgery, 42:936
 in collagen, 40:611
 in corneal ulcers, 52:299
 in experimental tuberculosis, 39:448, 51:1337
 in eye disease, 43:506
 in Harada's disease, 41:1095
 in intraocular hemorrhage, 53:170
 in keratoconjunctivitis sicca, 41:168
 in malignant exophthalmos, 41:321

ACTH (continued)

- in ocular pemphigus, 39:610
- in ophthalmology, 36:283
- in retinal pigment degeneration, 36:590
- in retinal vascular disturbances, 52:133
- in retinitis pigmentosa, 36:1648; 37:627; 39:770; 40:152
- in retrolental fibroplasia, 36:154
- in rosacea keratitis, 36:148
- in Sjögren's syndrome, 37:472; 39:923
- in sympathetic ophthalmia, 36:289
- in uveitis, 38:596
- in vernal conjunctivitis, 45:776
- influence on, ERG, 46:921
 - healing corneal ulcers, 51:710, 53:170
 - retinal metabolism, 38:117
- value in eye disease, 37:286
- Actinomycosis, corneal ulcer due to, 54:491
- of eyelid, soft parts skull and, 43:845
- of lacrimal canal, 36:757
- ADAPTATION**: 45:470
 - action light on, 51:1333
 - dark: See Dark adaptation
 - effect Adaptin on, 44:436
 - in strabismus, 36:566
 - instrument to mark, 47:616, 617
 - light: See Light adaptation
 - monocular, dark adaptation and, 45:469
 - pupillary movements in, 52:134
- Adaptin, effect on adaptation, 44:436
- effect on retinal sensitivity to light, 45:754
- influence on ERG, 51:1341
- light sensitivity and, 44:705
- Adaptometer, automatic recording, 38:586
- radium, to examine night vision, 37:138
- Adaptometry, in amblyopia of strabismus, 45:771
- in glaucoma, 52:307
- of retina, 51:737
- Adenocarcinoma, implanted in rabbit anterior chamber, 38:743
- of eyelid, 36:160
- of meibomian gland, 48:140
- of optic nerve head, 52:596
- ADENOMA**: hypophyseal, treatment with androgen steroids, 37:629
- of anterior chamber, 36:161
- of conjunctiva, 39:453
- of glands of Moll, 50:1284
- of pituitary, 51:565
- effect estrogen on, 46:768
- semiology of, 52:588
- Adenovirus: See under Viruses
- ADIE**: pupil, due to ciliary ganglion lesions, 49:873
- syndrome, 37:833; 41:733; 47:137; 48:707; 50:352; 54:341
 - pathogenesis of, 49:404
 - pupil in, 51:1355; 52:590
- Adiposogenital dystrophy, scotopic vision in, 40:286
- ADNEXA**: fungus infections of, 36:1651
- hemangiomas of, 37:317
- keratoanthoma of, 40:609
- reticulo-endothelial cytoma of, 42:678
- tumors of, 37:837
- Adolescents, refractive errors in, 38:451
- Adrenal cortex, role in diabetic retinopathy, 46:111
- Adrenals, aqueous flow rate and, 51:1331
- hypoplasia of, keratomalacia and, 50:1262
- steroids, effect typhoid vaccine on, 43:1003
- uses and abuses of, 40:285
- Adrenalin, action on ocular tension, 41:919
- in glaucoma, 43:649; 51:1348
- K-ions in aqueous and serum and, 42:166
- retinopathy produced by, 43:997
- systemic, in primary glaucoma, 54:891
- Adrenergic mechanisms, aqueous outflow and, 51:549
- Adrenocortical lipids, action on choroid, 42:161
- Adrenosem, in diabetic retinopathy, 41:891
- in glaucoma, 41:891
- Adrenoxyl in hyphema, 52:1013
- Adrianol, in ophthalmology, 53:551
- Aeronautes, ophthalmic problems of, 41:1126
- Aerobic micro-organisms, in ophthalmology, 36:276

- Afghanistan, trachoma in, 50:204
- Africa, cataract in, 47:924
- children of, eye diseases in, 46:624
- onchocerciasis in, 48:145, 146, 286
- trachoma in French West, 46:626
- AFTER-IMAGES**: Cuepper's method of, 48:877
- elimination eye movements during, 48:879
- examination, 45:763
- interocular transfer of, 36:740
- muscle proprioception and, 47:910
- myosensory impulses and, 47:709
- phases, neurophysiologic basis of, 46:619
- pleoptics and, 51:192
- stereoscopic effect of, 43:1002
- studies on, 50:197
- successive contrast and, 50:521
- to treat amblyopia, 41:572; 43:498; 45:759; 46:619; 50:198
- to treat eccentric fixation, 43:510
- to treat extrafoveal fixation, 46:619
- AGE**: aqueous flow and, 48:577
- aqueous outflow and, 53:886
- carbohydrate metabolism and, 51:859
- color matching and, 44:285
- color sense and, 39:607
- effect on, aqueous secretion, 51:550
- lens metabolism, 41:318, 872; 45:143
- glare and, 51:348
- histochemistry eye and, 37:136
- influence on, accommodation, 42:166
- lens mitosis, 54:501
- ocular motility, 43:507
- lens exfoliation and, 43:522
- lens metabolism and, 42:130
- lens proteins and, 46:614
- lenticular sclerosis and, 44:150
- ocular changes in middle, 43:827
- pupil dilatation with dark adaptation and, 44:709
- refraction changes and, 38:123
- Age, anesthesia for, 39:608
- epiphora of, 39:619
- macular degeneration in, 44:297
- oculomotor paralysis in, 45:158
- retinal vascular patterns in, 52:311
- AGING**: biology of, 54:731
- changes in visual functions with, 48:554
- dark adaptation and, 41:570
- disease and, 41:573
- effect on lens epithelium, 41:568
- ERG and, 54:896
- eye and, 43:1017; 49:663, 859; 54:525
- fundus changes and, 54:902
- gaze adjustment in, 44:437
- lens protein changes in, 42:513
- retinal detachment and, 54:900
- vitreous and, 54:897
- Agnosis, in concomitant strabismus, 51:849
- Agranulocytosis, conjunctivitis in, 44:444
- keratitis in, 44:444
- Agriculture, metallic foreign bodies in, 38:899
- AIR**: embolism in eye, 44:560
- in eye, 43:1005
- in ocular surgery, 43:163; 44:559
- injections of, cyclodialysis and, 47:722
- for flat anterior chamber, 43:503
- glaucoma and, 41:174
- observations on, 42:949
- subconjunctival in eye surgery, 38:877
- suprachoroidal, in retinal detachment, 36:157
- sickness, eyes in, 38:425
- AKINESIA**: anesthesia and, 38:592
- curare in, 44:143
- in cataract surgery, 42:335
- long duration, 43:825, 826
- oculomotor, of anesthetics, 52:740
- of eyelids, 50:523
- of orbicularis, 46:255
- Albers-Schoenberg disease, 38:285
- ALBINISM** 36:1019, 1495; 48:714; 49:1080, 1462; 53:745
- color vision in, 46:250

ALBINISM (*continued*)

- genetics of, 37:982
- hereditary in, 43:663, 664
- nystagmus and, 50:361
- Albucid, discovery of, 40:313
- Albumin, of aqueous, 47:704
- ALCOHOL**: action retrolubular on pigment degeneration retina, 39:900
 - corneal damage due to, 39:121
 - effect on dark adaptation, 49:174
 - ethyl, amblyopia due to, 47:136
 - influence on, carotene level, 36:1484
 - eye efficiency, 36:1484
 - vitamin-A level 36:1484
- methyl: See Methanol
- nystagmus, after intoxication from, 43:656
- retrolubular injection of, 36:1770
- Alcoholic, deficiency amblyopia in, 50:1279
- Aldolase activity, in beef lens, 43:489
- age and, 43:489
- Algeria, ophthalmic teams in, 46:770
- Alkali burns of cornea, effect aqueous pH on, 48:872
- Alkaline reserve, of ocular fluids, 44:704
- Alkaloids, ocular tension and, 42:904
- Alkaptonuria, 45:336
 - ochronosis and, 49:867
 - scleral pigmentation in, 38:879
- Allergenic extracts, in cataracts, 37:621
- ALLERGY**: 39:135, 47:902
 - after cataract extraction, 36:1647
 - anterior segment and, 46:611
 - antiallergic therapy, 47:280
 - antibiotics in, 43:824
 - auto-aggression diseases and ocular, 47:262
 - bacteria and, 45:953
 - bacterial of eye, 42:139; 52:290
 - blepharoconjunctival, 36:878
 - blister plaster test in eye, 45:480
 - cataract and, 36:587; 50:535
 - catgut, in muscle surgery, 52:297
 - conjunctivitis due to, skin tests in, 36:569
 - therapeutic results, 39:138
 - cortisone in ocular, 37:462, 602
 - dermatoses due to, 47:903
 - desensitizing therapy in eye, 47:711
 - diagnosis of ocular, 36:1652
 - due to lens protein, 43:149
 - effect of ASC 16 on, 44:709
 - encephalomyelitis and, uveitis in, 47:260
 - exophthalmos due to, 53:208
 - eye diseases due to, 52:301
 - eyelid affections due to, 47:739
 - fundus manifestations of, 39:147
 - fungus infections and, 45:952
 - immunologic approach to ocular, 42:140
 - in experimental tuberculosis, 39:435
 - in infectious diseases, 36:553
 - in trachoma, 46:770
 - in vernal catarrh, 47:283
 - in vernal conjunctivitis, 53:715
 - influence on eye diseases, 37:601
 - iridocyclitis and, 37:614
 - due to proteins, 47:100
 - keratoplasty and, 45:953
 - lens proteins and, 45:463
 - manifestations of, in ophthalmology, 38:115
 - modern treatment of, 41:164
 - ocular tension and, 36:290
 - of brain, retrolubular neuritis and, 51:207
 - of conjunctiva, bulbar, 36:1646
 - foci infection in, 45:490
 - of cornea, 36:1646
 - of external eye, 43:505
 - of pinguecula, 39:138
 - opacification corneal graft due to, 47:426
 - ophthalmomycosis and, 47:716
 - parallergic phenomenon, 51:728
 - pathologic findings in ocular, 36:1652
 - phenomena of, 50:517
 - phlyctenular conjunctivitis due to, 38:756
 - physiologic hypothesis of, 43:487

ALLERGY (*continued*)

- pollen, of conjunctiva, 36:1644
- psychogenic, retrolubular neuritis and, 38:115
- retinitis due to, in tuberculosis, 48:887
- retrolubular neuritis and, 44:299
- stress and, 43:504
- study of ocular, 45:953
- sympathetic ophthalmia as phenomenon of, 49:660
- symposium on ocular, 41:560
- therapy of ocular, 38:125
- to antibiotics, 44:439
- to antivenine serum, 48:143
- to cortisone, 50:1283
- to hydrocortone and atropine, 38:595
- to injection of egg white, 41:560
- to lens substances, 38:744; 51:731; 53:164
- to medication, 50:191
- to pollen, vernal conjunctivitis due to, 38:755
- traumatic factor in, 50:821
- treatment of ocular, 36:1652
- tuberculosis of eye and, 36:1158, 1480; 54:728
- effect cortisone on, 49:392
- uvea and, 46:612
- uveitis and, 54:1169
- vascular phenomenon of, 40:925
- Alloplasty, corneal, 36:1646
- Alloxan diabetes, cataract due to, 51:753
- retinal vessels in, 43:999
- Aloe extract, in vernal conjunctivitis, 54:491
- to treat high myopia, 49:656
- Alopecia, repair of superciliary, 37:835
- ALPHA CHYMOTRYPSIN**: 48:703; 52:446; 53:558; 54:894
- action of, 53:1040
 - on cornea, 49:861; 54:340
 - adverse effects of, 53:398
 - biochemistry of, 50:519
 - cannula to apply, 53:400
 - cataract extraction with and without, 49:1076
 - corneal injury due to, 51:197
 - effect on, cells, 53:1037
 - corneal wound healing, 50:834
 - hyaloid membrane, 50:193
 - rabbit eye, 47:877; 53:1035
 - retina, 50:518
 - S³⁵ uptake of cornea, 53:1037
 - zonule, 50:193; 51:717
- electrophoresis of, 48:559
- erisophake and, 49:663, 1453
- gonioscopy to study effect of, 52:451
- electrotonography to study effect of, 52:451
- histology zonulolysis with, 47:876
- in cataract extraction, 48:419, 576, 577, 578; 49:662, 1075; 50:534, 536, 679, 1269; 51:357, 537; 52:452, 453; 53:202, 558; 54:745
- postoperative complications of, 50:535
- in choriopathy, 47:926
- in congenital cataract, 52:447
- in dendritic keratitis, 53:189
- in dendritic ulcer, 50:496
- in intraocular hemorrhage, 50:1259
- in lacrimal passage lesions, 50:1282
- in retinopathy, 47:926
- influence on vitreous, 52:458
- irrigation cannula for, 50:524
- laboratory study of, 54:729
- late observations on use of, 53:708
- ocular effects of, 50:519
- ocular toxicity of, 51:190
- pharmacology of, 50:519
- report of committee on, 50:520
- stability of, 51:1332
- trypsin and, in cataract surgery, 50:1267
- unfavorable effects of, 50:1271
- zonulolysis and, 48:874
- See also under Zonulolysis
- Zonolytic effect of, compared to trypsin, 48:279
- Alpha crystallin, chemical structure of, 52:431
- AMAUIROSIS**: 48:887
 - after carotid occlusion, cyclodiathermy to treat, 50:1285
 - congenital, 47:927

AMAUIROSIS (*continued*)

- eclamptic, 52:1024
- fugax, 45:792
 - transient visual loss and, 43:827
- hysterical, 39:272; 40:153
- in optic neuromyelitis, 39:272
- in pregnancy, 37:307
- intermittent exophthalmos and, 36:419
- pupil reflex and, 48:426
- quinine 40:280
- surgery in, due to cranial trauma, 42:340
- Amaurotic familial idiocy, 44:308; 45:590; 46:122; 53:415
- lipid disease of bone and, 46:784
- AMBLYOPIA:** 39:608; 47:620; 54:1161
 - active treatment of, 53:554
 - after-images to treat, 41:572; 45:759; 46:619; 50:198
 - alcohol, 50:1279
 - and tobacco, 42:341
 - anisometropia, strabismus and, 49:865
 - artificial scotoma to treat, 41:569
 - astigmatism with, due to orbital lipoma, 49:1460
 - attention and, 54:156
 - binocular muscle imbalance and, 51:553
 - care after re-education in, 45:151
 - causes of, 41:125
 - cerebral cortex activity in, 37:478
 - cheiroscopic drawing to treat, 42:169
 - classification of, 48:877
 - color blindness and, 54:883
 - color discrimination and, 45:151
 - color fields in, 44:357
 - dark adaptation in, 46:249
 - diagnosis of, 47:613
 - distance and near vision in, 43:496
 - due to ethyl alcohol, 47:136
 - due to strabismus, 43:829
 - fixation patterns in, 43:829
 - EEG in, 45:148, 46:766, 54:156
 - EOG in, 45:159
 - to study fixation, 45:158
 - etiology of, in twins, 43:321
 - Euthyscope in, 50:1258, 54:734
- EX ANOPSIA:** 42:168, 46:621
 - cerebral electric response in, 36:142
 - Cuepper's method in, 50:520
 - eccentric fixation in, 41:572
 - glaucoma and, 39:281
 - in infants, 45:760
 - magnifying lenses to treat, 49:175
 - treatment of, 40:922, 42:950
 - by pointing, 45:148
- false diagnosis of, in strabismus, 53:400
- fixation in, 40:760; 45:147; 51:351
 - behavior of, 48:880
 - central, 53:180
 - eccentric to treat, 40:760; 53:177
 - influence strabismus surgery on, 47:619
 - of false light, 45:756
- flicker stimulation in, 37:138
- foveal vision in, 39:446
- functional 49:1443
- hysterical, 39:272; 41:1110; 44:566
 - autonomic conditioning in, 47:875
 - autonomic responses in, 47:273
 - perception in, 47:273
- in nonsquinters, 48:568
- inhibition in, 50:832
 - bases of, 54:490
- legal evaluation of, 50:825
- lens malformation and, 53:1067
- luminosity sense in, 53:1042
- macula in, 54:511
- Maxwell's spot in, 53:179
- mental depression and 43:528
- occlusion in, 53:745
 - polaroid glasses for, 52:742
- optokinetic nystagmus and, 48:125
- perceptual time in, 51:551
- phylogenesis of, 50:198
- physiopathologic factors in, 45:152
- pleoptics in, 45:758; 50:521; 52:745; 53:174

AMBLYOPIA (*continued*)

- polaroid glasses to treat, 47:273
- prophylaxis in, 54:1163
- pseudo-, 54:883
- psychogenic, 48:562
- psychologic problems in, 42:809
- psychotherapy of, 48:568
- pursuit movements in, 52:439
- quinine, 40:141, 777
- reaction time in, 46:249; 53:550
- retina and, 54:508
- separation in, 41:157
- STRABISMUS** and, 39:445; 41:569; 44:143; 51:195, 351
 - adaptometry in, 45:771
 - concomitant and, 50:202
 - Cuepper's Euthyscope in, 53:712
 - postimage method in, 48:567
 - evaluation of, 40:769
 - inhibition eye with, 50:520
 - localization in, 51:851
 - motor difficulties in, 50:1260
 - occlusion in, 42:328
 - operations and, 47:120
 - pleoptics in, 48:567
 - scotoma in, 54:1167
 - sensory motor symptoms in, 49:179
 - threshold of vision in, 43:322
 - treatment of, 48:567
 - visual improvement in, 47:910
 - studies on, 54:337
 - suppression, treatment of, 52:745
 - tobacco, gastric function in, 36:753
 - vitamin B₁₂ deficiency and, 47:132
 - toxic, 51:170
 - due to digitalis, 44:305
 - due to Ethambutol, 54:730
 - due to ethyl-pyridine, 37:629
 - due to phenepazine hydrochloride, 52:741
 - due to mercaptopurine, 45:480
- TREATMENT** of, 38:434; 42:167; 44:139, 285, 288; 45:149; 48:875; 49:862; 50:198
 - by after-image, 43:498
 - by eccentric fixation, 44:556
 - by film Visuscope, 52:138
 - history of, 36:1653
 - in children, 54:882
 - permanency of, 42:169
 - prediction results of, 51:735
 - visual acuity, determination in, 47:709
 - in treated, 50:824
 - visual distortion in, 46:922
 - visual fields in beri-beri, 39:786
 - Visuscope for, 52:134
 - without strabismus, 49:656; 53:713
 - sensory motor co-ordination in, 50:684
- Amblyoscope, 46:424
 - indications for use of, 42:807
- Amebiasis, choroiditis and, 45:166
- hemagglutination in diagnosis, 53:400
- America, onchoercoasis in, 48:145
- American Academy of Ophthalmology and Otolaryngology,
 - president's address, 50:362
 - problems of, 54:171
- American Cancer Society, research funds of, 51:528
- American Foundation for Blind, research funds, 51:528
- American Medical Association, research funds, 51:528
- American ophthalmology for 1958, 53:746
- AMETROPIA:** 44:308
 - acrylic lens in anterior chamber in, 41:159
 - anterior chamber depth in, 48:274
 - correction in childhood, 43:495
 - cylindric, 42:167
 - effect on autokinetic phenomenon, 43:158
 - emmetropia and, 53:1040
 - fundus reflex in, 44:710
 - in infancy, 36:1307
 - in school children, 47:272
 - in visual field studies, 37:142
 - influence on anterior chamber measurements, 54:483
 - optogeometrics in spectacles for, 37:467

AMETROPIA (continued)

- retinal circulation and, 40:142
- retinal image in, 40:922
- AMINO ACIDS**, action cocaine on, 37:135
- action on retinal light sensitivity, 37:133
- chromatography of, 42:160
 - of ocular fluids and lens, 36:738
 - content of lens, after radiation, 37:602
 - effect on regeneration of visual purple, 47:612
 - free, in aqueous, 37:602; 39:441; 51:189
 - in interstitial corneal fluid, 51:189
 - in lens, 36:1163
 - in cataract treatment, 37:621
 - influence on corneal metabolism, 36:138
 - levels, in intraocular fluids, 36:1164
 - in lens, 36:1164
 - of aqueous proteins, 40:919
 - of lens, 50:193
 - of vitreous, 38:583; 50:193
 - scar-producing action of, 36:138
- Amino-aciduria, 48:434
- Ammonium chloride, action on aqueous formation, 43:1000
- Amnion cell, tissue culture of human, 47:262
- Amniotic membrane, in symblepharon surgery, 46:261
- to treat corneal ulcers, 49:867
- Amperometric titration, of lens, 47:707
- Amphotericin B, effects of, 47:261
 - in fungus infections, 51:551; 53:1033
- Amyloidosis, 47:139
 - familial, 48:714
 - hereditary primary, 41:1118
 - of conjunctiva, 49:1447; 53:1054
 - of eyelid, 53:1054
 - ocular diagnosis of, 51:335
- Anaphylactic, power of corneal extracts, 36:1159
 - of substantia propria extracts, 36:1159
 - reactions, to corneal proteins, 36:1158
- Anaphylaxis, active, 36:1765
 - corneal, 50:528
 - edema of, 36:137
 - passive, 36:1765
- Anatomy, developmental of nasolacrimal duct, 36:136
 - in lens pathology, 49:401
 - of eye, comparative, 43:147
 - Neoprene casts to study, 45:462
- Anemia, aplastic, fundus changes in, 36:1318; 54:912
 - idiopathic, eye in, 53:752
- ERG in, 51:866
- fundus changes in, 36:1314
 - aplastic, 36:1318; 54:912
- hypoparathyroidism and pernicious, 49:1076
- in glaucoma, 40:931
- ocular complications of, in Mediterranean, 37:641
- papilledema and, 48:422
- pernicious, denervation muscles in, 51:1343
 - optic nerve degeneration in, 36:753
 - retrobulbar neuritis and optic atrophy in, 52:1018
 - scotoma as symptom, 52:600
 - visual damage due to, 47:928
- retinopathy in, 48:580
- sickle-cell, eye manifestations of, 45:606
- Anencephaly, eye study in, 43:149; 51:1364
- Anesthalgia, glaucoma and, 47:724
- ANESTHESIA**: 36:1172; 39:773; 40:284; 45:478; 46:622; 50:199
 - action carotid injections curare in non-, 37:133
 - advances in, 51:194
 - after cataract surgery, 47:923
 - aid to eye, 36:1771
 - akinesia and, 38:592
 - artificial hibernation in eye surgery, 41:901
 - cocaine of cornea, effect hyaluronidase on, 47:266
 - curare in, 36:567, 876
 - without general, 42:175
 - drugs and techniques for, 43:318
 - effect eserine on corneal, 36:280
 - for aged, 39:608
 - for children, 38:436; 41:903; 43:826
 - fundus changes in, 42:668

ANESTHESIA (continued)

- GENERAL**: 36:877; 37:474; 39:262; 40:765; 45:156; 46:423, 766; 48:565; 53:709; 54:161
 - did Ali Ibn Isa use, 51:868
 - effect on ocular tension, 48:290; 53:723
 - effect succinylcholine during, 49:1444
 - in cataract extraction, 47:127, 433
 - in children, 41:164
 - in infants, 37:141; 47:912
 - in intraocular surgery, 47:428
 - ocular tension of newborn under, 54:739
 - recent developments in, 51:552
 - tonometry during, 54:498
 - glyceria ether in, 51:1340
 - Heptadon-ephedrine-scopolamine in, 36:1643
 - hypnotic, 39:774
 - hypothermic, ERG in, 53:1038, 1069
 - in cataract extraction, 38:599
 - in children, 50:201
 - in intraocular surgery, 43:503, 822
 - influence on strabismus, 46:929
 - intravenous, 40:920
 - a combined, 36:877
 - for infants, 39:132
 - in cataract extraction, 39:782
 - local, in cataract surgery, 52:580
 - long-lasting agents for, 40:289
 - of sphenoid fissure, 45:485
 - vascular complications of, 48:409
 - lytic cocktail for, 47:712
 - mask, for children, 43:505
 - ocular findings in, 43:505
 - oculomotor akinesia in, 52:740
 - of cornea, 48:559
 - potentiated, 45:482; 47:614
 - preoperative medication for, 45:478, 762, 767
 - sedation, analgesia and, 36:1642
 - Primacaine HCl for, 45:961; 46:254
 - Propazin, for children, 53:710
 - rectal, in children, 42:806
 - retrobulbar, agents used in, 38:430
 - continuous, 43:505
 - effect on intraocular pressure, 43:159
 - privine and, 52:137
 - procaine for, study on, 41:902
 - scophedal in, 36:741
 - serial retrobulbar, 37:474
 - succinylcholine in, 47:882
 - surface, corneacin for, 37:465; 45:465
 - effect on corneal epithelium regeneration, 40:282
 - novesina for, 38:119
 - ophthaine for, 41:162
 - unilateral blindness during, 39:447
- Anesthetic, corneacin as, effect on pupil, 41:568
- for retrobulbar injection, 38:430
- local, balcaina as, 51:731
 - corneal changes due to, 54:524
 - corneal damage due to, 53:404
 - historical review, 49:1463
- topical, 37:141; 43:827
- ANEURYSM**: arteriovenous, of cavernous sinus, 37:976
 - of retina, 47:434; 54:165, 900
- carotid, 53:1048
 - foramen lacerum syndrome and, 36:1319
 - optic nerve atrophy and, 45:794
- cerebral, extraocular paresis and, 51:716
- headache and, 44:855
- in migraine, 52:589
- neurinoma of orbit and, 50:356
- conjunctival, in diabetes, 45:488; 50:1262
- glaucoma secondary to, exophthalmos and, 43:177
- headache, paralysis and, 43:823
- in diabetes, 44:445
- in sella turcica, symptoms of, 48:134
- internal carotid, 42:674; 52:313
- intracranial, 40:604, 939; 49:178
 - carotid and cerebral arteries in, 43:188
 - eye complications of, 46:115
 - eye signs of, 53:208
 - ophthalmoplegia due to, 46:434
 - pseudoglaucoma syndromes in, 43:656

ANEURYSM (continued)

- intracranial (continued)
 visual apparatus and, 40:605
 intraocular hemorrhage after rupture of, 36:1171
 intraorbital arteriovenous, 49:1456
 micro-, See Microaneurysms
 neuro-ophthalmologic symptoms of, 49:404
 ocular hypertension and, 36:152
 of brain, visual field defects in, 47:137
 of circle of Willis, preretinal hemorrhages in, 40:153
 of ophthalmic artery, 43:345; 53:418
 of orbit, 54:515
 of retina, 40:777; 41:180; 42:667; 47:434, 727; 53:743
 optic nerve decompression in, 36:417
 pulsating exophthalmos due to, 47:738
 supraclinoid, 50:359
 traumatic carotico-cavernous, 42:962
 Angiectases, in diabetes, 39:271
 Angiitis, granulomatous, 41:1118
 nodular scleritis and, 48:412
 Angiocardiography, optic nerve sheath hemorrhage after, 41:339
 subhyaloid hemorrhage after, 41:339
 Angiodiathermy, in glaucoma, 43:837
 results of, 36:151, 1311
 Angiofibrosarcoma, of orbit, 49:1456
 Angiograms, in ophthalmology, 44:558
 Angiography, 42:338
 carotid, eye complications of, 36:1494
 cerebral, denial of blindness after, 43:496
 in unilateral exophthalmos, 44:857
 to diagnose, orbital lesions, 46:116; 49:176
 pituitary lesions, 37:308
ANGIOID STREAKS: 42:673; 43:1015
 classification of, 41:182
 Groenblad-Strandberg syndrome and, 42:958; 43:527
 lens dislocation and, 52:441
 mottled fundus and, 52:311
 of retina, 47:435; 53:733
 arterial disease and, 44:721
 pathology of, 39:269
 pseudoxanthoma elasticum and, 43:182; 52:1014
 arterial elastic degeneration and, 37:625
ANGIOMA: blood vessels in diagnosing, 42:667
 cerebral, headache and, 50:351
 facial, glaucoma and, 46:117
 of choroid, 36:408; 39:265; 45:780; 46:932
 of eyelids, 39:275; 48:137
 of lacrimal sac, 36:1322
 of optic nerve, 36:416
 of orbit, 39:275; 44:458; 47:742
 phlebography to diagnose, 51:365
 venous cavernous, 49:405
 Angiomatosis, cerebral, 40:305
 familial, 48:716
 histology of, 43:180
 of retina, 41:1103; 42:145, 672; 43:180; 47:729, 731
 diathermy for, 41:1104
 photocoagulation in, 54:898
 surgery of, 42:667
 Angioneurosis, cerebrospinal pumping in ocular, 37:608
 Angioreticuloma, of orbit, 50:686
 Angiosarcoma of Kaposi, 46:437
 Angiosclerosis, of choroid, 54:737
 Angioscopy, retinal in chronic glaucoma, 40:296
 Angiospasm, blindness due to, 45:767
 Angiotonometer, calibration of Baumann's, 42:173
 Animals, ophthalmoscopy of, 52:296
ANIRIDIA, after cataract extraction, 39:146
 and related iris defects, 46:427
 congenital, 36:1007; 39:280
 corneal changes in, 42:526
 family study of, 51:867
 glaucoma and, gonitomy for, 36:882
 iris defects and, 46:427
 in hereditary, 52:601
 traumatic, 36:759; 46:269
ANISEIKONIA: 36:283; 40:142; 43:816; 48:122; 53:1042
 artificial, 43:1002
 dendritic ulcer and, 42:170

ANISEIKONIA (continued)

- diagnosis of, 39:126
 heterophoria and, 37:146
 Howard-Dolman test for, 36:1487
 in emmetropes, 36:1488
 in isometropes, 36:1488
 space eikonometry in, 36:739
 testing of, 39:608
 with low refractive error, 41:161
 Anisocoria, 39:921
 familial, 47:745
 in tuberculosis, 41:354
 test for, 51:738
 Anisodominance, anisopia and, 43:157
 Anisometropia, acrylic lenses in anterior chamber in, 41:159
 correction in high, 43:1003
 facial asymmetry and, 40:307
 hereditary in, 42:324
 high myopic, tonography to study, 52:307
 light sense in, 40:920
 ocular motility and, 54:338
 strabismus, amblyopia and, 49:865
 unequal corrected vision and, 41:899
 visual behavior in, 40:143
 Anisopia, anisodominance and, 43:157
 Anisophoria, clinical significance of, 39:137
 Ankyloblepharon, filiforme adnatum, 40:608; 49:1458; 51:868
 internum, congenital, management of, 43:846
 Annales d'oculistique et de gynecologie, 48:147
 Anomalies: See Congenital anomalies
 Anomaloscope, examination with Nagel, 47:709
 guide for using, 44:559
 in testing color vision, 53:1044
 of Hioki, 41:158
 Anomalous correspondence, 48:874
 anaglyphic phenomena in, 44:712
 early squint surgery and, 50:202
 exotropia and, in twins, 46:258
 in comitant strabismus, 54:490
 normal and abnormal localization, 44:138
 Anophthalmos, 51:212, 1364
 bilateral, 50:688
 congenital, 45:601, 800
 in mice, inheritance of, 46:893
 cysts of orbit and, 45:796
 ectopia of kidney and, 42:827
 pedigree of, 45:337
 Anopsia, altitudinal after thoracoplasty, 36:159
 Anorexia nervosa, subcapsular cataract and, 49:187
ANOXIA, cataract and, 47:609
 cerebral, after cardiac arrest, blindness due to, 48:581
 EEG in, 41:894
 ERG in, 41:894
 in central nervous system, due to pitressin, 41:740
 influence on eye, 47:609
 visual fields in chronic, 48:874
ANTERIOR CHAMBER, absence after cataract extraction, 43:651
 absorption iodine into, 37:458
 achromycin passage into, 43:810
 acrylic lenses in, 38:588; 43:650
 See also Intraocular lenses
 adenocarcinoma implantation into rabbit, 38:743
 adenoma and epithelialization of, 36:161
 after cyclodialysis, 47:285
ANGLE of, 43:996
 anatomy of, 49:391
 atrophy corneoscleral trabeculae and, 52:141
 by transillumination, 38:124
 color stereophotography of, 50:1258
 development of, 42:157
 of anterior, 40:756
 extraction glass from, 41:738
 filtering system of, 44:432
 foreign bodies at, 52:1023
 gonioscopy of, after zonulolysis, 54:1171
 in glaucoma, 42:137; 54:493, 496
 in Marfan's syndrome, 51:562; 52:142

ANTERIOR CHAMBER (continued)**ANGLE** of (continued)

- in retinal vascular occlusion, 49:1455
- innervation of, 41:865
 - trabecular system of, 40:139
- melanoma of, 48:142
- obstruction of, 50:196
- pathology of, in glaucoma, 46:628
- photocoagulation of, 51:329
- photography of, 48:879; 49:177; 51:1340
- red ring of, miotics and, 47:126
- stereophotography of, 52:746
- studies on, 45:321
- tumor of, 39:779
 - under different magnifications, 51:1336
 - width, and pigmentation of, 45:157
- anomalies, in connective tissue disorders, 51:556
- aqueous flare and protein content in, 53:191, 192
- aqueous removal from, aqueous flow after, 46:244
- aqueous staining, after fluorescein injections into, 36:1647
- Arthus reaction in, 41:151
- cannula, 50:201
- cervical ganglion excision, diffusion into and, 42:515
- cholesterol crystals in, 53:193
- cholesterosis of, 41:1094
- ciliary muscle insertion, 43:147
- closure of, in cataract extraction, 43:651
- cortisone injections into, 37:137
- cotton fibrils in, 39:131
- cysts in, 36:1646; 44:146; 53:406
 - after cataract extraction, 42:665
 - after iridencleisis, 37:153
- epithelial, surgery of, 50:835
 - postoperative, 51:748
- DEPTH:** 50:826
 - aqueous outflow and, 42:334
 - changes in, during growth, 51:187
 - in glaucoma, 39:780
 - refraction and, 37:469
 - in ametropia, 48:274
 - in primary acute glaucoma, 43:328
 - in simple glaucoma, 46:429
 - measurement of, 36:570
 - ocular hypertension and, 42:333
 - recording of, 52:135
 - serial, 53:550
 - ultrasound to measure, 53:1045
- dextran fraction elimination from, 48:279
- dimensions of human, 54:328
- drainage, conjunctival lymphatics and, 45:140
- drug resorption in, 42:163
- effect fibrinolysin on blood in, 51:1330
- effect ointment in, 45:473
- effect polyethylene tubing in angle of, 41:692
- electronic manometer for, 47:615
- epithelial downgrowth into, 41:1116; 43:531; 45:588; 46:621; 48:291
 - after cataract extraction, 46:275
 - delayed, 40:291
 - glaucoma after, 51:857
 - surgery for, 45:479
- eyelash in, 41:361; 42:340; 44:142, 728; 51:211
- fibrin clots in, dissolving of, 36:569
- fibrinolysis in, 52:292
- filtration, pore size and, 45:748
- flat, 41:177
 - after cataract extraction, 42:930; 43:503
 - Diamox to treat, 41:582
 - glaucoma secondary to, 42:334
- fluorescein in, 36:559
 - study with Wood's light, 46:246
- fluorescence of, 38:125
- foreign bodies in, 51:1341
 - extraction of, 49:197; 53:564
 - migration of, 42:159
- formation of aqueous in, 40:141
- gas bubbles in, 42:162
- glaucoma and introduction air into, 41:174
- gonioscopic studies of, 43:837

ANTERIOR CHAMBER (continued)

- hemorrhage, after cataract extraction, 49:186; 51:357
 - Diamox in, 47:628
 - weather and, 47:628
- after injury, 46:284
- epinephrine in, 45:174
- noncoagulability of, 36:279
- glutaminic acid in, 36:875
 - treatment of contusion, 51:568
- herpetic viruses in, 47:719
- horsefly larva in, 41:1121
- hyaline deposits in, 36:289; 47:622
- hydrocortisone retention in, 52:293
- hypopyon, effect hyaluronidase on, 36:735
- instrument to enlarge opening into, 47:710
- iris in, 37:152
- iris tissue spaces and communication with, 47:603
- lenses: See Intraocular lenses
- lipoidosis of, in diabetic iritis, 45:319
- liquid, after ionizing radiation, 53:192
- measurements, influence ametropia on, 54:483
- opening of, razor blade for, 41:902
- outflow, from shallow, 47:424
 - pressure of, 45:144
- oxygen pressure in, 47:703
- pigmentation of, glaucoma and, 49:1450
- placenta implanted into, 51:193
- plastic lens in, 41:1100
- pseudocysts in, 46:770
- puncture, after 20 years, 54:890
 - in clinical ophthalmology, 42:328
 - in foreign body extraction, 50:285
 - in leprosy iritis, 39:142
 - prognostic value of, 39:265
- reformation, after cataract extraction, sutures and, 53:728
- corneal sutures and, 41:165
- delayed, 46:274
 - after trephination, 36:1008
 - in cataract extraction, 49:402
 - ocular hypertension and, 37:297
 - simple treatment for, 40:941
- restoration, by surgery, 41:176
- rose thorn in, 37:157
- shallow, Graefe knife incision in, 49:1453
 - peripheral chamber depth in, 48:130
- sodium thiocyanate penetration into, 47:268
- sutures in, to lower ocular tension, 52:445
- synchias due to flattened, 42:334
- trabecular meshwork of angle of, 45:751
- tumor implantation into, 39:435
- volume, outflow capacity and, 48:872
- ANTERIOR SEGMENT,** after cortisone, 44:141
 - allergic processes of, 46:611
 - amputation, technique for, 36:1015
 - Butazolidin in lesions of, 51:1339
 - crystals in, 37:456
 - effect parasympathetic stimulation on, 49:653
 - histochemical study of, 36:551
 - hypoplasia, and congenital hydrocephalus, 38:451
 - inflammations, 49:176
 - protein-C reaction in, 47:624
 - photography of, 49:177
 - color, 42:808
 - stereophotography of, 52:746
 - tumors of, 52:1022
 - virus diseases of, 45:472
- Anthrax, infection of eyelid, 44:726; 49:1458
- Antibiotic-producing bacteria, in conjunctivitis, 38:115
 - in foreign body extraction, 50:1285
- ANTIBIOTICS:** 37:462; 39:134; 41:905; 44:288; 46:252; 47:712
 - action on herpes virus, 36:1159
 - allergy to, 44:439
 - antibody content cornea after, 49:392
 - bactericidal effect of, 46:920
 - Biophthal, new combination of, 39:447
 - broad-spectrum, 45:157

ANTIBIOTICS (continued)

- by subconjunctival injection, 39:771
 - Candida albicans* after, 48:882
 - chemotherapeutic agents and, 38:589
 - choice of, in external infections, 45:141
 - clinical use of, 38:590
 - colimycin, 38:121
 - combinations of, 38:436
 - corneal infections and, 43:645
 - corticosteroids and, 53:550
 - diffusion of, 51:1332
 - effect on, conjunctival bacilli, 43:148
 - eye, 37:460
 - fungus infections, 44:439
 - herpetic keratitis, 39:898
 - trachoma virus, 44:145
 - gas gangrene infections and, 42:131
 - in aspergillosis, 51:853
 - in cataract extraction, 46:631
 - in chemical injuries, 36:759
 - in chronic eye diseases, 36:567
 - in corneal ulcers, 39:909
 - in dacryocystitis, 45:601
 - in diphtheria, 45:960
 - in diplobacillar conjunctivitis, 37:290
 - in endoculic infection, 43:825
 - in eye allergy, 43:824
 - in eye disease, 43:502
 - in foreign bodies, 36:759
 - in metastatic ophthalmia, 43:159
 - in panophthalmitis, 36:1014
 - in *Pseudomonas* corneal ulcers, 50:673
 - in trachoma, 36:289, 743; 37:610; 54:485
 - in tuberculous meningitis, 36:158
 - in vitreous, 39:442
 - micro-organisms and, 36:280
 - mixed bacterial infections and, 44:704
 - new, 51:548
 - ocular flora sensitive to, 52:290
 - penetration of, 45:143
 - by iontophoresis, 41:863
 - pharmacology of, 46:252
 - polymyxin E, 36:138
 - producing micro-organisms, 45:141
 - prophylactic, in cataract extraction, 42:335
 - resistance to, 46:252
 - retention in cul-de-sac, 37:454
 - sensitivity tests on, 41:887
 - spiramycin, 47:95
 - staphylococci sensitivity to, 52:289, 737
 - stability of, in oil, 39:438
 - steroids and, in uveitis, 51:199
 - sulfidin and, in sympathetic ophthalmia, 36:289
 - therapy with, 46:252
 - disastrous of local, 48:566
 - thrombogenic action of, 36:1164
 - topical, 49:177
 - application of, 36:874
 - Tyrosolvin, 36:875
 - use of, 38:589; 51:346
 - with blood transfusions, 41:1110
 - See also under names of various antibiotics: achromycin, penicillin, terramycin, etc.
- ANTIBODIES**, concentration in cornea, 45:141
- fluorescent labelled, in herpes simplex, 51:197; 53:176
- formation of, 40:758
- in cornea, 50:527; 53:884
 - in eye, 51:1328
 - in aqueous, 36:1481; 39:435
 - in cornea, after antibiotics, 49:392
 - after chloramphenicol, 49:653
 - in endogenous uveitis, 54:1168
 - in tuberculosis, 54:728
 - in vernal conjunctivitis, 51:329
 - passing into intraocular fluids, 54:1159
 - production of, clinical aspects of, 54:328
 - in toxoplasmosis, 50:820
 - reaction of, in cornea, 51:187
 - titer, to adenovirus, 54:729
 - to APC virus, 42:952
 - effect on corneal wound healing, 39:437

ANTIBODIES (continued)

- experimental study of, 38:426
- in retinal thrombophlebitis, 46:433
- in retinal vein occlusion, 43:185; 45:593
- in retinal vein thrombosis, 39:465; 43:653; 45:326; 51:1353; 54:509
- therapy, ocular tension during, 53:200
- Antidotes, ocular, 36:1164
- Antigen-antibody reactions, in cornea, 48:554; 53:1034
 - sympathectomy and, 48:554
- Antigenic structure of eye, 44:434
- Antigenicity, of cornea, 51:196
- ANTIGENS**, in cornea, 53:884, 885
 - relation to keratoplasty, 44:433
 - in lens proteins, 53:161
 - in vitreous, 54:728
 - influence on permeability blood-aqueous barrier, 46:920
 - lens, in ocular tissues, 54:1159
 - mechanism toxic bacterial, 49:652
 - passing into intraocular fluids, 54:1159
 - reaction in cornea, 51:187
 - tissue distribution of, 53:883
- Antihistamines, 41:574; 44:433; 47:280
 - action on isolated iris muscle, 39:120
 - for glaucoma pain, 41:1099
 - herpes and, 37:133
 - in anaphylactic keratitis, 36:555
 - in phacoanaphylactic reaction, 36:292
 - in vernal conjunctivitis, 45:776
 - local application of, 38:876
 - zinc and, in eye therapy, 39:449
- Antirabies vaccination, neuro-ocular complications of, 36:1013
- Antiseptics, bactericidal effect of, 46:920
- Antistreptodornase, levels of, in uveitis, 52:441
- Antistreptolysin, in aqueous, 46:615; 48:870
 - reactions in eye diseases, 47:615
 - titer in ophthalmology, 41:575
 - uveitis diagnosis and, 43:835
- Antistreptolysin-O, determination in uveitis, 47:94
- Antitrypsin, in serum after heterograft, 53:1036
- Aorta, coarctation of, fundus in, 47:744
- retinal vessels in, 47:443
- stenosis of, fundus changes in, 47:609
- Aortic arch syndrome, 52:599; 53:744
- APHAKIA**, anterior chamber implants in, 52:308
 - See also Intraocular lenses
 - anterior vitreous membrane in, 53:1068
 - bilateral, binocular vision and, 47:129
 - eikonometry and phoria in, 39:130
 - vision in, 51:1335
 - complications of, 54:341, 500
 - contact lenses in, 38:432; 40:920; 42:169; 50:1272; 54:744
 - conoid, 47:588
 - in monocular, 37:139; 38:587; 40:457; 45:469; 47:726
 - fitting of, 38:586
 - corrected, 40:143
 - in road traffic, 51:1365
 - dark adaptation in, 45:471
 - glaucoma and, 36:882; 54:163
 - from pupil block, 53:1058
 - intraocular lenses in, 44:296; 51:202; 54:1172
 - iris-clip, 49:1452; 54:894
 - pathology of eye with, 53:396
 - keratoplasty in, 47:913
 - monocular, 36:1768
 - acrylic lens in, 47:288
 - plastic operation for, 52:300
 - pupil made in, 36:881
 - pupillary block in, 51:1316
 - refraction in, spherical, 41:571
 - retinal detachment in, 36:589; 41:1102; 47:926; 53:561
 - prophylaxis of, 50:1276
 - scleral resection in, 40:144; 51:205
 - retinal sensitivity in, 49:191
 - temporary lens for, 45:756
 - vitreous alterations in, 39:464
- Aplasia, of macula, myopia and, 46:123

Aplasia (continued)

- of optic nerve, 54:166
- Apoplexia papillae, 53:207
- Apoplexy, retinal vessels in, 54:158
- Apparent size, 40:762
- Apraxia, ocular motor, 53:553
- AQUEOUS**, achromycin levels in, 48:120
 - after Diamox, 40:917
 - after sodium bicarbonate injections, 43:811
 - agar micro-electrophoresis of, 47:704
 - albumin content of, 47:704
 - in iritis, 51:1346
 - alkali reserve of, 41:897
 - amino acids, free in, 39:441; 51:189
 - and vitreous pressure, after vitreous puncture, 53:1038
 - anterior chamber formation of, 40:141
 - anterior pituitary hormone in, 38:117
 - antibodies of, 36:1481; 39:435
 - during influenza, 36:554
 - antistreptolysin in, 46:615
 - titer of, 48:870
 - anti-Toxoplasma precipitins in, 42:131; 43:807
 - appearance radioactive phosphorus in, 43:156
 - ascorbic acid in, cataracts and, 43:489
 - level of, effect Diamox on, 41:693
 - bacteriology of, 41:575, 576, 726; 43:997
 - biomicroscopic study of, 41:163
 - blood coagulation in, 46:247
 - blood plasma ratio, 50:192
 - Butazolidin in, 51:346
 - concentration of, 50:1255
 - calcium in, effect Diamox on, 48:558
 - carbohydrates in, 50:517
 - carbon dioxide in, 45:958
 - cellular elements in, 54:1168
 - changes, after death, 47:263
 - after injury, 43:808
 - after P₂, 53:884
 - in senile cataract, 48:885
 - induced by X-rays, 47:270
 - chemical analysis of, in eye diseases, 42:513
 - chemical composition of, 42:137
 - of dogfish, 47:101
 - of human, 44:716
 - X-ray study of, 44:440
 - chlorides in, 37:459; 41:567
 - in uveitis, 46:612
 - lens transparency and, 38:120
 - cholesterol crystals in, 41:161
 - cholinesterase in, 37:136
 - in glaucoma, 36:151; 41:892
 - choroid have part in forming, 36:281
 - coagulation of, 41:569
 - comparative chemistry of, 37:460
 - comparative study of, 41:163
 - comparison with spinal fluid, 37:463
 - complement fixation in, 53:160
 - corticosteroids in, 41:890; 50:196, 822
 - concentration of, 37:134
 - passage into, 37:134
 - C-reactive proteins in, in inflammations, 51:1329
 - Cx-reactive proteins in, 47:263
 - cytogram of, in iridocyclitis, 50:828
 - cytology, in iritis, 41:726
 - cytopathology of, in diagnosing iridocyclitis, 41:1094
 - dialysis against plasma, 47:705
 - Diamox in, 40:282
 - diffusion hydrazide in, 38:119
 - distribution chloride, potassium and calcium in, 53:164
 - drainage, 53:1056
 - mechanism of, 41:568
 - paths of, 53:882
 - dynamics of, 41:889; 54:728
 - action histamines on, 52:740
 - effect barbiturate on, 41:896
 - effect paraldehyde on, 41:896
 - effect retrobulbar procaine on, 40:151

AQUEOUS (continued)

- dynamics of (continued)
 - effect superior cervical ganglionectomy on, 47:705
 - in glaucoma, 42:661
 - ophthalmotonic consensual reaction and, 41:690
 - osmotic pressure of intraocular fluids and, 47:97
- effect ACTH on, 39:121
- effect Diamox, on potassium in, 43:1001
 - on sodium in, 43:1001
- effect iodoacetic acid on, 54:1160
- effect phagocytosis by leukocytes on, 36:140
- effect osmotic pressure blood on, 39:459
- effect plasma-sodium concentration on, 48:871
- electric conductivity of, 49:393
- electrolytes of, action Diamox on, 42:513
- electron microscope to study, 38:886
- electrophoresis of, 36:1160; 41:540; 46:918; 53:719
 - in experimental iritis, 48:277
 - in inflammations, 45:473
 - proteins of, 37:463
 - secondary, 40:463
- elimination, tonometric measurements and, 38:116
- entrance sodium into, 50:517
- epinephrine in, 37:464
- examination, in clinical ophthalmology, 42:328
 - in intraocular copper foreign body, 40:287
- fatty, in postpartum hypopituitarism, 41:739
 - in Sheehan's syndrome, 41:739
- fibrosing response to, glaucoma and, 49:1074
- flare, influence light on, 53:1041
 - influence pituitary injections on, 53:1041
 - photography of, 50:521
 - physiologic, 53:396
 - protein content anterior chamber and, 53:191, 192
- floaters, due to mydriatics, 52:295
 - in diagnosis papilledema, 47:928
 - in diagnosis papillitis, 47:928
- FLOW**, after bulbar pressure test, 47:424
 - after Priscol, 47:724
 - after removal aqueous from anterior chamber, 46:244
 - age and, 48:577
 - ganglionectomy and, 41:893
 - in aqueous veins, 37:134
 - in cataractous eyes, 48:577
 - in glaucomatous eyes, 51:201
 - in hypotonic eyes, 51:201
 - measurement of, 52:746
 - resistance of, by electric tonometer, 36:747
 - rate of: See Aqueous, rate of flow
 - tonography to measure, 51:549
 - through trabecula, 41:153
 - 24-hour variation in, 47:607
- fluorescein entrance into, 45:465
- formation, action Diamox on, 42:955; 43:1000
 - and elimination of, 45:146
 - effect ammonium chloride on, 43:1000
 - effect metabolic inhibitors on, 51:1329
 - electrochemical changes in, 52:430
 - influence ocular tension on, 49:1451
- glucose content of, 42:512
 - in chorioretinal degenerations, 38:746
- hydrazide of, 36:736
- hydrogen ions in, after eye burns, 43:814
- in diabetes, 53:170
- in diagnosis toxoplasmosis, 54:1164
- in iridocyclitis, 44:716
- in iritis, 41:915
 - color test for toxins in, 41:726
- in leprosy, 45:153
- in uveitis, 36:1776; 44:147; 54:736
 - electrophoresis of, 45:755
 - typhoid vaccine and, 36:150
- inflow, daily variation in, 46:918
- influence aureomycin on, 47:270
- influence blood change on, 39:441
- influence blood clotting on, 44:707
- lactic acid concentration in, 52:431
- Leptospira in, 36:551
- metabolism carbohydrates in, in tuberculosis, 53:548
- microelectrophoresis of, 42:513; 50:674

AQUEOUS (continued)

- microscopic study of, 41:163
 - primary, 39:897
 - regenerated, 39:897
- neuraminic acid content of, 50:823
- nicotinic acid metabolism in, 44:436
- norepinephrine in, 37:464
- ocular tension control and, 46:245
- osmotic pressure of, in anaphylactic uveitis, 47:904
- in congenital glaucoma, 49:399
- OUTFLOW:** 38:749; 46:920
 - action hyaluronidase on, 43:999
 - adrenergic mechanisms and, 51:549
 - after compression test, 41:346
 - after cyclodialysis, 39:780; 45:786
 - after diathermy operations, 36:152
 - after ganglionectomy, 53:1034
 - after glaucoma operations, 48:699; 50:534
 - age and, 53:886
 - anterior chamber, depth and, 42:334
 - volume and, 48:872
- Blaxter test of, 54:336
- cataract extraction and, 45:324
- channels, in trabecular meshwork, 48:276
- clinical, 37:825
- coefficient of, 52:143
- effect Diamox on, 46:270
- effect miotics in, 50:518
- effect ocular tension on, 50:821
- effect parasympathetics on, 47:879
- experimental decrease of, 53:195
- facility of, 42:160
- in buphthalmia, 51:212
- in endocrine exophthalmos, 50:1260
- in enucleated eyes, 41:690, 866
- in glaucoma, 37:618; 40:595; 53:407
 - adrenalin in, 39:913
 - closed-angle, 49:1451
 - unusual forms of, 37:826
- influence ocular tension on, 49:1451; 54:495
- influence sympathetomy on, 45:144
- measurement of, resistance to, 36:587
 - with electric tonometer, 36:291
- obstruction to, 46:614
 - experimental, 45:322
 - site of, in glaucoma, 54:893
- ocular tension and, 47:879; 48:557
- pathways, difference in structure, 52:303
- perfusion studies on, 41:889; 47:704
- perilimbal suction cup to measure, 54:335
- Poiseuille's law and, 47:610
- radiography of, 47:506
- radiopaque study of, 41:693
 - materials for, 42:944
- resistance to, 39:772; 50:194
 - effect acetazolamide on, 51:550
 - measurement of, 48:281
 - test of, 45:785
- rheometry to measure, 50:1256
- species variation in facility of, 41:866
- study on, 41:896; 42:662; 44:137
 - by tonometer, 51:856
- through trabecular meshwork, 47:267
- trabecula-Schlemm's system in, 37:293
- visible, 43:1001
- outlets, compression of, 41:920
- oxygen content of human, 49:172
 - after artificial respiration, 53:1036
- saturation, 47:703
- parasympathomimetic activities of, 45:463
- passages for, 43:149
- penetration into, of butazolidin, 47:269
- of penicillin, 53:1038
- of thiocyanate ions, 41:563
- penicillin level in, 53:398
- V and G, 53:1039
- permeation, by proteins and lipoproteins, 49:655
- pH, effect alkali burns cornea on, 48:872
 - in cataract, 43:814
- phosphorus in, effect Diamox on, 48:558
- physiology of, 42:331

AQUEOUS (continued)

- pilocarpine in, 51:347
- polarography to study, 50:1256
- plasmoid, 47:612
- posterior chamber in formation of, 40:141
- potassium in, 42:165
- prednisolone in, 50:822
- pressure, relative to vitreous pressure, 44:438
- production, effect Diamox on, 46:270
 - in uveitis, 51:1343
- proteins of, 36:279; 40:282, 919; 41:567; 45:955; 46:245; 48:281
 - effect hypothalamus stimulation on, 47:266
 - electrophoresis of, 44:707; 48:558
 - fractional separation of, 44:708
 - electrophoretic study, 38:745
 - in diabetes, 50:530
 - in uveitis, 51:1331
- proteolytic ferments in, 51:1331
- prothrombin in, 46:247
- pseudocrystallization of, 49:173
- radio-iodine studies of, 41:687
- RATE OF FLOW,** adrenals and, 51:1331
 - changes in, 36:1163
 - clinical method observing, 36:746
 - clinical test in glaucoma, 36:152
 - hypotony due to reduced, 37:620
 - in man, 39:460
- reduction of, to treat glaucoma, 41:347
- secondary, biochemical study of, 46:618
- clinical and biochemical studies, 43:488
- influence heparin on coagulation of, 36:1160
- lactic acid concentration in, 51:1329
- thromboelastography of, 46:764; 47:264
- secretion, age and, 51:550
- serology of, 43:998
- serum and, osmotic pressure, 45:751
- sodium of, 41:567; 42:165
- staining, after fluorescein injection into anterior chamber, 36:1647
- studies of human, 42:326
- sugar level, in diabetes, 53:1065
- sugar ratios of blood and, 48:557
- sympathomimetic drugs and, 43:809
- thromboelastography to study, 48:879
- Toxoplasma in, 52:738
 - in acquired toxoplasmosis, 51:1327
- tumor cells in, 53:196
- ultrasound absorption in, 47:424
- urea content of, 40:142; 52:431
- viscosity of, effect hyaluronidase on, 41:687; 43:488
- vitamin B₁₂ distribution in, 38:117
- vitamin C in, 38:118
 - exchange in, 39:439
- metabolism of, 53:1039
- vitamin E and glucose of, 36:1641
- Aqueous veins,** 44:150; 46:246
- backflow test of, 36:1008
- comparison maximum of Kleinert to test, 37:293
 - effect of, 38:268
- cyclodialysis and, 51:539
- diurnal tension variation and visibility of, 38:629
- during Diamox treatment, 50:1266
- effect parasympathetic drugs on, 40:931
- flow in, after compression, 51:549
 - of aqueous, 37:134
- in glaucoma, 38:882
 - slitlamp study of, 41:583
- in normal man, 42:158
- pressure in, 45:466
- tension variation and, 43:176
- Arachnoidactyly,** lens coloboma in, 36:428
- retinal detachment with, 43:534
- Arachnoid,** aspidium poisoning and, 45:956
- changes, in methanol poisoning, 48:874
- hemorrhage, in children, 45:795
- vaccinia virus involving, 53:161
- ARACHNOIDITIS:** 51:207
 - cerebral pneumography, in opticochiasmic, 50:201
 - chiasmal, 48:134
 - opticochiasmic, 36:753, 1012; 53:1073

ARACHNOIDITIS (*continued*)

- optochiasmatic (*continued*)
 - cortisone in, 40:605
 - diagnostic problems of, 43:845
 - experimental, 36:275
 - eye findings in, 43:188
 - Foster-Kennedy syndrome and, 36:1494
 - hemianopia and, 43:336
 - in tuberculosis, 43:527
 - Leber's disease and, 43:815
 - results of craniotomy in, 39:468
 - rickettsiosis in, 44:722
 - spinal fluid circulation and, 46:111
 - typhoid-paratyphoid vaccine producing, 45:955
 - uveomeningitis and, 50:351
- Arcus lipoides corneae, arteriosclerosis and, 52:440
- Arcus senilis, 48:570
 - corneal sensitivity in, 46:425
 - lipids of, 54:1167
- Argemone oil, epidemic glaucoma and, 52:290
- poisoning in monkeys, 43:153
- Argentina, blindness in, 41:1124
- Argyll Robertson, pupil: See under Pupil syndrome, miosis and, 42:183
- Argyrophilic fibers, in extraocular muscles, 53:1033
- Argyrosis, 43:1010
 - in photochemical industry, 47:441
 - occupational, 48:433
 - of anterior eye, 41:738
 - of cornea, 36:880
 - of lens, 43:840
- Arterial disease, angoid streaks of retina and, 44:721
 - hypertensive, fluorescein test in, 47:142
- Arteriography, in carotid-cavernous fistula, 51:867
 - in intracranial hypertension, 36:1493
 - selective ocular, 54:1162
 - visual loss during cerebral, 36:1493
- Arterioliitis obliterans, eye changes in, 36:553
- Arteriopathy, 45:608
 - in uveitis, 53:1056
- ARTERIOSCLEROSIS**, arcus lipoides cornea and, 52:440
 - cerebral radiography in, 51:1337
 - chorioretinopathy of, 47:134
 - eye in, 45:606
 - eye signs in, 42:520
 - fundus changes in, 37:160
 - serum cholesterol and, 48:280
 - hypertension and, 37:320
 - intraocular circulation in, 47:443
 - of retina and choroid, 36:1010
 - ophthalmoscopic changes in, 51:1337
 - evaluation of, 36:1174
 - optic neuritis due to, 46:278
 - retinography in, 40:613
- ARTERITIS**, blindness due to giant-cell, 47:445
 - cranial, blindness in, 48:714
 - giant-cell, 51:570
 - ophthalmic, 51:1362
 - retinal, in rheumatic arthritis, 46:776
- TEMPORAL**: 38:900; 41:741; 43:850; 46:781; 47:745; 51:1363; 54:733
 - blindness in, 46:441; 48:147
 - complications of, 52:601
 - cortisone in, 43:344
 - ERG in, 54:903
 - etiology of, 43:345
 - eye affections in, 47:615
 - eye changes in, 37:640
 - eye involvement in, 36:1652; 37:980; 39:623; 46:287; 52:319
 - eye lesions in, 36:424
 - eye manifestations of, 36:887
 - fatal case of, 41:1121
 - giant-cell, 54:902
 - histology of, 39:278
 - ischemia of disc in, 36:426
 - ocular crisis of, 46:440
 - ocular manifestations of, 38:282
 - ocular palsy in, 50:358
 - optic nerve vessels and, 36:1650
 - retinal artery thrombosis and, 36:414

ARTERITIS (*continued*)

- TEMPORAL** (*continued*)
 - uncommon findings in, 46:439
 - visual loss and, 40:945
- ARTERY**, brachial pressure and fundus, 47:119
 - occlusion syndromes, 41:364
- ophthalmic, collateral cerebral circulation through, 41:355
 - in hypertension, 39:624
 - pulmonary, hypertension and glaucoma, 47:123
 - surgery, 50:828
- ARTHRITIS**, deformans, scleromalacia and, 36:576
 - eye diseases and, 36:425
 - genital infection and, 53:718
 - in children, eye manifestations of, 36:1182
 - induced by myobacterial injections, 51:557
 - keratomalacia and, 45:773
 - rheumatoid, cataract in, 53:412
 - eye manifestations of, 45:605
 - in uveitis, 50:837
 - keratoconjunctivitis sicca and, 42:330
 - keratopathy and, 43:168
 - retinal arteritis in, 46:776
 - steroid therapy and cataracts in, 51:710
- Arthus reaction, in anterior chamber, 41:151
 - in cornea, 47:122
- Ascarid, under conjunctiva, 45:605
 - eye lesions due to, 46:120
- Ascher syndrome, 52:595
- ASC** 16, effect on allergies, 44:709
- Ascorbic acid, of aqueous, cataract and, 43:489
 - in inflamed eyes, 40:758
 - in normal eyes, 40:758
 - levels, effect Diamox on, 41:693
 - metabolism, effect stress on, 43:153
 - See also Vitamin C
- Asepsis, in ophthalmology, 49:657, 658
- Asian influenza, eye in, 47:427
 - eye complications of, in Iran, 47:284
- Aspergillosis, antibiotics and corticoids in, 51:853
 - infections of cornea, 52:139
 - therapy in, 51:551
- Aspergillus fumigatus, keratitis due to, 53:1052
- Asphyxia, lens opacities due to, 37:602
- Aspidium poisoning, effect on retina, optic nerve and arachnoid, 45:956
- Asteroid hyalitis, 45:593; 53:416
- ASTHENOPIA**: 50:198; 52:742
 - accommodation in, 44:137
 - cause of, 50:1257
 - cholinesterase inhibitor to treat, 48:123
 - digitalis collyrium in, 44:443
 - from viewing television, 47:119
 - psychogenic disturbances and, 43:529
 - ultraviolet absorption lenses in, 39:773
- ASTIGMATISM**: 39:128
 - after cataract surgery, 47:426
 - after glaucoma surgery, 47:426
 - amblyopia and, due to orbital lipoma, 49:1460
 - arrow test, 43:818
 - astikorrekt to determine, 47:426
 - biastigmatism, 48:283
 - check of correction for, 37:605
 - corneal, 44:711
 - after cataract surgery, 48:886
 - device to determine angle of, 47:272
 - due to pterygium, 36:580; 37:609
 - retinal detachment and, 43:331
 - variations in, 41:570
 - due to dentritic ulcer, 42:170
 - graft fixation and, 37:290
 - in myopic migraine, 49:1445
 - indirect, 46:766
 - Jackson's cross cylinder in correction of, 47:907
 - keratometry in measuring, 53:549
 - new test chart for, 47:409
 - oblique, measurement of in spectacles, 36:1169
 - studies of, 36:142
 - Sturm's conoid and, 43:495
 - surgery for, 39:773; 43:816; 47:614
 - test for, 40:921; 54:732

- Astikorrekt, to determine astigmatism, 47:426
- Astroglia, of chiasm, 43:806
- of optic nerve, 43:806
 - of optic tract, 43:806
- Ataxia, hereditary, Leber's optic atrophy and, 49:667
- retinal degeneration in, 43:179
 - spinocerebellar, macular dystrophy and, 49:192
 - telangiectasia and, 46:121; 54:905
 - eye symptoms in, 49:1462
 - sinopulmonary infections and, 46:442
- Atherosclerosis, eye symptoms in, 49:658
- heparin in, 43:843
- Atmospheric pressure, changes in and ocular tension, 41:584
- low, influence on development retinal blood vessels, 36:555
- Atomic bomb, cataract in Hiroshima, 41:361
- chorioretinal burns due to, 41:1117; 44:569
 - chorioretinal damage from, 41:337; 42:682
 - injuries to eye, 41:117
 - retinal burns due to, 41:361
- Atomic Energy Commission, research funds, 51:528
- Atomic flash, retinal burns due to, 45:604
- Atomic radiation, changes due to, 40:309
- effect nuclear, on eyes, 36:137
- Atopic dermatitis, cataract and, 46:106
- ATP, effect on cone action potential, 45:145
- in glaucoma, 44:564
 - in lens extract, 43:491
- Atresia, congenital, of nasolacrimal duct, 46:117
- ATROPINE, antibacterial activity of, 36:1641
- antifermentative action against cholinesterase, 36:737
 - C¹⁴ labeled, distribution in eye, 47:880
 - in absolute glaucoma, 36:292
 - in cycloplegia, 52:132, 740
 - in infantile glaucoma, 36:746
 - solutions, 38:428
 - substitutes, 44:441
- Attention, amblyopia and, 54:156
- A-200 pyruinate, corneal erosion due to, 54:731
- AUDIOMETRY, in degenerative myopia, 54:883
- in diagnosis glaucoma, 36:1490
 - in eye disease, 37:470
 - in glaucoma, 48:129
 - in pigmentary retinal degeneration, 47:130
 - in tapetoretinal degeneration, 44:298
- Audiovisual synesthesia, 46:248
- Auditory system, glaucoma and, 46:427
- AUREOMYCIN: 36:1767
- before surgery, 42:172
 - in herpetic keratitis, 36:578
 - in retrobulbar neuritis, 37:833
 - in trachoma, 36:1309; 37:465; 39:909; 40:594; 41:912
 - in vaccinia of eyelids, 36:1786
 - influence aqueous on, 47:270
 - iridocyclitis, after treatment with, 38:882
 - penetration of, 41:153
- Australia, eye findings in natives of Warburton range, 45:610
- ophthalmic societies of, 38:902
 - ophthalmic surveys in, 43:347
 - trachoma in, 45:161; 47:718
 - in school population, 50:1262
 - treatment of, 50:1259
- Autoantigenicity, in uveitis, 53:1034
- Autokinesia, 48:876
- Autokinetic movements, in dark, 39:451
- Autokinetic phenomenon, effect ametropia on, 43:158
- Autolysis, lens changes due to, 50:1269
- Automobile, accidents, ocular palsies and, 41:342
- drivers, depth perception and licensing of, 51:161
- Automatin drugs, influence on choroidal vessels, 36:140
- Autoplasm, in conjunctival injuries, 37:150
- Avagal, a new mydriatic, 37:134
- Aviation, importance vision in, 48:561
- medicine, heterophoria in, 36:286
 - ophthalmic problems in, 49:1443
 - optical problems in, 52:604
- Avitaminosis, signs of, 43:849
- See also under Vitamins, deficiency
- B**
- Bab Khemis, hospital center at, 49:673
- Bacillus, Morax-Axenfeld, culture of, 45:463
- Bacitracin, in ophthalmia neonatorum, 45:764
- B. pyocyaneus, corneal ulcer due to, 37:971
- BACTERIA, allergy and, 45:953; 52:290
- antibiotic-producing, in conjunctivitis, 38:115
 - in normal eyes, 38:115
 - retentive filter for, 41:539
- Bacterial pyrogenes, vascular reactions after, 44:433
- Bacteriology, or eye, 38:424
- Bacteriophage typing, of Staph. aureus, 50:821
- BAL, in lead poisoning, 36:752
- Balcaina, a new local anesthetic, 51:731
- Balint syndrome, 54:491
- Balneoherapy, in chronic uveitis, 43:1011
- Barbiturates, effect on vascular reflex in glaucoma, 52:1008
- in endobulbar surgery, 47:712
 - poisoning, ocular sequelae of, 41:353
- Bardet-Biedl syndrome, 37:641
- Bartisch, George, augendienst 16th century, 52:321
- notes on, 43:348
 - prescriptions of, 54:171
- BC-48 demecarium bromide, in glaucoma, 47:98
- eye diseases after, 49:1441
- Bee sting, of cornea, 45:604; 48:126; 53:741
- of eyelid, 46:438
- BECHET'S DISEASE, 36:890, 1495; 37:293; 39:456; 41:172, 363; 42:186; 43:533; 45:606; 46:441; 933; 47:444, 917; 48:713; 51:855; 53:417
- C-reactive protein test in, 46:924
 - described in Hippocratic book, 42:827
 - encephalomyelomeningitis in, 53:417
 - histopathology of, 52:320
 - liver function in, 46:933
 - meningo-encephalitis complications of, 36:1495
 - nervous system involvement in, 45:334
 - neurologic manifestations of, 52:587
 - pseudoretinitis pigmentosa and, 52:583
 - serum proteins in, 46:933
 - spinal fluid in, 46:933
 - virus of, isolation from hypopyon, 52:131
- Belgium, tonometer standardization in, 54:732
- Bell's palsy, 41:352
- cortisone in, 36:572
- Bell's phenomenon, after ptosis operation, 39:617
- Bellini, Giovanni, eye abnormalities shown in paintings of, 38:902
- Benxocaine-urethane solution, in blepharospasm, 47:267
- Beryllium, eye injuries and, 36:139
- Beta radiation: See under Radiation
- Bicarbonate ion, in intraocular fluids, 47:704
- Bile, eye burns due to goose, 44:728
- Biochemistry, ophthalmic, 37:134; 38:583, 574
- importance of, 53:547
 - of fish lens, 40:279
 - study, of glaucoma operations, 37:154
- Biohemophotometry, of uvea, 52:136
- Biomicroscope, structure of, 38:124
- Biomicroscopy, acoustic, 51:552
- in corneal tumors, 47:718
 - in limbal tumors, 47:718
 - of fundus, 48:285
 - screens and slits for, 48:409
 - to study teratologic changes, 38:762
 - with polarized light, 42:498; 46:925; 47:279
- Biomycin, in corneal ulcers, 44:715
- Biophthal, a new antibiotic combination, 39:447
- Biopsy, aspiration, in intraocular tumors, 37:473
- Bio-Sciences Information Exchange, research funds, 51:529
- Biotin deficiency, eye manifestations of, 52:291
- Bird feather, blocking lacrimal ducts, 49:671
- Birds, sun navigation in, 40:921
- Bjerrum screen, to measure eccentric fixation, 49:862
- Blackboards, legibility of, 40:454
- Blackouts, carotid occlusion and, 53:210
- Blaskovics operation, for blepharoptosis, 36:160
- in ptosis, 46:117, 282
- Blastomes, of retina, 49:1079

- Blastomycosis, dysplasias and, 54:518
 ectropion due to, 47:139
 Blaxter test, of aqueous outflow, 54:336
 Bleeding, control with Hydergin, 45:481
 Blepharitis, inclusion, virus in, 48:276
 prophylaxis, in newborn, 45:481
BLEPHARITIS, bacteriology of, 54:908
 due to *Trichophyton gypsen*, 39:619
 herpetic, after typhoid vaccine, 40:609
 Linomag in, 52:594
 lipid, 36:421
 marginal, Selson in, 41:115
 sebaceous, 36:421
 seborrheic, Selenium sulfide in, 48:136, 708
 Blepharochalasis, in Ascher syndrome, 52:595
 refraction in, 46:923
 treatment of, 52:314
 Blepharoconjunctival allergy, 36:878
 Blepharoconjunctivitis, vitamin B₆ in, 47:621
 Blepharophimosis, 44:575
 congenital, surgical correction, 41:358
 myopathy of, 54:913
 surgery of, 41:547; 50:686
 treatment of, 50:355
 Blepharoplasty, 41:1114
 Filatov round stem, 53:739
 for carcinoma of eyelids, 45:330
BLEPHAROPTOSIS: 53:739, 1076
 Blaskovics operation for, 36:160
 congenital, 52:1020
 surgery of, 36:758
 consensual, 38:605
 Friedenwald-Guyton suture for, 36:889
 of myxedema, 53:1076
 operation for, 48:709
 Blepharorrhaphy, hypnosis during, 45:762
 to adjust lacrimal punctum, 54:516
 Blepharospasm, bilateral, 45:183
 benzocaine-urethane solution in, 47:267
 postencephalitic, 50:684
 Rhaetocaine in, 47:741
 surgery of, 47:139
 Blepharostat, 45:761
BLIND, children, 40:615
 curriculum for retarded, 46:123
 occupations open to young, 49:1081
 partially, 40:143
 rehabilitation of, 54:524
 center for, 54:524
BLINDNESS, after anesthesia, 37:458
 after antisyphilitic treatment, 45:479
 after cardiac arrest, 48:581
 after injury, 54:521
 after snake bite, 37:456
 causes of, 41:1125; 47:747
 in Paris, 48:717
 in Poland, 36:1329
 in young, 37:323
 cerebral, EEG in, 45:794
 classification table for, 36:1788
 color: See Color blindness
 congenital, 43:345
 study of, 49:1463
 cortical, 46:113
 due to hemorrhage, 53:737
 denial of, after cerebral angiography, 43:496
 due to angiospasm, 45:767
 due to cyst sphenoid sinus, 45:599
 due to hexamethonium chloride, 41:561
 due to snake bite, 41:1116
 during streptomycin and chloramphenicol therapy, 53:402
 eclipse, 37:300
 etiology of, 36:1653
 eugenic problems in prevention of, 45:611
 flash, 54:509
 functional, recovery from, 52:589
 funds for research and training in, 51:528
 giant-cell arteritis causing, 47:445
 hereditary, 48:717
 in Argentina, 41:1124
 in children: See under Children
BLINDNESS (continued)
 in cranial arteritis, 48:714
 in geriatric patients, 46:123
 in Germany, 51:1365
 in The Hague, 44:309
 in infants, 37:642
 diagnosis of, 52:438
 examination for, 52:743
 in Maltese Islands, 50:362
 in newborn, ERG to diagnosis, 51:348
 in temporal arteritis, 48:147
 keratoplasty in struggle against, 51:554
 measles complication, 36:1018
 optometric rehabilitation in, 38:432
 organic or psychic, differentiation of, 45:771
 pituitary gland in, 53:160
 posthemorrhagic, 45:605
 prevention of, 54:337
 prophylaxis of, 36:1653
 psychological effects of, 54:524
 retinal blood vessels in, 54:901
 retinal vein dilation in, 54:506
 substitute functions in, 39:928
 sudden, due to temporal arteritis, 46:441
 due to vascular accident, 36:419
Toxocara canis and, 52:1024
 transient, fundus in, 48:292
 with hemiplegia, 36:159
 traumatic, in Denmark, 46:119
 unilateral, retinal detachment and, 43:181
 with normal fundus, 49:200
 with retropharyngeal lymphosarcoma, 53:1077
BLINDSPOT, changes in, head position and, 53:164
 in glaucoma, 43:649
 effect close work on, 53:168
 effect ultrasound on, 52:1023
 enlarged, nervehead swelling and, 46:278
 without papilledema, 51:863
 in glaucoma, 42:334
 in normal pregnancy, 41:1120
 mechanism, deviations and, 43:320
 size fluctuation in, 51:348
 Blinking, eye movements during, 49:179
BLOOD, carbon dioxide in, 45:958
 changes, after P₅₀, 53:884
 in monocytosis, 49:658
 in sympathetic ophthalmia, 49:658
 cells, rate of absorption, 51:709
 chloride concentration in, 37:459
 circulation of eye, after carotid occlusion, 50:688
 and prognosis in glaucoma, 37:154
 carotid-ophthalmic anastomoses and, 43:147
 cigarette smoking and, 47:905
 cilioretinal arteries and, 37:303
 collateral cerebral and, 41:355
 disturbances, after pancreatic hormone, 49:658
 in arteriosclerosis, 47:443
 in conjunctival vessels, 43:503
 in hypertension, 47:433
 instrument to measure, 49:175
 intracranial, ophthalmodynamometry and, 53:710
 ocular tension and, 52:445
 of retina, 49:173
 of uvea, measurement of, 52:136
 to eye, pulse volume and, 44:706
 clotting, glaucoma and, 42:816
 influence aqueous on, 44:707
 trachoma and, 42:814
 coagulation of, in aqueous, 46:247
 conjunctiva lymph space filled with, 46:266
 content, of uvea, 53:886
 deproteinized, effect on retinal metabolism, 52:310
 distribution chloride, sodium, potassium and calcium
 in, 53:164
 effect trypsin on, 47:906
 evacuation, in expulsive hemorrhage, 49:402
 findings, in lipidosis, 43:346
FLOW of eye, 45:144
 conjunctival, in sickle-cell disease, 53:708
 entoptically visible, 51:737
 in ciliary region and choroid, 54:492

BLOOD (continued)**FLOW (continued)**

- of retina, 53:1070
 - magnitude of, 54:158
 - rate of, effect on chorioretinal burns, 54:912
 - through uvea, ocular tension and, 53:1035
 - of cat, 53:886
- in anterior chamber, effect fibrinolysin on, 51:1330
- in canal of Schlemm, 42:809
- loss, visual disturbances after, 41:119
- visual impairment after, 39:926
- mineral content, in tuberculosis of eye, 43:490
- oxygenation of, in fundus, 52:433
- plasma, aqueous ratio, 50:192
- electrophoresis of, 52:132
- lactic acid in, 52:431

PRESSURE, control during operation, 39:609

- decreased arterial, significance, 48:432
- effect on tonography, 51:751
- fronto-orbital centers to regulate, 50:193
- in eye, 43:1006
 - effect acetazolamide on, 51:347
 - in glaucoma simplex, brachial, 49:185
 - in macular capillaries, 54:505
- in retina, in nephrosis and nephritis, 51:729
- and cerebrospinal fluid pressure, 40:459
- in retinal occlusion, 51:204
- ocular changes in hypertension and, 38:760
- ocular tension and, 46:919; 52:307; 53:556
- and venous, 52:444
- raised, and ocular rigidity, 52:442
- uveoretinal ratios, 45:145
- serum ascorbic acid in, cataracts and, 43:489
- cholinesterase activity of, in glaucoma, 36:151
- exophthalmogenic factor in, 43:488; 44:434; 45:142
- penicillin V and G levels in, 53:1039
- study, in trachoma, 48:128
- in vernal catarrh, 36:1178
- sugar ratios of aqueous and, 43:557
- supply, arterial of optic pathways, 54:1158
- collateral of orbit, 52:314
- effect on cataract development, 41:567
- of chiasm, 45:762
- of optic nerve, 37:451; 45:762
- to treat corneal disease, 38:444
- transfusions, in tuberculosis, 51:1337
- types, in keratoplasty donors, 47:122

VESSELS, arteries, occlusive disease of, 54:732

- arteriopathies, 45:608
- branch supplying temporal vein crossing macula, 48:133
- budding in new, 42:159
- capillary permeability in eye disease, 43:816
- carotid: See Carotid
- changes in, visual failure and, 49:199
- choroidal, effect autonomic drugs on, 36:140
- clinical measurement of ocular, 51:739
- diseases of, eye and, 45:606
- effect oxygen on developing, 39:118
- episcleral veins, pressure variation in, 44:138
- in diagnosis of angioma, 42:667
- in glaucoma, 42:660
- in optic nerve, 43:806
- influence autonomic drugs on, 39:121
- involvement in diabetic retinopathy, 36:1491
- laminated, ocular tension and, 39:123
- occlusion, iridoschisis and, 36:149
- of conjunctiva, aggregation of, 51:556
- of fovea, 43:332
- of hyaloid, 49:390
- of iris, electron microscopy of, 51:728
- tissue spaces of, 49:391
- of optic chiasm, hypophysis and, 46:916
- hypothalamus and, 46:916
- of optic nerve, 52:289
- of retina, 49:390
 - autonomic nerves and, 43:812
 - in nephrosis and nephritis, 51:729
- of retinoblastoma, 53:416
- ophthalmic artery, aneurysm of, 45:475

BLOOD (continued)**VESSELS (continued)****OPHTHALMIC ARTERY (continued)**

- branches of, 54:726
 - course of, 54:726
 - hypertension of, ocular tension and, 49:393
 - origin and course, 53:1032
 - pressure in, 52:294
 - changes after carotid occlusion, 52:318
 - peripheral in fundus, 48:435
 - permeability of, central nervous system and, 42:165
 - fluorescein test and, 52:292
 - in brain and eye, 45:464
 - in glaucoma, 44:448
 - retrolental fibroplasia and, 39:119
 - structure of, between uvea and sclera, 51:727
 - thrombosis, in ophthalmology, 42:680
 - visualization by radiology, 44:558
 - vortex vein, in animals, 48:553
 - occlusion of, consequences, 48:281
 - X-ray patterns of, 45:474
 - vitamin C in, 38:118
 - volume, effect rigidity on intraocular, 51:202
 - effect tonography on intraocular, 47:606
 - of choroid, effect vasoconstrictors on, 54:1159
 - effect vasodilators on, 54:1159
 - of ocular tissues, 54:329
 - water content of, ocular tension and, 51:752; 53:166
 - water-drinking test and, 47:618
 - whole, to treat corneal abrasions, 50:673
- BLOOD-AQUEOUS BARRIER: 37:603**
- acetylcholine shock and, 44:706
 - action vasodilators on, 40:140
 - after cervical ganglion excision, 42:515
 - after glaucoma operations, 39:457
 - after radioactive penicillin, 38:117
 - and systemic stress, 37:604
 - anticoagulants and, 44:136
 - changes in, after injury, 43:808
 - after retrobulbar injections, 43:655
 - tonography and, 47:905
 - during fever therapy, 43:815
 - during streptomycin treatment, 36:1166
 - during trauma, 37:604
 - effect Diamox on, 42:514
 - electrolytes and, 44:137
 - experimentally decreased, 48:281
 - herpetic affections and, 37:604
 - in contralateral light stimulation, 38:430
 - in hemorrhagic glaucoma, 46:244
 - in hypoglycemia, 42:512
 - influence on, B-piridilcarbinol, 38:120
 - of hyaluronidase, 36:738
 - of O-antistreptolysin, 46:243
 - of oscillation and electroshock, 39:771
 - mercurial diuretics and, 44:136
 - pathophysiology of, for proteins, 46:245
- PERMEABILITY: 43:809**
- action ATP on, 38:748
 - action dihydroergotamine on, 39:437
 - after iridencleisis, 40:596
 - after placenta implants, 36:1158
 - effect Avagol (Banthine) on, 37:825
 - effect iridectomy on, 40:151
 - effect Mintacol on, 37:825
 - effect Nembutal on, 38:746
 - effect ultrasound on, 36:1164
 - fluorescein test and, 41:161
 - in eye disease, 43:816
 - in myopia with glaucoma, 40:296
 - in uveitis, 36:1310; 41:726
 - in vernal conjunctivitis, 37:604
 - influence antigens on, 46:920
 - influence cortisone on, 36:281
 - influence foci infection on, 45:468
 - influence high centers on, 36:1312
 - to anaphylactic shock, 40:450
 - to fluorescein, 40:452
 - to oxygen, 42:811
- Blue spots, as entoptic phenomenon, 42:166
- Blur, effect on perimetric thresholds, 54:1163

- Body, movements, visual and vestibular control of ocular and, 48:556
- Boeck's sarcoid: See Sarcoidosis
- Bones, and Franceschetti phenomenon, 43:1003
- embryonic tissue of, in malformed eye, 49:1462
- formation, X-ray demonstration of ocular, 43:486
- granuloma of, 48:142
- lipid disease of, amaurotic idiocy and, 46:484
- marrow of, in lipidosis, 43:346
- zygomatic, diplopia in fracture of, 47:298
- Bonnieville-Ullrich status, fundus changes in, 42:825
- Books, making ophthalmic history, 51:571
- Botulism, eye symptoms of, 37:978; 38:282
- Bourneville's disease, 44:577
- involving ciliary body, 52:309
- Bowen's disease, 44:301; 51:852; 53:563, 715
- of conjunctiva, 42:812; 45:778
- of cornea, 42:951; 45:778
- Bowman's canals, in cornea, 41:150
- Bowman's membrane, degeneration of, 47:717
- dystrophy of, 36:583; 40:770
- glass lines of, 53:185
- hemispherical bodies in, 47:260
- Boxers, eye injuries in, 37:837; 44:458
- Boxing, effect on visual apparatus, 41:361
- Boyle, Robert, on "vitiated sight," 47:449
- B-piridilcarbinol, influence on blood-aqueous barrier, 38:120
- BRAIN**, abnormalities, visual fields in, 50:683
- damage, concomitant strabismus and, 44:561
- visual fields in, 50:829
- eye symptoms in lesions of, 36:1650
- fundus findings in tumors of, 50:352
- herniation, hemianopia and, 50:1280
- in phakomatosis, 51:564
- injuries, fundus changes in, 52:597
- optic nerve lesions after, 52:585
- visual disturbances after, 52:588
- See also under Injuries
- lesions of, nystagmus in, 43:528; 50:684
- visual fields in, 42:338
- metastases to, ophthalmoscopic appearance of, 48:580, 581
- pseudotumor of, 37:833
- radiography study, in Arnold-Chiari syndrome, 42:675
- response, in amblyopia, 36:142
- transorbital injury by foreign bodies, 54:169
- tumors, 37:633, 634
- early diagnosis of, 52:1019
- extraocular motor disturbances in, 48:125
- eye signs in, 42:674, 675
- in children, 48:706
- ophthalmodynamometry in, 37:630
- Brazil, Indians of, color vision in, 47:746
- therapeutics of, 48:123
- visual acuity of, 47:746
- ophthalmic products in, 53:887
- ophthalmologists in, 51:571
- tropical eye diseases in, 45:798
- Brightness stimuli, diencephalon and, 45:787
- Brill-Symmers syndrome, 49:874
- Bromine, effect on vascular reflex in glaucoma, 52:1008
- Brooklyn Ophthalmological Society, 51:332
- BRUCELLOSIS**, 43:170
- chorioretinitis and, 51:1347
- chromatic fatigue in, 51:1334
- eye complications of, 41:362
- eye lesions of, 41:735
- eye manifestations of, 36:1325; 37:320
- in Victoria, Australia, 44:861
- opsonin phagocytosis reaction in, 42:173
- Bruch's membrane, choriocapillaris and, 40:449
- degeneration of, 46:276
- pathology of, 37:152
- structure of, 42:157
- Burger's disease, eye changes in, 37:640
- BUPHTHALMOS**, 42:338
- aqueous outflow in, 51:212
- goniotomy in, 43:174
- in four brothers, 37:641
- BUPHTHALMOS** (continued)
- in sisters, 46:785
- in three generations, 51:864
- iridocyclitis in, 45:322
- megalocornea and, 36:744; 45:778
- prognosis in, 50:523
- retrolental fibroplasia and, 42:669
- Burdock ophthalmia, 40:310
- Burns, chemical and thermal
- See under Injuries
- Busacca deposits, in glaucoma, 51:558
- Butazolidin, effect on inflammations, 40:282
- of fundus, 43:153
- effect on lenticular ATP, 47:607
- in anterior segment lesions, 51:1339
- in aqueous, 51:346
- concentration of, 50:1255
- penetration, into aqueous, 47:269
- prednisone and, 51:730
- retinal and lens metabolism and, 47:423
- retinal hemorrhage and, 51:1332
- C**
- Cafergot, in hemicranial syndrome, 41:337
- in migraine, 41:337
- Caffeine, in chemical injuries, 41:895
- Cajal, microscopic anatomy and, 52:605
- Calcification, heterotopic and angioid streaks, 53:733
- intracranial, due to retinoblastoma, 44:849
- radiologic diagnosis of, 44:287
- retrolental fibroplasia and, 43:185
- Calcium, deposits, intracranial, 40:763
- of cornea, solvent for, 40:771
- in pseudoxanthoma elasticum, 52:740
- metabolism, in band keratopathy, 42:813
- Calculus, of lacrimal sac, 36:161
- Calcsulphidryl, in corneal wounds, 37:969
- Camera, hand fundus, 46:924
- Campimeter, portable, 53:1045
- CAMPIMETRY**, 45:787; 46:257
- in cataract, 44:442
- in dark, 37:471
- in determining flicker fields, 39:126, 127
- in glaucoma, 42:334, 335
- chronic simple, 49:182; 52:445
- in macular choroiditis, 44:442
- in neuro-ophthalmology, 39:785
- in ocular contusions, 43:504
- in retinal vascular diseases, 42:806; 43:653
- projection, with polarized light, 45:479
- test objects for, 47:617
- to study pituitary adenoma, 51:565
- water-drinking test and, 44:846
- Canal of Schlemm: See Schlemm's canal
- Canaliculitis, due to fungus, 45:963
- Canaliculo-dacryocystostomy, 49:1459
- Canaliculus, abnormalities, 48:138
- repair of severed, 48:427
- Cancer, biologic diagnosis of, 36:554
- in children, 53:740
- of eyelid, chemotherapy of, 54:517
- treatment of intraocular, 51:567
- Candida albicans, after antibiotics, 48:882
- metastatic ophthalmia due to, 53:883
- retinitis due to, 46:277
- toxins of, 36:1162
- Cannula, anterior chamber, 50:201
- Canthorhinostomy, polyethylene tubing in, 46:778
- Canthus, operations at outer, 51:713
- plastic surgery of, 44:300
- tumors of, 42:184
- Capillaritis, senile, calcium ionization and, 47:277
- Capillary fragility, central retinopathy and, 47:132
- hemorrhage after cataract extraction and, 36:1780
- in diabetic retinopathy, 43:332
- in glaucoma with cataract, 36:291
- of episclera, 46:923
- Capillary physiopathology, 43:331
- Car sickness, eye lotion for, 42:175
- Caralt, de Delmiro de, work of, 41:1125
- Carbohydrates, in aqueous, 50:517

Carbohydrates (continued)

- in experimental cataracts, 43:493
- in vitreous, 50:517
- metabolism, effect on ERG, 48:871
- inhibition, effect on ERG, 47:705
- Carbon dioxide, body irradiation and, 42:309
- effect on conjunctiva in diabetes, 45:956
- in aqueous, 45:958
- in blood, 45:958
- snow, in inflammatory adhesions, 53:1046
- Carbon disulfide, fusion after poisoning with, 44:569
- influence on ERG, 46:921
- Carbon monoxide, retrobulbar neuritis due to, 37:307
- Carbonic anhydrase, activity in lens, 44:434
- zinc-free diet, and, 47:265
- bicarbonate ion and, 40:281
- dichlorophenamide and, 46:891
- electrophoretic characteristics of, 51:330
- in ocular tissues, 44:706
- in vitreous, 43:152
- inhibitors, action on ocular tension, 43:689; 49:1442; 50:1266
- effect on urinary citrate excretion, 47:878
- Neptazane and Diamox, 47:268
- new, 51:734
- See also under various agents, Diamox, etc.
- ocular tension and, 40:281
- Carcinogens, changes due to, 53:563
- intraocular transplants of, 42:138
- pellet injector for, 42:138
- CARCINOMA**, choroiditis and, 54:341
- deriving from caruncle, 33:896
- epidermoid, of conjunctiva, 48:881
- in region lacrimal sac, 44:726
- intraocular metastatic, 49:405
- metastases, chemotherapy in, 53:1077
- of breast, regression after sterilization, 36:161
- of choroid, 38:448; 46:267; 50:356; 53:740
- of radium therapy in, 48:427
- of conjunctiva, 46:762
- after enucleation, 52:299
- of cornea, primary, 45:486
- of eye, metastatic from breast, 39:620
- and adnexa, metastatic, 38:449
- of eyelids, 37:836; 41:155; 53:1075
- metastatic from colon, 43:848
- metastatic to nasal cavity, 54:520
- radium treatment of, 50:686
- surgery for, 47:297
- of face, 50:1285
- of iris, 39:612
- and ciliary body, 48:573
- measurement of, 43:516
- of lacrimal sac, 47:296
- of limbus, 37:151
- of optic nerve, 54:904
- of optic papilla, 38:607
- of orbit, 36:159; 50:1281
- metastatic renal, 44:726
- of retina, 47:742
- of skin, fungus keratitis and, 54:340
- of stomach, orbital metastases from, 43:530
- oncocyctic, of lacrimal gland, 54:516
- uveal metastases from breast, 36:1651
- Carcinosarcoma, experimental, 51:709
- Cardiac arrest, cerebral anoxia due to, 48:581
- cortical blindness after, 48:581
- visual loss during, 38:749
- Cardiac slowing, during strabismus surgery, 53:1051
- Cardiac surgery, neuro-ophthalmic complications of, 52:313
- ocular changes after, 53:172
- Cardase, in glaucoma, 49:400; 51:200
- Carotene level, influence alcohol on, 36:1484
- CAROTID**, aneurysms, bilateral, 53:1048
- arteriography, acute glaucoma after, 49:1451
- ocular complications of, 53:1080
- artery, disease of, ERG in, 54:732
- occlusion, 51:866
- bulbar conjunctival vessels in, 49:660
- collateral circulation to eye in, 50:688

CAROTID (continued)

- artery (continued)
- occlusion (continued)
- stenosis and, 54:514
- thrombosis of internal, eye and, 53:743
- calcification, glaucoma and, 41:1099
- pseudoglaucoma and, 41:1099
- cavernous fistulas, 37:319; 39:469; 41:110; 51:551; 54:521
- arteriographic findings in, 51:867
- ophthalmodynamometric findings in, 51:867
- pulsating exophthalmos in, 51:867
- pulsating exophthalmos in, 51:1357
- retinal detachment after, 50:537
- spontaneous healing of, 52:600
- diseases of, ophthalmodynamometry in, 53:422
- injections cure into, 37:133
- internal, aneurysms of, 52:313
- occlusion, ocular manifestations of, 48:713
- role in chiasmal syndromes, 45:598
- thrombosis of, 46:781; 51:1356
- eye symptoms of, 36:1494; 48:714; 52:601
- insufficiency, 52:1024; 53:422
- ligation, changes after, 36:157
- in pulsating exophthalmos, 36:1014
- occlusion, amaurosis after, 50:1285
- blackouts and, 53:210
- ophthalmic artery pressure after, 52:318
- ophthalmodynamometry in lesions of, 38:437
- thrombosis, eye findings in, 50:1259; 52:437
- collateral circulation after, 39:469
- tomography of, 41:162
- Carrageenin, granuloma of cornea, 51:554
- Cartilage, autologous, tolerance to, 52:431
- deep-frozen, in ophthalmology, 53:712
- disease, iridocyclitis and, 36:149
- Caruncle, carcinoma of, 38:896
- conjunctivitis due to incarceration of, 36:287
- supernumerary lacrimal puncta on, 54:909
- tumors of, 50:1284
- Castration, effect on ocular tension, 37:296
- Cat-scratch disease, 45:607; 777; 50:1287
- Catalytic activity, of ocular fluids, 45:954
- of ocular tissues, 45:954
- CATARACTS**: 38:861
- absorption of, 41:922
- aculeiform, 53:729
- advanced, retinal detachment in, 53:1068
- after bee sting, 40:943
- after corneal cauterization, 40:598
- after glaucoma operations, 40:142; 41:917
- after iridocyclitis, 38:268
- after retinal detachment, 39:613
- allergenic extracts to treat, 37:621
- allergic, 36:587; 50:535
- alloxan, 37:159; 41:561; 46:108; 51:753
- biochemical study of, 37:459
- influence vitamin E on, 36:1159
- pathogenesis, 42:664
- amino acids to treat, 37:621
- anterior internuclear uncinata, 39:268
- aqueous flow and, 48:577
- ascorbic acid and, 43:489, 808
- atopic, 53:728
- dermatitis and, 39:462; 46:106
- beta radiation and, 40:287
- biochemistry of, 36:276; 38:117
- biologic effect X-rays on, 43:493
- brown lamellar, 36:883, 884
- calcareous, chorioretinal atrophy and, 49:1463
- X-ray picture of, 44:150
- caloric, 46:430
- campimetry in, 44:442
- canine, 52:580
- capillary fragility in, 36:291
- carbohydrates and, 43:493
- cholesterol in lens in, 36:293
- complicated, 50:1271
- ADT acid in, 47:265
- convex folds in, 42:820
- operation of, 39:268

CATARACTS (continued)

complicated (continued)

- pathogenesis of, 41:729; 43:521, 809
- pH aqueous in, 43:814
- synectotome for, 47:127

CONGENITAL, 44:848; 45:337; 47:287; 52:446, 449; 53:1067

- alpha chymotrypsin in, 52:447
- aspiration of, 45:588
- cellular therapy in, 48:554
- central, 37:975
- dinitrophenol provoking, 48:578
- dysecephaly, hypotrichosis and, 36:1328
- galactose syndrome and, 48:884
- gonioscopy in, 41:742
- heredofamilial diseases with, 53:745
- ichthyosis and, 47:130
- in children, management of, 48:577
- iris bombe complication discussion for, 38:887
- lentoid bodies after surgery for, 46:775
- management of, 45:323
- mongolism with, 51:753
- surgery of, 42:934; 47:288, 627; 50:209; 51:560; 52:453; 53:201
- failure in, 43:329

results of, 40:299; 42:819; 53:1065

visual results of, 40:597

syndromes with, 50:1268

conical cornea and, 39:280

lenticonus and, 39:462

mongolism and, 45:609

contributions of basic science to study of, 51:164

copper, 44:150

coralliform, familial, 40:597

coronary, 52:453

crystalline, 40:596

cysts, lipomas and, 39:624

dermatitis and, 43:650

development of, 54:332

lens protein disturbances during, 45:465

developmental, surgery of, 47:128

diabetes and, 45:333

diabetic, aqueous sugar level in, 53:1065

development of, 43:329

reversal of, 46:107

studies of, 42:664

dinitrophenol, 40:300; 47:924; 51:160

vitamin C and, 38:583

disc-shaped, hereditary, 44:862

discussion in, 39:782

cortisone in, 39:463

dislocation of Soemmering's ring and, 37:828

dithizone, biochemical study of, 37:459

due to electric shock, 53:1063

due to high density electromagnetic field, 50:1271

due to pulseless disease, 41:1117

due to 240-volt electric current, 44:719

dysecephaly, hypotrichosis and, 44:308

ectodermal dysplasia and, 49:1462

effect blood supply on development of, 41:567

effect hypophysectomy on development of, 54:499

electrophoretic study of, 40:452; 48:418

enzymes and enzyme inhibitors, in production of, 47:876

experimental, 53:729

antimytotic agents in, 49:187

black, vitamin C and, 36:747

sulfhydryl groups and, 46:765

expulsion, 53:729

EXTRACTION: 39:613, 782; 40:151; 42:929; 46:107

after-cataract following, 46:274

after disinsertion of zonule, 47:128

after glaucoma surgery, 36:153; 38:269, 599; 42:664; 46:106; 51:358; 54:746

after intraocular foreign bodies, 40:599

after iridencleisis, 47:627

after retinal detachment, 40:598

allergic reaction after, 36:1647

alpha chymotrypsin in, 48:419, 576, 577, 578; 50:534, 536, 679; 51:357, 537; 52:452, 453; 53:558; 54:745

erisophake and, 49:663, 1453

CATARACTS (continued)**EXTRACTION** (continued)

alpha chymotrypsin (continued)

postoperative complications of, 50:535

study of, 49:662

See also under Alpha chymotrypsin and Zonulolysis

anesthetic for, 38:599

angle closure in, 43:651

anterior chamber, closure after, 43:651

formation after, sutures and, 53:728

hemorrhage after, 49:186; 51:357

Diamox in, 47:628

weather and, 47:628

delayed reformation after, 49:402

ocular tension and, 37:297

aniridia after, 39:146

anterior chamber lens and, 52:308

See also under Intraocular lenses

aqueous outflow and, 45:324

astigmatism after, 47:426

at Moorfields, in 1949, 40:597

Barraquer technique in, 51:562

bilateral, 42:182, 956; 48:886

blepharostat for, 36:370

by expression, 47:127; 52:309

by lateral route, 54:164

capsule puncture before, 47:127

Chandler's maneuver in, 47:923

choroidal detachment after, 39:463; 50:529; 54:743

complications of, 39:462; 41:133; 45:174; 46:274; 50:536; 54:502

due to anterior vitreous, 50:1270

overcoming, 53:727

conjunctiva before and after, 53:728

corneal, edema after, 46:275

flap, incision for, 47:128

sensitivity after, 52:453

thickness after, 43:166

turgescence after, 39:462

wound healing after, 42:932

corneconjunctival flap, sutures in, 41:348

cyst in anterior chamber after, 42:665

diabetes insipidus after, 36:425

digital pressure in, 45:789

dressing after, 45:175

endophthalmitis after, management of, 47:130

enucleation after, 54:499

enzymatic zonulolysis in: See under Cataract extraction, zonulolysis in. See also under Zonulolysis

epithelialization anterior chamber after, 40:291; 46:275, 621

erisophake for, 40:597; 41:348; 43:178; 54:335

and Arruga forceps, 52:1012

Harrington's, 38:268; 40:466

expression method for, 51:858

expressors for, 43:839

EXTRACAPSULAR: 39:613

capsule extraction after, 40:466

cortisone in, 39:462

erisophake for, 54:337

Ridley lens after, 41:348

flat anterior chamber after, 42:930; 43:503

fluorescent light for, 43:827

forceps for, 54:337

foreign bodies after, 40:146

fungus infections after, 45:174; 53:203

general anesthesia in, 47:127, 433

glaucoma secondary to, 40:298; 51:356, 858; 54:1172

gonioscopy after, 45:324

gonioscopy before, 53:559

Graefe incision in, 46:430

hemorrhage and, 36:1780

expulsive, 37:623; 54:500

histology eye after, 36:1186

hyphema after, 38:887; 42:934; 44:297

hypotony after, 40:300; 41:1100

in centenarian, 49:663

in diabetics, 37:829; 45:323

in high myopia, 52:451

CATARACTS (continued)**EXTRACTION (continued)**

- in India, 48:885
- in infants, 51:561
- in megalocornea, 46:631
- in myopia, 41:178
 - high, 52:451; 53:202, 730
 - refractive changes after, 45:471
- in nondilatable pupils, 54:500
- in one-eyed patients, 41:585
- in primary glaucoma, 37:296
- in retinitis pigmentosa, 44:564
- in rosacea keratitis, 38:879
- incisions in, 39:268; 48:419
 - protection of, 53:1065
 - sutures and, 54:502
- infections after, 41:1100; 46:274; 47:433
- intravenous anesthesia in, 39:782
- INTRACAPSULAR:** 37:623; 42:181
 - erisophake in, 45:790
 - forceps for, 49:871
 - influence hypotension on, 37:157
 - instrument for, 36:568
 - of hard cataract, 36:1314
 - with keratome, 36:588
- intumescent, low temperature in, 52:581
- iridectomy in, 42:937
- iridocyclitis and, 39:268; 46:274
- keratitis after, 46:892
- keratome-scissors incision in, 36:153, 1781
- lid retractor for, 38:438
- limbal-conjunctival flap in, 51:561
- macular edema after, 42:664; 47:726
- Myanesin in, 41:348
- neuromyzing premedication in, 53:729
- new instrument for, 43:521; 50:1271
- ocular tension after, 52:580
- of complicated, 36:153; 44:565
 - needleholder for, 41:1101
- of immature nuclear, 52:309
- of senile, 44:565
 - antibiotics in, 46:631
- optic nerve atrophy after, 47:726
- optic neuritis after, 47:928
- panophthalmitis complicating, 36:1014
- papilledema after, 47:726
- pentothal sodium in, 40:597
- phacoanaphylactic reaction after, 46:269
 - antihistamines in, 36:292
- phakoeresis of, Barraquer on, 50:679
- preoperative hyphema and, 54:164
- procedure selection for, 46:429
- prophylactic antibiotics in, 42:335
- pupil contraction during, 38:269
- pupil dilation before, 47:434
- refinements in, 36:884
- refraction before and after, 50:1269
- report on 401, 36:153
- results after, attempts to improve, 36:747
- retinal detachment after, 42:937; 46:275
- Ridley's lens, after, 36:1779
- suction cup to insert, 36:1781
- rheumatic uveitis after, 45:319
- round-pupil, 42:937
 - problems of, 43:329
- scissors for, 45:157
- scleral resection before, in high myopia, 51:1334
- senile iris changes and, 53:727
- shagreen in, 40:597
- shallow chamber after, mydriatics for, 44:849
- Smith-Indian technique modified, 44:719
- subconjunctival suture in, 44:712
- suction in, 36:1780; 52:450
 - cup for, 37:145
- sulfonamides in, 36:1313
- surgical techniques in, 36:1313
- sutures in, 39:269, 461; 43:650; 45:789; 53:202
 - buried silicone, 54:503
 - corneal, 40:299
 - modified McLean, 40:598

CATARACTS (continued)**EXTRACTION (continued)**

- sutures in (continued)
 - subconjunctival, 44:712
- symposium on, 39:781
- syringe for soft, 36:1313
- 324 consecutive, survey of, 47:433
- tonography after, 45:324
- total, 36:747
- transportation patient after, 37:816
- urea in, 54:500
- visual results in, 42:957
- vitreous withdrawal in, 54:499
- when iris entangled with knife, 53:1066
- with and without, alpha chymotrypsin, 49:1076
- lytic cocktail, 46:430
- wounds of, 47:725
 - closure of, 48:419
 - healing, 36:1779; 43:329; 47:726
 - nonhealing, pathology of, 36:1780
 - rupture, 38:887
- zonule membrane in, 36:154
- zonulolysis in, 47:129, 432, 433, 434, 627; 48:131, 702, 885; 49:1453; 52:447, 451, 580; 53:558, 728, 730, 1065; 54:1172
 - See also under Alpha chymotrypsin and Zonulolysis
- Zonulysin in, 53:1067
- fish lens extracts in, 37:829
- floriform, 47:146; 48:715; 54:502
- fluid movement in lens with, 39:461
- formation of, after electropositive proteins, 43:814
- diabetes control and, 39:462
- fusiform congenital, 52:448
- galactose, 46:106; 47:434; 51:548; 52:446, 451; 53:1064
- development of, 41:155
 - effect cocarboxylase on, 39:898
 - effect castration on, 41:871
 - effect nutrition on, 41:688
- experimental, 40:453
- formation of, 51:548
- influence thiouracil on, 38:426
- influence thyroid on, 38:426
- lens proteins in, 42:513
- 1-phosphate in, 42:165
- pathogenesis, 38:746; 54:1173
- proteins in diet and, 38:430
- glaucoma and, 36:412; 37:157; 54:746
 - treatment of, 49:663
- glucosamine, in senile, 49:186
- glucuronic acid and, 53:1039
- heredity and, 50:534
 - posterior polar, 40:947
- heterochromia and, 45:167
- histopathology of, 40:596
- hypermaturation, 48:703
 - complications of, 48:702
- hypocalcemia and, 49:199
- idiopathic hypoparathyroidism and, 37:622
- in Africa, 47:702
- hypocalcemia and, 49:199
- idiopathic hypoparathyroidism and, 37:622
- in Africa, 47:924
- in alloxan diabetes, 40:453
- in anaphylactic uveitis, 46:243
- in diabetics, 46:429
- in dietary deficiencies, 46:275
- in galactosemia, 40:300; 47:628
- in idiopathic hypoparathyroidism, 50:1269
- in idiopathic tetany, 40:466
- in myotonic dystrophy, 39:913; 43:839; 44:306
- in one eye, 42:932
- in Paris sight-saving classes, 52:448
- in premature, 41:178
- in pulseless syndrome, 42:679
- in rheumatoid arthritis, 53:412
 - steroid therapy and, 51:710
- in rheumatic disease, 53:558
- in skin disease, 53:1066
- in vitamin-E deficiency, 42:181
- incision, buried mattress suture for, 49:871

CATARACTS (continued)

- incision (continued)
 - healing, 43:178
 - survey of, 40:934
- infantile, congenital syphilis and, 36:1312
- influence anoxia on development of, 47:609
- intumescent, cryoextractor for, 53:1064
 - glaucoma secondary to, 42:660; 54:1170
 - low temperature in extraction of, 52:581
- isoacetic acid, 46:246
- ionizing radiation, 39:607
- iris vessels in, 40:300
- juvenile, aspiration of, 45:588
 - operation in, results of, 42:819
- knife, handle for, 52:295
- lactic dehydrase and, 47:703
- lens capsule rupture in, 36:1313
- lens changes in experimental, 48:703
- lens epithelium, in pathogenesis of, 46:107
- lens metabolism and, 43:154
- lenses with, immunoelectrophoresis of, 48:555
- lightning, 47:726
- lipoprotein metabolism in, 52:454
- mature, glycuronic acid of, 50:534
- medical treatment of, 38:887
- megalocornea and, 44:297, 621
- membranous, congenital cataract and, 38:443
 - familial, 47:923
- monocular, management of, 40:774
- morgagnian, hypermature, 54:164
 - luxated, 47:924
 - phacogenic ophthalmia with, 37:615
- myleran, 41:896
 - lens fluorescence in, 49:402
- myotonic dystrophy and, 36:588
- naphthalene, 47:611; 50:535
 - biochemical study of, 36:279
 - glucuronic acid, to inhibit, 45:175
- neurodermatitis and, 37:829; 42:956
- nitro dyes and, 43:330
- nonsurgical treatment of, 36:412
- oligophrenia and, 40:613
- operations, absorbable sutures in, 37:828
 - and operators, 46:430
 - for secondary, 37:975
 - incision in, new technique, 37:905
- patients, contact lens for, 52:135
 - etiologic study of, 46:108
 - pre- and postoperative care of, 45:323
- peptidase, contact lens in, 52:452
- perimetry in, 44:442
- permeability, 38:269
- phosphorylation in, 52:454
- photocoagulation in, 51:357; 52:454
- polar, congenital posterior, 43:522
- posterior brown, 51:357
- postnatal, 50:1267
 - in premature infants, 38:65
- posttraumatic, calcareous, 38:268
- preoperative treatment, 49:1076
- presenile, 53:728
- prevention disseminate, after zinc cauterization, 47:276
- production, by ergotone, 49:655
 - in animals, 41:728
- protein fractions in, 44:708
 - of soluble, 47:266
- radiation, 37:828; 43:330; 44:296; 48:132
 - ciliary body in, 38:673
 - effect cell suspensions on, 44:708
 - experimental, 37:828
 - microwave, 47:94
 - fast neutrons producing, 37:829
 - high voltage X-rays producing, 41:560
 - in industry, 40:151
 - local and systemic exposures in, 36:1009
- retinal detachment and, 43:1014
 - atopic dermatosis and, 39:462
 - dermatosis and, 54:746
 - neurodermatitis and, 36:153
 - surgery in advanced, 54:506
- retinitis with, 45:592

CATARACTS (continued)

- Ridley's operation in, 36:1186
- round-table conference on, 42:928
- rubella, congenital blindness and, 54:501
- secondary, operation for, 37:975
 - surgery of, 41:177
 - self-cure of, 39:461
- SENILE:** 43:178; 51:1349
 - age incidence in, 52:1013
 - aqueous changes in, 48:885
 - artificial absorption of, 49:1453
 - cataractogenic factors in urine in, 39:125
 - complicated, 42:935
 - cortical and nuclear, 42:939
 - Debenal to treat, 51:859
 - EEG in, 41:729
 - 5-OA in urine in, 52:309
 - glaucoma and, 51:858
 - glutathione activity in, 53:202
 - hyphema after extraction of, 40:775
 - incipient, 42:957
 - neuropsychiatric observations in, 41:729
 - pH aqueous in, 43:814
 - postoperative complications of, 42:663; 53:557
 - sulfonamides and, 51:203; 54:1173
 - surgery of, 48:131
 - vitreous loss during, 51:753
 - treatment of, 36:1186
 - ultraviolet absorption of, 39:899
 - vision loss on, 42:928
 - vitamin C metabolism in, 38:446
- shock therapy and, 46:430
- skin lesions and, 38:609
- soft, aspiration of, 54:745
 - surgery of, 40:301
 - two-way syringe to irrigate, 36:741
- spear, 41:922
- stress and experimental, 45:790
- subcapsular, after adrenocortical steroid therapy, 54:746
- anorexia nervosa and, 49:187
- sulphydryl, and development of, 51:754
- sunflower, 43:178
- SURGERY:** 46:631; 47:922, 924; 51:202
 - adrenoxyl in, 52:1013
 - advances in, 36:883; 51:203
 - akinesia in, 42:335
 - alpha chymotrypsin in, 49:662, 1075; 50:1269; 53:202
 - unfavorable effects of, 50:1271
 - anesthesia after, 47:923
 - anesthesia in: See under Anesthesia
 - complications of, 39:914; 50:536
 - postoperative, 50:535
 - corneal astigmatism after, 48:886
 - curare in, 37:297
 - deturgescence of vitreous before, 50:1271
 - Diamox in, 44:847
 - digital pressure preceding, 41:922; 51:560
 - drug administration in, 48:702
 - endophthalmitis and, 50:825
 - facts, fallacies and failures, 40:933
 - hypotony after, 47:923
 - in first 10 years of life, 50:209
 - in megalocornea, 41:179; 47:130
 - in patients over 80, 48:577
 - keratitisbullosa after, 51:743
 - new procedures for, 47:922
 - of senile, 48:131
 - postoperative regime, 42:928
 - Prazine before, 49:403
 - razor blade to open anterior chamber, 41:902
 - Ridley operation: See Ridley operation
 - rupture zonular fibers, results, 42:181
 - slitlamp indications for, 49:402
 - steroids in, 42:936
 - survey of, 53:412
 - sutures in, 42:934
 - buried, 48:578
 - suturing technique, 47:433; 49:186
 - trypsin and alpha chymotrypsin in, 50:1267
 - vitreous prolapse during, 48:885
 - with Flieringa ring, 53:1066

CATARACTS (*continued*)**SURGERY** (*continued*)

- zonulolysis in: See Zonulolysis
- traumatic, 46:273
- glaucoma secondary to, 48:700, 884
- late opacities in, 49:187
- oxygen therapy in, 54:501
- surgery of, 50:209
- treatment without operation, 37:622
- types of, in glaucoma, 54:493
- ultrahigh-frequency radiation and, 47:627
- umbilicated, 52:448
- review of, 36:1781
- uveitis and, 42:935
- visual fields in, Maggiore perimeter to test, 54:487
- vitamin C, in aqueous in, 38:118
- in blood in, 38:118
- decomposition of, 37:463
- deficiency, 37:465
- weight and water content of, 52:446
- X-ray, 36:1186; 42:517, 819; 51:858; 53:412
- influence chemical agents on, 36:141, 154
- influence cystamine on, 41:922
- prevention with cysteine, 41:1101
- Xylose, 52:1012
- Catarax lens, 42:493
- Catarh, vernal: See Vernal catarh
- Catarhal fever, transient myopia with, 51:191
- Caterpillar hairs, conjunctivitis due to, 36:287
- in cornea, 44:144
- ophthalmia nodosa due to, 37:153; 41:171
- Cats, cross-eyed Siamese, study of, 51:330
- eyes of, in ophthalmic research, 51:1327
- Cavernous sinus, aneurysm involving, 38:602
- injuries involving, 38:602
- radiography study of, 37:608
- syndromes of, 41:162
- tumors of, 38:602
- Central nervous system, accommodation and, 52:1018
- in Besnier-Boeck-Schaumann disease, 51:1355
- Cephalosporium, conjunctival infection with, 51:853
- Cerebellar ablation, in an infant, 48:581
- Cerebellum, cystic astrocytomas of, 53:740
- CEREBRAL**, artery embolus, eye and, 41:354
- bases of inhibition, amblyopia and, 54:490
- circulation, protein metabolism and, 43:813
- retina and, 42:164
- cortex, lesions of, ocular functions in, 46:242
- disease, nystagmus and, 50:684
- disturbances, cerebral circulation and, 50:684
- hemisphere, retinal circulation in diseases of, 49:657
- infarction, visual loss after, 46:114
- PALSY**: 53:421
- eye findings in, 40:611
- oculomotor defects in, 41:353
- radiography, in arteriosclerosis, 51:1337
- thrombosis, ocular signs of, 38:276
- tumors, 37:633
- eye signs in, 42:959
- Cervical ganglion, after removal of eye, 47:608
- Cetavlon, a bactericide, 47:425
- Ceylon, epidemic keratoconjunctivitis in, 43:834
- Cezanne, visual space in paintings of, 50:197
- Chages disease, fever therapy in, 44:442
- Chalazion, calcium crystals in, 45:602
- hemorrhage after surgery for, 36:877
- heredity in, 44:576
- prednisone in, 43:658
- Chalcosis lentis, 54:895
- Chalcosis, ocular, 46:118
- subluxation of lens and, 43:343
- Candler's maneuver, in cataract extraction, 47:923
- Charcot-Marie-Tooth disease, optic atrophy and, 51:564
- Chardomas, malignant, 43:847
- Charlin's syndrome, 43:657
- Cheek, exophthalmos due to tumor of, 45:599
- Cheiroscopic drawing, eye training by, 42:169
- Chemical injuries: See under Injuries
- Chemistry, physiologic of eye, 36:140; 51:549
- Chemotherapeutic agents, 41:905
- Chemotherapy, effect on eye, 37:460

Chemotherapy (*continued*)

- in carcinoma metastases, 53:1077
- in eyelid cancer, 48:283; 54:517
- CHIASM**, astroglia and, 43:806
- blood supply of, 43:486; 45:762
- disease of, 40:940
- injuries to, 41:738; 48:431
- radiation damage to, 49:176
- syndrome of, 39:616
- internal carotid and, 45:598
- postoperative course in, 46:280
- progress of, 39:149
- Chickenpox, keratitis of, 46:264
- uveitis in, 39:911
- CHILDREN**, African, eye diseases in, 46:624
- amblyotic, behavior of, 36:1329
- treatment of, 54:882
- ametropia in, correction of, 43:495
- in school, 47:272
- anamnesis, ocular functions in, 50:831
- anesthesia for, 38:436; 41:164, 903; 43:826; 50:201
- general, 43:506
- inhalation mask for, 43:505
- Propazin in, 53:710
- rectal, 42:806
- arachnoid hemorrhage in, 45:795
- arthritis in, eye manifestations of, 36:1182
- BLIND**: 40:615
- behavior of, 36:1329
- development 10 years after retrolental fibroplasia, 49:672
- education of legally, 46:785
- findings in institute for, 36:1022
- poking eyes in, 38:287
- psychomotor behavior of, 48:124
- blindness in, clinical study of, 39:281
- brain tumors in, 48:706
- congenital cataract in, management of, 48:577
- corneal dystrophy in, 53:718
- cytomegalic inclusion disease in, 43:807
- dacryocystitis in: See Dacryocystitis
- dacryocystorhinostomy in very young, 36:1322
- defective vision in, school for, 36:1329
- diabetic retinopathy in, 43:524
- ERG in, 50:827
- eye findings after toxemia of pregnancy, 38:283
- eye injuries in, 36:1787; 37:639; 54:521
- and eyelid, 53:209
- eye surgery in, lytic cocktail for, 47:712
- eyelid edema in, 48:139; 49:1457; 53:739
- failing vision in, 40:924
- fundus picture in diseases of, 54:522
- glaucoma in, cyclodiathermy in, 48:580
- gliomas optic pathways in, 45:596
- hemorrhage in, 47:744
- vitreous, 43:841
- herpes zoster in, 47:294
- hyphema, traumatic in, 44:302
- imbecile, fundus changes in, 36:294
- infective eruptive disease, eye complications of, 47:277
- intracranial hypertension in, after cortisone, 54:731
- keratoconjunctivitis sicca in, 36:1651
- keratoplasty in, 41:1092; 53:187
- lens of, 43:997
- leukoses in, effect on orbit, 53:420
- macular degeneration in, 43:524
- malignant disease in, 53:740
- measles in, corneal necrosis due to, 43:831
- mental depression in, amblyopia and, 43:528
- mentally retarded, visual performance of, 38:433
- metabolic diseases in, eye signs of, 47:299; 51:536
- myopic, bifocal to treat increasing, 45:759
- corneal power in, 54:483
- dietary treatment of, 45:148; 46:921
- food habits of, 42:947
- neuro-ophthalmologic examination in, 43:335
- ocular rigidity in, 51:752
- ocular trauma in, statistics on, 43:660
- ocular tumors in, 50:1284
- of diabetic mothers, 47:146

CHILDREN (continued)

- optic atrophy in, diagnosis of, 40:937
- optic neuritis in, 47:735; 50:682; 51:363
- optokinetic reactions in, 43:162
- opostatic reactions in, 43:162
- orbital cellulitis in, 39:618
- premature, eye findings in, 45:338
- fundus examination in, 43:820
- significance to eye, 43:662
- preschool blind, 40:312
- proptosis in, 37:312; 40:942
- pseudoglioma in, 47:131
- psychologic approach to eye problems of, 38:437
- radiation therapy in, cataract after, 48:132
- reading problems in, 39:445; 47:447
- refraction device for, 53:168
- retinal detachment in, idiopathic, 41:1102
- rheumatoid diseases in, eye manifestations of, 47:744
- Santiago, eye problems in, 41:742
- SCHOOL**, achievements of, visual anomalies and, 40:313
- blindness in, 43:1023
- eye health in, 36:429
- refraction of, in India, 53:423
- vision in, 37:467
- Orthorater to test, 40:312
- visual screening of, 50:521; 51:538, 571
- procedures and findings, 36:1021
- visual status and academic achievement, 40:615
- visual tests for, 38:587
- scrofula in, 36:892
- sight-saving schools for, 36:429
- spectacle lenses for, 47:710
- stereoscopy in, 44:140
- strabismus in, management in, 45:962
- psychology of, 41:1091
- treatment of, in small, 49:866
- visual development in, 43:828
- subdural hematoma in, 45:795
- subdural hygroma in, 45:795
- tuberculosis in, ocular, 47:713
- tumor of orbit in, 45:598
- uveitis in, 37:822; 38:262; 47:285
- endogenous, 37:613
- treatment of, 52:44
- tuberculosis and, 53:196
- visual defects in, 41:570
- visual examination in, 47:709
- zonular opacities in, 45:962
- CHLORAMPHENICOL**: 36:1767
- blindness during, 53:402
- combined, with cortisone, 40:283
- with other drugs, 36:1640
- corneal antibodies after, 49:653
- effect on conjunctival bacilli, 43:148
- eyedrops, 41:388
- in eye infections, 43:155
- in herpes, 36:1178
- in ophthalmology, 39:118
- in pyocyanus infections, 37:135
- in rosacea keratitis, 37:141
- in trachoma, 36:288; 37:970; 38:256
- subconjunctival, 43:833
- penetration of, 41:153
- sensitization, of conjunctiva, 36:1160
- studies on, 41:887
- therapy, 48:879
- Chlorides, concentration in aqueous, 37:459
- in blood, 37:459
- Chloroma, exophthalmos and, 39:276
- of orbit, 48:135
- Chloromycetin, in trachoma, 46:770
- CHLOROQUINE**, corneal epithelium after, 48:570
- deposits in cornea, 49:397
- eye complications of therapy with, 46:931; 53:168, 185
- in experimental uveitis, 49:860
- keratopathy, 50:204
- retinal damage due to, 53:204
- retinopathy due to, 49:664; 52:584; 53:1071
- scotomas after, 54:730
- toxicity, 50:529

- Chlorothiazide, 48:559
- in retinal inflammations, 53:1034
- influence on ocular tension, 49:1452
- Chlorpromazine, 43:174
- effect on ocular tension, 41:318, 728
- effect on retinal artery pressure, 42:516
- eye damage and, 44:705
- in eye surgery, 41:165
- in glaucoma, 41:1097
- in retinopathy of prematurity, 42:670
- Chlorpropamide, centrocecal scotoma due to, 52:741
- Cholesteatomas, intracranial, 44:855
- of cerebellopontine angle, nystagmus in, 47:137
- of orbit, 39:786; 45:181; 46:281
- of pterygoid, 52:315
- Cholesterol, glaucoma and serum, 51:202
- histopathologic findings after, 36:736
- in lens, 52:1013
- in cataract, 36:293
- macular lesions and, 36:749
- serum, in arteriosclerotic fundus changes, 48:280
- Cholesterosis, 39:131
- of anterior chamber, 41:1094
- Choline, deficiency, eye manifestations of, 51:731; 52:291
- in retina, 44:436
- Cholinesterase, activity in glaucoma, 36:151
- antifermentative action, 36:737
- behavior, during hydrazide therapy, 37:136
- in aqueous, in glaucoma, 41:892
- inhibitors, ciliary processes changes after, 54:493
- in esophoric asthenopia, 48:123
- in myasthenia gravis, 51:709
- neutralization of, 51:711
- of iris, 36:1162; 44:436
- of retina, 42:163
- of subretinal fluids, 41:569
- Chondritis, iritis and, 46:268
- Chondrolipoma, corneoscleral, 44:714
- Chondrosarcoma, of orbit, 53:1073
- Chorea, papilledema in, 52:1017
- Choriocapillaris, Bruch's membrane and, 40:449
- in degenerative diseases, 48:414
- retinal dehiscence, in disturbances of, 39:911
- Chorioepithelioma, metastatic to choroid, 37:316; 38:449
- Choriopathy, 39:456
- alpha chymotrypsin in, 47:926
- retinopathy and, 42:958
- Chorioretina, miliary granulations of, 48:420
- CHORIORETINAL**, atrophy, cataract and, 49:1463
- diffuse familial, 46:776
- burns, atomic bomb, 40:155; 44:569
- effect blood flow rate on, 54:912
- circulatory insufficiency, retina and, 49:861
- damage, due to atomic bomb, 41:1117
- degeneration, 53:1081
- cerebral symptoms and, 36:881
- fundus and, 54:897
- glucose content in, 36:278; 38:746
- lens changes in, 38:746
- vitamin C and, 36:278
- diseases, lipid extracts in, 37:830
- dysplasia, microgyria and, 47:925
- inflammation, lens opacities and, 46:267
- lesions, due to atomic bomb, 42:682
- in Kaposi's sarcoma, 45:169
- oxygen in, 46:771
- retinal holes and, 43:525
- manifestations, in electrocution, 43:343
- CHORIORETINITIS**, acquired toxoplasmic, 53:561
- acute disseminated, 49:190
- atypical tuberculous, 40:934
- central serous, 36:415; 40:302; 41:732; 43:170
- congenital syphilis and, 36:1007
- diathermic, in retinal detachment, 38:271
- due to atomic detonation, 41:361
- due to brass dental plate, 44:565
- due to brucellosis, 51:1347
- dye test in, 54:505
- embolus in, 37:306
- granulomatous, 47:917
- in toxoplasmosis, 48:146; 49:661

CHORIORETINITIS (*continued*)

- interstitial keratitis and, 36:1775
- Jensen's, 41:348; 48:574; 51:360
 - tuberculous periarthritis and, 36:415
 - visual fields in, 39:614
- juxtapapillaris, 37:159
 - skiascopic findings in, 43:501
- lens proteins in, 38:117
- lesions of arteriolar walls and, 53:1056
- macular, 40:152
- pigmentosa, 54:524
- slitlamp study of, 39:465
- striate, 41:730
- toxoplasmic, in adults, 36:151; 38:261, 264; 39:911
 - recurrent, 48:133
 - serologic data, 38:262
- tuberculous, nicotinic acid and streptomycin in, 47:616
- Chorioretinopathy, arteriosclerotic, 47:134
 - central punctate, 53:417
 - heparinoid in sclerotic, 53:166
 - peripheral, cyclitis and, 53:555
 - posttraumatic of Siegrist, 40:776
 - traumatic, field defects in, 45:332
- CHOROID**, adrenocortical lipids and, 42:161
 - after Ditzone, 51:190
 - after retinal artery occlusion, 54:900
 - angioma of, 36:408; 39:265; 45:780; 46:932
 - angiosclerosis of, 54:737
 - hereditary, 48:436
 - arterial sphincters of, 41:559
 - arteriosclerosis of, in hypertension, 36:1010
 - artery, ligature of anterior, 45:179
 - visual fields after occlusion anterior, 40:796
 - atrophy, central areolar, 49:398
 - gyrate, 38:260
 - progressive, 41:726
 - retinitis pigmentosa and, 45:325
 - with paraplegia, 40:614
 - biopsy, 54:890
 - blood circulation of, 36:734; 43:494
 - in glaucoma, 53:1059
 - influence cyclodiathermy on, 41:318
 - blood content, effect on ERG, 52:742
 - blood flow through, 54:492
 - blood vessels of, 42:510, 947; 45:595, 756
 - blood volume, changes of, 41:539, 865
 - factors influence, 44:705
 - cancer of, 48:430
 - carcinoma of, 38:448; 46:267
 - metastatic, 50:356
 - radium in, 48:427
 - changes, produced by shock, 40:451
 - chorioepithelioma, metastatic to, 38:449
 - coagulation of, in Coats' disease, 37:830
 - coloboma of, 37:152, 322; 41:741
 - retinal detachment and, 51:860
 - with macular dysplasia, 36:165
 - degeneration of, 49:872
 - ERG in, 53:732
 - DETACHMENT** of, 44:147, 291; 48:416
 - after cataract extraction, 39:463; 50:529; 54:743
 - after intraocular surgery, 45:492
 - after retinal detachment operations, 39:466; 41:1107
 - by ultrasound, 47:431
 - in fundus diagnosis, 51:333
 - in glaucoma surgery, 43:518
 - observations on, 43:152
 - placenta therapy in, 39:265
 - postoperative, 48:883
 - recurrent, 41:172
 - serous, 41:914
 - surgery for, 36:1182
 - treatment of, 47:625
 - effect diathermy on, 51:1341
 - to treat tumors of, 48:429
 - effect drugs on, 54:735
 - effect histamine on, 36:282
 - effect photocoagulation on, 51:1341
 - effect vasoconstrictors on blood volume of, 54:1159
 - effect vasodilators on blood volume of, 54:1159
 - epiglottis tumor metastatic to, 48:712

CHOROID (*continued*)

- function, in primary glaucoma, 37:619
- ganglion cells in, 41:150
- granulomas of, 41:365
- hemangiomas of, 43:647; 51:353
 - diagnosis, 41:726
 - treatment, 41:726
- hernia of, scleral grafting in, 38:595
- hypernephroma metastases to, 53:194
- in formation aqueous, 36:281
- inflammation in tuberculosis, streptomycin in, 36:1305
- influence autonomic drugs on, 36:140
- larva in, pseudoglioma due to, 52:310
- light coagulation to treat tumor of, 48:429
- light energy loss in, 51:345
- melanoblastomas of, 45:781; 51:1346
 - photocoagulation in, 54:519
- melanoblasts of, 40:450
- melanocarcinoma of, 40:463
- MELANOMA** of, 36:744; 38:163, 445, 597; 42:815; 43:1020; 50:1285; 51:354, 1363; 53:195
 - biopsy in, 41:581
 - carcinoma of neck and, 38:898
 - delayed metastasis in, 52:317
 - diagnosis of, 45:169
 - echogram in, 49:196
 - malignant, 37:973
 - morphology of, 36:1017
 - P³² to localize, 50:674
 - photocoagulation in, 53:1078
 - size, shape and progress, 41:1094
 - ultrasound to examine, 52:437
- melanosarcoma, 46:427; 47:742; 53:740
- melanosis of, 38:280
- metabolism of, after placenta extract, 39:770
- metastases to, 45:165; 54:911
 - from skin of melanoma, 45:780
 - treatment of, 45:168
 - with cytostatic drugs, 50:206
- X-ray therapy in, 53:740
- nerves of human, 50:820
- ossification of, 43:1011; 44:562
 - in microphthalmic eye, 48:698
- pericytes of human, 41:990
- plexus tissues of, 47:587
- reactions of, to retinal detachment surgery, 45:595
- reticulo-endothelial system of, 53:198
- rupture of, through macula, 36:1769
- sarcoma of, 36:1182; 43:848, 1019
 - juxtapapillary, 36:1016
- sclerosis of, 41:367
 - sex-linked form, 41:916
- spectrophotographic measurement of, 46:926
- tissue fluid content of, 36:282
- tubercles of, 44:146
- tuberculoma of, 38:444
- tuberculosis of, 43:647
- tumors of, 37:837
 - differential diagnosis, 45:491
 - glaucoma and, 43:1010
 - in eyes with melanosis, 48:429
 - iridencleisis and, 48:416
 - malignant, 43:326
 - prognosis of, 49:869
 - metastases to, 37:316
 - transillumination of, 48:283
 - visual field changes in, 36:144
- vascular, anatomy of, 39:434
- capacity of, 36:282
 - network of, obliteration of, 48:413
- Choroideremia, 44:863; 51:854
 - clinical aspects, 36:1185
 - ERG in, 46:932
 - functional loss in, 54:897
 - genetic aspects, 36:1185
 - inheritance of, 42:342
 - Intermedin in, 43:180
 - myopia, nystagmus and, 49:200
- CHOROIDITIS**, amebiasis and, 45:166
- arcuate traumatic, 48:573
- campimetry in macular, 44:442

CHOROIDITIS (*continued*)

- carcinomatous, 54:341
- central serous, 36:409
- diabetic, 45:166
- Doyle's honeycomb, 54:889
- clinical observations, 36:409
- Jensen's juxtapapillary, 53:204
- posttraumatic, 40:148
- proliferans, 36:881; 49:1450
- unilateral, 39:142
- Choroidopathy, myopic macular, 53:192
- Chromatic aberration, in refraction, 43:497
- Chromatography, of amino acids, 42:160
 - in ocular fluids and lens, 36:738
 - to study corneal and retinal epithelium, 48:555
- Chromatopsia, after digitalis, 47:707
- Chromosomes, relation to some diseases, 53:423
- Chrysiasis, of eye tissues, 43:168
- Chymotrypsin, action on hyphema, 49:1442
 - See also alpha chymotrypsin
- Cibis, illumination technique of, 47:710
- Cigarettes, effect on intraocular circulation, 46:242; 47:905
 - effect on thresholds flicker fusion, 36:1751
- Cilia: See Eyelashes
- CILIARY ARTERIES**, anastomoses with retinal, 41:885
 - contraction, ocular tension and, 41:584
 - in corneal nutrition, 54:491
 - ligation of, in ocular hypertension, 43:838
 - obliteration of, in glaucoma, 48:700
 - particulate formation about, 51:199
 - pressure, in diagnosing glaucoma, 36:1326
- Ciliary band, during accommodation, 45:472
- CILIARY BODY**: 48:558; 53:195
 - argyrophil fibers of, 52:429; 53:882
 - atrophy, of epithelial layers, 46:269
 - glaucoma and, 49:1449
 - biomicroscopy of, 42:527
 - blood flow through, 54:492
 - blood supply to, injuries of, 41:345
 - Bourneville disease involving, 52:309
 - carcinoma of, 43:573
 - cysts of, 51:198
 - simulating melanomas, 47:624
 - degeneration, cystic, 43:840
 - different portions of, 45:140
 - diktyoma of, 43:342; 48:712
 - effect hypothalamus stimulation on, 47:266
 - effect miotics on, 36:1162
 - effect mydriatics on, 36:1162
 - electric potential across, 51:548; 53:548
 - electron microscopy of, 52:142
 - electrotrauma to, 43:532
 - epinephrine in, 37:464
 - epithelium of, 47:878
 - electron microscopy of, 51:727
 - histochemical study of, 47:878
 - in accommodation, 38:434
 - and convergence, 38:434
 - in glaucoma surgery, 40:773
 - injury to, diathermy treatment of, 48:883
 - irradiation of, ocular hypertension and, 52:434
 - ischemia of, to treat ocular hypertension, 43:521
 - leiomyoma of, 54:910
 - lipids of, 38:745
 - medullo-epithelioma of, 53:563
 - melanoma of, 36:758, 597; 46:427
 - melanosarcoma of, 36:1007
 - metabolism, after acetazolamide, 48:871
 - necrosis, after scleral buckling, 53:550
 - neurilemmoma of, 42:528
 - norepinephrine in, 37:464
 - parasites in, 46:782
 - permeability, after sodium iodate, 36:556
 - tumors of, 43:326
 - epithelial, 41:360
 - gonioscopy in diagnosis, 38:263
- Ciliary epithelium, electron microscopy to study, 51:1327
- CILIARY GANGLION**, acute inflammation of, 36:1320

CILIARY GANGLION (*continued*)

- in trachoma, 49:392
- lesions of, pupil and, 49:873
- morphology of, 43:147
- novocaine block of, in corneal disease, 48:571, 572
- therapeutic results with, 36:572
- pathology of, 36:418
- Ciliary ganglionitis, pupillotonia due to, 43:333
- CILIARY MUSCLE**, action potentials of, 41:895; 53:162
 - antagonistic innervation of, 38:434; 43:153
 - effect drugs on, 54:735
 - in accommodation, 42:515
 - in dog, 40:449
 - in regulating ocular tension, 42:515
 - innervation of, 54:482
 - accommodation and, 44:431
 - contraction and, 52:441
 - nerve fibers of, 49:653
 - physiology of, 40:280
 - study of, 46:916
- Ciliary nerves, anatomy of, 50:820
 - glioma of, 54:1169
- CILIARY PROCESS**, basement membrane of, 54:903
 - changes after cholinesterase inhibitors, 54:493
 - glycolytic activity of, 38:747
 - oxidate phosphorylation in, 41:688, 872
 - respiration of, 37:464
 - secretory nature of, 47:587
 - synthesis ATP and ADP in, 51:711
- Ciliary vein, blood pressure of, 41:575; 44:437
- Ciliary vessels, blood pressure of anterior, 36:1165
- Ciliary zone, in rabbit eye, 53:882
- Cilioretinal artery, 37:303
 - obstruction of, 51:1351
- Cinema, ocular movements during viewing of, 47:914
- Circulation of eye: See Blood, circulation
- Cirrhosis, eye signs of hepatic, 54:523
 - xanthomatous, intraocular involvement in, 36:164
- Cisternography, opticochiasm syndrome and, 47:737
- Claude Bernard syndrome, 47:736
- Climacteric, fundus changes, 48:706
- Clinics, aims and obstacles in, 36:1021
 - Vienna 2nd, admissions study, 36:1022
- Clinoid process, meningioma of, visual loss and, 36:1321
- Cloquet's canal, persistence of, 37:160
- Coal dust, action on eye, 47:743
- COATS' DISEASE**: 40:775; 41:181; 43:180; 45:594; 48:132; 50:538
 - chemistry subretinal fluid in, 38:760
 - choroid coagulation in, 37:830
 - echogram in, 51:205
 - of probable toxoplasmic origin, 42:820
 - photocoagulation in, 53:1069
 - retinitis pigmentosa and, 43:1015
 - steroids in, 51:1351
 - toxoplasmosis in, 43:1014
- Cobalt chloride, eye changes due to, 42:512
- Cocaine, action on amino-oxidase of iris, 37:135
- Coccidioidomycosis, in dog, 51:569
- Cochlea, changes in, tobacco and, 39:898
- Cochlear function, hypertensive retinopathy and, 43:843
- Codehydrase I, in lens, 52:739
- Coenzymes, levels of in lens, 54:483
- Cogan's syndrome, 46:262; 47:916; 51:353
- Colimycin, a Japanese antibiotic, 38:121
- Collistin, in Pseudomonas corneal ulcer, 51:743
 - intraocular penetration of, 54:483
- Collagen, corneal, 40:448
 - defects, in scurvy, 50:821
- COLLAGEN DISEASE**: 41:363; 44:729; 46:285; 47:444
 - ACTH in, 40:611
 - relation to, 36:735
 - diagnosis in, 46:285
 - disciform macular degeneration and, 40:936
 - dysoric nodules in retina and, 44:852
 - evolution of, 46:286
 - eye changes in, 39:279
 - eye complications of, 37:321
 - eye disease and, 36:890

COLLAGEN DISEASE (continued)

- eye manifestations of, 45:799; 46:285; 52:599, 600
- general manifestations and symptoms, 46:286
- keratoconjunctivitis sicca and, 43:325
- marginal corneal degeneration and, 47:621
- neuro-ophthalmologic manifestations of, 46:279
- ocular, 41:740
- pathology of, 46:285
- suprarenal hormones and, 36:735
- symposium on, 46:285
- therapy of, 46:286
- Collagen, fibers, formation of, 52:429
 - in malignant myopia, 44:139
 - in scorbutic guinea pigs, 51:1332
 - in cornea, 40:448; 51:730
 - fibrils of, 51:1330
 - fractionation of, 53:887
 - tissues, heat injury to, 39:608
- Colloid bodies, visual defects due to, 45:596
- Collyrium, atropine, fatal intoxication from, 53:1037
 - preparation of an aqueous, 36:559
 - tests with, 36:754

COLOBOMAS, atypical of fundus, 47:134

- nature and genesis, 44:862
- congenital, 43:850; 44:863; 49:661
- elimination, in cataract operations, 54:500
- heredity in, 52:737
- macular, with hereditary malformations, 47:290
- of choroid, 37:322; 41:741
- retinal detachment and, 51:860
- with macular dysplasia, 36:165
- of ciliary body, congenital, 43:850
- of eyelid, 37:322; 43:846; 46:282
- with cutaneous-corneal bulge, 43:341
- of fundus, 52:455
- of iris, congenital, 49:661
- and retina and optic nerve, 44:863
- congenital glaucoma and, 52:602
- of lens, acquired, 50:1269
 - in arachnoidectomy, 36:428
- of optic disc, 38:892; 41:741; 50:681
- of optic nerve, 36:751
- entrance, 53:1073

Color adaptation, dark adaptation and, 53:1044

thresholds for, 53:399

COLOR BLINDNESS, achromatic foveal threshold in,

- 46:251; 54:903
- acquired, 45:958
 - after typhus, 41:900
- amblyopia and, 54:883
- brightness matches in, 42:136
- color theory and, 47:273
- congenital, 38:124; 48:560
- combined forms of, 43:157
 - ERG in, 54:484
 - studies on, 41:897
 - total, 51:551
- dichromatopsia, exercises for, 39:442
- ERG in, 37:140; 44:710; 46:923; 51:191
- flicker, in total, 46:619
 - to diagnose, 51:192
- hereditary, to green, 44:308
- hue discrimination in, 42:136; 45:470
- luminous efficiency in, 42:136
- muscular dystrophy and, 43:664
- optic atrophy and, 52:432
- red-green, Purkinje shift in, 42:948
- TESTS**, for night, 52:744
 - H-R-R polychromatic plates, 39:444
 - pseudoisochromatic plates, 41:163
 - Rabkin tables, 54:731
 - total, 38:751
 - unilateral, 45:958
 - visual fields in, 46:922
- COLOR**, changes, in cornea, 48:126
 - in frog, influence light on, 47:609
 - curve, in Maxwell chromatic triangle, 44:286
 - deficiency, frequency of, 44:284
 - in industry, testing for, 45:474
 - manifest heterozygosity, in carriers of, 40:763
 - tests for, 41:900

Y COLOR (continued)

- discrimination, threshold of, 53:1044
- fatigue, in brucellosis, 51:1334
- fields, in neurosurgery, 45:327
- fixation and, 41:157
- fusion, 53:168
- influence on visual acuity, 42:519
- matching, age changes and, 44:285
- mechanisms, in retinal disease, 51:712
- PERCEPTION**, 48:875
 - disparity, in identical twins, 47:449, 911
 - heredity in, 52:293
 - in macular disease, 52:293
 - physiopathology of, 51:736
 - reproduction, with two-component projection, 54:333
 - traffic and, 51:1333
 - threshold, of blue and yellow, 48:561
- SENSE**, age and, 39:607
 - Holmgren's test of, 48:122
 - in primary glaucoma, 48:575
 - ontogenetic development of, 41:900
 - senile changes in, 38:434
 - vitamins and, 36:1168
- tests, in allergic iritis, 45:464
 - in inflammations, 45:464
- thresholds, deviations in disease, 52:432
- transparencies, mounting of, 47:748
- COLOR VISION**: 36:565; 45:469; 46:618
 - atypical congenital, 49:1442
 - clinical study of, 40:284
 - color printing and, 39:902
 - colorimeter, to study, 43:495
 - congenital defects in, 49:657
 - dark and light adaptation and, 47:709
 - defective, acquired, 45:148, 757
 - congenital, 47:908; 48:709
 - ERG in, 47:95
 - fundus changes in, 36:562
 - in traffic accidents, 53:1043
 - macular degeneration and, 41:1122
 - stimulation area in, 36:564
 - ERG studies in, 47:708
 - hue discrimination and, 47:613
 - in albinos, 46:250
 - in Brazilian Indians, 47:746
 - in glaucoma, 54:737
 - in Navy, 47:273
 - light and, 53:399
 - new theory of, 49:394
 - objective measurement of, 54:333
 - physiologic optics in, 49:863
 - pseudoisochromatic tables and, 37:138
 - spectral luminous sensitivity and, 54:483
- TESTING**, 36:564
 - anomaloscope in, 53:1044
 - clinical, 37:967
 - ERG in, 53:398
 - plates for, 47:708
 - effect artificial light on, 44:286
 - evaluation of, 53:167
- TESTS**, 47:588
 - for office practice, 51:175
 - H-R-R plates, 38:437; 43:504
 - hue of Farnsworth, 53:1047
 - Pulfrich's photometer, 48:282
 - recent, 37:468
 - vitamin C in physiology of, 38:431
- Commonwealth Fund, research funds, 51:529
- Compensation: See Disability compensation
- Complement fixation, in aqueous, 53:160
 - in vitreous, 53:160
- Compound F, in ophthalmology, 36:1484
- Concretions, subconjunctival, 50:528
- Condom, in keratoplasty, 46:931
- Cones, foveal, functional units of, 46:918
- Congenital anomalies**: 36:1328; 40:946; 43:346; 44:576; 48:147
 - aniridia: See Aniridia
 - arterial, at optic disc, 48:715
 - Bonnevie-Ullrich syndrome, 37:322
 - by X-rays, 51:1328

CONGENITAL ANOMALIES (continued)

- cephalic malformation, 39:928
- changing attitudes toward, 37:321
- Claude-Bernard-Horner syndrome, 37:322
- colobomatous, 38:901
- cornea plana, 54:339
- corneal dysplasia and, 54:1167
- correlation of, 41:365
- developmental, 42:342
- due to maternal infections, 42:681
- due to maternal parotitis, 36:164
- due to maternal rubella: See Maternal rubella
- due to X-rays, 52:598
- dyscephaly, hypotrichosis and cataract, 37:322
- ectopia lentis, 47:627
- eyelid tumors and, 50:355
- facial diplegia, 37:309
- familial heterochromia and, 47:446
- gonioscopy in, 39:626
- hereditary, intermarriage and, 43:346
 - transmission of, 40:156
- heterochromia and, 48:128
- Horner syndrome, 48:435
- hyperplasia of iris, 48:290
- hyperplasia of semilunar fold, 51:570
- in idiopathic retinal detachment, 52:582
- intraocular hyperplasia, 45:610
- jaw-winking reflex, 51:570
- macular coloboma, 47:290
- microphthalmos, 41:741
 - with limbus malformations, 36:1495
- morphology of eye with, 51:1364
- of anterior chamber, 51:556
- of cornea, 39:626
- of eye and bone, 44:576
- of eyelids, 36:1323; 46:779
- of face, 43:1022
- of fundus, 44:152
- of globe, 44:575
 - defect elevation and retractions of, 50:203
- of lacrimal apparatus, 40:608
- of lacrimal gland, 43:340
- of lens, 42:181; 49:186, 401
- of meibomian gland, 52:1021
- of optic disc, 49:190
- of optic nervehead, 36:1020; 51:362
- of pregnancy, 47:446
- of orbit, exophthalmos and, 43:340
- of retina, diagnosis of, 43:512
- of skull, affecting eye, 44:575
- palpebral, epibulbar tertoma with, 43:530
- plastic repair of, 47:276
- platybasia, Arnold-Chiari malformation and, 39:149
- pseudophakia fibrosa, 45:609
- retinitis pigmentosa and, 39:927
- retraction of eyeball, 47:619
- school achievement and, 40:313
- sclerocorneal, 54:734
- teratoma of orbit, 48:426
- Congo, optic nerve lesions in, 50:1278
- CONJUNCTIVA**, a review of, 36:888; 38:279; 43:845; 46:117; 51:865; 53:1076
 - abnormal, in strabismus, 41:1092
 - adenoma of, 39:453
 - adenovirus isolated from, 51:728
 - aggregation in vessels of, 51:556
 - amyloidosis of, 37:148; 49:1447; 53:1054
 - aneurysms of, in diabetes, 50:1262
 - in systemic disease, 38:126
 - angioma of, Recklinghausen's disease and, 38:280
 - argyrosis of, 52:140
 - arrangement of, in surgery, 53:177
 - Ascarid under, 45:605
 - A/V ratio in, in diabetes, 51:1344
 - bacilli in, antibiotics and, 43:148
 - bacterial flora of, normal and trachomatous eyes, 48:126
 - bacterial infections of, 49:1073
 - bacteriology of healthy, 40:757
 - before and after cataract extraction, 53:728
 - biopsy of, in sarcoidosis, 41:337

CONJUNCTIVA (continued)

- blood flow, in sickle-cell disease, 53:708
- blood vessels, circulation in, 43:503
- eyeball compression and change in, 37:969
 - in diabetics, 44:445; 51:1362
 - permeability of, 46:245
 - slitlamp study of, 39:909
- Bowen's disease of, 42:812; 45:778; 53:715
- BULBAR**, allergy of, 36:1646
 - blood vessels of, 39:277
 - in carotid occlusion, 49:660
 - in man, 43:485
 - cysts of, 53:1055
 - epithelial tumor of, 44:561
 - lymphatics of, 39:260; 40:448; 45:164
 - lymphosarcoma of, 41:344; 42:501
 - melanosis of, 46:262
 - mucinous cells of, 37:130
 - osteoma of, 44:144
 - talum granuloma of, 43:832
 - vascular beds in, 37:812
 - in toxemia of pregnancy, 39:455
- burns of, 40:593
 - cortisone in lime, 40:147
- calcareous concentrations of, 41:577
- capillaries of, absorption mechanism, 36:1161
 - exudative mechanism, 36:1161
 - permeability, 43:816
 - resistance, 41:908
- carcinoma of, 46:769; 48:881
 - after enucleation, 52:299
- changes in, in trachoma, 48:127
- chloramphenicol sensitization of, 36:1160
- cicatrical granuloma of, 42:814
- crystals in, 36:1773
- cul-de-sac restoration of, 48:882
- culture adenovirus in human, 53:1034
- cystine deposits of, 40:148
- cysts of, 43:1009; 49:1447
- cytologic study of, 38:444; 54:492
- degeneration, tumorlike, 42:178
- dermoid of, 39:141; 42:525; 47:622
- dermolipoma of, 42:525
- desiccation of, 54:339
- diseases of, follicles in diagnosis, 36:1005
 - mycoses secondary to, 47:604
- fungus infections of, 49:397
- disinfection of, in emergency operations, 47:614
- drug sensitivities of, 36:582
- effect topical epinephrine on, 52:429
- effect topical phenylephrine on, 52:429
- electron microscopy of, 42:510; 45:161, 952
- epithelial cells of, sex chromatic detection in, 53:716
 - toxicity medicaments for, 46:920
- epithelial tumors of, 43:832
- epitheliomas of, 37:149; 39:777; 42:525; 47:715
 - after pemphigus, 45:164
- epithelium, changes in with age, 36:579
- fibrinoid degeneration of tarsal, 36:1644
- fibrosis, after filtering operations, 48:701
- flaps, in corneal disease, 46:930; 48:284
 - in fistulizing operations, 53:1060
- flora, effect various ointments on, 45:153
 - of normal, 53:547
- fluid of, cytology of, 49:1447
 - in newborn, 51:555
 - lymphocytosis of, 54:340
- foci infection in, 45:490
- fold, epiphora due to, 36:1015
- follicles of, 48:571
- follicular hyperplasia of, 37:479
- fungus infections of, 52:300
 - cortisone in, 45:162
 - due to Cephalosporium, 51:853
- graft, for pterygium, 45:775; 47:284
- hemangioma of, 48:694
- hemorrhage of, 47:623
 - treatment, 45:488
- hemorrhagic lymphangiectasia of, 41:911; 54:340
- histologic study of, 38:444
- hyperplasia of, 54:491

CONJUNCTIVA (continued)

- hyperplasia of (continued)
- and swelling preauricular gland, 47:720
- in diabetes, effect CO₂ on, 45:956
- in Reiter syndrome, 48:432
- in rheumatic fever, 41:902
- in vernal conjunctivitis, 53:715
- inflammations of, 53:1054
- injury of, autoplasm in, 37:150
- involvement, in eyelid neurofibroma, 50:354
- kerato-acanthoma of, 52:596
- leptotrichiosis of, 36:148
- lesions of, in telangiectasia, 42:826
- lipoma of, 42:525; 51:210
 - of subconjunctiva, 46:118
- lupus erythematosus of, 47:719
- lymph spaces of, filled with blood, 46:266
- lymphangiectasia of, 45:773; 51:554
- lymphatics of, anterior chamber drainage and, 45:140
- biomicroscopic study of, 41:149
- circulation of, 41:368
- lymphoma of, 41:161
 - X-ray treatment of, 42:951
- melanoma of, 38:280; 53:209; 54:519
 - malignant, 48:695
 - xeroderma pigmentosum and, 54:340
- melanosis of, 38:280
- melanotic lesions of, 45:776; 46:769; 51:567; 53:404
- microcinematography of, 53:1047
- myiasis of, 42:178
- myxoma of, 54:910
- neurofibroma or neurilemmoma of, 53:183
- nevocarcinoma of, 47:721
- nevus of, 44:144
- normal or diseased, 45:162
- Oestrus ovis in, 48:714
- paracoccidioidosis of, 46:625
- parasites of, 45:605; 52:139
- parotid duct transplant into, 51:197
- pemphigus of, 36:1180; 44:715; 47:429; 48:572
- eyelid defects due to, 49:1458
- penicillin, concentration in, 43:506
 - sensitization of, 36:1160
- pigmented tumors of, 37:151; 43:167
- pigmentation, due to hydroquinone, 40:310
- plasma of, 49:867
- plastic surgery of, 48:695; 49:1073, 1448
 - peritoneum in, 45:488
 - See also Plastic surgery
- pollen allergy of, 36:1644
- precancerous conditions of, 42:951
- precancerous melanosis of, 43:324
- primary sensitization of, 37:132
- psoriasis of, 36:583
- reticulo-endotheliomas of, 43:1009
- rhinosporidiosis of, 45:490; 48:695; 53:183
- sac, bacteria in, 36:1480
 - implant Stensen's duct into, in xerophthalmos, 46:770
 - Oestrus ovis in, 36:287
 - peritoneal graft, in retracted, 51:364
 - radiation therapy of, 49:177
- sarcoid of, 37:971
- sarcoma of, primary, 48:572
- Schwartzman phenomenon of, 51:1330
- sensitivity, in exophthalmos, 46:260
 - to contact lens, 37:291
- sensitization, tuberculin antigens and, 36:137, 277
- shrinkage, in epidermolysis bullosa, 41:580
- skin grafts implanted under, 48:567
- Staph. infections of, 52:289
- tolerance to erythromycin, 37:291
- tophi, gout and, 37:292
- trachoma virus cultivation in, 37:454
- tuberculides of, 48:882
- tuberculoma of, 51:748
 - pathogenesis, 36:1646
- tuberculosis of, 37:292; 39:454; 42:330
 - differential diagnosis in, 49:867
 - primary, 37:479
 - treatment, 43:1008

CONJUNCTIVA (continued)

- tumors of, 37:316; 39:619; 41:361; 42:678; 47:719; 48:712
- vascular bed of, in menstruation, 37:610
- vascular phenomena of, 46:266
- vascular stasis in, in sickle-cell disease, 52:748
- virus infections of, 45:749; 51:1344
 - toluidine blue test in, 51:853
- vital staining of, 40:287
- CONJUNCTIVITIS**, 39:611; 42:811
 - adenovirus, 53:181
 - allergic, 38:256
 - nodular, 36:580
 - skin tests in, 36:569
 - therapeutic results in, 39:138
 - antibiotics, in diplobacillar, 37:290
 - APC virus in, 41:170; 42:812
 - at Moorfields, during 1956, 47:283
 - bacteria in, 42:511
 - campaigns against, in Algeria, 46:770
 - catarrhal, cornea in, 40:288
 - cytology of, 42:330
 - didrosulfon, to treat, 43:646
 - due to caterpillar hair, 36:287
 - due to concretions, in lacrimal passages, 41:910
 - due to fundus, 45:963
 - due to incarceration of caruncle, 36:287
 - due to larvae, 44:573
 - epidemic, 46:770
 - epithelium changes and, 36:579
 - experimental regression of, 37:150
 - fly transmission of, 45:778
 - follicular, 45:779; 48:571
 - molluscum contagiosum in, 43:487
 - origin of, 53:188
 - preauricular adenopathy and, 36:1006
 - glaucoma recognition and, 44:334
 - in agranulocytosis, 44:444
 - in eastern Iran, 36:879
 - in oligoleukocytic animals, 50:834
 - in threshers, 40:139
 - inclusion, 41:862
 - staining inclusion bodies of, 46:917
 - keratitis, iridocyclitis and, 42:332
 - ligneous, 36:1308; 42:814; 48:881; 54:889
 - management of, 41:725
 - membranous, 44:715
 - chronic, 36:1006
 - neomycin, causing, 48:571
 - in acute seasonal, 42:329
 - nodules of variola and, 36:137
 - Parinaud's, cat-scratch disease and, 37:613
 - petrifying, 50:837
 - phlyctenular, due to allergy, 38:756
 - refraction errors and, 48:573
 - phytotherapy of, 39:611
 - protozoal, in Denmark, 36:577
 - pseudomembranous, 40:294
 - psychogenic, 46:263
 - punctate viral, 50:1263
 - scrofulous, treatment of, 36:581
 - snake venom, 49:1446
 - streptothrix, 36:888
 - sulfonamides, 46:768
 - trachoma and, in Egypt, 37:150
 - Uveline in, 51:738
 - vernal, 38:260; 40:291; 41:577; 42:814
 - allergy to pollen and, 38:755
 - aloe extract in, 54:491
 - antibodies in, 51:329
 - antihistamines, ACTH and cortisone in, 45:776
 - beta irradiation in, 37:289
 - blood-aqueous barrier in, 37:604
 - conjunctiva in, 53:715
 - erythrocytes in, iron studies in, 47:623
 - keratoconus and, 49:1073
 - mucopolysaccharides in, 48:127
 - photosensitivity due to sulfonamides in, 40:293
 - predisone in, 47:718
 - protein-C reaction in, 47:620
 - radiation therapy in, 45:775
 - See also Vernal catarrh

CONJUNCTIVITIS (*continued*)

- vitamin-C deficiency in, 43:1007
- Yxlin, in abacterial, 50:834
- Connecticut, glaucoma screening in, 51:714
- Contact glass, in human ERG, 48:566; 49:173, 174
- CONTACT LENSES:** 39:773; 40:454, 922; 42:169; 51:1343
 - ability to tolerate, 39:128
 - changes due to, 51:196, 1344
 - of cornea, 40:282
 - clinical procedure for, 54:745
 - clinical survey 600 cases, 38:750
 - complications of, 50:836
 - conoid, for aphakia, 47:588
 - cornea and, 42:518
 - anatomy and physiology of, 54:744
 - lactate and pyridine nucleotides with, 53:398
 - topography, keratometry and, 54:735
 - corneal, 53:175, 400
 - fitting and use, 38:750
 - high altitudes and, 52:294
 - structural changes from, 36:1170
 - Tuohy, 36:1169
 - diagnostic, 39:906
 - effect of, during shortwave application, 43:826
 - effect on, corneal lactic acid, 51:711
 - ERG in man, 43:505
 - electrode, for ERG, 41:904
 - for postoperative cataract patient, 52:135
 - for recording ERG, 47:120
 - for underwater seeing, 39:127
 - glass, effect ventilation on, 38:585
 - in aphakia, 38:432; 40:920; 42:169; 50:1272; 54:744
 - monocular, 37:139; 38:587; 40:457; 45:469; 47:726
 - fitting of, 38:586
 - in conical cornea, 39:607; 43:168
 - in paralytic ptosis, 46:435
 - indications for, 54:745
 - keratoconus due to, 43:515
 - medical problems with, 44:556
 - microcorneal, 51:1333
 - in keratoconus, 46:769
 - molded corneal caps, 37:467
 - optical indications for, 44:441
 - pathology of, 54:745
 - plastic shells for surgery anterior segment, 48:408
 - photophobia and, 37:605
 - plastic, 36:1769
 - precorneal lenses or, 30:560
 - prescribing, 41:571
 - results with, 36:563
 - sensitivity to, 37:291
 - silicate glass in, 46:255
 - symposium on, 54:487, 744
 - therapeutic uses, 36:284
 - trial series of, 48:560
 - visual acuity and, 37:605
 - with hole in corneal part, 36:875
- Contrast perception, with glasses impervious to ultraviolet, 37:606
- Contrast phenomenon, 41:157
- Contrast thresholds, 53:399
- Contusion of the eye, 43:531; 46:256
- campimetry in, 43:504
- Convalescent serum, in EKC, 52:140
- CONVERGENCE**, accommodation and, 38:750; 39:903;
 - 42:518; 45:958; 47:270; 53:714
 - and proximal, 44:711
 - ratio of, 40:455
 - response, 39:129
- cyclophoria, elevation and system of axes, 38:430
- distance change and, 36:1642
- during vestibular stimulation, 39:920
- effect homatropine on, 42:947
- excess of, 47:913
- eye movements in, 42:948
- hyperbolic equations of, 41:541; 43:817
- in pregnancy, 54:1166
- insufficiency, 36:743; 38:441
 - in Graves' disease, 37:641
- Reserpine in, 47:913
- signs and symptoms of, 43:828

CONVERGENCE (*continued*)

- measurement of, 51:850; 53:712
- near-point of, 36:1305
- nucleus of, 40:917
- paralysis of, horizontal divergence due to, 36:1177
- proximal, 39:136
- research on, 36:1168
- spasms of, 40:939
- stimulus to, 37:137
- time characteristics of, 36:742, 1641
- Copenhagen, strabismus in, 46:928
- Copper, removal splinters of from vitreous, 46:925
- sulfate, in herpetic keratitis, 51:160
- iontophoresis, in herpetic keratitis, 54:333
- Corectopia, 51:354
- Corepraxia, photocoagulation for, 52:137
- CORNEA:** 42:490; 49:398
 - abrasions, 47:717
 - whole blood to treat, 50:673
 - abscess of, 48:881
 - action alpha chymotrypsin on, 49:861; 54:340
 - ADP and ATP in, 44:439
 - affected by porokeratosis mibelli, 36:578
 - alkali, action on, 41:1116
 - burns, 45:957
 - effect aqueous pH on, 48:872
 - alkaline phosphate in, in keratitis neuroparalytica, 47:265
 - allergy of, 36:1646
 - alloplasty of, 36:1646
 - anaphylaxis, 50:191, 528
 - anatomy, contact lens and, 54:744
 - and lens synechia, glaucoma and, 47:146
 - and sclera, a review, 36:147, 1179; 38:443; 40:292; 41:911; 43:831; 46:261; 47:916; 51:854; 53:1055
 - anesthesia, 48:559
 - Dorsocaine for, 38:748
 - idiopathic, 47:283
 - senile, 47:430
 - anterior surface of, 42:519
 - form of, 53:547
 - antibodies in, 45:141
 - after antibiotics, 49:392
 - after antigens, 48:554
 - after chloramphenicol, 49:653
 - antigen-antibody reactions in, 44:13
 - antibody formation in, 50:527; 53:884
 - antigen-antibody reactions in, 44:135; 51:187; 53:1034
 - antigenic properties of, 51:196; 53:884
 - antigens of, 53:885
 - relation to keratoplasty, 44:433
 - appearance under polarizing microscope, 42:158
 - arcus of, heart disorders and, 49:395
 - in young persons, 50:835
 - lipids of, 52:440
 - senilis, frequency in ethnic groups, 43:326
 - argyrosis of, 36:880
 - Arthus phenomenon of, 45:953; 47:122
 - ascorbic acid in, after burns, 53:741
 - aspergillosis of, 52:139
 - astigmatism, 38:586; 44:711
 - after cataract surgery, 48:886
 - after muscle surgery, 41:900
 - device to determine angle of, 47:272
 - due to pterygium, 36:580; 37:609
 - in retinal detachment, 43:331
 - variation in, 41:570
 - avitaminosis of, 44:144
 - bedewing, 36:1771
 - bee sting of, 45:604; 48:126; 53:741
 - bending and buckling, in tonometry, 51:328, 856
 - beta-ray transmission through, 53:1033
 - biochemistry of, 53:162
 - preserved, 37:603
 - blood staining of, 43:832
 - Bowen's disease of, 42:951; 45:778; 53:715
 - Bowman's canals in, 41:150
 - burns of, 40:593; 43:513
 - influence cortical stimulation on, 43:155
 - cadaver, 36:146; 37:608
 - calcium, affections of, 39:453

CORNEA (continued)

- calcium (continued)
 - deposits on, 42:527; 48:696
 - solvent for, 40:771
 - carbohydrate metabolism of, 42:649
 - carbonic anhydrase of, 41:564; 43:808
 - caterpillar hair in, 38:259; 44:144
 - cauterization of, cataract after, 40:598
 - cell production and migration in, 51:345
 - cell reaction after scarification of, 50:528
 - changes in, after death, 47:263
 - after epidemic keratoconjunctivitis, 41:344
 - after sulfathiazole, 38:442
 - due to contact lens, 40:282; 51:196
 - due to quinone-hydroquinone, 47:715
 - due to riboflavin deficiency, 41:156
 - in aniridia, 42:526
 - in curvature, due to dendritic ulcer, 42:170
 - in cystinosis, 39:263
 - in ectodermal dysplasia, 48:288
 - in glaucoma, 42:810
 - in iridocyclitis, 42:810
 - in stone masons, 39:454
 - produced by shock, 40:451
 - channels of, 38:115
 - chemical injuries to, 40:758
 - heparin in, 47:916
 - chloroquine, deposits of, 49:397
 - toxicity, 50:529
 - ciatization, action cortisone on, 36:277
 - cloudy, histochemical studies of, 48:569
 - cocaine anesthesia of, effect hyaluronidase on, 47:266
 - collagen of, 40:448; 51:730
 - fibers, 41:151
 - fibrils, 51:1330
 - fractionation of, 53:887
 - color change in, 48:126
 - complications, after prednisone, 47:718
 - congenital glaucoma, without enlargement of, 44:847
 - conical: See Keratoconus
 - contact lenses and, 42:518
 - corrosions of, 46:930
 - cortisone, and repair of, 36:279
 - in lime burns of, 40:147
 - crystals in, 36:1773; 53:1055
 - appearance of, 39:120
 - in myeloma, 48:569
 - of cystine, 38:256
 - curvature, changes in, during ophthalmometry, 49:181
 - effect surgery on, 53:190
 - for pterygium, 51:352
 - following scleral resection, 43:158
 - refraction and, 43:818
 - cystine deposits in, 40:148
 - damage of, due to alcohol, 39:121; 41:911
 - due to local anesthetic, 53:404
 - due to *Rhizoma galangae*, 40:944
 - due to tear gas, 39:264
 - histochemical study of, 41:892
 - defects, closure by diathermy, 36:582
- DEGENERATIONS:** 37:147
- associated with iris color, 44:863
 - band-shaped, 36:582
 - crocodile skin, keratitis and, 38:258
 - crystalline, 45:777
 - fatty, 46:425
 - hereditary, 37:971; 40:147
 - hyaline, 38:257
 - in Fuchs-Salzmänn, Terrien syndrome, 48:570
 - interstitial, 47:720
 - juvenile mosaic, 52:299
 - lattice familial, 48:412; 48:569
 - lipoid, 45:963
 - marginal 36:1179
 - as collagen disease, 47:621
 - of trachoma, 47:720
 - polymorphous, 37:610
 - Reis-Bückler's, 47:430
- dehydrases of, 38:427
- dehydrogenase system of, 37:460
- desiccation of, 54:339

CORNEA (continued)

- DISEASES of, 46:264**
 - blood to treat, 38:444
 - conjunctival flaps in, 48:284
 - cortisone in, 48:571
 - digestive enzymes to treat, 36:287
 - examination, with ultraviolet lamps, 41:725
 - fungus infections in, 49:397
 - histochemical study, 43:324
 - hyaluronidase in, 45:761
 - in furniture finishers, 43:834
 - mycoses secondary to, 47:604
 - novocaine block in, 48:571, 572
 - pathology of, 43:323
 - radioactive isotopes in, 53:184
 - sulphydryl in, 36:1482; 37:609
 - surgery of chronic, 42:812
 - Terrien's, 45:487
 - therapy of, 43:323
 - thromboplastin to treat, 38:596
 - vitamin B₁₂ in, 41:725
 - disciform infiltration of, 47:282
 - dysautonomia and, 44:729
 - dysgenesis of, 51:1363
 - gonioscopic findings in, 52:602
 - dysplasia of, congenital anomalies and, 54:1167
- DYSTROPHY:** 51:582
- band-shaped, 44:562; 53:716
 - crystalline, 39:454; 40:770; 50:835
 - dermochoondrocorneal, 46:439
 - dermatoses and, 51:851
 - epithelial, 43:516
 - gastro-intestinal extract in, 47:430
 - familial, 53:404
 - in males, 41:913
 - reticular, 36:286
 - fatty, 38:594
 - Fehr's, 36:1307
 - filiform, 46:261
 - Fuchs', 45:486; 52:440
 - glaucoma, vitiligo, otosclerosis and, 50:1263
 - Gronouw's, 40:594; 53:717
 - nerve fiber changes in, 36:1774
 - guttata, pathology of, 47:589
 - hereditary, 44:561
 - classification, 39:138
 - degenerative, 42:825
 - epithelial, 40:294
 - treatment, 39:138
 - heredofamilial, 36:1004, 1490
 - in early childhood, 53:718
 - in gargoylism, histochemistry of, 36:427
 - in ichthyosis, 40:292
 - in tropical lands, 42:523
 - iris atrophy, glaucoma and, 36:1645
 - juvenile, 39:612
 - keratoplasty in, 36:1182; 48:413
 - lamellar, 45:485
 - lattice, 40:594; 45:165; 50:1261; 53:718
 - macular, family with, 49:397
 - marginal, 39:777; 44:444
 - medical treatment, 36:1644
 - nodular, 44:445
 - prophylaxis of familial, 36:1644
 - reticulate, 37:149
 - speckled hereditary, 45:487
 - surgical treatment, 36:1644
 - Terrien's, 36:575
- ectasia, congenital, 36:147
- marginal, 36:1308; 42:329
- ophthalmometry in, 41:344
- edema of, 36:579
 - after cataract extraction, 46:274, 275
 - in keratitis, 43:513
- effect beta radiation, on S³⁵ uptake, 54:491
- effect gelatin solutions on, 53:189
- effect herpes virus on, 53:885
- effect hyaluronidase on vessel formation, 37:815
- effect hydrochloric acid on, 42:649
- effect oxygen on neovascularization, 39:899
- electric conductivity of, 49:393

CORNEA (continued)

- electric resistance of, 50:528
- electrolysis to study, 53:166
- electrophoresis of, 51:734
- electrotrauma to, 43:532
- ENDOTHELIUM** of, 47:442, 901
 - cell vacuolation in, 48:276
 - chromosomal transformation in, 51:710
 - culture of, 48:874
 - degenerative changes in, 44:562
 - in keratoplasty, 54:492
 - innervation of, 44:703
 - mucopolysaccharides in, 54:483
 - pinocytosis in rabbit, 53:716
 - proliferations of, 37:611
 - in iris atrophy, 54:762
 - regeneration, 43:831
 - tritium-labeled thymidine in, 51:197
 - tritium retention in, 52:298
 - wound healing in, 41:861
- enzymatic systems of, 47:269
- epithelioma, 37:149; 53:716
- EPITHELIUM** of acetylcholine in 45:464
 - acid-soluble phosphorus in, 51:1329
 - action cortisone on mitosis of, 36:556, 557
 - amino acids of, 48:555
 - basal membrane of, 48:572
 - changes in, due to chloroquine therapy, 48:570
 - due to local anesthetics, 54:524
 - culture of, 48:874
 - dendritic keratitis and, 51:854; 53:189
 - effect on, of chemical caustics, 50:528
 - of placenta extract, 53:887
 - of pontocaine, 47:97
 - electric resistance of, 51:751
 - electron microscopy of, 51:727
 - electrophoresis of, 47:707; 48:559; 50:195, 824
 - erosion of, 38:255
 - glycoproteins of, 52:741
 - in keratitis bullosa, 51:196
 - light transmission of, 51:192
 - mitotic activities of, 39:124, 441
 - effect ACTH on, 51:731
 - effect stress on, 47:611
 - lipotropic factor and, 36:1161
 - nerves of, 44:432
 - nutritional dystrophy of, 36:1645; 38:444
 - ocular fluid movement and, 54:327
 - oxidized pyridine nucleotides in, 47:589
 - pantothenic acid, in damaged, 36:147
 - polygonal cells under basal cells of, 53:883
 - proteins of, 40:918; 42:945
 - reaction to injury, 42:803
 - regeneration, action alloxan on, 38:428
 - effect chloramphenicol on, 38:745
 - effect chlorophyll on, 38:745
 - effect cod-liver oil on, 38:745
 - effect surface anesthetics on, 40:282
 - influence drugs on, 36:1641
 - sodium transport across, 47:95
 - study of, 43:146
 - transaminase, action of, 52:293
 - wound healing activities of, 39:124, 441
- epithelialization of, 44:135
- lysozyme and, 45:955
- erosions, due to A-200 pyruinate, 54:731
 - familial, 49:181
 - treatment, 39:610, 778
 - with polyethylene, 40:142
- examination, by keratography, 38:880
- experimental tuberculosis of, 37:969
- extensibility of, 43:1000
- fibroma of, 54:341
- findings, by biomicroscopy with polarized light, 47:279
- fistula, muscle tendon to repair, 36:578
- flap incision, for cataract extraction, 47:128
- fluid covering, cytology of, 50:516
- metabolism of, 37:456
- foreign body extraction from, 49:197
- See also under Foreign bodies

CORNEA (continued)

- frost bites of, 48:430
- frozen-stored, electron microscopy of, 53:715
- functional development of, 47:100
- fungus infections of, 41:862; 48:569
 - effect nystatin on, 47:705
- glass membranes of, 38:443
- granuloma of, 51:554
- guttata, 39:611; 45:779
- healing of, delayed, 38:281
 - influence local ascorbic acid on, 41:153
- herpes febrilis, signs of, 43:646
- herpes infections of, 44:290; 48:127; 51:1318
 - effect steroids on, 47:122; 53:182
 - effect stress on, 53:1033
 - statistical study of 426 cases, 41:1106
 - study for three decades, 47:720
 - treatment, 50:1262
 - X-ray therapy in, 41:1093
 - zoster, unusual signs in, 43:646
- heterographs, 54:1167
- histology of, after posterior incision, 37:131
- hyaline deposits in, 47:622
- hydration of, 42:804
 - influence epithelium on, 41:871
 - influence ocular tension on, 41:871; 45:750
 - transparency of, and, 47:586
- hydrocortisone in experimental lesions of, 42:164
- hypesthesia of, after scleral resection, 42:669
- immunity of, keratoplasty and, 36:552
 - in vaccinia keratitis, 47:604
- immunology of, 43:325
- implants, acrylic, 46:625
- in conjunctival argyrosis, 52:140
- in leprosy, 50:834
- in premenstrual syndrome, 43:1007
- in vernal catarrh, 42:951
- indentation of, 42:664
- infections, after cortisone, 41:169
 - due to Pseudomonas, 50:674
- electrocautery of, 47:284
- medicated contact cap and disk in, 36:1180
- mycotic, treatment of, 45:963
- pyocyanus, 42:951
- Soframycin in, 50:527
- treatment for, 43:645
- infiltration of, 51:555
- inflammations, degradation factor in, 52:737
 - effect cortisone on, 36:569
 - scrofulous, treatment of, 36:581
 - without leukocytes, 37:479
- influence alpha chymotrypsin on S³⁵ uptake of, 53:1037
- injuries, due to alpha chymotrypsin, 51:197
 - due to cortisone, 51:1346
 - due to echinoderm spine, 51:196
 - due to flowering tree, 52:139
 - experimental chemical, 46:891
 - gastric juice, 47:620
 - leukocyte origin in, 46:264
 - prednisone in, 42:805
 - rare, 47:917
 - surgical repair of, 43:514
- innervation of, 36:550; 43:151; 51:852
- regenerative changes and, 49:1441
- sympathetic, 40:138
- trigeminal nerve and, 40:138
- interfibrillar spaces of, 49:858
- interstitial fluid of, free amino acids of, 51:189
- intra-epithelial melanoma of, 45:779
- involvement by APC virus, 41:913
- Kayser-Fleischer ring of, 36:582; 40:771; 42:178; 44:145; 50:674; 53:717
- keloid and cholesterol granuloma of, 46:263
- lactic acid of, effect contact lens on, 51:711
 - transport of, 41:871
- lactic dehydrogenase of, action alpha chymotrypsin on, 54:340
- leech bite of, 43:1008
- LESIONS** of, due to lysozymes, 47:621
 - due to obstetric trauma, 36:289; 41:167

CORNEA (continued)

LESIONS of (continued)
 effect heparin on experimental, 46:617
 effect Xanthoplas on, 53:190
 recording of, 45:156
 sensory denervation and, 54:339
 superficial, 36:1294
 ultrasonic therapy in, 39:437
 vitamin B in healing of, 36:736
 leukocytes in, 44:432; 46:610
 in experimental keratitis, 48:870
 production of, 53:883
 leukoma, keratoplasty in, 39:139
 limbus of, malignant melanoma of, 53:717
 lime burn of, 51:852
 lipids of, 38:745; 44:706; 51:729
 distribution in bovine, 47:906
 lipogenesis, by cells of, 40:451
 lysozyme of, herpetic infections and, 38:118
 malformations of, 39:626
 megalocornea: See Keratoglobus
 melanoblast proliferation into, 37:132
 melanoma of, 39:454; 54:162
 melanosis of, 41:1111
 cancerous, 43:831
 mesodermal dysgenesis of, 43:1023; 47:622; 53:745
 metabolism, action amino acids on, 36:138
 effect beta radiation on, 51:548
 effect vitamin B₂ on, 54:330
 heterokeratoplasty and, 47:611
 of riboflavin, 53:1038
 metachromasia, in host, keratoplasty and, 47:717
 death and, 37:458
 metachromatic staining of, 40:448
 micellar structure of, 36:1479
 micro: See Microcornea
 morphologic development of, 47:100
 mucinous layer of, 43:996
 mucoids of, 37:603; 39:118; 42:514
 mucopolysaccharides in, 40:140; 43:811
 in keratitis, 41:153
 inorganic S²⁻ sulfate and, 47:271
 sulfate in, 48:558
 mycoses of, 39:138; 42:179
 myopia and, scars of, 36:288
 myxobromas of, 38:756
 necrosis, effect vitamin A and panthenol on, 51:555
 in measles, 43:831
 needle points for penetration of, 43:825
 nerves of, 44:439
 bundles, 42:802
 changes, in keratoplasty, 42:943
 dystrophy of, 43:326
 effect ultrasound on, 36:1641; 53:717
 endings, in human, 37:451
 fibers, degeneration after coagulation, 47:716
 influence glutamic acid and vitamin B₆ on, 46:243
 regeneration, 41:150
 influence corticosteroids on, 46:243
 pathologic study of, 42:943
 physiologic study, 42:943
 plexus, of sheep, 45:463
 regeneration of, 47:260
 in heterografts, 53:549
 neuraminic acid content of, 50:823
 neuroreceptors of, effect ionizing radiation on, 53:182
 neurotrophic disturbances of, 50:836
 nutrition of, 54:491
OPACITIES, band-shaped, 36:1775; 42:524; 44:290
 calcific, 36:577
 congenital, 40:461
 due to bullous epidermolysis, 36:1180
 due to hydroquinone, 40:310
 familial, 37:612
 in cryoglobulinemia, 51:853
 in reticulohistiocytosis, 51:853
 infrared photography to diagnose, 42:807
 keratoplasty in, 41:579
 vitreous in, 43:324
 opaque, plastic to replace, 36:1776

CORNEA (continued)

palisades of, 53:187
 pannus crassus of, 36:743
 papilloma of, in trachoma, 45:489
 paracentesis of, in eye burns, 51:1359
 lens transparency after, 38:748
 pathology of, 38:747; 43:325
 pathophysiology of, 45:467
 perforation, due to thermal burn, 51:743
 permanent covering of, with conjunctival flap, 46:930
 permeability, 40:919; 42:945
 in inflammations, 41:152
 influence ultrasound on, 46:919
 to ions, 36:739
 to oxygen, 43:811
 pH of, clinical significance, 42:804
 phase-microscopic study, 36:1480
 phosphatase of, 39:771; 46:613
 phosphorus metabolism of, 42:803
 physiology of, 38:747, 748
 plana, 53:184
 congenital, 54:339
 plastic, 46:931
 polarization in, 42:158
 posterior, incision of, in myopia, 36:283
 pigment deposits on, 47:622
 surface, injuries of, 46:426
 power, in myopia, 54:483
 precancerous conditions of, 42:951
 preservation, in paraffin oil, 47:284
 preserved, indications for use of, 54:1164
 primary cancer of, 45:486
 protection, in beta radiation, 38:428
 in exophthalmos, 38:880
 in lagophthalmos, 38:880; 43:834
 proteins, anaphylactic reactions to, 36:1158
 electrophoresis of, 51:730
 pseudo-epitheliomatous hyperplasia of, 54:491
 pseudomonas infection of, 50:836
 psoriasis of, 36:583
 pulse wave of, 37:816; 39:449; 40:140
 retinal artery pressure and, 53:166
 radiophosphorus uptake of, 41:565
 effect ACTH on, 41:565
 effect heparin on, 41:565
 radius of, in acute glaucoma, 44:846
 refraction changes in, after scleral resection, 43:158
 after strabismus surgery, 45:771
 refractive power of, changes during growth, 37:469
 in hypermetropia, 49:1446
 regeneration of, effect low temperature on, 36:280
 resistance of, to tumor invasion, 47:741
 respiration of, influence vitamin B₂ on, 47:608
 response of, to herpes virus, 47:235
 retro-, acquired hyaline formations of, 36:1307
 riboflavin in, after burns, 53:741
 rigidity of, 51:744
 ring of, 36:582
 rose thorn penetrating, 37:157
 rust ring of, removal of, 37:152
 scar-producing action amino acids on, 36:138
 Schwartzman phenomenon in, 44:136
 scleral transplantation into, 37:135; 40:293
 scleroderma of, 42:524
SENSITIVITY of, 43:514
 action cortisone on, 37:133
 after cataract extraction, 52:453
 after strabismus operations, 53:179
 examination of, 41:573
 in arcus senilis, 46:425
 in exophthalmos, 46:260
 in trachoma, 42:814
 research on, 43:166
 to contact lenses, 37:291
 xerophthalmia and, 47:717
 shadow-line on, in catarrhal conjunctivitis, 40:288
 silver staining to study, 48:570
 skin disease and, 45:161
 spaces in, in glaucoma, 37:155
 spectrochemical analysis of, 50:821
 spherical aberration of, 40:761

CORNEA (*continued*)

- splints, graft fixation by, 43:323
 - staphyloma of, hereditary, 46:442
 - keratoplasty in, 42:525
 - stereophologrammetric reproduction of, 38:750
 - stroma, cells of, 42:158
 - injury activated, 47:102
 - cellular elements of, 46:611; 53:405
 - division of, 44:135
 - protein fractions in, 45:955
 - regeneration of, 42:803
 - swelling pressure of, 45:752
 - structure of, polarized light to study, 37:451
 - with alcian stain, 43:811
 - surface fluid of, decrease proteins in, 36:426
 - surgery of, 47:283
 - advances in, 52:300
 - symposium on, 51:745
 - survival of preserved, 37:821
 - sutures in, anterior chamber reformation and, 41:163
 - catgut, 52:140
 - collagenous, 49:396; 51:1339
 - suturing of, needleholder for, 49:176
 - swelling, action cortisone on, 37:288
 - due to EDTA, 51:734
 - tattooing of, 46:264; 50:830
 - tear gas injuries of, 40:943, 944
 - thickening of, due to trachoma pannus, 51:556
 - thickness of, after cataract extraction, 43:166
 - after diathermy coagulation, 38:746
 - after zonulolysis, 53:717
 - application to keratoplasty, 37:143
 - in high myopia, 36:283
 - in interstitial keratitis, 36:1489
 - in iridocyclitis, 36:1179
 - method to measure, 36:1181
 - variations in, 51:714
 - tissues of, biochemical changes in, 38:119
 - in preserved, 36:1165
 - culture of, 53:718
 - electron microscopy of, 47:603
 - impedance test of, 47:122
 - viability of, in keratoplasty, 46:263
 - tonometry and, 43:175
 - topography of, contact lenses and, 54:735
 - transfer across, of iodine, 45:145
 - transparency of, observations on, 40:448
 - test for, 52:301
 - transplanted, 38:754
 - trephining of, 39:446
 - tumors of, 53:186
 - biomicroscopy in, 47:718
 - conjunctiva-sclera keratoplasty in, 49:180
 - diathermy coagulation in, 43:324
 - turgescence of, after cataract extraction, 39:462
- ULCERS** of, 45:778
- ACTH in, 51:710; 52:299
 - after muscle surgery, 49:1073; 54:735
 - amniotic membrane to treat, 49:867
 - antibiotics in, 39:909
 - Biomycin to treat, 44:715
 - conjunctival flap for, 36:1773
 - cortisone in, 43:169
 - diathermy in rodent, 47:430
 - due to Actinomyces bovis, 54:491
 - due to exophthalmos, 36:1321
 - due to Pseudomonas, 50:673
 - colistin in, 51:743
 - dendritic, 53:186
 - enzyme therapy in, 36:1645
 - epidermolysis bullosa and, 48:697
 - etiology of, 36:575
 - herpetic, 36:1645
 - experimental, 53:405
 - hypopyon, due to B. Pyocyaneus, 37:971
 - keratoplasty in, 51:555
 - polymyxin B injections in, 37:480
 - influence ACTH on, 53:170
 - influence fever therapy on, 53:170
 - influence pyrogen on healing, 51:710
 - keratoplasty in, 46:769

CORNEA (*continued*)**ULCERS** (*continued*)

- keratoplasty in (*continued*)
 - in chronic, 45:489
 - marginal, 52:301
 - Mooren's, diathermy for, 45:318
 - penicillin iontophoresis in, 42:813
 - progressive, 36:743
 - protein fraction in, 53:1053
 - Pseudomonas, polymyxin B in, 53:554
 - treatment of, 40:147
 - pyrogen in, 52:139
 - rodent, 36:760
 - etiopathogenesis, 36:1181
 - virus etiology of, 52:140
 - serpiginous, 40:593
 - due to Pseudomonas, 47:621
 - traumatic, in miners, 40:610
 - treatment of, 36:575; 42:178
 - infected, 38:756
 - Varidase in, 39:455
 - vitamin A in, 39:777
 - with drugs, 43:514
- VASCULARIZATION** of, 41:564, 578
- action cortisone on, 36:277; 37:288, 465; 43:1007
 - after zonulolysis, 48:695
 - during hypersensitivity, 45:749
 - effect cytotoxic serum on, 44:706
 - experimental, 37:461
 - injury and, 50:1263; 51:353
 - mast cells in, 53:405
 - mechanism of, 37:454
 - metabolism and, 45:144
 - prednisone in, 43:1007
 - X-ray radiation and, 39:141
 - vessels, effect X-rays on regression, 41:894
 - vernal catarrh affecting, 40:594
 - viability of, 53:187
 - at low temperature, 51:732
 - viral diseases of, toluidine blue test in, 51:853
 - vital staining of, 40:287
 - vitamin C, changes in diseased, 36:1483
 - in fixed cells of, 39:439
 - water in, 45:953
 - and nitrogen, in keratitis neuroparalytica, 47:265
 - soluble proteins, 50:520
 - woods splinters in, removal of, 43:833
- WOUNDS**, action cortisone on, 39:606
- action Theophrine on, 39:606
 - action vitamin B₁₂ on, 39:606
 - action vitamin H on, 39:606
 - autoplasm in, 37:480
 - cat-claw, 37:319
 - cytotoxic serum, scar repair and, 42:511
 - effect alpha chymotrypsin on, 50:834
 - effect somatotrophic hormones on, 40:918
 - effect steroids on, 47:905
 - healing of, 41:885; after cataract extraction, 42:932
 - calcsulphydryl in, 37:970
 - early components of, 44:708
 - effect anticoagulants on, 39:437
 - effect vitamin T on, 39:119
 - erythrocytes in, 41:343
 - histochemical study of, 36:1482
 - hormones in, 37:456
 - influence vitamin B₆ on, 36:147
 - S¹⁸ to study, 47:903
 - in radiation sickness, 45:489
 - internal gapping, 37:291
 - polymorphonuclears in, 43:998
 - repair, sources of fibroblasts in, 47:901
 - treatment of, 36:1325
 - Xanthopterin in, 49:171
- Corneal transplantation: See Keratoplasty
- Corneacaine, 45:465
- Corneoscleral transplantation, of limbal region, 47:429
- Corpora quadrigemina syndrome, in pineal gland tumor, 53:1073
- Corpus callosum, in interocular transfer, 43:813
- Corpus luteum, hormones in glaucoma, 36:292
- Cortex, influence stimulation of, on corneal burns, 43:155

- Cortical blindness, 46:113
 Corticoid, in aqueous, 37:135
CORTICOSTEROIDS, 43:1004; 46:256
 antibiotics and, 53:550
 cataract after, 53:412, 558
 dangers of ophthalmic, 46:924
 effect on corneal herpes, 53:182
 in aqueous, 41:890; 50:196, 822
 in aspergillosis, 51:853
 in eye, 54:328
 in herpes zoster, 52:135
 in herpetic keratitis, 51:852
 in ocular surgery, 54:328
 in optic neuritis, 48:581
 in sympathetic ophthalmia, 53:197
 in thyroid ophthalmopathy, 51:1164
 increased ocular tension during, 53:201
 influence on corneal nerves, 46:243
 influence on retinal metabolism, 46:242
 penetration of local, 41:893
 purulent keratitis and, 54:888
 subcapsular cataract after, 54:746
 synthetic, effect of, 43:808
 to prevent lacrimal duct obstruction, 54:168
 topical, danger of, 44:288
 urinary, foam reaction and, 54:328
 Corticotropin, in syphilitic keratitis, 38:443
 transient myopia after, 41:900
 uses and abuses, 40:285
CORTISONE, 36:557, 1174, 1175, 1306; 37:471, 472, 473
 606, 607, 821; 38:438, 591; 39:132, 609; 41:574; 44:142
 action of, in herpetic infections, 36:555
 on corneal cicatrization, 36:277
 on corneal sensitivity, 37:133
 on corneal swelling, 37:288
 on corneal vascularization, 36:277; 37:288
 on corneal wounds, 39:606
 on lacrimal lysozyme, 37:135
 on mitosis corneal epithelium, 36:556, 557
 on ocular tension, 37:133
 on pupil, 37:133
 on retina, 41:563
 allergic dermatitis after, 50:1283
 anterior segment after, 44:141
 antiallergic action of, 37:602
 by instillation, 36:145
 by subconjunctival injection, 36:145
 chlorophyll and, 39:121
 clinical experience with, 36:1767
 combined with chloramphenicol, 40:283
 corneal infections after, 41:169
 corneal repair and, 36:279
 derivatives of, 47:266
 and combinations, 43:159
 effect pyruvic acid on retinal pressure after, 42:160
 effect retinal lactic acid and, 42:160
 effect on, allergic reactions of tuberculosis, 49:392
 corneal inflammations, 36:569
 eye, 37:923
 growth of tumor implant in anterior chamber, 39:435
 Pseudomonas infections, 41:568
 retrobulbar tissue, 51:734
 scleral inflammations, 36:569
 exophthalmos due to, 43:150
 eye changes after, 37:602
 glycogen of retina after, 44:707
 herpes and, 37:133
 hydro-: See Hydrocortisone
 in acute syphilitic keratitis, 36:90
 in allergy, 37:462
 in anaphylactic keratitis, 36:555
 in angioneurotic edema, 37:310
 in aqueous, 37:134
 in Bell's palsy, 36:572
 in cataract surgery, 39:462; 42:936
 in chorioretinal damage, due to atomic detonation, 41:337
 in corneal disease, 48:571
 in corneal fungus disease, 45:162
 in corneal vascularization, 43:1007
 in dacryocystitis, 48:429
CORTISONE (continued)
 in dacryostenosis, 46:436
 in degenerative macular disease, 41:587
 in endocrine exophthalmos, 39:900
 in eye disease, 40:146
 in fistulizing operations, 40:930
 in glaucoma surgery, 36:1173
 in Harada's disease, 48:283
 in herpes zoster, 39:617
 in herpetic keratitis, 38:283
 in inflammations, 53:1045
 in interstitial keratitis, 39:264, 455, 610
 syphilitic, 38:443
 in intraocular hemorrhage, 53:170
 in iridocyclitis, 40:295
 in keratoconjunctivitis sicca, 41:168
 in keratoplasty, 36:575
 in leprosy, 48:408
 in lime burns, 40:147
 in malignant exophthalmos, 41:321
 in neuroretinitis, 37:306
 in ocular pemphigus, 39:610
 in ophthalmology, 40:456; 43:161
 in optic nerve lesions, 38:751
 in optic neuritis, 36:1319
 in opticochiasmic arachnoiditis, 40:605
 in orbital pseudotumors, 47:139
 in parenchymatous keratitis, 36:1005
 in perforating injuries, 40:155
 in pseudomonas ulcers, 43:169
 in retinitis pigmentosa, 39:770
 in retrolental fibroplasia, 43:1014
 in sarcoidosis, 37:306
 in scleromalacia perforans, 36:147; 37:288
 in Sjögren's syndrome, 37:472; 39:274
 in sympathetic ophthalmia, 36:289
 in temporal arteritis, 43:344
 in trachoma, 46:769
 in tuberculosis, 36:278; 37:473; 42:160
 clinical, 38:751
 experimental, 36:1173; 39:121, 448
 in uveitis, 36:584; 38:596; 41:893; 42:952
 in vaccinal keratitis, 36:1774
 in vernal conjunctivitis, 45:776
 in virus diseases, 36:737
 in vitreous, 37:134
 in Westhoff's keratitis, 39:455
 influence on, corneal vascularization, 37:465
 permeability blood-aqueous barrier, 36:281
 Schwartzman phenomenon, 36:738
 injections, into anterior chamber, 37:137
 corneal, 51:1346
 subconjunctival, 36:558
 interstitial keratitis after, 46:265
 intolerance to, 39:605
 iontophoresis with, 38:435
 intracranial hypertension after, 54:731
 local use, 36:1171, 1173, 1174; 40:287; 44:713
 intolerance to, 39:605
 ocular damage from, 50:823
 ocular tension and, 36:411; 38:266; 39:143, 266
 passage into aqueous, 37:134
 passage into vitreous, 37:134
 penetration of, 39:441
 permeability of eye and, 36:559
 postoperative use, 37:288; 54:508
 retinal metabolism and, 41:562
 topical, 36:1766; 38:591
 use of, 47:906
 value in eye disease, 37:286
 Cotton-wool patches, 51:1353
 Craniofacial dysostosis, 52:602; 54:913
 Cranio-orbital lesions, 48:434
 Cranio-orbital processes, 45:328
 Craniopharyngioma, diagnosis and treatment of, 45:598
 Craniostenosis, 36:1653; 43:663; 52:1024
 Craniostenosis, eye in, 42:341
 C-reactive protein, clinical significance, 49:175
 in inflammations, 49:654; 51:346, 1329
 test, in Behçet's syndrome, 46:924
 Credé's prophylaxis, 51:555; 53:424

- Cribriform plate, excavation of, 47:734
 Critical fusion frequency: See Fusion frequency
 Cross cylinders, calculations for, 37:469
 test, for astigmatism, 54:732
 Crossing phenomenon, in retinal blood vessel disease, 53:734
 Crouzon's disease, 36:1327; 42:682; 43:346
 Cryoglobulinemia, corneal opacities in, 51:853
 Crystalline, embryonic in bovine lens, 43:810
 formation in lens, 40:932
 Crystallography, of bovine vitreous, 47:880
 Crystals, in anterior segment, 37:456
 Cul-de-sac, antibiotic retention in, 37:454
 cysticercus of, 51:1362
 reconstruction of conjunctival, 46:778; 48:882
 Cùpper, method of, to treat amblyopia, 50:520
 to treat eccentric fixation, 43:510
 postimage method, 48:567
CURARE: 38:591; 39:133
 action carotid injection of, 37:133
 effect on eye at rest, 37:147
 in akinesia, 44:143
 in cataract surgery, 37:297
 in eye surgery, 36:567, 789, 876; 41:163; 42:809
 without general anesthesia, 42:175
 Cushing's syndrome, eye changes in, 41:364
 visual recovery after operation in, 36:1651
 Cutis marmorata, diagnosis and symptoms, 54:734
 Cyanide, retinal damage from, 36:278
 Cyanopsia, medullated nerve fibers and, 43:158
 Cybernetic disturbances, eye and, 51:193
 Cybernetics, of ocular movements, 47:121
 Cyclectomy, 53:1057
 Cyclitis, annular exudative, 49:868
 peripheral chorioretinitis and, 53:555
 traumatic, limbal suture in, 38:281
 Cycloanemization, 46:272; 49:662
CYCLODIALYSIS: 42:817
 anterior chamber after, 47:285
 aqueous outflow after, 39:780; 45:786
 aqueous veins and, 51:539
 cycloanemization and, 49:662
 findings in, 43:813
 follow-up study of, 46:273
 Gelfilm in clefts of, 48:563
 hypotony after, 46:272; 54:737
 treatment of, 36:1776
 improvement in, 36:882
 in glaucoma, 40:150
 in malignant myopia, 48:875
 long-term results, 51:201
 mechanism of, 43:836
 nonperforating cyclodiathermy and, 36:1779
 plastic drainage in, 36:882
 trephination and, 36:1184
 in glaucoma, 37:296
 posterior, 36:745
 vs. trephination, 37:296
 with air injection, 47:722
CYCLODIATHERMY: 40:464, 595, 930; 42:817
 clinical value of, 42:955
 cyclodialysis and, 47:237
 gonioscopy after, 50:208
 in glaucoma, 43:650; 49:183
 in children, 48:580
 infantile, 36:1777; 40:149
 influence on choroidal circulation, 41:318
 mode of action, 37:157
 nonperforating, 36:1779
 of Grueter, 36:411
 perforating, 49:183
 retrociliary, 36:1185
 to treat amaurosis, after carotid occlusion, 50:1285
 tonography after, 54:1169
 with scleral flap, 51:750
 Cycloelectrolysis, 40:464
 in glaucoma, 46:270
 of ciliary body, 37:620
 Cyclofusional movements, 39:443
 Cyclogyl, toxicity of, 54:332
 Cyclophoria, 39:129
Cyclophoria (continued)
 convergence, elevation and system of axes, 38:430
 correction of, 49:865
 Cyclopia, 53:564
 embryonic studies of, 36:872
 in human fetus, 40:614
 micropsia and macropsia of, 46:249
CYCLOPLEGIA, atropine and scopolamine in, 52:132
 drugs for, evaluation five new, 36:874
 three new, 38:427
 jimson weed in, 41:894
 Mydriatum for, 49:173
 optometry and, 36:1654
 scopolamine and atropine in, 52:740
 tropicamide for, 52:290, 741; 53:397
Cycloplegic, 38:427; 47:265; 48:280
 Mydriatic-Roche, 51:733
 new, 53:886
 Cylindroma, of orbit, 38:604; 44:724
 Cystadenoma, of lacrimal caruncle, 49:670
 Cystamine, X-ray cataract and, 41:922
 Cysteine, in endophthalmitis phacoanaphylactica, 39:910
 as protection against radiation, 46:247
 to prevent X-ray cataract, 41:1101
 to protect cornea in beta radiation, 38:428
 Cystic changes, after cholinesterase inhibitors, 54:493
 Cystic fibrosis, of pancreas, eye findings in, 51:1361
 Cysticercosis, 36:891; 44:861; 54:522
 intraocular, surgical treatment, 41:363
 macular, exudative retinitis and, 36:1649
 Cysticercus, intraocular, 52:319
 of cul-de-sac, 51:1362
 of vitreous, 41:1123
 removal of, 51:1350
 retinal detachment due to, 51:361
 Cystine storage disease, dwarfism and, 36:879
 Cystinosis, 38:256; 41:1118; 48:144
 amino-aciduria with, 44:305
 corneal changes with, 39:263
 infantile, 36:1773
CYSTS, cerebellar, in Lindau disease, 46:110
 Coenurus, 42:680
 colobomatous, 52:455
 dermoid, of iris, 53:407
 trichloroacetic acid to treat, 45:764
 formation, in pterygium, 38:756
 hydatid, of orbit, 37:639; 38:761; 47:738
 idiopathic, of retina, 44:452
 intraorbital epidermoid, 50:1281
 lipomas and cataract, 39:624
 of anterior chamber, 36:1646; 37:153; 44:146; 53:406
 postoperative, 51:748
 surgery of, 50:835
 of ciliary body, 43:840; 51:198
 of conjunctiva, 43:1009; 49:1447
 bulbar, 53:1055
 of eyeball, echinococcus, 37:640
 of eyelid border, 49:196
 of iris, 37:153; 42:528; 43:648; 49:661; 51:199
 after miotics, 38:445; 43:327
 chemical treatment, 53:1056
 electrolysis for, 41:319; 42:326
 implantation, 43:171; 46:627
 pigment, after Mintacol, 40:148
 surgery, to treat serous, 44:563
 traumatic epithelial, 41:581
 treatment of, 36:1006
 radiation, 40:463
 of Krause's gland, in trachoma, 51:556
 of lens, 45:174
 of macula, 39:614, 784
 hereditary, 42:681
 of meibomian gland, 40:154
 of orbit, 38:761; 50:685
 anophthalmos and, 45:796
 dermoid, 37:311
 of pars plana ciliaris, 45:167, 324; 53:406
 of retina, 41:182, 324; 52:582
 anterior dialysis and, 38:891
 postchoroidal, 53:194
 of sclera, posttraumatic, 37:149

CYSTS (continued)

- of sclera (*continued*)
 - traumatic, 51:743
- of sphenoid sinus, blindness due to, 45:599
- of vitreous, 37:830
 - retinitis pigmentosa with, 36:751
- prepapillary congenital, 36:158
- preretinal, 41:1102
- pseudo-, in anterior chamber, 46:770
- sebaceous, ear eyes, 36:1786
- spontaneous, gonioscopy to diagnose, 54:493
- Cytochrome oxidase, activity in retina, 51:189
- Cytoid bodies, in retina, 36:592
 - nature of, 52:1013
- Cytology, in experimental iritis, 45:466
 - of conjunctiva, 42:330; 54:492
 - in xerosis, 41:1092
- Cytomegalic inclusion disease, 43:807; 54:507
- uveitis and, 48:414
- Cytotoxic serum, effect on corneal vascularization, 44:706

D

- Dacryoadenitis, 46:282
 - after mumps, 47:140
 - clinical features, 43:340
 - dendritic keratitis with, 47:284
 - due to impacted tooth, 37:835
 - etiology, 43:340
 - tuberculous, 46:437
- DACRYOCYSTITIS**, 38:897
 - antibiotics in, 45:601
 - bacteria in, 42:511
 - chronic catarrhal, 54:168
 - cortisone in, 48:429
 - in infants, 42:823; 44:859
 - therapy, 43:846
 - intubation in chronic, 40:308
 - lacrimal sac aspiration in, 37:835
 - nasal drainage in acute, 36:1651
 - nasolacrimal intubation in, 41:736
 - neonatorium, hyaluronidase in, 54:517
 - nephritis due to, 50:1282
 - sulfonamide gel in lacrimal sac for, 49:1459
 - therapy in, 50:1283
 - traumatic, 43:1019
 - tuberculous, 37:635
- Dacryocystogram, 36:757
- Dacryocystography, 38:448; 41:358
- Dacryostomies, 46:117
- DACRYOCYSTORHINOSTOMY**: 36:160; 758; 38:896; 39:787, 923; 40:608; 41:359, 737, 1114; 42:184, 678; 43:1017; 48:139; 49:874, 1457; 50:1283; 51:365, 566; 52:317, 594; 54:909
 - bone trephine for, 51:1359
 - chisel and hammer in, 49:395
 - complications of, 36:1323
 - drainage protector in, 37:314
 - electrocoagulation in, 37:378
 - endonasal, 36:757
 - failures in, 48:711
 - in tuberculous dacryocystitis, 37:635
 - in very young children, 36:1322
 - instrument for, 52:1020
 - lacrimal duct obstruction after, 44:858
 - out-patient procedure, 53:1049
 - permanent postoperative drainage, 36:889
 - reoperation after, 45:330
 - suction in, 53:739
 - Summerskill's, 43:1018
 - trephination in, 42:677; 44:300
 - trephine for, 39:274
 - with a tampon, 44:567; 53:738
 - Zarczycki's technique, 37:313
- Dacryops, double lacrimal puncta and, 41:1112
- Dacryostenosis, congenital, 48:137
 - cortisone in, 46:436
 - nonsurgical treatment, 45:797
 - stricturectomy and intubation in, 40:308
- Dades, "oculists" of, 42:682
- Daranide, in glaucoma, 52:302
- Daraprim, hematologic toxicity of, 50:821
 - in uveitis, 43:517
 - penetration of, 47:264
 - pharmacology of, 47:97
 - studies on, 48:872
- DARK ADAPTATION**: 45:472
 - action helenien on, 45:466
 - after high illumination, 52:293
 - aging and, 41:570
 - changes in visual cell enzymes during, 46:616
 - chemical factors in, 37:469
 - color adaptation and, 53:1044
 - curves of, 45:147
 - depth perception and, 36:563
 - disturbance, oxygen in, 46:767
 - effect alcohol on, 49:174
 - effect Diamox on, in glaucoma, 43:1000
 - effect sound stimulation on, 47:425
 - electrical phosphene and, 37:140
 - electrical response during, 37:966
 - electro-oculogram in, 41:158
 - ERG during, 54:331
 - form thresholds during, 45:758
 - foveal sensitization in, 45:148
 - Goldmann-Weekers adaptometer in, 43:817
 - illumination and, 37:966
 - in amblyopia, 46:249
 - in aphakia, 45:471
 - in diabetes, 45:472
 - in glaucoma, 36:411; 47:722; 52:302
 - in hypertension, 44:286
 - in neurotic patient, 42:169
 - in road traffic, 52:133
 - in senile retinal degeneration, 43:996
 - in strabismus, 46:249
 - increased after Adaptinol, 36:281
 - influence red light on, 36:1486
 - influence smoking on, 54:730
 - instrument to test, 44:713
 - light thresholds during, 45:758
 - measurement of, adaptometer for, 47:710
 - monocular, 45:469; 47:709
 - nervous factors in, 37:469
 - of protanomalous, 53:1041
 - of retina, 47:271, 426
 - pupil diameter and, 53:551
 - in glaucoma, 47:922
 - pupil dilatation and, age and, 44:709
 - reaction time during, 38:584
 - Robert Boyle on, 47:449
 - second inflection point in, 44:441
 - study of, 51:737
 - to complete darkness, 38:122
 - to diagnose adiposogenital dystrophy, 40:286
 - to intermediate darkness, 38:122
 - visual fields and, in glaucoma, 54:892
 - vitamin A and, 37:464
- Darkness, accommodation in, 38:749
- Dazzling, provoked as clinical test, 46:254
- DEAFNESS**, in renal disease, 52:601
 - retinal degeneration and neurogenic, 49:664
 - retinitis pigmentosa and, 49:664; 52:457
 - visual defects and, 36:164
- Death, aqueous changes after, 47:263
 - corneal changes after, 47:263
 - determination of, fundus and, 43:502
 - eye in, 53:172
 - Ophthalmoscopic signs in sudden, 43:1003
- Debenal, to treat senile cataract, 51:859
- Debreceen, tuberculosis studies at, 47:744
- Definition, of ophthalmic terms, 38:902
- Deformities: See under Congenital anomalies
- Delta Gamma, research funds, 51:529
- Dendritic ulcers, 53:186
- Denmark, incidence strabismus in, 51:740
- retinoblastoma in, 53:413
- Dental granuloma, chorioretinitis due to, 36:1648
- Deoxycorticosterone, iridopathy due to, 47:882
- retinopathy due to, 47:882
- Department of Air Force, research funds, 51:529
- Department of Army, research funds, 51:529

- Department of Navy, research funds, 51:529
- Depress, tonographic study of effect of, 48:129
- DEPTH**, discrimination heterophoria and, 45:770
- PERCEPTION**: 42:168
- acquisition of, 37:468
 - after strabismus, 43:830
 - anomalous, image brightness and, 37:468
 - binocular vision and, 48:283
 - test for, 54:485
 - effect myopia on, 46:765
 - in dark-adapted eye, 36:563
 - in dim light, 39:902
 - in light-adapted eye, 36:563
 - in strabismus, 50:202
 - influence refraction anomalies on, 38:587
 - Panum effect and, 47:707
 - tests for, 39:446; 44:288
 - in licensing auto drivers, 51:161
- DERMATITIS**, adhesive tape, 54:158
- allergic, due to cortisone, 50:1283
 - atopic, 49:1080
 - cataract and, 38:609; 43:650; 46:106
 - and retinal detachment, 39:462
 - corneal involvement, 36:578; 51:851
 - eye disease and, 50:358
 - of eyelids, 38:897
 - pemphigus and, 39:777
 - pseudoglioma and, 41:364
 - retinal detachment, cataract and, 54:746
 - See also Stevens-Johnson syndrome
- Dermatomyositis, fundus changes in, 49:872
- Retinopathy and, 48:886
- Dermoeptelioma, of Parinaud, 48:712
- Dermoids, keratoplasty for limbal, 37:149
- of conjunctiva, 39:141
 - of sclerocorneal limbus, 36:889
 - pathogenesis of ocular, 41:1115
- Dermomas, of conjunctiva, 47:622
- Descemet's membrane, corneal endothelial proliferation and, 37:611
- duplication of, 43:514
 - after keratoplasty, 52:298
 - rupture of, prognosis in, 41:914
 - ultrastructure of, 38:114
- Deuteron microbeam, effect on lens, 53:1066
- Deviation of eye, 52:438
- Devic's disease, 37:309
- Dextrose, corneal bath in glaucoma, 36:1647
- DFP**, intoxication, 36:559
- retinal detachment after, 49:467; 41:1108
 - to treat strabismus, 41:1091
 - convergent, 41:343
- DIABETES**, achromatic thresholds in, 45:336
- acromegaly and, 45:333
- ALLOXAN**, cataract and, 40:453; 41:561; 51:753
- estrone in, 41:141
 - eye complications of, 36:139
 - eye tissue changes in, 42:161
 - in pregnant mouse, 53:421
 - mucopolysaccharides in, 46:612
 - ocular tension in, 46:612
 - retinal changes in, 51:563
 - retinal vessels in, 43:999
 - testosterone in, 40:141
 - vitreous in, 52:1014
- aneurysms in, 44:445
- angiectases in, 39:271
- aqueous in, 53:170
- proteins, 50:530
- a/v ration in conjunctiva, 51:1344
- blood vessels nail bed in, 51:1362
- cataract and, 42:664; 45:333; 46:429
- aqueous sugar level in, 53:1065
 - development of, 43:329
 - extraction in, 37:829; 45:323
 - formation, and control of, 39:462
 - reversal of, 46:107
- cavernous sinus thrombosis and, 45:333
- chromatic thresholds in, 45:336
- conjunctiva in, aneurysms of, 45:488
- blood vessels of, 51:1362
- DIABETES** (continued)
- conjunctiva in (continued)
 - effect CO₂ on, 45:956
 - dark adaptation in, 45:472
 - ditizone, glucose of vitreous in, 47:265
 - lens glutathione in, 47:423
 - lens sodium and potassium in, 47:271
 - effect hypoglycemic sulfonamides in, 47:713; 50:209
 - eye changes in, 49:672
 - eye complications of, 44:570; 45:332
 - eye manifestations of, 46:286
 - experimental, 38:900
 - extraocular muscle paralysis in, 49:659
 - fundus changes in, 44:851
 - glomerular nodule in, 43:526
 - hypermetropic refractive changes in, 36:741
 - hypertension and, 45:175
 - in children with Refsums syndrome, 47:137
 - in myotonic dystrophy, 53:1052
 - insipidus, after cataract extraction, 36:425
 - juvenile, hypophysectomy in, 51:559
 - survey of, 45:334
 - with and without reinopathy, 50:358
 - iritis of, 45:319
 - iridopathy in, 54:903
 - lacrimal function in, 39:622
 - lens changes in, 40:300
 - lipemia retinalis in, 52:1013
 - macular pigment degeneration in, 40:601
- MELLITUS**, eye changes in, 43:487; 45:608
- eye complications of, 37:979, 980
 - hemodynamic changes in, 38:282
 - morphologic changes in, 38:282
 - ophthalmologic signs, 43:850
 - retinopathy, hypertension and, 38:450
 - nephropathy and, 50:680
 - vascular lesions in, 39:278
 - visual prognosis in, 43:534
- ocular aspects of, a symposium, 47:444, 445
- ocular lesions in, 51:211
- ocular manifestations in, 43:495
- ocular tension in, 53:200
- oculomotor palsy in, 41:1091; 45:770
- ophthalmic studies in, 42:819; 43:181
- optic atrophy in, 43:185; 46:123
- optic nerve palsy in, 42:674
- pancreatic, retinopathy in, 47:142
- visual prognosis in, 48:292
- renal function in, 43:533
- RETINA IN**, blood vessels of, 52:1017
- circulation of, 47:290
 - complications, 40:610
 - degeneration, 49:664
 - exudates, 53:731
 - microaneurysms, 43:524; 52:459
 - proliferations, 41:729
 - retinopathy: See Diabetic retinopathy
 - vascular disturbances, 38:889; 51:1352; 53:731
 - vein, occlusion in, 42:336
- retinovitreal hemorrhage in pre-, 45:798
- rubeosis iridis in, 46:933; 48:883
- blood chemistry in, 46:246
 - fluorescein test in, 46:269
 - glaucoma and, 53:725
 - tonometric curve in, 46:771
- scotomas in, after Diabetic, 52:741
- tear glucose in, 47:424
- therapy of ocular complications, 43:661
- vascular, changes in, 43:807
- eye disease in, 45:335
 - lesions, effect weight on, 52:310
 - visual prognosis in, 36:424
- vitamin E in, 51:1342
- DIABETIC**, choroiditis, 45:166
- microangiopathy, 47:444
 - mothers, eye findings children of, 47:146
 - neuropathy, 47:915
 - ophthalmoplegia, pupil in, 51:364
 - retinitis, 45:333
- RETINOPATHY**: 36:591, 750; 37:830; 39:614, 915; 40:936; 41:730, 1104; 42:182, 672; 43:182, 653; 45:335;

DIABETIC (continued)**RETINOPATHY (continued)**

- 46:775; 47:444, 445; 48:421; 49:1453; 50:680, 1274;
53:560; 54:895, 903
abnormal vascular responses and, 46:782
adrenal cortex and, 43:654; 46:1111
adenomem in, 41:891
after pancreatectomy, 45:791
arteriolar involvement in, 36:1491
blood pressure and, 45:591
can ophthalmologist treat, 36:1010
capillary aneurysms in, 38:126
micro-, 54:903
capillary fragility in, 43:332
care diabetes and, 38:607
clinical study of, 40:776
diabetes mellitus, hypertension and, 38:450
diabetic angiopathy and, 38:890
diphenylamine reaction in, 48:704
Duraboline in, 51:206; 52:584
electron microscopy of, 51:709
ERG in, 46:422; 54:903
oscillatory potentiation in, 54:510
extravascular lesions of, 53:1071
fat emboli in, 46:109
fructose in, 51:861
fundus hypertonicus and, 45:591
glucosamine in serum in, 42:163
heparin inhibition test, 44:720
hypertension and, 45:491
hypophyseal stalk surgery, 54:504
hypophysectomy, 43:184
in children, 43:524
in diabetes mellitus, 41:730
in pancreatic diabetes, 47:142
insulin and, 38:427
therapy with, 36:293
Kimmelstiel-Wilson disease and, 37:628; 42:821
lipidogram in, 41:895
Lipoliquid to treat, 39:608
liver function in, 36:760
low fat diet and, 49:666
mucopolysaccharides in, 41:350
mucoproteinuria and, 44:720
Nortestosterone in, 51:1352
papilledema in, 41:923
pathogenesis, 37:305
plasma lipids and, 38:607
prednisolone in, 50:1275
present concept of, 41:586
problem of, 37:299
proliferans, 45:590; 46:432; 49:664
X-ray therapy in, 49:1077
proteins in blood and, 38:283
radiation therapy in, 46:775
remissions in, 52:1015
retinal vascular patterns in, 53:414
retinitis proliferans and, 48:579
retrobulbar steroids in, 53:1069
rising incidence of, 49:665
rutin in, 38:890
serum protein changes in, 42:129
electrophoresis of, 40:759
severity diabetes and, 38:607
sex differences in, 49:1454
testosterone in, 37:320; 40:302
testoviron in, 47:293
thrombocytes in, 44:861
treatment of, 37:300, 624; 42:667, 957; 47:434
vitamin B₁₂ in, 47:727
Diagnosis, eye in, 46:255
ophthalmoneurologic, 45:473
P₁₀₀ in, 38:436
retrospective, 40:947
DIAMOX: 39:457; 40:297, 772; 42:662; 43:173; 47:268
action of, 47:96
on aqueous formation, 42:955; 43:1000
on circulation, in glaucoma, 44:718
on lens proteins, 42:513
on ocular tension, 40:773; 46:614
aqueous veins during treatment with, 50:1266
clinical effect, 43:150

DIAMOX (continued)

- clinical study of, 40:773
effect on aqueous, ascorbic acid level of, 41:693
calcium of, 48:558
outflow, 46:270
phosphorus, 48:558
production, 46:270
effect on blood-aqueous barrier, 42:514
effect on carbonic anhydrase, 39:438
effect on dark adaptation, in glaucoma, 43:1000
effect on electrolyte balance, 47:422
effect on ocular tension, 40:150, 465; 41:583; 47:267,
422; 53:556
effect on plasma bicarbonate, 47:422
effect on potassium concentration, 46:617
in aqueous, 43:1001
effect on sodium in aqueous, 43:1001
experiences with, 43:836
five-year, 47:267
in aqueous, 40:282, 917
in cataract surgery, 44:847
in glaucoma, 38:757; 40:296, 772, 773, 932; 41:173,
583, 584, 916, 920, 1095; 42:148; 43:152, 176, 517,
648, 836; 46:428
prolonged, 42:659
surgery of, 41:176; 45:321
in nonglaucomatous eye, 42:173
in ocular hypertension, 42:529
indications for, 47:904
influence on ocular tension, 38:884
intoxication, 47:707
K-ions, in aqueous and, 42:166
in serum, 42:166
mechanism of, 44:136
myopia after, 43:517; 45:959; 46:613
transient, 42:512; 51:1333
new findings on, 42:803
physiologic, 43:150
ocular refraction and, 47:613
ocular tension after, 40:297
potassium bicarbonate and, in chronic glaucoma, 46:
270
potassium concentration after, 46:615
refraction changes after, 52:295
sodium concentration after, 46:615
sustained release, 54:891
synergism of, 42:956
tension-lowering action, 41:921
salt intake and, 40:282
to induce preoperative hypotension, 53:723
to prevent anterior chamber hemorrhage, 47:628
to treat flat anterior chamber, 41:582
tonography after, 42:818
ureteral colic after, 53:117
urinary excretion and, 47:706
use and misuse, 44:718
Diaphnoscopy, transpupillary, 49:658
DIATHERMY, aqueous outflow after, 36:152
coagulation, for Mooren's ulcer, 45:318
in limbus tumors, 43:324
of ciliary arteries, 43:838
of sclera, 46:765
in glaucoma, 52:305
effect on eye tissues, 47:277
effect on retina, choroid and sclera, 51:1341
electrode for, 49:864
equipment for, 42:807
in angiomas of retinae, 41:1105
in choroidal tumor, 48:429
in glaucoma, 44:147; 46:272
in hypertensive uveitis, 38:596
in intraocular tumors, 38:898; 51:536
in iris tumor, 41:914
in melanoblastoma, 44:301
in postoperative complications, 54:487
in posttraumatic complications, 54:487
in retinal detachment, 41:703; 43:524, 654; 47:728;
51:1352
puncture sclera and choroid in, 36:748
results different forms of, 38:891
scleral changes after, 40:303
techniques, 40:707

DIATHERMY (continued)

- in retinal hemorrhage, 40:153
- in rodent ulcer of cornea, 47:430
- in uveal melanoma, 38:889
- influence of, on thiamine distribution, 54:508
- intraocular vitamin C after, 41:569
- lens capsule permeability after, 38:758
- modifications in surface, 43:163
- nonperforating, in glaucoma, 54:493
- perforating retrociliary, in glaucoma, 39:459
- pupil changes after, 37:307
- retrociliary, in glaucoma, 38:886
- scleral resection or, 43:184
- surface, effect on scleral rigidity, 51:554
- modifications in, 43:163
- to close corneal defect, 36:582
- to treat ciliary body injuries, 48:883
- transconjunctival, in retinal detachment, 54:904
- vitreous hemorrhage and, 54:1163
- Dibenamine, in inflammatory glaucoma, 36:291
- study of, 37:293
- Dibenzylamine, in glaucoma, 41:175
- Dibiomycin, in trachoma, 53:176
- Dichlorophenamide, 48:559
- as hypotensive agent, 46:891
- in glaucoma, 48:700
- Dichromatopsia, exercises to treat, 39:442
- Dicumaryl, in retinal vein thrombosis, 41:1104; 42:516; 48:133
- in retinitis pigmentosa, 42:651
- Didrosulfon, in conjunctivitis, 43:646
- in keratitis, 43:646
- Diencephalon, brightness stimuli and, 40:596; 45:787
- dyscrinism and, in glaucoma, 48:884
- eye and, 38:429
- glaucoma and, 42:179
- influence on ocular tension, 48:290
- melanophoric hormone, light sense and, 38:600
- ocular tension and, 51:855
- problem of, 53:564
- Diet, low fat, in diabetic retinopathy, 49:666
- Digitalis, chromatopsia after, 47:707
- collyrium, in asthenopia, 44:443
- in eye treatment, 43:492; 46:253
- intoxication, retrobulbar neuritis and, 43:655
- poisoning, eye and, 44:305
- visual disturbances due to, 45:753
- Dihydroergotamine, in herpetic keratitis, 36:577
- Diktyoma, 41:360; 48:712; 51:865; 53:718
- Fuch's, 45:781
- of the ciliary body, 43:342
- Dimecaine, in ophthalmology, 39:119
- Dinitrophenol cataracts, 47:924; 48:578
- Diodrast, to diagnosis orbital tumor, 41:339
- Dionine, in defense of, 42:175
- Diphenylamine, reaction in diabetic retinopathy, 48:704
- Diphtheria, antibiotics in, 45:960
- DIPLOPIA**, after strabismus surgery, 40:460; 42:522
- after thyroidectomy, 40:927
- autoregistration of, 49:180
- binocular, 36:1306
- correction, after orbital fracture, 38:441; 47:738
- diagnosis of, 36:146
- and recording, 50:522
- double monocular, 39:773
- due to scar tissue, 49:863
- in fracture zygomatic bone, 47:298
- maxillary and, 46:926
- in lethargic patient, 51:1316
- in orbital fractures, 43:1017; 45:600
- in strabismus, 47:586; 54:1161
- Lancaster test for, 38:476
- monocular, 44:556, 557
- after strabismus, 38:877
- postoperative, diagnosis and prevention, 47:281
- posttraumatic, 36:1494
- provocation of, 54:161
- retinal correspondence and, 39:772
- stereopsis in, 42:169
- study of, 44:289
- surgical cure, 39:609; 40:289

DIPLOPIA (continued)

- traumatic, 48:135; 52:592
- treatment, 54:886
- treatment of, Lancaster test after, 43:337
- television for, 51:851
- television and, 48:693
- with progressive myopathy, 52:1024
- Disability compensation, 51:1339
- in mustard gas poisoning, 50:205
- in one-eyed persons, 49:1443
- ocular, 45:610; 52:745
- visual loss and, 49:1445
- Disease, eye findings in, 39:622
- general, ocular manifestations, 43:345
- of eye: See Eye, disease of
- systemic, retinal manifestations of, 49:665
- visual pathways in vascular, 45:186
- Disparity, vertical, stereopsis and, 47:909
- Distensibility of the eye, temperature and, 51:160
- Distichiasis, hereditary, 47:295
- Ditizone, choroid after, 51:190
- retinal after, 51:190
- toxicity of, 51:188
- Diuril, effect on ocular tension, 47:704
- Divergence, excess, 51:195
- horizontal, 36:1177
- insufficiency, 39:452
- paralysis, 36:1176
- voluntary, 47:913
- Dix, John Horner, 53:746
- DNP, in lens metabolism, 43:491
- Dogfish, aqueous and plasma chemistry in, 47:101
- Dominance, nystagmus to study ocular, 53:170
- visual abnasia and alternating, 37:631
- Donders, Franciscus Cornelius, 48:147
- Dorsacaine, for corneal anesthesia, 38:148
- Driving, twilight vision and, 47:147
- Drops: See Eyedrops
- DRUGS**, action of, in eye surgery, 41:161
- affecting vision, 53:164
- allergy to, 50:191
- antibacterial, 43:824
- antihemorrhagic, 50:521
- antimalarial, 54:330
- visual disturbances with, 50:204
- anti-Parkinson, glaucoma and, 47:123
- as tools in visual physiology, 53:161
- autonomic, influence on blood vessels, 39:121
- influence on lymphatic pathways, 42:166
- influence on ocular tension, 42:954
- bacterial sensitivities to, 46:893
- colistin, intraocular penetration, 54:483
- cycloplegic: See Cycloplegia
- cytostatic, in choroidal metastases, 50:206
- diuretic, side-effects of, 54:481
- effect on choroid, 54:735
- effect on ciliary muscle, 54:735
- effect of parasympathetic, on aqueous veins, 40:931
- on epibulbar vessels, 40:931
- effect of sympathetic, on ocular tension, 40:931
- ganglioplegics, effect on eye, 40:759
- in ophthalmology, 36:285
- glaucoma, comparison of new, 36:557
- Guanethidine, 54:482
- hallucinogenic, effect on ERG, 41:867
- hypotensive, effect on retinal circulation, 42:174
- in cataract surgery, 48:202
- in ocular anesthesia, 43:318
- influence blood-pressure lowering, on ocular tension, 41:1099
- injections of, absorption, 43:163
- intracasternal, to optic nerve, 36:276
- keratitis due to, 40:771
- muscle-relaxing, 47:610
- Otriven, a vasoconstrictor, 50:195
- particle size of, in ointment, 49:393
- penetration into eye, 42:945
- reaction on extraocular muscle, 43:491
- resorption in anterior chamber, 42:163
- sympatholytic, SKF No. 6890
- sympathomimetic, effect on accommodation, 47:585

DRUGS (continued)

- sympathomimetic (continued)
 - hazards of, 43:503
 - to prepare for surgery, 53:1047
 - value of new, 43:492
- vancomycin, intraocular penetration, 54:482
- vasoconstricting, effect on ERG, 54:331
- Vasculat, for eye burns, 50:200
- DRUSEN**, bilater confluent, 54:1168
 - in retinal pigment epithelium, 43:843
 - of fundus, 42:528
 - of optic disc, 42:182; 53:417
 - ERG in, 53:204
 - of optic nerve, 54:166
 - in intraocular tumors, 52:585
 - of papilla, 47:734
 - significance of, 53:737
 - of pigment epithelium, 54:166
- retinal degeneration and, 48:435
- D-thyroxine, in exophthalmos, 52:1019
- D-tubocurarine, action on extraocular muscles, 52:138
- Duane's syndrome, 36:146, 573; 48:693; 49:1072; 53:1050
- Ducks, photossexual reflex in, 53:1035
- Duraboline, in diabetic retinopathy, 51:206; 52:584
- Dust, eye conditions due to, 36:428, 1021
- Dwarfism, cystine storage disease and, 36:879
- retinal degeneration, cerebral sclerosis and, 48:435
- Dyes, cataract due to nitro, 43:330
- Dynamics, symbols of ocular, 45:605
- Dynamometer, 54:885
- Dysautonomia, 44:729
 - familial, 47:144
- Dyscephalic syndrome of François, 53:1080
- Dyscephaly, hypotrichosis and cataract, 37:322
- symptom of status dysraphicus, 51:1355
- Dyschromatopsia, in tapetoretinal degenerations, 43:841
- Dyscrinism, diencephalon and, in glaucoma, 48:884
- Dysglobulinemia, hemorrhagic, 43:332
- Dyskeratosis, atresia of puncta and, 45:330
- Dyslexia, 45:598
 - congenital, 36:887
- Dysmegalopsia, 46:922; 47:425
- Dysmetria, 38:276
- Dysplasias, blastomatosis and, 54:518
 - multiple, 51:1363
- Dysostosis, mandibulofacial, 36:1327; 38:285
- Dysproteinemia, 49:199
- Dystrophia myotonica, 52:296, 599
- electromyography in, 52:434
- pupil motility in, 50:205

E

- Eales' disease, 47:134; 48:421
 - echogram in, 51:205
 - electrocoagulation in, 44:298
 - eye findings in, 36:1492
 - photocoagulation in, 52:1015
 - surgical treatment, 39:464
 - X-ray therapy in, 46:108
- Ear, cartilage, preservation of, 54:733
- inflammations, eye and, 39:611
- Echinoderm, corneal injury from, 51:190
- ECHOGRAMS**, from posterior globe, 49:1445
 - in Coats' disease, 51:205
 - in ocular disease, 51:1341
 - in palpebral conditions, 50:524
 - in retinal detachment, 49:1444
 - in retinoblastoma, 48:292
 - measuring distances in, 51:1331
 - of choroidal melanoma, 49:196
 - of opaque and transparent lens, 52:452
 - of vitreous, 48:120
 - oscilloscope to magnify, 49:1445
 - to diagnosis foreign bodies, 49:1444
 - to measure axial length, 53:177
 - See also under Ultrasound
- Echothiophate, in glaucoma, 50:1264
- Eclampsia, fundus changes in, 49:672
- puerperal, retinal reaction in, 49:653
- Ecomytin hydrocortisone ointment, 47:268
- Ectoderm, malformations due to abnormal, 41:336
- Ectodermal dysplasia, 39:927; 49:1462
 - cataract and, 49:1462
 - congenital, 46:122
 - corneal changes in, 48:288
- Ectodermoses, of mucous membrane, 43:833
- Ectodermosis erosiva, 47:143
- ECTOPIA LENTIS**, 38:609; 42:335; 45:789; 47:627
 - congenital, 38:758; 44:847
 - embryogenesis of, 50:1269
 - familial, 38:285
 - in Marfan's syndrome, 38:269; 40:156
 - retinal detachment with, 43:534
 - surgery of, 40:933
 - results of, 54:502
- Ectopia of the macula, 43:183
 - hypertropia caused by, 43:524
- ECTROPION**, Adam's procedure in, 54:908
 - cicatricial, due to blastomycosis, 47:139
 - free skin grafts in, 37:636
 - keratitis and, 43:834
 - due to eyelid burn, 47:740
 - in hemorrhagic glaucoma, 46:771
 - marginal, 50:354
 - of pigment epithelium, 51:1314
 - paralytic, 45:602
 - surgery of, 46:779
 - senile, 45:182
 - V-Z procedure in, 49:1459
 - surgical correction of, 37:636
 - tarsectomy in, 40:942
- Eczema, due to atropine, 38:595
- due to hydrocortone, 38:595
- of eyelids, 39:923; 43:658
- Edema, in inflammations, 51:362
- of eyelids, in children, 48:139
- of optic nerve, 47:734
- palpebral, intermittent, 47:140
- Quincke's, 39:278
- EDTA**, corneal swelling due to, 51:734
 - corrector CoCl₂ changes with, 47:703
- Egg white, eye reaction to injected, 41:560
- Egypt, trachoma in, 38:286
- Egyptian eye myths, 52:1026
- Ehlers-Danlos syndrome, 38:272; 39:926
- EKC: See Keratoconjunctivitis, epidemic
- Elastometry, to determine eyeball volume, 53:710
- Elastorhexis, systemic, 54:522
- Electric conductivity, of aqueous, 49:393
 - of cornea and sclera, 49:393
 - of vitreous, 49:393
- Electric injuries, 44:302
- Electric potential, across ciliary body, 53:548
 - across cornea, 51:548
 - in accommodation, 47:263
 - in increased ocular tension, 47:707
 - of ciliary body, 51:548
- Electric resistance, of corneal epithelium, 51:751
- Electric responses of eye, 36:1771
- Electric shock, ocular tension changes in, 48:576
- Electric stimulation, in Oguchi's disease, 43:818
 - of colliculus, ocular symptoms of, 38:276
- Electrocardiogram, changes during surgery, 45:478
- in retinal vein thrombosis, 44:849
- Electrocautery, of Passow, 47:278
- Electrocauterization, current control, 45:766
 - in corneal infections, 43:645; 47:284
 - in dacryocystorhinostomy, 37:978
 - in Eales' disease, 44:298
 - in retinal detachment, 48:880
 - in tuberculous periphlebitis, 37:626
 - in trachoma, 38:255
 - nonperforating, sclera in, 51:1340
- Electrocoction, chorioretinal manifestations in, 43:343
- ELECTROENCEPHALOGRAPHY**, changes in amblyopia, 36:142
 - drugs and, 53:161
 - findings, in eye disease, 45:484
 - in strabismus, 45:484
 - flicker fusion and, in epilepsy, 37:976
 - flicker illumination and, 41:160, 1109
 - in amblyopia, 45:148; 46:766; 54:156

ELECTROENCEPHALOGRAPHY (*continued*)

- in anoxia, 41:894
- in cerebral blindness, 45:794
- in glaucoma, 37:619; 45:493, 787
- in hemeralopia, 41:183
- in Hurler's disease, 50:204
- in hypoglycemia, 41:894
- in retinitis pigmentosa, 41:183; 52:455
- in senile cataract, 41:729
- to examine visual fields, 37:631
- to measure cortical time, 52:747
- to study retinal stimulation, 37:632
- to study visual cortex, 47:708
- trauma and, 43:532
- visual fields and, 46:422
- Electrolysis, bipolar in retinal detachment, 47:730
- for iris cysts, 41:319; 42:326
- paper, to study cornea, 53:166
- to study sclera, 53:166
- Electrolytes, blood-aqueous barrier and, 44:137
- distribution, in eye, 43:151
- Electromanometer, for anterior chamber, 47:615
- in study of ocular tension, 36:144
- ELECTROMYOGRAPHY**, 43:809; 48:557; 49:192; 51:206, 539; 52:747
- ERG and, 52:435
- extraocular, 47:914
- in diagnosis, 43:819; 45:960
- in endocrine exophthalmos, 53:180
- in Moebius syndrome, 51:1356
- in myasthenia gravis, 46:258; 50:830
- in myositis, 43:287
- in myotonic dystrophy, 52:434
- in neurogenic palsy, 41:166
- in Türk-Duane syndrome, 45:961
- of extraocular muscles, 41:166; 46:929
- during following movements, 47:915
- of eye muscles, 38:753; 39:450; 42:162; 43:509, 809, 812, 819
- of vergence, 41:340; 45:769; 47:876
- strabismus and, 49:659
- to study muscle palsy, 39:906
- ELECTRON MICROSCOPY**, 48:553
- of ciliary body, 52:142
- of ciliary epithelium, 51:727, 1327
- of cornea, 47:603
- epithelial cells, 51:727
- frozen stored, 53:715
- of diabetic microaneurysms, 54:903
- of diabetic retinopathy, 51:709
- of dilator pupillae muscle, 53:1032
- of iris, blood vessels, 51:728
- pigment, 47:101
- pigment epithelium cells, 53:1032
- of Kayser-Fleischer ring, 44:283
- of lacrimal gland, 46:615
- of lens capsule, 40:137, 138
- of lens epithelium, 48:276
- of lens fibers, 46:611; 47:102
- of melanoblastoma, 51:210
- of neonatal mouse lens, 48:274
- of pigment epithelium, 51:735; 52:293; 54:327
- of retina, 53:882; 54:327, 503
- cones, 52:584
- pigment, 37:130
- epithelium, 51:728
- rods, 51:563
- of sympathetic ophthalmia, 51:198
- of trabeculae, 54:727
- of trachoma granule, 46:931
- of trachoma pathology, 46:261
- of trachoma virus, 36:1158; 43:149
- of uveal sarcoma, 48:129, 142
- of visual cell, 54:327
- of vitreous, 37:130; 40:449; 41:560; 51:204; 54:503
- of zonule fibers, 41:884; 51:190
- to study herpetic keratitis, 52:738
- to study optic nerve degeneration, 52:586
- to study Pfeiffer bacillus, 52:738
- to study Weeks bacillus, 52:738
- Electronic pupillography, 47:728
- Electronic stimulation, 41:164

ELECTRONYSTAGMOGRAPHY, 41:339; 42:172; 46:434;

- 51:1336
- clinical application of, 40:940
- errors in, 43:335
- eye potential and, 43:333
- in concomitant strabismus, 50:203
- in nystagmus, 48:125
- monocular, 44:154
- ELECTRO-OCULOGRAM**, analysis of normal, 54:1162
- dark adaptation and, 41:158
- effect illumination on, 40:283
- effect sleep in, 40:283
- in strabismus, 37:145
- surgery of, 39:451
- light and, 41:158
- studies of, 39:775
- ELECTRO-OCULOGRAPHY**, 48:694; 50:526, 1257; 51:538
- applications of, 54:335
- during retinal detachment therapy, 52:1014
- in amblyopia, 45:159
- in fundus diseases, 41:903; 43:180
- in health and disease, 52:436
- in nystagmus, 38:752; 51:352
- in ocular paralyses, 41:342; 43:319; 51:352
- and nystagmus, 50:1260
- of eye muscle functions, 54:490
- potential level, 51:345
- to study adaptation, 45:757
- to study eye movements, 52:748
- to study fixation, in amblyopia, 45:158
- to study oculomotor disturbances, 38:752
- Electro-ophthalmia, in arc welders, 43:532
- Electro-ophthalmodynamometers, 51:738
- Electrophonocardiogram, in childhood diseases, 54:522
- ELECTROPHORESIS**, effect on ocular tension, 54:497
- immune, of lens, 50:1257; 51:347
- in glaucoma, 54:472
- in vernal catarrh, 39:456
- micro-agar, of aqueous, 47:704; 50:574
- of aloe extract, 54:487
- of aqueous, 36:1160; 37:463; 41:540; 46:918; 53:719
- in experimental iritis, 48:277
- in influenza, 45:473
- in uveitis, 45:755
- of proteins of, 40:282; 44:707; 48:558
- of blood plasma, 52:132
- of blood proteins, 54:481
- of cataract, 40:452; 48:418
- of cornea, 51:734
- epithelium, 48:559; 50:195
- proteins, 51:730
- water-soluble, 50:520
- of eye fluids, 41:540
- of glucoproteins, 47:707
- of lens, 41:896
- proteins, 40:282, 452; 48:278; 52:132
- pH of, 43:810
- soluble, 47:610, 703
- of mitochondria, 47:906
- of optic nerve, 53:206
- of phospholipoproteids, 47:707
- of proteins, in alveolar eyes, 41:894
- in corneal ulcers, 53:1053
- fraction, in graft, 53:1040
- of retina, 45:755
- of sclera, 51:734
- of secondary aqueous, 40:463
- of serum proteins, in diabetic retinopathy, 40:759
- of subretinal fluid, 43:154; 50:823
- in retinal detachment, 41:564; 51:205
- of tears, 39:899; 42:944; 44:435
- in keratoconjunctivitis sicca, 53:715
- proteins, 49:195
- of vitreous, 46:918
- proteins, 40:282; 47:607
- paper, of water-soluble lens proteins, 43:489
- to compare lactimal proteins, 51:330
- to study alpha chymotrypsin, 48:559
- to study blood proteins, in eye diseases, 40:140
- in idiopathic retinal detachment, 41:890
- to study P₂, 37:463

- Electrophoretic, experiment on lens, 39:121
 spectrum variations, 44:713
 Electrophysiology, inn ophthalmology, 36:556; 50:195
 of retina, 36:874
 Electroretino-encephalography, 38:122
 in tapetoretinal degenerations, 46:632
ELECTRORETINOGRAM, 36:741, 876, 1175
 a-wave, in human, 45:469; 49:392
 analysis of, 53:552
 from cybernetic viewpoint, 53:1037
 b-potential of, 43:505
 effect contact glass on, 43:505
 b-wave in, 47:268
 components of, human, 45:476
 flicker, 37:138
 in hemeralopia, 37:133
 human, 36:283; 53:552
 x-wave of, 43:497
 in tapetoretinal degeneration, 36:414
 influence ACTH on, 46:921
 influence adaptinol on, 51:1341
 influence carbon disulfide on, 46:921
 influence ethyl alcohol on, 45:483
 of rabbit, 43:154
 pathologic, 40:767
 recovery, after hypoglycemia, 45:145
 after ischemia, 45:145
ELECTRORETINOGRAPHY, 47:291; 48:878; 49:189
 after hallucinogenic agents, 51:548
 after light stimuli, 52:743
 varied colored, 50:1255
 aging and, 54:896
 alteration of, 45:589
 amplification of, 44:141
 basis of, 42:174
 centrifugal influence on, 47:610
 clinical, 42:144
 indications for, 48:284; 49:176
 study of, 41:1103
 clinical application, 36:1171; 42:174
 contact glass in, 46:424; 47:617, 712; 48:566; 49:173, 174
 electrode for, 41:904
 for rabbit recording, 47:120
 double-flash test, 51:1342
 during dark adaptation, 54:331
 dynamic, 50:828
 effect on, of amino-phenoxy alkanes, 47:706
 aorta occlusion, 44:451
 of epinephrine, 41:685
 of hallucinogenic drugs, 41:867
 of hyper- and hypoglycemia, 48:871
 of inhibition of carbohydrate metabolism, 47:705
 of Nyldrin, 43:1000
 of optic nerve section, 54:904
 of stellate ganglion block, 39:439
 of vasoconstrictors, 54:331
 of vasodilators, 39:439
 electroencephalography simultaneously with, 40:939
 electronic flash stimulation in, 46:423
 electromyography and, 52:435
 flicker, 41:868
 in color blindness, 46:619
 in newborn, 47:609
 gold ring electrode for, 52:297
 illumination and, 41:686
 in anemia, 51:866
 in anoxia, 41:894
 in batrachians, 50:820; 51:186
 in carotid artery disease, 54:732
 in chalkosis, 42:185
 in children, 50:827
 in choroidal degenerations, 53:732
 in chorioidemia, 46:932
 in color blindness, 37:140; 44:710; 46:923; 51:191
 congenital, 54:484
 in color defective, 47:95
 in diabetic retinopathy, 46:422; 54:903
 in drusen of optic disc, 53:204
 in glaucoma, 42:819; 47:722; 51:856
 primary, 48:575
 secondary, 53:722
ELECTRORETINOGRAPHY (continued)
 in glaucoma (continued)
 simplex, 53:204
 in Hurler's disease, 50:204
 in hypertension, 39:464
 in hyperthyroid states, 42:176
 in hypoglycemia, 41:894
 in hypothermia, 53:1069
 in infants, 54:511
 in macroglobulinemia, 51:866
 in macular degeneration, 49:188
 senile, 38:273
 in macular diseases, 41:867
 in malignant intraocular tumors, 46:438
 in man, during blackout, 43:187
 in myopia, 39:783
 in newborn, 52:312
 in nightblindness, 39:442; 41:923; 44:710; 47:96
 in optic nerve lesions, 46:923
 in papilledema, 52:435
 in premature children, 36:1783
 in rapid changes in ocular tension, 53:723
 in reptiles, 50:820; 51:186
 in retinal circulation, 39:147
 disturbances of, 36:1010; 38:272; 43:331; 46:432; 45:592
 in retinal degeneration, 44:151; 53:732
 pigmentary, 50:680
 in retinal detachment, 36:414; 39:783; 44:451; 52:1016; 53:415; 54:507
 prognostic value, 45:326; 47:729
 in retinal occlusion, 38:272; 43:331; 50:1278
 in retinal periphelebitis, 42:820; 43:524
 in retinal surgery, 50:1275; 51:360
 in retinitis pigmentosa, 36:1492; 44:451; 47:875; 51:563
 sector type, 49:403
 with bitemporal field defects, 49:403
 in retinopathy, 54:510
 in siderosis, 42:185; 51:733
 in tapetoretinal degenerations, 39:463, 467, 783; 46:431; 48:133; 53:204
 in temporal arteritis, 54:903
 in visual cell degeneration, 48:147
 in uveitis, 37:292
 in vitamin-A deficiency, 41:923
 light adaptation and, 53:1046
 light source for, 47:710
 light stimulation and, 43:494
 of dog's eye, under hypothermia, 53:1038
 of light-adapted eye, 47:909
 of toad retina, 45:754
 "off-effect" of, 44:441
 oscillating potential in, 54:510, 733
 photic stimuli and, 41:868
 photopic response in, 45:151
 potential field, of rabbit, 46:615
 prevention ocular trauma during, 48:878
 repeated stimulation and, 45:953
 response to, coupled stimulations, 52:132
 retinal stimulation, 37:632
 retinal and choroidal blood content and, 52:742
 retinal histology and, 50:1273
 scotopic, temporal aspects in, 42:138
 synchronization of impulses in, 36:1783
 to diagnose, blindness in newborn, 51:348
 color blindness, 51:192
 to distinguish achromates and monochromates, 53:398
 to study hereditary retinal degeneration, 40:920
 to study retinal metabolism, 49:873
 to test ocular functions, 54:158
 visual purple regeneration and, 47:708
 visual stimulus and, 41:686
 with double flashes, 45:759
ELECTROSHOCK, in presence of retinal detachment, 47:278
 influence on blood-aqueous barrier, 39:771
 influence on retinal pigment degeneration, 39:900
 ocular signs in, 38:277
 ocular tension and, 45:174; 45:493; 46:615; 47:124
 changes in, 37:296

ELECTROSHOCK (continued)

- visual functions and, 43:496
- Electrosurgery, 36:1174
 - in treating tumors, 39:276
- Electrotherapy, in macular degenerations, 37:302
- Electotrauma, 43:532
- Elliot, Thomas, 40:313
- Elliot trephination, late infections after, 49:659
- Eleparon, eyedrops in keratitis, 53:1054
- Elks Club, research fund, 51:530
- Elsching's pearls, 49:871
- Emboli, of fat in retinal artery, 43:526
- Embryology of eye, 39:115
- Embryopathology, from ionizing radiations, 54:520
- Embryotoxon, 48:715
 - hemangioma and, 44:458
 - posterior, 47:623
- Emetine hydrochloride, in herpes zoster, 38:894
- Emmetropia, 46:250
 - ametropia and, 53:1040
 - horopter in, 41:571
 - vitreous degeneration in, 53:732
- Emotion, in eye disease, 43:160
- Emphysema, of eyelid, 39:620
 - papilledema and, 46:112
- Empyema, of frontal sinuses, 47:439
- Encephalitis, eye symptoms in epidemic, 45:608
 - herpes zoster and, 49:667
 - optic nerve in experimental, 41:560
- Encephalocele, of orbit, 49:405; 50:354
 - operation for, 36:159
- Encephalography, in glaucoma, 48:698
- Encephalomyelitis, neuromyelitis optica and, 37:308
 - uveitis and allergic, 47:260
- Encephalomyelomeningitis, in Behcet's syndrome, 53:417
- Encephalo-ophthalmic dysplasia, 43:1022
- Encephalopathy, 47:737
- Endangiitis obliterans, eye in, 38:283; 54:170
- Endarteritis, eye symptoms in obliterating, 40:310
- Endocarditis, ocular manifestations of, 38:744
 - septic retinitis and, 43:522
- ENDOCRINE**, aspects in exophthalmos, 43:338
 - disturbances, interstitial keratitis and, 45:164
 - retinitis pigmentosa and, 38:275
 - dysfunction, angiospastic retinitis and, 36:415
 - exophthalmos, 44:862; 46:116
 - function, eyes and, 48:120
 - ophthalmoplegia, 47:876
 - system, effect on retinal degeneration, 43:813
 - influence on retinal light threshold, 43:1000
- Endocrinopathies, of pregnancy, 47:446
- ENDOPHTHALMITIS**, after cataract extraction, 47:130
 - due to larva, 47:738
 - due to meningitis, 42:341
 - due to Toxocara, 53:1080
 - fungus, 53:203
 - in cataract surgery, 50:825
 - in congenital toxoplasmosis, 46:436
 - Leucomycin in, 45:957
 - mycotic, 51:208
 - postoperative, 49:1456
 - nematode, 47:141
 - phacoanaphylactica, 36:1650; 39:146; 53:412
 - cysteine factor in, 39:910
- ENDOTHELIUM**, corneal, 47:901
 - regeneration in, 43:831
- trabecular, 47:901
- Endothelioma, of eyelid, 41:1114; 52:594
 - of optic nerve, 46:776
 - of orbit, 52:317
- Endotoxin, ocular effects of, 47:99; 48:554
- ENOPHTHALMOS**: 40:606
 - after strabismus surgery, 47:620
 - Horner's syndrome and, 43:339
 - in orbital fracture, 43:1017
 - muscular factors in, 51:1357
 - myxedema in, 51:570
 - pulsating, 53:1075
- Entoptic phenomena, clinical evaluation of, 40:145
- Entoptoscope, 42:174

ENTROPION: 43:1018

- cicatricial, surgery for, 51:566
- conjunctival retroposition in, 45:488
- correction, by shortening orbicularis, 36:421
- due to epiblepharon, 49:1458
 - and congenital, 48:137
- fascia lata graft in, 54:908
- in Hong Kong, 48:137
- noncicatricial, treatment of, 52:316
- of trachoma, 47:139
 - surgery of, 36:743
 - trichiasis and, 47:139
- operation for, with hidden suture, 48:137
- senile, correction of, 36:420, 1322
 - Fox operation in, 50:1283
 - Kettesy operation in, 47:139
- spastic, 41:359
 - Rhaetocaine in, 47:741
 - surgery of, 44:457
 - of partial, 43:846
 - of senile, 53:563, 739
 - suturing in, 40:307
- tarsoplasty for, 36:420; 51:209
- ENUCLEATION**: 48:410
 - after cataract extraction, 54:499
 - after iridencleisis, 41:1100
 - aqueous outflow after, 41:690, 866
 - bloodless, 47:138
 - complications of, 39:904
 - conjunctival carcinoma after, 52:299
 - conjunctival suture in, 41:903
 - data and thoughts on, 54:167
 - eyelid retraction after, 41:737
 - implants after, 40:606; 42:806; 51:565
 - elderberry pith for, 48:708
 - nylon thread, 44:140
 - polystan for, 49:194
 - problems of, 41:355
 - See also under Implants
 - in melanoma, 54:517
 - in purulent keratitis, 54:888
 - light reflex after, 45:957
 - new technique for, 49:405
 - ophthalmomyiasis after, 36:1787
 - orbital implantation after, 43:529
 - plastic operation for, 41:319
 - pupil movement after, 43:811; 44:437
 - scissors for, 48:566
 - scleral prosthesis after, 50:1259
 - socket formation after, 37:635
 - without excessive hemorrhage, 45:483
- Enzymatic dysfunction, 48:434
- Enzymatic lysis: See Alpha chymotrypsin. See also Zonulolysis
- ENZYMES**, cardiac glycosides, in glaucoma, 54:1171
 - cataract production and injection of, 47:876
 - changes in visual cells, light and, 46:616
 - digestive, in corneal disease, 36:287
 - fibrolytic, in retinal vein thrombosis, 37:305
 - in eye therapy, 36:1645
 - in hematoma, 52:132
 - in hyphema, 52:132
 - in retina, 50:192
 - lactic dehydrase, in cataracts, 47:703
 - in experimental uveitis, 47:703
 - pancreatic, in ophthalmology, 36:1159
 - rodanese, in lens and retina, 49:171
 - systems, of cornea, 47:269
- Eosinophils, diurnal variation in ocular tension, 41:684; 44:564
 - in eye injuries, 46:924
- Ependymoma, of cerebellum, 51:565
- Epiblepharon, entropion due to, 49:1458
 - congenital entropion and, 48:137
- Epibulbar, melanoma, 45:184
 - tumors, 36:1324; 37:637; 38:280; 46:253; 49:406
 - vessels, effect parasympathetic drugs on, 40:931
- Epidermolysis bullosa, corneal ulcer and, 48:697
- dystrophica, eye symptoms in, 36:1005
- retinal detachment and, 54:507
- Epiglottitis, tumor of metastatic to choroid, 48:712

- Epilepsy, flicker fusion to diagnose, 37:976
 lens rupture in hydrocephalic, 36:411
 photogenetic, 50:353
 visual fields after lobectomy for, 50:1281
- Epileptics, Baillart' sign in, 38:607
- Epinephrine, effect on ERG, 41:685; 43:164
 effect on ocular tension, 48:290; 52:1010
 in anterior chamber hemorrhage, 45:174
 in aqueous, ciliary body and iris, 37:464
 in open-angle glaucoma, 53:199, 201
- EPIPHORA**, conjunctival fold causing, 36:1015
 due to weak eyelid muscles, 48:709
 hypothyroidism and, 49:1459
 in aged, 39:619
 in infants, 42:183
 nasolacrimal, canal and, 43:846
 intubation in, 37:635
 silver style and, 43:340
 sponge attachment for, 44:713
 surgery of, 43:1019
 symptomatic, 49:194
- EPISCLERA**: blood vessels of, pressure in, 36:1167
 capillary fragility of, 46:923
 effect increased ocular tension on, 39:912
 veins of, action Prisolol on, 47:724
 in low ocular lesion, 44:845
 pressure variation in, 44:138
- EPISCLERITIS**: 48:412
 in polymorphic erythema, 47:620
 metastatic furunculiform, 36:286; 45:489
 panchondritis and, 49:1446
- EPITHELIOMA**, benign calcifying, 38:449; 44:727
 cutaneous, adjacent to globe, 50:1284
 due to spectacle frame, 46:438; 48:141
 epibulbar, 44:567
 corneoscleral transplant in, 41:911
 of conjunctiva, 38:149; 39:777; 47:715
 after pemphigus, 45:164
 of cornea, 37:149; 53:716
 of eyelid, 36:422, 757, 1016; 48:140; 51:352
 ablation of, 48:709
 benign, 43:659
 contact radiation for, 46:282
 cystic, 38:606
 Grenz rays for, 48:137
 surgery of, 48:710
 of limbus, 44:458; 50:1285
 radiotherapy in, 54:1161
 of orbit, 38:894; 52:592
 palpebral, 36:162; 49:1457
 chemotherapy of, 47:278
 treatment of, 43:341
 See also Bowen's disease
- Epithelium, amino acids of corneal and retinal, 48:555
 downgrowth of, 41:1116
 into anterior chamber, 43:531; 45:588
 See also under Cataract, extraction
 ciliary, structure of, 47:878
 pigment, ectropion of, 51:1314
- Erb-Goldflam's disease, 46:258
- Ergotine, action on eye, 49:655
- ERISOPHAKE**: 54:335
 automatic release for, 50:525
 Bell's modified, 36:1172
 electric, 51:552
 five-year experience with, 39:134
 Harrington, in 50 cataract extractions, 38:268
 in cataract extraction, 43:178
 intracapsule, 45:790
 100 with, 40:597
 with alpha chymotrypsin, 49:663, 1453
 modified, 53:552
 new model, 43:826
 new tubing for, 37:285
 tip for, 54:337
 use in corneal foreign bodies, 36:144
- Erysipelothrix rhusiopathiae, ocular signs of, 43:848
- Erythema multiforme, hypopyon and, 37:152
 Stevens-Johnson syndrome and, 36:160
 See also Stevens-Johnson disease
- Erythema polymorphic, episcleritis in, 47:620
- Erythrocytes, aggregation of, in eye disease, 46:120
 iron studies on, in vernal conjunctivitis, 47:623
 stroma, injections of, 42:132
- Erythrodermia, with oligophrenia, 43:346
- Erythrophyll, in eye disease, 45:481
- Erythromycin, conjunctival tolerance to, 37:291
 diffusion, into intraocular fluids, 40:759
 in trachoma, 37:291; 39:777; 43:166
- Erythroptosis, 37:617; 40:604
- Escherichia coli, panophthalmitis due to, 43:808
- Eserine, effect on corneal anesthetics, 36:280
 experimental studies of, 43:493
 to diagnose and treat strabismus, 51:740
- ESOTROPIA**, accommodative, 45:959
 treatment of, 46:768
 bilateral depression in, 42:329
 binocular vision in, 43:319
 changed to exotropia, 43:512
 comitant, treatment of, 54:489
 fusional divergence in, 47:428
 intermittent, 42:493
 miotics in, 43:512
 of late onset, 42:810
 operation of choice in, 36:574
 surgery of, 36:146; 42:523; 54:490
 and orthoptics, 46:258
 See also under Strabismus
- Estrogens, effect on pituitary adenoma, 46:768
 in hypophysis, 50:687
- Ethambutol, ocular manifestations after, 54:730
- Ethanol, in methanol poisoning, 47:587
- Ethmoid, exophthalmos due to tumor of, 37:317
- Ethnic groups, arcus senilis and, 43:326
- Eugenics, in retinoblastoma, 45:802
- Europe, ophthalmic tour of, 49:673
 orthoptic schools of, 48:567
 pleoptic schools of, 48:567
- Euthyscope, experiences with, 49:864
 in amblyopia, 50:1258; 54:734
 Ohm-Romberg apparatus, 54:1162
- Euthyscopy, 53:1048
- EVISCERATION**: 48:410; 52:301
 implant for, 51:565
 histology of removed, 53:188
 intrascleral, 51:1335
 luxite, 52:314
 nylon thread, 44:140
 polyvinyl sponge, 41:338
 scleral, 51:1314
 malignant melanoma after, 37:315
 new technique of, 49:405
 orbital, 49:175
- Exanthematous disease, filterable viruses in, 44:704
 phlyctenular keratoconjunctivitis and, 45:963
- Exenteration, 45:598
 epithelization orbit after, 47:138
 of orbit, 38:762
 muscle transplantation after, 51:208
 orbital healing after, 49:193
 tissue retraction after, 42:675
- Exophthalmogenic, factor in serums, 45:142
- Exophthalmometry, 45:154
 in myopia, 42:338
- EXOPHTHALMOS**: 39:618, 623; 41:735; 42:960
 acute, 36:888
 after thyroidectomy, 43:1021
 allergic, 53:208
 Basedow's, 48:708
 causes and treatment of, 46:116
 corneal protection in, 39:880
 corneal ulceration in, 36:1321
 correction of, 44:155
 cortisone-produced, 38:743
 diagnosis, and control, 49:193
 differential, 53:1074
 Fermin-Nash slide rule in, 41:338
 d-thyroxin in, 52:1019
 due to cortisone, 43:150
 due to ethmoid sarcoma, 37:317
 due to ethmoidal tumors, 44:456
 due to granuloma, 46:436

EXOPHTHALMOS (continued)

due to granuloma (continued)

of bone, 48:142

of orbit, 45:600

due to granulomatosis, 37:321

due to hyperthyroidism, 41:130

due to myositis, 46:778

due to orbital cellulitis, 46:778

due to orbital pathology, 43:337

due to retained teeth, 39:786

due to sclerosis sphenoid bone, 44:855

due to sinus disease, 36:756

due to thiouracil, 43:150

due to tumor, 53:1078

of cheek, 45:599

edematous, yttrium⁹⁰ to treat, 48:433**ENDOCRINE**, 38:609; 42:824; 44:862; 46:116; 50:685;

52:1019; 54:329

aqueous outflow in, 50:1260

conjunctival sensitivity in, 46:260

corneal sensitivity in, 46:160

cortisone in, 39:900

electromyography in, 53:180

gonads in pathogenesis of, 36:1018

in newborn, 44:305

ocular rigidity in, 47:725; 50:1260

ocular tension in, 50:1260

oculomotor disturbances in, 41:576

optic nerve lesions of, 37:628

pathogenesis and treatment of, 48:134

studies on, 43:529

endocrine aspects of, 43:338

endogenous malignant, 40:606

experimental, 41:567; 54:168

factor for, in blood serum, 44:434

glaucoma and, 50:1282

and thyrotoxicosis, 53:721

goiter and, optic neuropathy of, 47:734

hormonal, management of, 52:591, 592, 593

human serum and, 43:488

hyperthyroidism and, 46:115

hypophysectomy in, 41:362

in chronic myositis, 47:439

in diagnosis chloroma, 39:276

in Graves' diseases, 37:635; 45:798; 46:281; 54:906

management of, 43:1021

in Hand-Schüller-Christian disease, 37:834

in leukemia, 42:680

in marble-bone disease, 46:436

intermittent, 41:357; 42:676

amaurosis and, 36:419

surgery of, 46:115

lid retraction and, 48:433

MALIGNANT, 38:894; 39:151; 42:339; 54:516

ACTH in, 41:321

bilateral, 36:1014

cortisone in, 41:321

edematous, 41:734

Graves' disease and, 36:1785

hypophyseal, 36:1325

metabolic, 53:208

orbital tissue in, 37:834

surgery of, 44:456

transantral decompression in, 47:139

X-ray therapy in, 36:1770

to hypophysis, 41:735

management of, 43:337; 52:591

meningo-encephalocele of orbit and, 50:1282

mucopolysaccharides in, 43:154

muscular factors in, 51:1357

neurofibromatosis and, 39:618

ocular rigidity in, 48:136

orbital angiography in, 54:884

orbital decompression in, 42:676

osteochondropathy, myxedema and, 48:135

progressive, 39:470; 41:356

visual restoration in, 43:338

PULSATING, 43:1017; 53:738

after surgery, 43:845

aneurysm causing, 47:738

carotid ligation in, 36:1014

EXOPHTHALMOS (continued)**PULSATING** (continued)

congenital defects and, 43:340

in carotid-cavernous fistula, 36:1014; 40:939; 51:1357

in Recklinghausen's disease, 44:725; 46:116, 281

neurofibromatosis and, 54:515

observations on, 43:337

pathologic physiology of, 37:308

surgery in, 54:905

traumatic, 41:735

piezometry in, 50:353

rhinologic approach to, 36:756

secondary factors in, 53:1075

surgery of, 53:1074

symposium on, 53:1074

thiouracil causing, 38:761

thyrotropic, 47:142

new symptom of, 45:799

thyrotrophin in, 43:1021

toxoplasmosis with, 38:604

treatment of, 53:1074

internist's view, 43:338

ophthalmologist's view, 43:338

unilateral, 51:208

angiography in, 44:857

differential diagnosis, 49:874

pathogenesis, 44:856

periodic, 39:469

rigidity in, 53:201

symptoms, 44:856

tooth extraction and, 43:339

visual changes in, 39:618

Extrasystoles, in ocular tension fluctuations, 54:163**EXOTROPIA**, anomalous correspondence and, 46:258

changed to esotropia, 43:512

in marble-bone disease, 46:436

intermittent, surgical results, 42:329

observations on, 47:714

secondary, surgery of, 53:178

surgery in, 54:485

See also under Strabismus

EYE, abnormalities, due to X-radiation, 54:329

after streptomycin, histology of, 43:807

age and, histochemical study, 37:136

aging and: See Aging

albino, study of, 49:1462

anencephalic, 43:149

arterial obstruction of, 39:897

as physiologic reagent, 36:429

avulsion of, 45:603

axial length of, 47:612

biochemistry of, 53:162, 547

biologic evolution of, 45:749

blind, retention of, 38:277

blood flow to, pulse volume and, 44:706

blood pressure of, 43:1006

bromide turnover in rabbit, 52:430

carcinoma metastatic to, 39:620

cell turnover in adult, 52:291

changes, after carotid ligation, 36:157

due to intravenous adrenaline, 40:141

due to leptospirosis, 54:729

in cystic lung disease, 53:423

in diabetes, 43:487

in incontinentia pigmenti, 43:535

middle age and, 43:827

systemic disease and, 48:285

comparative anatomy of, 43:147

defects, in cerebral palsy, 41:353

destruction of, due to zinc chloride, 50:357

development of fibrous tunic of, 36:1294

DISEASES, after BCG vaccin, 49:1441

allergic, 43:505; 52:301

arthritis and, 36:425

articular disease and, 36:890

audiometric examination in, 37:470

brain disease and, 41:320

codification of, 51:570

disappearing, 51:1365

effect oxygen on, 36:1640

EEG in, 45:484

EYE (continued)**DISEASES (continued)**

- electrophoresis blood proteins in, 40:140
- emotion and, 43:160
- erythrophyll in, 45:481
- external, sequelae of, 36:1181
- focal, histamine in, 45:480
- influence allergy on, 37:601
- infections, resistance in, 45:464
 - leptospirosis, 54:1163
- medical background of, 42:520
- Menkin test in, 41:907
- meteorologic influences on, 39:117
- Middlebrook-Dubois test in, 36:1643
- natural incidence of, 46:785
- neovascularization in, 54:883, 885
- nervous diseases and, 41:320
- nitrogen mustard in, 45:480
- of Lord Nelson, 40:615
- of medical interest, 46:615
- of Sir Joshua Reynolds, 40:615
- PCR test in, 47:423
- psychosomatic factors in, 39:447
- psychotherapeutic aspects of, 54:1162
- radioactive iodine in, 40:144
- response to Irgaprin, 43:506
- role Toxoplasma in, 48:693
- screening procedures in, 48:564
- Selye's adaptation syndrome and, 39:117
- sinus radiography in, 54:1163
- sodium propionate in, 45:482
- stress in, 45:157
- teeth and, 43:160
- tonsillitis and, 47:711
- tropical, in Brazil, 45:798
- typhoid vaccine in, 36:143
- vitreous injections in, 54:884
- ultrasound therapy in, 36:1643
- distensibility of, 43:1001; 44:709; 47:920
- diurnal tension variation in, 51:355
- dominance, 37:467
 - fatigue and, 39:446
 - stereoscopic vision and, 36:563
- effect boxing on, 41:361
- effect fluorescent lighting on, 43:347
- effect solvents on, 43:815
- elasticity of, 45:174; 48:557
 - effect muscle contraction on, 48:417
- electrical responses of, 36:1771
 - to near ultraviolet, 48:556
- embedding, 50:191
- embryology of, 39:115; 48:275
- emergencies, 37:817
- endocrine function and, 48:120
- evolution, and limitations, 39:116
- examinations, monochromatic light in, 37:143, 144
 - slitlamp and, 45:478
- fluorescein appearance time, 49:171
- focus, studies on depth of, 36:1767
- functional defects of, 43:332
- growth, ocular tension and, 42:134
- hazards to, on shipboard, 51:1359
- headaches and, 36:1017
- health, evaluation and maintenance, 36:429
- hospitals, facilities and nursing, 38:611
 - for tuberculosis, 37:142
 - in Switzerland, 54:524
- hypothalamus and, 46:242
- in death, 53:172
- in epithelioid granulomatosis, 36:1008
- in sorcery, 41:1125
- in phakomatosis, 51:564
- infections, 43:155
- involvement in, endangitis obliterans, 54:170
- iodine turnover in rabbit, 52:430
- latex perfusion of, 48:279
- length of, 42:805
- lesions of, due to gas pistol shot, 49:197
 - in periarthritis nodosa, 49:199
- lime burns of, 49:198
- liver and, 44:861

EYE (continued)

- lotion, to treat car sickness, 42:175
 - to treat sea sickness, 42:175
 - luminous reflex of, 39:129
 - malignant neoplasms, in Norway, 53:740
 - masking mechanism of, 39:901
 - monotreme of, 37:452
 - mycotic infections, 36:136
 - myths, old Egyptian, 52:1026
 - of cat, 51:1327
 - of gorilla, 54:727
 - of rabbit, 53:882
 - one-eyed employees, 41:368
 - organs internal secretion and, 50:360
 - parasites of, 53:743
 - perceptual time in, 51:551
 - permeability of, 48:129
 - photochemical reactions in, 44:710
 - photosensitive fluorescent substances in, 54:730
 - physiologic chemistry of, 37:464; 45:142; 47:266
 - pituitary and, 40:453
 - plastic models of, 45:763
 - position of, extraocular muscles and, 51:1358
 - posterior, biomicroscopy of, 53:171
 - potential, electronystamography and, 43:333
 - reaction, time of, 53:550
 - to injected erythrocyte stroma, 42:132
 - research literature, punch card for, 41:692
 - retraction syndrome, 37:478
 - rigidity of human, 47:611; 48:873
 - See also Ocular rigidity
 - second, effect surgery on first, 53:563
 - sections, polyester resin to prepare, 51:348
 - senile changes in, 54:525
 - sinuses and, 50:206
 - silicic acids in, 52:291; 54:330
 - signs, in anaphylactic edema, 36:137
 - in migraine headache, 52:313
 - slitlamp photography of, 53:708
 - solutions, sterile, 47:712
 - temperature of, after hot packs, 36:1770
 - after milk injections, 36:1770
 - ultrasonic radiation and, 43:814
 - teratology of, 48:275
 - thermo-electric measurements of, 52:136
 - tonographic study of normal, 45:171
 - tonometric compression in normal, 41:345
 - total extracts of, 45:767
 - uveal blood content, 53:886
 - vasoconstrictors and, 46:928
 - vasodilators and, 46:928
 - vegetative, 43:154
 - vibration, 49:172
 - water metabolism in, 53:165
 - zinc as trace element in, 48:280
- EYEBALL**, axis of, 47:617
- compression, ocular rigidity and, 45:173
 - to analyze light sense, 40:760
 - congenital retraction of, 47:619
 - conservation of, in orbital tumors, 43:338
 - contusion, pupil in, 37:976
 - dislocation of, 39:274
 - echinococcus cyst of, 37:640
 - hypophysis and, 41:562
 - malformations of, 44:575
 - shortening of, 47:615
 - surgical rotation of, 49:1455
 - torsional movements of, 41:166
 - volume, elastometry to determine, 53:710
 - X-ray techniques for, 45:478
- Eye-Banks**, 50:1288
- EYEBROWS**, abscess of, in twins, 37:642
- absence of, repair, 37:835
 - dermoids of, 46:282
 - double, 41:1122
 - lymphoma of, 45:603
 - nevus of, 52:587
 - plastic surgery of, 50:687
 - reconstruction, 42:676, 823
- EYEDROPS**, alkalal, buffering for, 50:192
- assessing sting of, 51:189

EYEDROPS (*continued*)

- chloramphenicol, 41:888
- contamination of, 40:765
- diseases due to, 42:160
- Eleparon, in keratitis, 53:1054
- formulation, in Australia, 40:919
- in New Zealand, 40:919
- isotonicity of, 41:904
- scopolamine, 52:741
- standardized, 36:1482
- sterile, 47:712
- sterility of, 44:141
- Tosmilen, 51:738; 52:443
- Uveline, 51:738

Eye ground, melanoma of, photocoagulation in, 50:687

EYELASHES, growth disturbance of, 44:726

- imbedded, granuloma due to, 51:706
- in anterior chamber, 41:361; 42:340; 44:142, 728; 51:211
- ingrown, 40:608
- lack of, hereditary, 47:745
- replacement, 54:516, 908
- unusually long, 47:740

EYELIDS: 36:888; 38:279; 39:618; 41:1112; 43:845; 46:

- 117; 51:865; 53:1076
- abnormalities, 36:1323
- actinomycosis, 43:845
- adenocarcinoma of, 36:160
- adhesions of, 43:846
- akinesia of, 50:523
- allergic affections of, 47:739
- amyloid disease of, 47:139; 53:1054
- anatomy of, 52:594
- angioma, 39:275; 48:137
- angiosarcomatosis of, 40:608
- ankyloblepharon filiforme adnatum, 40:608
- anthrax infection of, 44:726; 49:1458
- avulsion of, 47:743
- baggy, surgical complications in, 53:1075
- bee sting of, 46:438
- blepharitis: See Blepharitis
- burns of, ectropion due to, 47:740
- treatment of, 38:281, 605
- cancer of, 42:823
- chemotherapy in, 48:283; 54:517
- X-ray therapy in, 51:365; 52:1021
- carcinoma of, 44:155; 53:1075
- blepharoplasty for, 45:330
- diagnosis and therapy, 37:836
- glaucoma after radiation for, 41:728
- metastatic, from colon, 43:848
- to nasal cavity, 54:520
- radium needles to treat, 50:686
- surgery for, 47:297
- closure, on opening mouth, 52:591
- coloboma of, 37:322; 43:341; 46:282
- of upper, 43:846
- congenital drooping of, 52:1020
- cyst of border of, 49:196
- defects, Imre's arcuate graft in, 54:909
- deformities, due to conjunctival pemphigus, 49:1458
- in trachoma, 39:908
- dermatoses of, 38:897; 39:275
- dermatolysis of, in Recklinghausen's disease, 36:1012
- developmental anomalies of, 46:779
- ecchymosis, neuroblastoma and, 53:418
- echogram in diseases of, 50:524
- ectropion, congenital, 38:279
- See also Ectropion
- eczema of, 42:677; 43:658
- differential diagnosis, 39:923
- treatment, 39:923
- edema of, 47:140
- in children, 48:139; 49:1457; 53:739
- persistent, after trauma, 38:279
- elongation of, 39:153
- emphysema of, 39:620
- endothelioma of, 41:1114; 52:594
- entropion, mental deficiency and, 39:471
- See also Entropion
- epithelial tumors of, 37:835
- epithelioma of, 36:422, 757, 1016; 38:606; 43:341, 659;

EYELIDS (*continued*)

- epithelioma of (*continued*)
- 48:140; 49:1457; 51:352
- ablation of, 48:709
- chemotherapy in, 47:278
- Grenz rays in, 48:137
- radiation therapy in, 39:274
- contact, 46:282
- surgery of, 48:710
- eversion of upper, 39:625
- fibroma of, 51:209
- folds, 52:314
- fungus infections of, 49:397
- gangrene of, in newborn, 40:155
- granuloma, 39:787; 47:297; 54:517
- granulomatosis of, 37:321
- halving procedures, 52:316
- hemangioma of adnexa and, 37:317
- hemangiopericytoma of, 43:848
- hematoma of, in hemophiliac, 54:516
- histochemical study of, 38:743
- hydrops of, 52:1020
- hyperplasia of, 54:491
- inflammations of, mastoid and, 50:355
- injuries, in children, 53:209
- Kaposi's sarcoma of, 50:686
- leishmaniasis of, 36:1325
- lower, abnormal positions of, 36:1015
- lupus erythematosus of, 41:1114; 44:155, 566
- lupus vulgaris of, 44:566
- lymphosarcoma of, 39:619
- margins, condyloma of, 36:1323
- diseases of, mycoses secondary to, 47:604
- parasites infecting, 49:1080
- removing lesions from, 37:314
- melanoma of, 53:209
- melanotic tumors of, 51:567
- movements, abnormal in VII nerve paresis, 52:594
- mucocele of, 40:154
- muscles, epiphora due to weak, 48:709
- myeloid tumors of, 36:1016
- nasal portion, skin structure at, 36:758
- neoplasms of, 48:140
- nerve endings in orbicularis of, 36:872
- neurilemmoma of, 50:355
- neurofibroma of, 39:469; 50:354; 53:1075
- nevi divided between, 51:1358
- oncocyoma of, 50:1284
- Paget's disease of, 41:361
- plastic reconstruction of, 39:153; 40:307; 50:355
- orbital and, 47:739
- plastic repair of, 39:786; 41:1114; 42:183
- of upper, 39:923
- plastic replacement, of full thickness, 37:313
- plastic surgery of, 38:279; 43:658, 845; 44:300, 859; 45:603; 49:194, 874, 1459; 50:353; 52:1022
- failures in, 43:118
- malignant lesions and, 49:195
- proliferation of, 52:1021
- psoriasis of, 36:1786
- ptosis: See Ptosis
- pyodermitis of, 36:160
- retraction of, after enucleation, 41:737
- correction of, 46:927
- exophthalmos and, 48:433
- in Graves' disease, 37:314
- in myasthenia gravis, 41:589; 43:659
- synkinetic, 44:300
- unilateral, 43:844
- ptosis and, 43:530
- sarcoma of, 39:152
- scars of, due to parasites, 49:1458
- surgical formation of upper, 52:594
- surgery of, 48:139; 49:670
- corrective, 37:312
- syringoma of, 40:308
- tear drainage with restricted, 44:726
- thermal burns of, 46:283
- therapeutic advances, 41:358
- tricho-epithelium of, 49:1460
- tumors of, 37:316; 39:619; 41:737; 42:678; 43:847
- developmental anomalies and, 50:355

EYELIDS (continued)

- tumors of (continued)
 - excision and repair, 52:595
 - management of malignant, 48:710
 - omaine in, 53:402
 - radiation in, 39:275
 - therapy of, 39:276; 41:359
- vaccinia of, 38:605
- aureomycin in, 36:1786
- immune globulin in, 51:209
- xanthomas of, 46:779

Eyeshield, Gluck's postoperative, 50:1258

F

- Fabricius Hildanus, treatment of intraocular tumors, 39:281
- Face, inflammatory lesions of, 54:907
- Facial, asymmetry, strabismus and, 49:397
- deformity, due to malar bone defects, 40:614
- diplegia, Moebius syndrome and, 51:863
- hemiatrophy, 50:352
- pain, 51:349
- paralysis, ocular considerations in, 45:186
- Fargan, retinal artery pressure after, 47:708
- Facconi syndrome, 48:696
- Farnsworth tests, in dyschromatopsia, 43:841
- FAT**, emboli in eye, 45:332
 - diabetic retinopathy and, 46:109
 - ocular involvement in, 41:589
- low diet of, in diabetic retinopathy, 49:666
- Fatigue, chromatic in brucellosis, 51:1334
- eye dominance and, 39:446
- ocular, 37:606; 47:147
- Favism, eye complications after, 50:1273
- FEVER**, glandular, ocular symptoms in, 43:515
 - therapy, 45:478; 47:911; 48:567
 - blood-aqueous barrier during, 43:815
 - in Chagas' disease, 44:442
 - influence on corneal ulcers, 53:170
 - ketosteroids in urine and, 45:479
 - Piromen in, 47:614
 - shock phase in, 45:479
 - study of, 45:474
 - typhoid vaccine in, 36:1315
- Fiberglass, injuries of eye, 48:431
- Fibrin, films of in keratitis, 39:263
- in ocular surgery, 53:173
- Firinolysin, effect on blood in anterior chamber, 51:1330
 - in hyphema, 53:197
 - in lacrimal duct obstruction, 54:168
 - in retinal vein occlusion, 53:1070
- Fibrinolysis, in human eye, 52:294
 - of anterior chamber, 52:292
 - trachoma and, 42:815
- Fibrinolytic, agents, in hyphema, 54:736
 - enzymes, in ophthalmology, 38:877
- Fibroblasts, sources of, in corneal wound repair, 47:901
- Fibroma, congenital of cornea, 54:341
 - of eyelids, 51:209
 - of orbit, 38:604
 - subretinal, 39:466
- Fibromatous pseudophakia, 46:430
- Filariasis, 41:739; 51:569
- Filatov, V. P., creative work of, 41:1125
- Finland, ophthalmic literature in, 43:1023
- trachoma disappearance from, 53:424
- Finsen light, in iridocyclitis, 47:614
- Fisostina, for glaucoma, 37:974
- Fistula, carotid-cavernous: See Carotid-cavernous fistula
 - congenital, of lacrimal gland, 43:340
 - of lacrimal tract, 43:530
 - postsurgical, histology in, 42:179
 - posttraumatic, eye findings in, 42:170
- 5-iodo-2'-deoxyuridine: See IDU
- FIXATION**, amblyopia behavior in, 48:880
 - anomalous, strabismus and, 49:178
 - Bjerrum screen to measure, 49:862
 - central, to treat amblyopia, 53:180
 - color and, 41:157
 - deficiency, induced by spectacle frames, 53:1043
 - development of, 51:1335; 54:485
 - disparity, fusion and, 41:159

FIXATION (continued)

- disparity (continued)
 - heterophoria and, 41:541
 - tests for, 39:453
- distance, heterophoria and, 47:120
- during ophthalmoscopy, 49:658
- during skiascopy, 49:658
- ECCENTRIC**, after-image to treat, 43:510
 - age of strabismus onset and, 49:178
 - diagnosis of, 50:523
 - in amblyopia, 53:1050
 - ex anopsia, 41:572
 - pleoptics in, 50:521
 - in one eye, 54:156
 - in strabismus, 51:192; 53:181; 54:490
 - behavior of, 48:880
 - occlusion in, 53:174
 - surgical correction of, 44:560
 - to treat amblyopia, 40:760; 44:556; 53:177
 - treatment of, 54:156
- extrafoveal, 48:874
- eye movements during, 49:179
- image movement during, retina and, 38:587; 48:121
- in amblyopia, 40:760; 45:147
- EKG study in, 45:158
- in nystagmus, 45:147
- in strabismus, 53:712
 - and amblyopia, 51:351
- loss of point of, after glaucoma surgery, 44:844
- monocular, in strabismus, 50:520
- muscle sensibility and, 49:656
- noncentral, in strabismus, 53:1051
- patterns, in strabismus amblyopia, 43:829
- pseudonystagmus and, 44:299
- reflexes, in infants, 51:163
- Fixation light, for tonometry, 43:819
- FLICKER FUSION**, 39:133
 - auditory stimuli and, 37:137
 - binocular, 37:968
 - campimetric determination of, 39:126, 127
 - effect cigarette smoking on, 38:745
 - frequency, 51:335
 - critical, to test retinal function, 47:133
 - effect contralateral glare on, 48:559
 - to study retinal light perception, 37:139
- in abnormal vision, 41:899
- in diseased eyes, 39:127
- in ERG diagnosis epilepsy, 37:976
- in normal eyes, 39:127
- in normal vision, 41:899
- in perimetry, 38:122
- in retrobulbar neuritis, 36:417; 42:182
- mathematical study of, 38:585
- measurement of, in eye disease, 44:142
- nitroglycerine test, in toxemia of pregnancy, 36:1488
- perimeter attachment for, 38:126
- thresholds, 42:324
 - determination of, 45:470
 - effect cigarette smoking on, 36:1751
 - in multiple sclerosis, 43:1016
 - to diagnose retrobulbar neuritis, 36:296
 - to diagnose vascular disturbances, 40:924
 - to study vegetative regulation of light sense, 37:140
 - variations in, in nasal field, 36:1767
 - with foveal images, 43:491
- Flicker illumination, EEG and, 41:160
- Flicker perimetry, 45:763; 49:864
- Flicker sensation, visual stimuli and, 43:337
- Flicker stimulation, in amblyopia, 37:138
- Flieringa ring, catafact surgery with, 53:1066
- in luxated lens surgery, 47:129
- Florinef-S, in eye disease, 45:153
- Fluidemin, in retinal vein thrombosis, 48:705
- FLUIDS** of the eye, action on retinal vein pressure, 50:1257
 - alkaline reserve of, 44:704
 - amino acid levels in, 36:1164
 - antigens and antibodies passing into, 54:1159
 - autonomiclike properties of, 51:710
 - bicarbonate ion in, 41:867; 42:136; 43:811; 47:704
 - biologic, pseudocrystallization of, 49:173
 - catalytic activity of, 45:954

FLUIDS (continued)

- cerebrospinal, action on retinal vein pressure, 50:1257
- into vitreous, in hemophthalmos, 51:1338
- cholinesterase in, subretinal, 41:569
- chromatography of, 36:738
- coagulation components of, 41:156
- diffusion, erythromycin into, 40:759
- hydrazide of isonicotinic acid in, 36:738
- dynamics of, 41:688
- electrophoresis to study, 41:540
- fluorescence of, 51:345
- insulinase in, 43:810
- movement of, corneal epithelium and, 54:327
- of conjunctiva, cytology of, 49:1447
- in newborn, 51:555
- osmotic pressure of, 47:97
- physiology of, 40:140, 758
- preocular, lipotropic factors and, 36:1166
- protein content of, 36:139
- lens and, 44:707
- rhodanese and rhodanese S in, 46:613
- subretinal, electrophoresis of, 43:154; 50:823
- in diagnosis melanoma, 41:337; 43:835
- in detached retina, 43:840
- microscopic study of, 39:439
- proteins in, 43:490
- viscosity of, clinical aspects, 47:727
- FLUORESCIN**, appear in eye after intravenous injection, 49:171
- contamination of, 39:449
- diffusion of, into vitreous, 43:526
- gelatinoids of, 42:173
- in anterior chamber, 36:559
- in diagnosis ocular tumors, 37:318
- in methylosaniline poisoning, 36:759
- injections, aqueous stains after, 36:1647
- laboratory experiences with, 38:120
- permeability of, nervous system and, 49:654
- radioactive di-iodo-, to diagnose intraocular tumors, 36:1324
- test, experiences with, 41:161
- in arterial hypertension, 47:142
- in diabetic rubeosis, 46:269
- permeability, 37:823
- five-year experience with, 45:961
- reliability of, 52:292
- to study antibody formation, 40:758
- transfer, capillary pressure and, 45:465
- in senescence, 50:822
- Fluorescence, of eye, 47:912
- Fluorocortisone, in external infections, 45:154
- Fluorometer, for slitlamps, 48:124
- Fluorometry, uveitis and, 51:354
- Focus, depth of eye, 48:562
- trifocals and, 36:1169
- Focusing for near, 46:259
- Folic acid, deficiency, eye manifestations of, 51:1332
- Follicles, in conjunctival diseases, 36:1005
- Folliculosis, trachoma and, 46:626
- Fonurit, refraction changes after, 52:132
- See Diamox
- Foramen lacrum syndrome, 36:1319

FOREIGN BODIES, after cataract extraction, 40:146

- air-gun shot, 39:924
- aluminum alloy, 45:332
- anterior chamber angle and, 52:1023
- bird-shot, 39:276
- brain injuries due to, 54:169
- copper, 44:569; 54:895
- aqueous examination in, 40:287
- corneal rust rings after, 37:152
- cyclitis after, 38:281
- echogram to diagnose, 49:1444
- electric instrument to remove, 50:525
- endobulbar, X-ray diagnosis, 49:197
- extraction of, 40:925
- from anterior chamber, 49:197
- from cornea, 49:197
- from vitreous, 48:579
- instrument for, 47:713
- Larsson's method for, 46:423
- magnetic, 46:119; 53:741

FOREIGN BODIES (continued)

- extraction of (continued)
- radiopaque, 53:420
- extraocular, 44:304
- fiberglass, 48:431
- glass, 43:849
- extraction, after 14 years, 52:1023
- in anterior chamber angle, 41:738
- glaucoma after, 40:465; 41:130
- gonioscopy in, 37:285
- in anterior chamber, 51:1341
- cotton fibrils, 39:131
- in clear lens, 43:178
- in lacrimal sac, 37:977
- intralenticular, 53:741
- intraocular, 37:318; 38:899; 39:276, 622; 40:609; 43:47, 130, 532; 45:332, 604; 47:141, 720, 743; 48:143
- anterior chamber puncture in extraction of, 50:1285
- localization, 36:1770, 1787
- management of, 51:568
- migration of, 42:679
- nonmagnetic, extraction of, 40:610
- intraorbital, 49:194; 52:317
- diagnosis, 42:675
- LOCALIZATION**, 37:969; 40:925; 43:660
- Berman locator for, 39:621
- by transpupillary diaphanoscopy, 49:658
- contact glass for, 43:818
- Grzedzielskis, 37:475
- instrument for, 44:140
- mirror for, 53:401
- of orbital, 49:1460
- radiologic, 37:474; 40:286; 44:140
- X-ray, 43:825; 48:144; 53:1049
- locator, 47:280
- magnetic, 44:303
- extraction of, 44:860; 47:275
- in lens, 40:599
- magnet for, 46:926
- ophthalmoscope to control test of, 46:623
- management of, 44:302
- metallic, in agriculture, 38:899
- minute, 52:597
- preventing damage from, 45:604
- migration of, in anterior chamber, 42:159
- needle to remove, 45:765
- nonmagnetic, 44:303; 51:211
- removal of, 40:461; 51:568; 52:589
- forceps for, 44:140
- under X-ray control, 48:712
- of anterior chamber, removal of, 53:564
- of cornea, extraction of, 40:610
- healing delayed after, 38:281
- treatment of deep, 38:879
- use of crisophake in, 36:144
- of orbit, 48:143
- of sclera and optic nerve, 52:1022
- plastic, keratitis due to, 48:412
- retinal detachment due to, 45:176
- siderosis bulbi after, 40:943
- steel, 49:1079
- subpalpebral, 39:622
- surgery of, 36:759
- symposium on, 44:303
- transillumination through everted lid in, 41:905
- ultrasound to diagnose, 48:144; 49:1461
- wood splinters, of cornea, 43:833
- X-ray diagnosis, 41:1116
- Foreign protein, eye temperature after, 36:1770
- Fornix, conformer, 47:912
- plastic surgery of lower, 46:767
- Fossa, corneal, orbital injuries and, 43:532
- Foster-Kennedy syndrome, 39:616, 784; 41:352; 41:336; 46:434
- etiology of, 40:604
- in absence of tumor, 45:180
- in tuberculous meningitis, 51:867
- localizing value of, 41:589
- optochiasmic arachnoiditis and, 36:1494
- pathogenesis, 40:305
- reversed, 53:737
- third ventricle tumors and, 43:657

Foster-Kennedy syndrome (continued)

- vascular origin of, 50:351
- Fovea, achromatic threshold of, 54:903
 - in multiple sclerosis, 47:737
- arteriosclerosis and lesions of, 41:1106
- brightness threshold of, 45:151
- cones of, functional units in, 46:918
- sensitivity, in dark adaptation, 45:148
 - changes in, 37:966
 - spectral, 38:123
- vessels of, examination, 43:332
- Foveal, discrimination, measurement of, 46:620
- fixation, after-images to treat extra-, 46:619
- shagreen, entoptic phenomenon of, 37:605
- Fractures, facial, 54:521
 - orbital complications of, 48:144
- malar, intraorbital hemorrhage after, 45:328
- of orbit, 43:1017; 48:283
- blowout, 51:364
- of skull, 50:687
- zygomatic-maxillary, diplopia in, 46:926
- See also under Injuries
- France, ophthalmic excursion in, 45:611
- Franceschetti, digito-ocular phenomenon of, 43:1003
- syndrome, 46:442
- Frankfurt-am-Main, ophthalmology in, 52:603
- French West Africa, trachoma in, 47:147
- Frick, George, 48:717
- Friedreich's disease, 46:443
- Frost bites, of cornea, 48:430
- Fructose, formation in lens, 52:431
 - in diabetic retinopathy, 51:861
- Ftiazide, in ocular tuberculosis, 43:163
- Fuchs', dystrophy, keratoplasty for, 48:413
- heterochromia, 40:294
 - cervical lesions and, 40:295
 - syndrome, 42:962
- Fulbright Fellowships, research funds, 51:530
- Funds, sources of, for research and training, 51:528
- FUNDUS**, abiotrophic alterations of, 38:596
 - albipunctatus, Oguchi's disease and, 44:850
 - anatomic measurement of, 50:200
 - angioid streaks of, 43:1015
 - pseudoxanthoma elasticum with, 43:527
 - anomalies of, 44:152
 - arteriosclerosis of, 41:731
 - biomicroscopy of, 48:285
 - of periphery, 40:763
 - blindness with normal, 49:200
 - blood vessel changes in, 46:775
 - brachial artery pressure and, 47:119
 - camera, modification of Zeiss, 51:553
 - CHANGES**, after hemorrhage, 52:458
 - arteriosclerotic, serum cholesterol in, 48:280
 - blood pressure and, 40:601
 - cystic, 43:525
 - due to vitamin-A deficiency, 48:133
 - hypertensive, reversibility of, 47:131
 - in aging, 54:902
 - in anemia, 36:1314
 - aplastic, 36:1318; 54:912
 - in anesthesia, 42:668
 - in aorta stenosis, 47:609
 - in arteriosclerosis, 37:160
 - in blood protein disturbances, 39:147
 - in Boeck's sarcoid, 36:414
 - in brain injuries, 52:597
 - in climacterium, 48:706
 - in dermatomyositis, 49:872
 - in deuteranomalopia, 36:562
 - in diabetes, 44:851
 - in diseases of peripheral vessels, 48:435
 - in eclampsia, 49:672
 - in hemolytic icterus, 40:303
 - in hypertension, 41:586, 740; 42:820; 49:1076
 - arterial, 41:923
 - juvenile, 47:428
 - in young patients, 47:275
 - novocaine block in, 41:907
 - senile, 37:160
 - in imbecile children, 36:294

FUNDUS (continued)**CHANGES** (continued)

- in leukemia, 36:155; 48:432
- in lupus erythematosus, 39:783; 51:867
- in macroglobulinemia, 37:159; 51:821
- in macular degeneration, 40:601
- in occlusive disease, 54:732
- in plasmocytoma, 42:341
- in porphyria, 42:341
- in pregnancy, 45:175; 52:455
- in pulmonary tuberculosis, 47:616
- in pulseless disease, 41:364
- in Purtscher's disease, 41:362
- in sarcoidosis, 47:299; 53:1076
- in status Bonnevie-Ullrich, 42:825
- in syphilis, 37:144
 - latent, 41:165
- in toxoplasmosis, 43:533
- in transient monocular blindness, 48:292
- in tuberculous meningitis, 36:884, 1648; 37:292
 - treated with streptomycin, 36:412
- in tuberculosis of skin, 37:627
- in tuberos scleroses, 42:336
- in uremia, 47:133
- in uveomeningitis, 47:431
- in Wilson's disease, 39:269
- metabolism and, 40:601
- ophthalmodynamometry to diagnose, 42:325
- coagulation with light, 43:162
- colobomas of, atypical, 47:134
- colobomatous cysts and, 52:455
- degeneration, 54:897
 - placenta therapy in, 43:843
- determination of death and, 43:502
- developing, retrolental fibroplasia and, 37:625
- diagnosis, in choroidal detachment, 51:333
- diseases of, 51:359
 - electro-oculography in, 41:903; 43:180
 - placenta therapy in, 43:501
 - retinal artery pressure in, 41:587
 - vascular, PH203 and Hydergine in, 47:435
- drusen of, 42:528
 - during blackout, 38:426
- effect phenothiazine derivatives on, 43:816
- examination, electro-ophthalmoscope for, 53:176
 - in coarctation of aorta, 47:744
 - in congenital lues, 42:824
 - in premature infants, 43:820
 - magnification direct image in, 36:567
 - methods of, 37:474
 - slitlamp, 48:292
- findings, in arteria hypertension, 36:1314
 - in brain tumors, 50:352
- hemorrhage of, 39:272
 - prethrombotic, therapy for, 43:825
- image, indirect ophthalmoscope to view, 47:275
- in arterial hypertension, 39:269
- in arteriosclerotic hypertension, 54:510
- in brain tumors, 53:1072
- in cardiac surgery, 50:518
- in diagnosing brain injuries, 36:735
- in disease of childhood, 54:522
- in hypercholesteremia, 38:118
- in hypoglycemia, 42:512
- in leprosy, 42:681
- in monozygotic twins, 41:367
- in multiple sclerosis, 41:110
- in onchocercosis, 39:624
- in psychiatric patient, 53:175
- in rheumatism, 54:485
- in subarachnoid hemorrhage, 39:617
- in toxemia of pregnancy, 39:270
- in tuberculosis, primary, 40:944
- inflammations, Butazolidin in, 43:153
- involvement in iritis, 39:142
- landmarks in, 42:667
- lesions of, 46:766
 - central, 44:852
- diagnosis of, 43:500
- diagnostic value of, 36:568
- experimental, 38:425

FUNDUS (continued)

- lesions of (continued)
 - in lupus erythematosus, 38:900
 - in polycythemia, 47:130
 - vascular, therapy of, 45:763
- manifestations, of allergy, 39:147
- micrometer, to measure details of, 47:616
- mottled, in pseudoxanthoma elasticum, 52:311
- of pigeon, 54:1158
- of premature infants, 36:1489
- oxygenation blood in, 52:433
- peristaltic phenomena in, 36:416
- perivascular tissue of, in diagnosis, 37:160
- photocoagulation of, 43:823; 53:203
 - See also under Photocoagulation
- photography of, 43:819; 49:395; 50:827
 - by electric ophthalmoscope, 44:559
 - history of, 48:879
 - improved, 50:1259
 - in color, 36:1489; 40:146
 - in retinal disease, 52:457
 - with ophthalmoscope, 50:1258
 - See also under Photography
- photomicroscopy of, 51:860
- pigmentation, in retinal degeneration, 49:872
- reflex, impaired or absent, 49:1445
 - in ametropia, 44:710
 - in retinitis pigmentosa, 41:180
 - tapetal-like, 53:1068
 - seen with Gullstrand's binoculars, 43:653
- sarcoidosis of, 51:713; 52:456
- slitlamp microscopy of, 41:905; 42:171
- speckled, 42:666
- stereograms, to study optic disc, 42:337
- staining of, 39:115
- tumors of, experimental, 42:134
 - transplanted into, 41:861
 - vascular occlusions in, 41:730
- Fungistatic agents, Pimaricin as, 53:554
- FUNGUS**, allergy due to, 47:716
 - infections, 37:813; 45:961; 50:687
 - after cataract extraction, 45:174
 - allergy and, 45:952
 - canaliculitis due to, 45:963
 - conjunctivitis due to, 45:963
 - effect antibiotics on, 44:439
 - endogenous intraocular, 48:427
 - endophthalmitis due to, 49:1456; 51:208; 53:203
 - general discussion of, 36:1478
 - griseofulvin, 51:743
 - in thresholders, 40:139
 - intraocular, 53:1033
 - Monosporium apiospermum, 40:147
 - ocular aspects of, 36:136
 - of adnexa, 36:1651
 - of conjunctiva, 51:853; 52:300
 - of cornea, 41:862; 45:162; 48:569
 - fungistatic agents for, 47:705
 - treatment of, 45:963
 - of eye, 36:552; 39:138
 - treatment of, 41:885
 - of eyelid, conjunctivitis and corneal disease due to, 49:397
 - of nasolacrimal duct, 42:184
 - pityrosporum, 36:1181
 - saprophytic, 41:887
 - Sporostatin in, 53:182
 - therapy of, 51:551
 - keratitis, 43:515; 45:777; 49:398; 53:1052, 1053; 54:340
 - Furacin, leukoderma due to, 45:753
 - Furacin, 47:905
 - ointment, 39:132
 - Furaldone, sixth nerve palsy due to, 51:1332
 - Furazone, tolerance rabbit eye to, 36:558
 - FUSION**, ability, 43:347
 - after carbon disulfide poisoning, 44:569
 - anomalous retinal correspondence and, 54:507
 - central and peripheral, 37:816
 - distance, 47:281
 - disparity, 41:159
 - frequency of, action tranquilizers on, 52:131

FUSION (continued)

- in binocular vision, 38:121
 - in strabismus, with diplopia, 47:586
 - of double images, 38:438
 - paramacular and peripheral, 37:478
 - peripheral, 40:921
 - physiologic basis of sensory, 42:324
 - recovered, 36:564
 - re-establishment of, 53:179
 - reflexes of, 43:497
 - retinal locus factor in, 45:150
 - sensory, 42:324
 - strabismus and, 46:250
 - third-degree postoperative, 46:928
 - thresholds of, measurement of, 46:621
 - tonic phenomena during, 46:248
 - vertical tropia in abolished, 36:1320
- G**
- Galactose syndrome, congenital cataract in, 48:884
 - See also under Cataract
 - Galactosemia, cataract and, 40:300; 47:628
 - congenital, lens in, 48:291
 - Gallo-Romans, ophthalmic instruments of, 48:436
 - Galvanocautery, in glaucoma, 43:328
 - in retinal detachment, 50:679
 - Gambia, trachoma in, 49:171
 - Gamma globulin, effect on vaccinia virus, 40:279
 - effect on virus iridocyclitis, 54:1160
 - in herpes infections, 40:279; 44:715
 - in iridocyclitis, due to herpes, 46:269
 - in virus keratitis, 54:1160
 - Ganglion, cells in choroid, 41:150
 - Ganglionitis, ciliary, 43:333
 - Ganglionectomy, effect on aqueous dynamics, 47:705
 - Ganglioplegics, in glaucoma, 49:185
 - in ophthalmology, 36:285; 37:453
 - Gangrene gas, after perforating injuries, 40:307
 - Gantrisin, in eye infections, 36:572
 - Gargoylism, 36:1328; 46:120
 - corneal dystrophy in, 36:427
 - glaucoma and, 49:182
 - Gas, bubbles in eye, 42:162
 - intoxication, eye effects of, 41:361
 - pistols, eye lesions from, 49:197
 - Gastric juice, injuries of cornea, 47:620
 - Gastritis, transient myopia due to, 44:557
 - Gastro-intestinal extract, in corneal dystrophy, 47:430
 - Gaucher's disease, retinitis pigmentosa and, 43:1014
 - GAZE**, adjustment of, 44:437
 - field of, 45:148
 - in eye and systemic diseases, 46:922
 - normal, 46:928
 - heterophoria and direction of, 47:120
 - in sufficiency of, 41:1091
 - palsy of, 40:762
 - horizontal, 43:321
 - paralysis of, conjugate, 47:121
 - rotations of, 46:424
 - Geiger counters, for eye use, 42:327
 - Gelatin film: See Gelfilm
 - Genes, transmission of, 47:261
 - Genetics, advances in, 42:681
 - in retinitis pigmentosa, 47:132
 - in retinoblastoma, 47:438
 - of albinism, 37:982
 - Gelfilm, in cyclodialysis clefts, 48:563
 - seton, in glaucoma, 51:717
 - Geniculate nucleus, binocular interaction in lateral, 49:666
 - Genital infections, in arthritis, 53:718
 - in uveitis, 53:718
 - Geodetics, binocular space perception and, 43:499
 - Geometric progression, importance of, 36:561
 - Geriatrics, ophthalmic, 40:945
 - Germany, blindness in, 51:1365
 - ophthalmology in, for 1958, 52:320
 - trachoma in, 46:627
 - Gerontology, longitudinal, 49:394
 - Gerontoxon, physiology of, 53:162
 - Georgian Republic, ophthalmic meeting in, 52:1025

- Ghana, onchocerciasis in, 49:1461
 Giardiasis, uveitis and, 52:440
 Glandular fever, 43:515
 Glare, age and, 51:348
 contralateral, effect on flicker fusion, 48:559
 in road traffic, 52:133
 Glass, splinters in eye, 46:781
 straited, to test binocular vision, 47:272
GLAUCOMA, 37:621; 42:490; 44:844; 46:271; 48:699; 49:183, 1075; 53:1062
 a review, 36:586; 37:974; 39:458; 41:919; 43:1011; 45:782; 48:574; 51:559; 53:723
 a symposium, 46:628
 absolute, 36:409
 retinal vascular patterns in, 52:311
 study enucleated eyes with, 45:171
 action lytic cocktail in, 50:678
 action Pendiomid in, 39:122
ACUTE, after carotid arteriography, 49:1451
 after surgery, 50:1264
 angle closure in, 36:1184
 chamber depth in, 43:328
 corneal radius in, 44:846
 in intumescent cataract, 42:660
 iridectomy in, 42:660
 novocaine in, 46:774
 requiring lens extraction, 49:662
 surgery for, 38:884
 surgical results in, 50:1274
 adaptometry and, 52:307
 adrenalin in, 43:649
 adrenoese in, 41:891
 after cataract extraction, 51:356
 after epithelization anterior chamber, 51:857
 after foreign body, 41:130
 after injury, 47:747
 after ingestion of Diamox, 43:517
 after lens extraction, 51:858
 after occlusion retinal artery, 46:273; 48:699; 51:1348
 after radiation therapy, 41:728; 47:124
 after syphilitic interstitial keratitis, 52:1008
 air in anterior chamber and, 41:174
 amblyopia and, 39:281
 anemia and, 40:931
 anesthalgia and, 47:724
 angiodiathermy in, 36:151; 43:837
 results of, 36:151
 angioma of face and, 46:117
 angle-closure, dark-room test in, 47:432
 subacute types of, 40:149
 urea in, 52:304
 with plateau-type iris, 47:126
 aniridia and, goniotomy for, 36:882
 anterior chamber, angle in, 46:628; 54:493
 depth, changes in, 39:780
 anterior, of Contino and Favaloro, 36:1312
 anthranilic acid metabolism and, 45:492
 antihistamines for pain of, 41:1099
 anti-Parkinson drugs and, 47:123
 aphakic, 54:163
 vitreous detachment in, 38:267
 aqueous, cholinesterase in, 41:892
 dynamics in, 42:661
 flow, in eyes with, 51:201
 outflow in, 37:618; 40:595; 53:407
 reduction, to treat, 41:347
 veins in, 38:882
 slitlamp study of, 41:583
 ATP in, 44:564
 atrophy corneal trabeculae and, 52:141
 atropine in, 36:292
 attacks, after surgery, 54:496
 audiometry in, 48:129
 auditory system, involvement in, 46:427
 BC-48 in, 42:954; 45:784; 47:98
 behavior pattern in, 36:585
 biochemical disturbances in, 54:482
 blindspot in, 42:334; 43:649
 blood clotting and, 42:816
 blood vessel permeability in, 42:660; 44:448
 blue sclera and, 36:1020
GLAUCOMA (continued)
 Busacca deposits in, 51:558
 campimetry in: See Campimetry
 capillary, fragility in, 36:291
 hypertension, nerve pathways and, 40:463
 capsular, 38:757; 53:722
 cardiac glycosides in, 54:1171
 Cardrase in, 49:400; 51:200
 carotid calcification and, 41:1099
 cataract and, 36:412; 37:157; 51:858; 54:746
 extraction in, 36:1313; 14:463; 54:1172
 treatment of, 49:663
 types of, 54:493
 causes of, 45:788
 central nervous system and, 45:785
 changes in, 44:147
 chlorpromazine in, 41:1097
 cholinesterase activity in, 36:151
 choroidal, circulation in, 53:1059
 detachment in, 43:518
CHRONIC, action adrenalin in, 39:913
 action pilocarpine in, 36:291
 atypical defects in, 43:518
 Diamox in, 46:270
 early diagnosis of, 38:883
 frequency of, in Saudi Arabia, 54:164
 iridencleisis in, 42:334
 iris atrophy in, 39:779
 miotic therapy in, 37:155
 myopia with, blood-aqueous barrier in, 40:296
 neovascularization of disc in, 39:784
 operation in, 39:458
 ophthalmotonic arrhythmia in, 37:974
 optic nerve atrophy in, 44:447
 potassium bicarbonate in, 46:270
 pulmonary artery hypertension and, 47:123
 retinal angiography in, 40:296
SIMPLE, diagnosis and follow-up, 50:677
 etiopathogenesis, 38:268
 prognosis in, 50:676
 surgical problems of, 50:678
 tonosphygmography in, 52:445
 vestibular function in, 48:129
 visual fields in, 36:290; 40:296
 classification of, 44:293
 problems of, 41:174
 clinical course in hypertension and, 36:290
 clinics, 40:464; 48:130
 at University of Utrecht, 49:1463
 patients seen in, 38:885
CLOSED-ANGLE, 44:294
 anterior chamber and, 54:496
 depth variations in, 42:661
 aqueous outflow in, 49:1451
 dark-room test in, 49:1074
 etiology of, 46:771
 fellow eye in, 44:291
 goniosynechias in, 42:661
 in Norway, 53:408
 iridectomy in, 46:429
 peripheral, 50:530
 iris bombé and, 42:659
 tonography in, for early diagnosis, 45:172
 cochleovestibular changes in, 50:204
 color vision in, 54:737
 complicating Fuchs' heterochromia, 53:1060
 compression therapy in, 52:442
CONGENITAL, 43:173; 44:292; 45:784; 54:1169
 aqueous osmotic pressure in, 49:399
 associated manifestations, 41:1097
 bilateral, 52:307
 goniopuncture in, 40:774
 goniotomy in, 53:720
 late, 42:817
 Lowe's syndrome and, 54:891
 microcornea and iris coloboma with, 52:602
 operation for, 51:356
 pathogenesis, 41:920
 persistent mesodermal tissue in, 37:617
 Recklinghausen's disease and, 53:1080
 surgery for, 53:557

GLAUCOMA (continued)**CONGENITAL (continued)**

- therapy of, 40:773; 50:1265
- indications, 41:1097
- visual function in, 44:447, 563
- without megalocornea, 43:839; 44:847
- with nephropathy, 41:175
- conical cornea and, 38:595, 879
- conjunctiva in recognition of, 54:334
- congestive, gonioscopic studies in, 38:267
- iridencleisis in, 39:612
- surgical prognosis in, 42:333
- corneal changes in, 42:810
- corneal dystrophy and, 50:1263
- iris atrophy and, 36:1645
- cornea-lens synechia and, 47:146
- corneal spaces in eyes with, 37:155
- corneoscleral trephination in, 42:662
- corpus luteum hormone in, 36:292
- corticothalamic factors in, 41:1098
- corticovisceral problems in, 39:145
- cupped disc in, impact ocular tension on, 54:743
- cyclodialysis in: See Cyclodialysis
- cyclodiathermy in: See Cyclodiathermy
- cyclo-electrolysis in, 46:270
- Daranide in, 52:302
- dark adaptation in, 36:411; 47:722; 52:302
- and visual fields, 54:892
- demecarium bromide in, 47:98
- detection of, before visual impairment, 47:286
- in general practice, 37:297
- in geriatric patients, 41:345
- methods and techniques, 54:740, 741
- developmental 47:123
- dextrose corneal bath in, 36:1647
- DFP causing secondary rise, 39:612
- diagnosis of, 39:266, 912; 47:432
- audiometry in, 36:1490
- differential, 37:621
- early, 43:172; 53:199, 1061
- dark-room tonometric test in, 43:327
- water-drinking campimetric test in, 44:846
- foveal entopic phenomena in, 39:460
- importance of, 43:519
- Kleinert's compensation maximum in, 39:144
- of incipient, 48:701
- Priscoline test, 41:917
- problems of, 38:757
- scotometry in, 43:520
- slitlamp gonioscopy in, 41:582
- suction cup method, 52:1007
- Diamox in, 38:757; 40:296, 297, 772, 773, 932; 41:173, 583, 584, 916, 920, 1095; 42:148, 529; 43:152, 176, 648, 836
- action on ocular circulation, 44:718
- effect on dark adaptation in, 43:1000
- prolonged, 42:659
- use and misuse of, 44:718
- diathermocoagulation of sclera in, 52:305
- diathermy in, 44:147; 46:272, 428
- dibenzamine, in inflammatory, 36:291
- dibenzylamine in, 41:175
- dichlorphenamide in, 48:700
- disc changes in, 50:838
- diurnal variations in, 51:355
- plasma corticoid levels and, 54:891
- Doryl-Z in, 36:584
- drugs for, comparison of, 36:557
- due to diabetic rubeosis iridis, 53:725
- due to hemorrhage, 53:727
- due to lens swelling, 53:723
- due to pupil block in aphakia, 53:1058
- due to retinal vein thrombosis, 53:727
- dyscrinism and, 48:884
- early detection of, 46:272; 53:725
- early morning tension in, 54:494
- echothiophate in: See Phospholine iodide
- effect on, of adrenaline, 51:1348
- of coffee, 36:746
- of epinephrine bitartrate, 52:1010
- of homatropine, 39:459

GLAUCOMA (continued)**effect on (continued)**

- of hyaluronidase, 47:921
- of low frequency waves, 51:750
- of nicotine, 38:266
- of novocaine, 51:1348
- of oxygen, 51:1348
- of posterior sclerectomy, 44:719
- of water, 36:746
- elastometric curves in, 49:662
- EEG in, 37:619; 45:493, 787; 48:698
- ERG in, 42:819; 47:722; 51:856
- epidemic, argemone oil and, 52:290
- dropsy, 38:598
- episcleral venous pressure in, 38:265
- essential atrophy, of iris in, 49:1449
- of ciliary body, 49:1449
- excavation of disc in, 45:172; 51:200
- experimental, 40:299; 44:448
- exophthalmos and, 50:1282
- facets of, 51:1347
- familial, 43:836; 53:1062
- occurrence of, 42:816
- fibrosing response, to aqueous and, 49:1074
- Findeisen test in, 38:265
- fistula obliteration in, 38:267
- flammeus nevus and, 44:448
- frequency of, 43:177; 47:431, 432; 49:183; 54:496
- Fuchs' heterochromic cyclitis and, 49:1449
- functional symptoms, 51:355
- galvanocautery puncture for, 43:328
- ganglioplegies in, 49:185
- gargoylism and, 49:182
- genetics of, 53:723
- George Young test, 51:1348
- glaucomalike optics discs without, 47:135
- gonioscopy in, 40:932; 42:818; 46:528
- guanethidin in, 53:397
- headache of, 46:272
- hemorrhagic, 40:296
- ectropion and, 46:771
- iron compounds in eye and, 51:201
- nevus flammeus and, 42:342
- phase-contrast of blood-aqueous barrier in, 46:244
- tonometric curve in, 46:771
- hereditary, 49:869
- congenital, 46:627
- hereditary of, 41:1124
- in Iceland, 49:185
- heterochromic iritis and, 52:304
- hexamethonium and, 36:745
- histopathology, of optic nerve in, 54:494
- of retina, 54:494
- hormones in, 36:291, 292
- hyaluronidase injections in, 53:409
- hydergine in, 38:445
- hydrodynamic changes in, 50:530
- hypacusia and, 46:427
- hypersecretion and, 43:518
- hypertension and, 43:839
- hypoparathyroidism and, 42:956
- illumination and, 51:856
- in aphakia, 36:882
- in children, cyclodiathermy in, 48:580
- in choroidal tumor, 43:1010
- in ethnic groups, in Israel, 51:861
- in hypophysectomized juvenile diabetics, 51:559
- in Marchesani's syndrome, 47:145
- in myopic eyes, 49:870
- tonography in, 48:574
- in Negroes, 51:356
- in neurofibromatosis, 40:940
- in younger age groups, 51:559
- incipient, 44:718
- infantile, atropine in, 36:746
- cyclodiathermy in, 40:149
- gonioscopy in, 46:630
- maternal rubella and, 45:786
- signs in, 46:630
- study of, 44:846
- surgery of, 42:662

GLAUCOMA (continued)

- infantile (continued)
 - symposium on, 46:630
 - therapeutic indications in, 38:885
 - treatment of, 46:630
- inflammatory, after psychic insults, 38:445
- influence of lunar cycle on, 43:518
- influence sinusitis on, 51:749
- influence sleep on, 48:290
- instruction sheet for patients, 40:932
- intracranial tumors and, 43:519
- iridectomy in, 47:922
- iridencleisis in, 41:175; 43:328
 - action of, 36:587
 - in acute, 49:400
 - See also Iridencleisis
- iridemia and, 53:723
- iridocyclitis in, treatment of, 41:915
- iris atrophy and, 43:327; 44:291; 48:288; 50:207
 - familial, 43:518
 - iridoschisis and, 53:200
 - surgery in, 38:881
- iris inclusion operations in, 49:184
- Ismelin in, 53:726
- juvenile, 43:176; 48:576
 - heredity in late, 40:150
- keratoconus masking, 36:290
- Krukenberg's spindle and, 36:1185
- lens capsule rupture and, 36:1313
- lens exfoliation and, 47:125; 50:1267
- lens extraction in, 41:921
- lens-induced, 48:291
- low-tension, 36:587
- lymphadenosis of orbit and, 48:430
- Magitot and, 47:748
- malignant, 43:173; 48:130; 50:838
 - after antiglaucoma operations, 44:447
 - prodromal, 45:171
 - retrolental decompression in, 53:557
 - vitreous detachment and, 38:267
- management, symposium, 41:919
 - tonography in, 52:306
- mast cells in eyes with, 49:401
- mechanical theory of, 40:298
- mechanically induced, 47:235
- MEDICAL CONTROL OF** 40:595; 43:172; 44:293, 847; 46:629; 50:532; 52:304; 54:498
 - anthramilic acid in, 43:175
 - Blaxter test in, 54:336
 - cholesterinase inhibitors in, 53:1058
 - Diamox: See Diamox
 - Fisostina in, 37:974
 - guanethidine in, 54:739
 - miotics in, 36:1491
 - new methods, 45:788
 - problems of, 43:838
 - progesterone in, 36:291, 1312
 - results, 43:174
 - SKF No. 6890 in, 54:482
 - systemic adrenalin in, 54:891
 - tetra ethyl ammonium bromide in, 37:974
 - Tosmilen in, 52:308
 - Vasculat in, 36:746
- medical responsibility in, 36:409
- megalocornea and, 54:494
- metabolic factors in, 41:176
- microphthalmos and, 52:1011
 - retinitis pigmentosa and, 47:448
- Miltown in, 46:271
- mixed, 53:198
- monocular, after atropine, 37:826
- mortality rate in patients with, 41:917
- myopia and, 53:1059
 - high, 43:175; 52:1007
 - spherophakia and, 46:108
- nail capillary reaction in, 39:134
- naphazoline in, 41:167
- narrow-angle, early diagnosis in, 45:787
 - symptoms, in wide-angle eye, 41:583
- needle puncture therapy in, 53:407
- Neptazane in, 49:399, 1450

GLAUCOMA (continued)

- nervous, activity in, 40:298; 41:1097
- centers in, 46:774
- neurovascular problems of, 54:498
- nonperforating diathermocoagulation in, 54:493
- normal eye in, 44:149
- obliteration ciliary artery in, 48:700
- ocular hypertension and, 38:266
- ocular tension and: See Ocular tension
- office management of, 44:719
- open-angle, Diamox in, 54:891
- epinephrine in, 53:199, 201
- tonography in diagnosis of, 52:306
- OPERATIONS:** 43:838; 51:356
 - action of, 40:929
 - angiodiathermy and tenotomy, 54:893
 - aqueous outflow after, 48:699
 - biochemical study of, 37:154
 - blunt and sharp diathermy in, 42:954
 - cataract after, 40:142; 41:917
 - extraction of, 36:153; 38:599; 42:665; 46:106; 51:358
 - cataract and, 38:269
 - conjunctival fibrosis after filtering, 48:701
 - cyclodialysis: See Cyclodialysis
 - cyclodiathermy: See Cyclodiathermy
 - Elliot trephination, 47:287
 - gonioscopy after, 41:921
 - late infections after, 49:659
 - emergency, 52:444
 - evaluations of, 36:1311; 41:136
 - fate of eyes after, 53:409
 - filtering, a new, 49:399
 - fistula-forming, 49:870
 - fistulizing, complications of, 39:267
 - evaluation after four to 42 years, 38:886
 - late infections after, 51:750
 - results in 374 cases, 42:180
 - fixation point loss after, 44:844
 - follow-up on, 50:206
 - for congenital, 51:356
 - functioning and nonfunctioning blebs after, 41:326
 - gelfilm seton in, 51:717
 - gonioscopy after, 40:595; 52:1009
 - hemorrhage into lens complicating, 52:453
 - in patient with constricted fields, 47:920, 921
 - in trachoma, 46:628
 - cicatricial, 42:334
 - iridencleisis, 47:626
 - with sclerectomy, 48:576
 - See also Iridencleisis
 - iridentasis, 52:1008
 - iridocorneoscleral canalization, 40:929
 - iritis after, 38:598; 39:144
 - keyhole-shaped trephination, 41:583
 - Malbran's, 50:678
 - mechanism of, 39:457; 45:782
 - Elliot's trephination, 37:619
 - outflow index after, 50:534
 - perforating retrociliary diathermy, 39:459
 - plastic plates in, 39:459
 - posterior sclero-trepanation, 47:625
 - Preziosi, 42:955
 - scleral trephination, 37:616
 - scleral wound edge retraction as, 47:922
 - seven in one eye, 40:596
 - Stallard's modified, 36:882
 - tonography after, 47:920
 - trephination: See Trephination
 - Wecker's, 50:678
- ophthalmodynamometry in, 50:1265
- optic disc changes in, 39:458
- outflow index, after operations for, 50:534
- out-patients, therapy of, 52:303
- ozone content air and, 38:266
- paradoxical, 40:298
- "paraglaucoma," 41:583
- paranitrophenylphosphate in, 38:883
- parenchymatous keratitis and, 38:442
- pathogenesis of, 36:292; 37:155; 45:782
- pathology of, 43:172

GLAUCOMA (continued)

- pathologic anatomy of, 44:296
- pathologic parallels in, 54:893
- pathomechanism of, 52:1011
- patients, ambulatory service to, 42:343
 - instruction pamphlet for, 43:174
 - tension taking in, 43:176
- perfusion of eyes with, 42:816
- phacolytic, 40:773; 47:287
- phacotoxic and phaco-allergic, 53:724; 54:163
- phasic variations ocular tension in, 36:1184; 38:598
 - vascular changes and, 36:1490
- phospholine iodide in, 50:1264; 51:200
- physiopathology of, 43:176
- pigmentary, 45:172; 52:306, 1009; 53:409, 1061; 54:494
 - anterior chamber pigmentation and, 49:1450
 - gonioscopy in, 50:676
 - heredity of, 53:409
 - in females, 45:171
 - iris heterochromia and, 53:406
 - scleral pigmentation and, 53:406
- pilocarpine in, 53:724
 - effortful ointment in, 42:659
- plethysmography in, 43:162
- postoperative, 53:1061
- posttraumatic, 45:783
- premonitory symptoms, 37:154
- Preziosi's operation, 43:518
- prevention of, 50:1264
- PRIMARY:** 43:1013; 44:291
 - action drugs used in, 46:628
 - and function choroid, 37:619
 - anterior chamber angle in, 42:137
 - cataract extraction in, 37:296
 - color sense in, 48:575
 - diagnosis of early, 52:444
 - diencephalon and, 42:179
 - ERG in, 48:575
 - etiology of, 37:827
 - and pathogenesis, 47:285
 - gonioscopy in, 44:148; 46:627; 50:531
 - heredity in, 39:457
 - histopathology of, 41:1099
 - incidence of, 49:185
 - indications for surgery in, 38:446
 - iris atrophy in, 54:498
 - medical treatment of, 39:460
 - mydriasis and, 42:179
 - nature of, 47:919
 - neurovascular considerations, 37:294
 - ocular tension in, 36:1184
 - determination, 50:674
 - office management of, 50:531
 - ophthalmoscopy in, 50:531
 - optic atrophy in, 37:294
 - outflow in, 50:674
 - perimetry in, 50:531
 - physiology of, 47:125
 - postsurgical complications in, 54:643
 - preference for left eye, 52:303
 - psychiatry of, 37:293
 - psychosomatic aspects of, 47:442
 - retinal vein thrombosis and, 53:407
 - signs and symptoms of, 50:531
 - somatotype in, 38:884
 - strep. antihyaluronidase in, 42:159
 - surgery of, 47:286; 49:1452; 51:751
 - symptoms in adult, 36:585
 - therapeutic results in, 53:410
 - tonography in, 46:627
 - tonometry in, 54:494
 - trabecular meshwork in, 47:919
 - uveal circulation and, 37:154
 - visual fields in, 46:271
- Priscol test in, 49:184
- prodromal malignant, 44:446
- progesterone in, 36:291; 38:885
- prognosis, 44:149
- prophylactic examination in, 43:1012
- provocative tests in, 39:143
 - physiologic limits of, 39:266

GLAUCOMA (continued)

- provocative tests in (continued)
 - reliability of, 39:459
- pseudo-, 47:734; 51:1364
 - after methylalcohol poisoning, 46:433
 - syndromes, in aneurysms, 43:656
- pseudo-exfoliation of lens and, 50:208
- public health problem, 44:149
- pupil diameter and, 53:551
 - in dark-adapted eye, 47:922
- pupillometric observations in, 44:446
- pyridostigmin in, 40:297
- reflections on, 41:1096
- refraction in, 53:424
- regulating mechanisms in, 43:173
- reoperation in, 53:1062
- retinal artery occlusion and, 36:1183
- retinal detachment and, 44:849; 52:1010; 54:743
 - microphthalmos and, 48:423
 - sclerotonitis and, 50:527
- retinal vein occlusion and, 42:956; 51:361
 - anterior chamber angle in, 49:1455
- retinitis pigmentosa and, 36:1328
 - unilateral, 48:579
- retrocliliary diathermy in, 36:586; 38:886
- rigidity of ocular coats and, 43:175
- rubeosis iridis and, 50:1264
- Scheie's operation for, 50:1263, 1265, 1266
- scleral rigidity coefficient in, 50:531
- sclerotomy in, 38:884
- screening for, 41:345
 - in Connecticut, 51:714
 - procedures, 48:564
- SECONDARY:** 44:295; 45:321, 784; 53:199
 - diagnosis, 46:773
 - ERG in, 53:722
 - etiology of, 42:956
 - gonioscopy in, 43:520; 46:772
 - iridencleisis in, 39:779
 - iris atrophy and, 51:356
 - medical treatment of, 46:773
 - Posner-Schlossman syndrome, 44:563
 - surgical treatment, 46:774
 - symposium on, 46:771
 - to cataract extraction, 40:298; 46:274
 - to exophthalmos after aneurysm, 43:177
 - to extraocular venous obstruction, 53:720
 - to flattened anterior chamber, 42:334
 - to foreign body, 40:465
 - to hemorrhage, hemosiderosis and, 50:1266
 - to intumescent cataract, 54:1170
 - to iris atrophy, 53:724; 54:162
 - to lens capsule rupture, 37:158
 - to Marfan's syndrome, 50:533
 - to pupillary seclusion, 53:724
 - to retinal artery occlusion, 47:127; 50:333; 52:308
 - to retinal vein thrombosis, 47:126; 50:208
 - to spine manipulations, 42:807
 - to trauma, 43:1013
 - to traumatic cataract, 48:700, 884
 - to subluxated lens, 41:1122; 43:840
 - uveitis with 53:1057
- sensory nerve substance in, 45:171
- 17-ketosteroid excretion in, 48:417
- serum cholesterol and, 51:202
- SIMPLE,** anterior chamber depth in, 46:429
 - anthranilic acid in, 47:626
 - aqueous outflow obstruction site in, 54:893
 - brachial blood pressure and, 49:185
 - campimetry in, 49:182
 - control of, 39:780
 - diagnosis of, 54:738
 - early, 53:1061; 54:739
 - effect Tosmilen in, 54:495
 - electrophoresis in, 54:742
 - ERG in 53:204
 - etiology of, 47:285
 - flicker perimetry in, 47:918
 - miotics in, 51:751
 - ocular tension after guanethidin, 53:410
 - polyfibromatosis and, 54:892

GLAUCOMA (continued)**SIMPLE (continued)**

- Priscol injections in, 47:724
- prognosis in, 47:626
- surgery of, 49:1482
 - prognosis in, 42:332
 - tension curves in, 46:627
 - tonography, after water-drinking test, 47:724
 - treatment in, comparison, 43:173
- skiascopic findings in, 43:501
- skin examination in, 36:1312
- social significance of, 49:183
- spontaneous cure in, 37:296
- stellate ganglion block in, 37:295, 826; 53:408
- subjective symptoms in, 51:751
- SURGERY** in, 37:296; 41:175, 345, 549; 43:172; 44:292, 847; 46:630; 48:574; 50:531; 51:559; 53:1058
 - astigmatism after, 47:426
 - ciliary arteries destruction, 50:677
 - ciliary body in, 40:773
 - consensual hypotony in, 50:1264
 - cortisone in, 36:1173
 - Diamox in, 41:176; 45:321
 - gonioscopy during, 47:724
 - Heine method modified, 47:722
 - in Negroes, beta radiation and, 41:319
 - in presence paracentral scotoma, 47:921
 - influence on diurnal variation in tension, 54:497
 - late infections after, 47:432
 - late results of, 41:176
 - lens metabolism changes after, 53:1063
 - pathologic basis for, 43:174
 - publications in, 50:207
 - results in, 40:464; 43:174
 - of Elliot trephination, 54:1171
 - use gelatin in, 41:920
 - visual field changes after, 53:199
 - X-ray radiation to maintain scar, 36:1184
- survey of 1,000 patients, 43:520
- symposium on, 41:917, 920; 43:172
- syndrome, pathologic review, 38:597
- therapeutic review, 38:597
- tachystoscopic screener in, 44:713
- tension regulation in, 38:599
- TESTS**, anil nitrate, 37:825
 - aqueous flow, 36:152
 - Blaxter's, 41:173
 - blood-pressure, 38:885
 - bulbar compression, 47:722
 - bulbar suction, 49:869
 - compression, with electric tonometer, 41:346
 - dark-room, 38:598; 44:294
 - outflow, 49:1074
 - water drinking, 37:619
 - mydriatic provocative, 53:400
 - nicotine, 54:496
 - night bandaging of eyes as, 45:323
 - prisciline, 38:885
 - provocative, 36:410; 37:616, 618; 42:659; 46:628, 629; 49:400; 50:532
 - after surgery, 37:155
 - Goldmann's artificial scotoma in, 36:1183
 - in eyes with filtering scars, 36:410
 - reading, 41:174
 - red visual fields for, 38:599
 - water-drinking, 41:174; 42:335; 50:206
 - tonography and, 43:172
 - water content blood and, 47:618
- testicular function in, 40:149
- therapeutic principles in, 48:576
- thyrotropic exophthalmos and, 53:721
- tonography in, 36:151; 40:774; 46:629; 50:532; 52:306
- in research on, 40:932
- See also Tonography
- tonometric compression in, 41:345
- tonometry in, 43:1013; 50:532
 - importance of, 37:826
 - to detect, 47:125
 - early, 54:739
- Tosmilen in, 51:558
- transient, in encephalitis, 42:817
- with meningeal hydrops, 37:826

GLAUCOMA (continued)

- traumatic, 36:585; 43:836; 53:722
- physiopathology of, 41:174
- tension variations in, 40:150
- treatment of, 39:266, 912
- vitamin D in, 37:618
- trephination in, repeated, 39:912
- wound cauterization in, 45:782
- trephancyclodialysis in, 47:431
- trigeminal nerve in, 41:1097
- tubular fields in, 51:716
- surgical results, 50:676
- 217-MI in, 45:323
- undiagnosed, search for, 54:493
- urea in, 51:355; 52:443, 581; 53:721, 1059
- uveal, 44:717
 - oxygen uptake in, 38:884
- uveitis and, 40:463
- vascular disease and, 39:911
- vascular reflexes in, 52:1008
- effect drugs on, 52:1008
- vasogenic factors in, 43:1012
- vasomotor factors in, 45:785
- venous pressure in, 44:149
- VISUAL FIELDS** in, 46:629; 50:838
 - defects in, 37:616; 39:458
 - atypical, 45:322
 - normal, 54:1170
 - testing, 45:787
 - water metabolism in, 47:920
 - without hypertension, 38:883
- X-ray in, 51:1347
- Glaucomatocyclitic crises, 36:409; 38:885; 43:1012; 45:782; 46:272; 49:1451; 50:530, 838
- GLIOMA**, 36:1017; 49:405
 - of ciliary nerves, 54:1169
 - of optic chiasm, 42:502
 - radiography in, 40:602
 - of optic nerve, 39:467, 615; 42:336; 43:844; 45:595; 46:111, 113; 47:135, 735; 51:363, 863; 53:1072
 - and chiasm, X-ray evidence of, 49:671
 - complete removal, 41:351
 - histology of, 45:595
 - operation for, 52:312
 - radiation therapy in, 42:338
 - of optic pathways, 45:596
 - of orbit, 43:1020
 - of retina, 42:679; 44:727
 - massive, 40:937
 - pseudo-, 40:917
- Globe, evulsion of, 49:197
 - hypotony of, in systemic disorders, 47:144
- Globulin, immune, in vaccinia of eyelid, 51:209
- Glomerular nodule, in diabetes, 43:526
- Glucides, metabolism in lens, 36:558
- Glucose, chorioretinal degeneration and, 36:278
- local administration of, 47:427
- of aqueous, 42:512
 - vitamin E and, 36:1641
- of lens, 52:581
- uptake, of retina, 42:945
- Glucosamine, in senile cataract, 49:186
- in vitreous, 41:895; 42:946; 43:493
- Glucuronic acid, cataract and, 53:1039
- Glucuronidase, in ocular tissues, 42:946
- Glutamic acid, in anterior chamber hemorrhage, 36:875
 - in retina, 36:277
 - influence on corneal nerve fibers, 46:243
- Glutathione, in lens, 36:1161; 37:603; 43:813
- formalin and, 37:457
- in ditzone cataract, 47:423
- polarographic studies, 41:890
- influence on cataract, 46:243
- protection, in X-irradiated eyes, 44:709
- reductase, in rabbit lens, 36:737
- Glycogen, in eye, 48:872
- in retina, 37:465; 46:246; 53:549
- after ACTH and cortisone, 44:707
- Glycolysis, in rat retina, after iodoacetate poisoning, 49:860
- Glycoprotein, of corneal epithelium, 52:741

- Glycosuria, hereditary renal, 54:509
 Glycuronic acid, of mature cataract, 50:534
 Gnathostoma spinigerum, infection with, 50:358
 Goiter, exophthalmic, neuropathy of, 47:734
 ocular hypertension and, 54:1170
 Goethe's spectacles, 52:1026
 Gold, in ocular tissues, after arthritis therapy, 43:168
 Goldmann-Weekers adaptometer, 47:709
 Gonad, hypertrophy in birds exposed to light, 39:440
 Goni's operation, for retinal detachment, 43:522
 Goniophotography, 40:285; 49:863; 52:745, 747
 Goniopuncture, evaluation of, 51:856
 in congenital glaucoma, 40:774; 53:557
 in hydrophthalmos, 54:487
 Gonioscope, new model of, 42:520
 prism, in indirect gonioscopy, 48:693
 pyramidal, 36:1171
gonioscopy, 41:920; 43:173
 after cyclodiathermy, 50:208
 after Elliot trephination, 41:921; 52:1009
 after glaucoma operations, 40:595
 after Kettesy's cyclanazemization, 48:131
 before cataract extraction, 53:559
 clinical application of, 48:563
 contact prism for, 38:435
 during surgery, 39:447; 47:724
 in congenital anomalies, 39:626
 in congenital cataract, 41:742
 in degenerative myopia, 44:286
 in diagnosing tumors, 38:263
 in diseases vascular tract, 53:171
 in dysgenesis of corneal and iris, 52:602
 in eye injuries, 37:157
 in foreign bodies, 37:285
 in glaucoma, 40:932; 42:818; 46:628
 congestive, 38:267
 infantile, 46:630
 pigmentary, 50:676
 primary, 44:148; 46:627; 50:531
 secondary, 43:520; 46:772
 in heterochromia of iris, 38:264
 in iridencleisis, 42:818
 in retinitis pigmentosa, 37:302
 new method of, 53:1062
 normal and pathologic pictures, 45:483
 practical value of, 44:564
 prism gonioscope in, 48:693
 of anterior chamber angle, after zonulolysis, 54:1171
 in Marfan's syndrome, 51:562
 slitlamp, in glaucoma diagnosis, 41:582
 to diagnose cysts, 54:493
 to observe, accommodation changes, 40:760
 contusion injuries, 44:302
 to study anterior chamber, 43:837
 to study ciliary muscle, 40:280
 to study effect of alpha chymotrypsin, 52:451
 to study increased ocular tension, 39:144
 with Zeiss surgical microscope, 46:258
goniotomy, 41:920; 44:148
 in buphthalmos, 43:174
 in congenital glaucoma, 53:557, 720
 in glaucoma, with aniridia, 36:882
 in hydrophthalmos, 36:882; 54:487
 instrument for, 36:572
 Gonio-vessels, in normal and abnormal eyes, 50:1263
 Gonorrhea, serologic test in, 40:458
 Gout, conjunctival tophi and, 37:292
 iritis and, 53:406
 Grafe, pseudo-, phenomenon, 44:155
 Gramicidin, in anterior segment inflammations, 49:176
GRANULOMAS, clinical symptoms of, 38:894
 complicating scleral buckling, 50:829
 eosinophilic, 45:183
 exophthalmos due to, 46:436
 histopathology, 38:894
 of bone, exophthalmos due to, 48:142
 of bulbar conjunctiva, 43:832
 of choroid, 41:365
 of conjunctiva, 42:814
 of cornea, 46:263; 51:554
 of eyelid, 39:787; 47:297; 54:517
 of lacrimal sac, 45:183; 54:516
GRANULOMAS (continued)
 of orbit, 38:280; 42:961; 44:724; 45:181, 600 47:440,
 740; 51:1357; 52:593
 lethal, 43:657
 of sclera, 46:266
 paraorbital lipophagic, 47:739
 Wegener's, 41:355
 Granulomatosis, epithelioid, 36:1008
 larval, of retina, 50:536
 lipoid, 37:321
 Wegener's 52:591
 perilimbal ulceration in, 50:835
GRAVES' DISEASE: 37:640; 47:734
 convergence insufficiency in, 37:641
 exophthalmos, 45:798; 46:281; 54:906
 Grafe phenomenon in, 40:604
 lid retraction in, 37:314
 management of, 43:1021
 ocular changes in, 50:1286
 orbital signs in, 37:635
 radiosodium in, 39:151
 Grenz rays: See under Radiation
 Griseofulvin, in mycotic keratitis, 51:743
 Groenblad-Stranberg syndrome, 42:958; 52:1014
 angioid streaks of fundus and, 43:527
 Paget's disease and, 46:287
 Siegrist streaks and, 50:1277
 Guanethidin (Ismelin), action on eye, 53:397
 effects of, 54:482
 in glaucoma simplex, 53:410
 Gudden's commissure, significance of, 46:610
 Guild Prescription Opticians, research fund, 51:530
 Guillan-Barre's syndrome, 36:754
 Guist's luminous circles, 38:433
 Gullstrand ophthalmoscope, in photography, 43:819
 Gumma, of sclera, 43:166
 Gynecology, retinal tonoscopy in, 43:161
 H
 Haidinger's brushers, clinical value of, 40:145; 43:163
 effect increased ocular tension on, 48:874
 in pleoptics, 51:168
 measurement of, 43:163
 Hair, sutures of human, 46:767
 Hague, causes of blindness in The, 44:309
 Hamartoma, of hypophthalmus, 51:865
 of retina, 53:559
 Hamsters, hypothermia in, 47:281
 Hand-Schüller-Christian disease, 47:295
 eosinophilic granuloma and, 45:183
 exophthalmos in, 37:834
 Hands, disinfection before surgery, 38:437
 Hansen's disease: See Leprosy
HARADA'S DISEASE, 38:263; 48:415; 52:441
 ACTH in, 41:1095
 keto-enol substances in urine in, 37:822
 neurovegetative system in, 41:728
 pathogenesis, 41:580
 sympathetic ophthalmia and, 44:713
 treatment, 38:427
 viral nature of, 36:745
 Vogt-Koyanagi disease and, 44:446
 Hardy-Rand-Rittler, color vision test, 47:588
 Harms theory, on amblyopia in strabismus, 50:832
 Head posture, blindspot change with, 53:164
 muscle diagnosis and, 53:179
 scotoma changes with, 53:164
HEADACHE: 36:570; 41:1121; 42:519; 45:152; 47:710;
 53:422
 cerebral aneurysm and, 44:855
 cerebral angioma and, 50:351
 eyes and, 36:1017
 macular perception and, 44:285
 migraine: See Migraine
 of glaucoma, 46:272
 optic nerve palsy and, 42:674
 retinal circulation in, 37:641
 unilateral, aneurysm and, 43:823
 vascular, 39:132; 41:352
 vasomotor, ophthalmodynamometry in, 48:566
 Hearing, in glaucoma, 50:204
 in retinitis pigmentosa, 53:413

- Heart, block, retinitis pigmentosa and, 47:729
disorders, arcus of cornea and, 49:395
surgery, fundus in, 50:518
- Heat, injury to collagen tissues, 39:608
irradiation, in herpetic keratitis, 43:833
- Heed Ophthalmic Foundation, research funds, 51:530
- Heerfordt's syndrome, 36:1652; 48:433
- Helenien, action on dark adaptation, 45:466
- Helminths, uveitis due to, 46:426
- Hemagglutination, in diagnosing, amebiasis, 53:400
toxoplasmosis, 53:400
- Hemangioblastoma, 43:658
- Hemangioma, of orbit, 50:685
- HEMANGIOMA**, cavernous, 41:325
embryotoxon and, 44:458
micro-, of retina, 39:788
of choroid, 51:353
diagnosis, 41:726
studies of, 43:647
treatment, 41:726
of conjunctiva, 48:694
of eyelid, and adnexa, 37:317
of optic disc, 39:616; 42:667
of orbit, 39:470; 45:328; 52:596; 54:907
aspiration of, 45:329
granuloma after, 42:822
phlebography to diagnose, 54:906
of retina, 39:917; 42:667; 47:434
retrolental fibroplasia and, 37:315; 42:668
urethane and quinine to treat, 40:456
- Hemangiopericytoma, of eyelid, 43:848
of orbit, 42:499; 48:712
- HEMATOMA**, enzymes in, 52:132
exophthalmos due to, 48:135
in children, 45:795
intracorneal, 47:282
of eyelid, in hemophiliac, 54:516
of orbit, 42:677
in newborn, 42:427
traumatic, exophthalmos due to, 36:1321
subdural, 51:863
diagnosis and localization, 51:1341
papilledema in, 49:192
Raeder's syndrome and, 49:193
- Hemeralopia, and its varieties, 39:127
atypical, 50:1273
congenital, 53:1081
EEG in, 41:183
ERG in, 37:133
essential, 46:619
urinary melanophore study of, 38:890
vitamin-A deficiency and, 52:294
- HEMIANOPIA**: 36:418; 39:272, 616; 45:179
after injury to optic chiasm, 48:431; 50:357
after mitral stenosis surgery, 43:188
after operation for pulmonary abscess, 50:357
altitudinal, optic atrophy and, 36:756
avulsion of eye and, 45:603
bilateral, 40:306
binasal, 37:632
in arachnoiditis, 43:336
circulatory disturbances optic nerve and, 45:793
due to vascular accident, 36:419
foveal vision in, 39:786
homonymous, 49:1077, 1456
brain herniation and, 50:1280
vitreous hemorrhage and, 50:1280
horizontal, 40:603
in diagnosis intracranial disease, 44:722
in hypertension, 36:418
in migraine, 40:307
in multiple sclerosis, 38:602
macular sparing in, 46:610
nasal, 36:419
pupulography in, 51:206
- Hemicranial syndromes, cafergot in, 41:337
- Hemiplegia, herpes zoster and, 47:136
transient monocular blindness and, 36:159
- Hemispherical bodies, histologic significance of, 47:260
- Hemochromatosis, eye findings in, 37:640
- Hemolytic icterus, fundus changes in, 40:303
- Hemophilia, eyelid hematoma in, 54:516
- Hemophilia (*continued*)
retrobulbar hemorrhage in, 51:568
- Hemophthalmos, in thrombocytopathia, 50:358
therapy of, 51:1338
- HEMORRHAGE**, ACTH and cortisone in, 53:170
after chalazion surgery, 36:877
after strangulation, 44:569
anterior chamber, after cataract extraction, 49:186;
51:357
Diamox in, 47:628
weather and, 47:628
after injury, 46:284
due to contusion, 51:568
epinephrine in, 45:174
noncoagulability and, 36:279
postoperative, glutamic acid in, 36:875
alpha chymotrypsin in, 50:1259
aneurysm rupture and, 36:1171
artificial subchoroidal, 41:180
blindness after, 45:605
cortical, 53:737
drugs for, 50:521
during surgery, 48:409
enucleation, without excessive, 45:483
- EXPULSIVE**: 41:339
due to succinylcholine, 50:1270
in cataract surgery, 54:500
meteorotropy of, 53:412
prevention of, 43:1006; 52:296
time factor in, 47:129
treatment of, 49:402
weather and, 40:917
fundus changes after, 52:458
glaucoma secondary to, 53:727
hemolysis in, 50:1266
in children, 47:744
in dysglobulinemia, 43:332
in eye surgery, 36:1172
in periphlebitis retinae, weather and, 51:859
into lens, 48:124; 49:1453; 52:453
intraorbital, after malar fracture, 45:328
meningeal, 37:634
ocular sings in, 47:438
neuroretinopathy after, 52:1013
of conjunctiva, 51:554
treatment of, 45:488
of fundus, prethrombotic, 43:825
of macula, 37:625
of optic nerve sheath, 51:862; 53:206
of orbit, after retrobulbar injection, 43:178
optic atrophy after, 38:893
postoperative, intraocular, 47:625
management of, 50:830
posttraumatic, 42:960
preretinal, 51:1352
and optic nerve sheath, 45:177
recurrent, 48:421
retinal, 43:183
after blood transfusion, 41:732
in blast injuries, 37:302
in myeloma, 41:586
in newborn, 41:730, 1103
retinal vasculitis and, 43:182
retinovitreal, in prediabetics, 43:183
induced by hyperglycemia, 43:183
retrobulbar, in hemophilia, 51:568
subarachnoid, due to neurofibroma, 46:279
fundus in, 39:617
subconjunctival, 45:160
therapy of, 47:623
vitreous, 51:335; 53:413
diagnosis of, 49:1444
diathermy and, 54:1163
hemianopia and, 50:1280
in premature infants, 41:588
juvenile, 43:841
oxygen insufflation, 51:136
retinal detachment and, 49:188
ultrasound to study, 48:120
- Hemosiderosis, in glaucoma secondary to hemorrhage, 50:1266
- HEPARIN**: 43:155

HEPARIN (continued)

- effect on corneal lesions, 46:617
- effect on P²² uptake of cornea, 41:565
- effect on tuberculin reaction, 48:555
- in chemical injuries, of cornea, 47:916
- in macular degeneration, 43:842; 44:852; 51:362
- senile, 48:421
- in retinal artery occlusion, 43:843; 51:563
- influence on coagulation secondary aqueous, 36:1160
- local application of, 50:525
- to treat lime encrustation, 50:522
- Heparinoid, in sclerotic chorioretinopathies, 53:166
- Hepatitis epidemica, toxoplasmosis and, 36:891
- HEREDITY**, buphthalmos and, 51:864
 - chalazion and, 44:576
 - color perception and, 52:293
 - counselling, in eye disease, 45:609
 - ectoblast disturbances and, 41:366
 - gene transmission, in ophthalmology, 47:261
 - genetic carrier state, in ophthalmology, 38:285
 - genetic factors, in ophthalmology, 36:164
 - hemeralopia and, 53:1081
 - in albinism, 43:663, 664
 - in aniridia, 51:867
 - in anisometropia, 42:324
 - in cataract, 50:534
 - in choroidal sclerosis, 41:916
 - in choroideremia, 42:342
 - in colobomatous malformations, 52:737
 - in congenital anophthalmia, 46:893
 - in drusen optic disc, 53:417
 - in eye anomalies, 40:156
 - in glaucoma, 41:1124; 49:869
 - in Iceland, 49:185
 - primary, 39:437
 - in Horner's syndrome, 48:435
 - in infantile optic atrophy, 49:189
 - in interstitial corneal degenerations, 47:720
 - in keratoglobus, 49:180
 - in lens pathology, 49:401
 - in macular defects, 50:688
 - in myopia, 36:561; 40:283
 - in ophthalmology, 46:121
 - in prevention of blindness, 45:611
 - in psychosomatic ophthalmology, 47:442
 - in retinitis pigmentosa, 40:304; 51:204
 - in retinoblastoma, 44:452; 51:1352
 - macular cysts and, 42:681
 - optic nerve atrophy and, 42:826; 47:136
 - ptosis and, 48:435
 - renal, ear, eye changes, 42:342
 - retinal degeneration and, 42:826
 - sex-linked, in nystagmus, 42:959
- HERPES**, antiherpetic vaccina, 40:450
 - antihistamines and, 37:133
 - blood-aqueous barrier in, 37:604
 - blepharitis due to, after typhoid vaccine, 40:609
 - chloramphenicol in, 36:1178
 - corneal ulcers and, 36:1645
 - cortisone and, 37:133
 - diseases due to, etiology and pathogenesis, 54:1159
 - fluorescing antibodies in, 53:176
 - gamma globulin in, 40:279
 - infections, action cortisone in, 36:555
 - of cornea, 43:646; 48:127; 51:1318
 - aureomycin in, 36:578
 - effect stress on, 53:1033
 - statistical study of 426 cases, 41:1106
 - steroids in, 47:122
 - studied for 3 decades, 47:720
 - vitamin-A deficiency and, 41:132
 - X-rays in, 41:1093
 - of eye, 43:529, 657, 821
 - radiotherapy in, 45:475
 - symposium on, 45:475
 - tetracycline in, 40:454
 - vitamin H in, 38:595
 - iodine-vapor for, 36:570
 - keratitis due to: See under Keratitis
 - pathogenesis of, 36:744
- SIMPLEX**, 45:475
 - fluorescent antibodies in, 51:197

HERPES (continued)

- SIMPLEX** (continued)
 - IDU therapy in, 54:481
 - iridocyclitis due to, 46:269
 - isolation and cultivation of virus of, 51:188
 - keratitis, control of experimental, 41:564
 - of cornea, 44:290
 - treatment, 50:1262
 - susceptibility fibroblasts to, 51:748
 - virus of, 46:764; 54:884
 - corneal responses to, 47:235
 - effect on rabbit cornea, 53:885
 - virologic aspects of, 45:476
 - virus, action antibiotics on, 36:1159
 - effect on tissue culture rabbit cornea, 53:1055
 - iritis due to, 45:168
- ZOSTER**, 38:277; 39:921; 45:475; 53:207
 - corticosteroids in, 52:135
 - cortisone in, 39:617
 - emetine hydrochloride in, 38:894
 - encephalitis, meningitis and, 49:667
 - gangrenous, 50:354
 - hemiplegia and, 47:136
 - in children, 47:294
 - infections, of optic nerve, 43:1016
 - muscle palsy due to, 46:279
 - neuramine in, 48:693
 - ocular palsies in, 44:714
 - ocular tension in, 41:918
 - of cornea, 43:646
 - optic neuritis and, 36:296
 - pain of, 36:296
 - retrobulbar neuritis after, 37:629
 - treatment of, 42:809; 43:323
 - varicella and, 48:869
 - virus encephalitis after, 45:327
 - vitamin B₁₂ in, 49:172
- Herpetic blepharitis, 38:896
 - See also under Blepharitis
- Herpetic infections, corneal lysozyme and, 38:118
- Herpetic keratitis: See under Keratitis
- Heterochromia, familial, 47:446
 - Fuchs', 36:583, 1310; 38:261; 39:778; 40:294
 - cervical lesions and, 40:295
 - in Claude-Bernard-Horner syndrome, 41:171
 - iris and retinal anomalies and, 48:128
 - iritis of Fuchs', glaucoma and, 52:304
 - of iris, 38:263
 - congenital, 37:292
 - gonioscopy in, 38:264
 - pupil in, 36:1647
 - sympathetic, 43:835
 - syndrome of, 52:141
 - Heterochromic cyclitis, Fuchs', 41:171
 - glaucoma and, 49:1449
- Heterokeratoplasty: See Keratoplasty
- HETEROPHORIA**, aniseikonia and, 37:146
 - binocular vision and, 36:566
 - clinical measurement of, 40:145
 - depth discrimination and, 45:770
 - effect kinesthesia on, 36:1488
 - effect target variation on, 36:1488
 - fixation, disparity and, 41:541
 - distance and, 47:120
 - gaze direction and, 47:120
 - in aviation medicine, 36:286
 - irradiation test, in, 36:878
 - retinal correspondence an, 51:740
 - See also under Strabismus
- Heterotropia, concomitant, psychosomatic aspects of, 47:442
 - in adults, treatment of, 42:177
 - macular, due to pseudostrabismus, 43:535
 - oscillation in, 44:143
 - projection co-ordination in, 42:176
 - visual function in, 48:122
 - See also under Strabismus
- Hexamethonium, glaucoma and, 36:745
- Hexokinase, in retina, 51:547, 1330
- of rabbit lenses, 48:556
- Hexosamine, content of lens, 52:581
- Hibernation, artificial, 40:284

- Hippel's disease: See Lindau-von Hippel disease
- Hiroshima, atomic bomb cataracts, recent status, 41:361
- Hirschler, Ignác, 51:571
- Histamines, action on aqueous, 52:740
content of subretinal fluid, 43:522
in retinal detachment, 41:561
effect on choroid, 36:282
effect on ocular tension, 36:151
reaction, as test for focal infection, 40:284; 45:480
skin, 36:742
- Histidine, in keratoplasty, 36:573
- Histoplasmosis, 49:1079
avian ocular, 53:1304
- Hodgkin's disease, intraocular, 53:407
ocular manifestations of, 43:534; 52:600
retinal lesions in, 43:179, 1014
uveitis in, 39:911
- Holmes-Adie syndrome, autonomic degeneration and, 54:513
pupillary changes in, 43:657
- Holmgren test, of color sense, 48:122
- Homatropine, and ocular hypertension, 37:619
effect on accommodative convergence, 42:947
effect on glaucoma, 39:459
effect on ocular tension, 39:459
psychosis after, 45:143
- Hong Kong, entropion in, 48:137
eye diseases in, 47:146
- Hordeola, 47:429
- HORMONES**, action on lens, 41:897
circulation after pancreatic, 49:658
dysfunction, external eye and, 46:767
effect somatotrophic, on corneal wounds, 40:918
effect on S^{35} uptake, 50:822
excretion MSH, in eye diseases, 41:537
gonadotrophin, in conical cornea, 42:171
in myopia, 42:171
in glaucoma, 36:291, 292; 38:885
in posterior uveitis, 38:596
influence on lacrimal glands, 44:857
influence on lens mitosis, 54:501
influence on ocular inflammation, 37:454
influence on vitreous viscosity, 47:730
melanophore, in pigment degeneration retina, 36:590
light sense and, 38:600
retinal metabolism and, 47:265
ocular tension and, 43:649
pituitary, distribution in aqueous, 38:117
in optic atrophy, 36:416
influence on intraocular vitamin B₁₂, 36:739
retinal detachment therapy and, 36:886
17K excretion, after ultraviolet radiation, 47:904
sex, in healing corneal wounds, 37:456
steroid, in vitreous, 42:160
suprarenal, relation to collagen disease, 36:735
therapy, 37:817
androgen steroids, in hypophyseal adenoma, 37:629
in traumatic hyphema, 54:889
See also under names of various hormones and related pharmaceutical products
- Horner's syndrome, 43:445
congenital hereditary, 48:435
enophthalmos and, 43:339
operation to avoid, 45:597
- Horopter, 40:454
anomalies, 39:902
deviation, 42:948
frontal plane, 47:911
in emmetropia, 41:571
in myopia, 41:571
oscillation to determine true, 37:137
simplified, 39:128
- Horton's disease, 54:902
- Hospitals, Antiquaille et Lyon, eye service of, 39:929
infections in, 52:603
lighting wards in, 36:1022
- Hubbell, Alvin Allace, 53:746
- Hungary, retrolental fibroplasia in, 47:729
- Hurler's disease, 36:204
EEG in, 50:204
ERG in, 50:204
See Gargoylism
- Hutchinson-Pepper syndrome, 44:727
- Hyaline, bodies on optic disc, 45:178
deposits, in anterior chamber, 47:622
in cornea, 47:622
- Hyalinosis cutis and mucosae, 54:913
- Hyalitis, cortical vitreous cells and, 54:505
- HYALOID**, artery, Lawrence-Moon-Biedl syndrome and, 43:346
remnants of, 36:748
blood vessels of, 49:390
detachment of posterior, 40:301
membrane, effect alpha chymotrypsin on, 50:193
hole in anterior, 38:273
persistent, 45:609
retinal vessels and, 54:505
- Hyaluronic acid, as vitreous implant, 51:564; 52:457
content of human vitreous, 43:155
in ocular pathology, 42:945; 44:704
of rabbit vitreous, 48:280
- HYALURONIDASE**, 37:608, 818; 41:152, 339; 46:421
action on aqueous flow, 43:999
action vitamin E against, 36:278
bis-cholinesters and, in cataract extraction, 38:429
clinical use, 41:576
effect on aqueous, 43:488
viscosity, 41:687
effect on cocaine anesthesia of cornea, 47:266
effect on corneal vessel formation, 37:815
effect on hypopyon, 36:735
effect on ocular tension, 45:786; 49:1075
in glaucoma, 47:921
electrophoretic characteristics of, 51:330
in corneal disease, 45:761
in dacryocystitis, 54:517
in eye tissues, 42:163
in ocular pathology, 42:945; 44:704
in ocular tissues, 41:565
in ophthalmology, 38:877; 39:130
influence on, blood-aqueous barrier, 36:738
diffusion in vitreous body, 43:489
inhibitor, 36:749
injections, in glaucoma, 53:409
intraocular use, 39:135
purification of, 53:398
reaction to, 42:653
to treat, exophthalmic ophthalmoplegia, 41:356
pterygium, 44:289
- Hydatid disease, 39:925
- Hyderyne, effect on iris, 48:277; 49:859
effect on retinal circulation, 36:281
hypertensive retinopathy due to, 38:450
in fundus circulatory disease, 47:435
in glaucoma, 38:445
in retinal vascular disturbances, 38:891; 47:435
to control bleeding, 45:481
- Hydrazide of isonicotinic acid: See Isoniazid
- Hydroa vacciniforme, 47:744; 49:1457
- Hydrocephalus, anterior segment hypoplasia and, 38:451
myopic uveitis and, in twins, 38:263
- HYDROCORTISONE**, 37:462
after intravenous typhoid vaccine, 42:132
chlorophyll with, 41:153
in anterior segment inflammations, 49:176
in cataract surgery, 42:936
in experimental corneal lesions, 42:164
in exudative retinitis, 42:958
in ophthalmology, 43:161
in optic neuritis, 46:433
in retrobulbar neuritis, 42:673; 46:433
local, 40:287
ointments, 51:349
penetration of, 39:441
retention, in anterior chamber, 52:293
topical, 44:143
use of, 47:906
- Hydrodiuril, retinal edema during, 51:1329
transient myopia during, 51:1329
- Hydrophthalmos, 48:884
goniotomy in, 36:882; 53:720
and goniotomy, 54:487
in fish, 47:723
histology, 36:551

Hydrophthalmos (continued)

- in twins, 44:576
- microcornea and, 40:946
- operations for, 38:445
- retrolental fibroplasia and, 43:842
- Hydrops, papilledema in meningeal, 36:417
- Hydroquinone, in ochronosis, 40:944
- ocular damage from, 40:310
- Hydrosulphosol: See Sulfhydryl
- Hydroxyltryptamine, 44:709
- Hygroma, in children, 45:795
- Hypacusia, glaucoma and, 46:427
- Hypercalcemia, 41:1121
- Hypercarotenemia, 54:729
- Hypercholesterolemia, eye changes in, 47:903; 54:730
- eyeground in, 38:118
- Hyperglycemia, in retinovitreal hemorrhage, 43:183
- Hyperlipemia, eye changes in, 54:730
- idiopathic, eye manifestations of, 47:145
- retina in, 51:558
- retinal lipid storage in, 47:925
- Hypermetropia, dioptic center in, 37:968
- high, 41:159
- microphthalmia and, 47:448
- refractive power cornea in, 49:1446
- retinal image and visual acuity of, 41:157
- Hypernephroma, ocular metastasis of, 53:194
- Hyperplasia, of cornea, conjunctiva and eyelid, 54:491
- Hyperopia, axial, 36:142
- high, 41:182
- Hyperostosis frontalis interna, 36:1785
- Hyperphoria, nystagmus and, 38:593
- screening test for, 48:409
- See also under Strabismus
- Hyperpyrexia: See Fever therapy
- Hypersensitivity, manifestations of, 54:728
- Hypertelorism, 39:625; 43:338; 44:576
- HYPERTENSION**, arterial, retinal detachment due to, 40:600
- eye complications of, 37:980
- eye manifestations of, 46:926
- fundus findings in, 36:1314
- ophthalmoscopy in, 46:925, 927
- classification findings, 46:923
- arteriosclerotic, fundus in, 54:510
- cerebral blood flow and, 39:622
- ciliary artery in diagnosis of, 36:1326
- cranial angiosclerosis and, 37:320
- dark adaptation in, 44:286
- diabetes and, 45:175
- retinopathy and, 38:450; 45:591
- ERG in, 39:464
- essential, ocular signs in, 38:608
- retinal blood vessels in, 42:959
- experimental ocular, 48:884
- eye in, 45:606
- and ear, 46:427
- fundus changes in, 41:586, 740; 42:820; 49:1076
- in arterial, 39:269; 41:923
- in young patients, 47:275
- novocaine block in, 41:907
- reversibility, 47:131
- ganglion blocking in, 46:441
- glaucoma and, 36:290
- hemianopia and, 36:418
- in renal disease, 36:425
- in suprarenal tumor, 53:1077
- in vascular disease, 36:425
- index of Fritz in, 46:253
- intracranial, after cortisone, 54:731
- arteriography in, 36:1493
- ophthalmoscopy in, 44:455
- venous pressure and, 44:455
- intraocular circulation in, 47:443
- juvenile, damage to retinal blood vessels in, 36:416
- fundus changes in, 47:428
- malignant, papilledema in, 53:562
- ocular, BC48 to lower, 47:269
- high myopia and, 52:1007
- See also Ocular tension. See also Glaucoma
- ocular changes of, diastolic blood pressure and, 38:760
- operative risk in, 36:425

HYPERTENSION (continued)

- ophthalmic artery in, 39:624
- ophthalmoscopy in, 47:281
- clinical significance, 46:923
- evaluation, 36:416, 1174
- papilledema in, 46:286
- retina in, 53:733
- and heart, 52:746
- retinal arterial lesions in, 51:1353
- retinal blood pressure in, 46:440; 47:142
- retinal changes in, 40:599
- retinal vascular patterns in, 52:311
- retinography in, 40:613
- retinopathy of, 40:599; 46:917; 47:727; 50:209
- fever therapy in, 36:1315
- macula in, 47:733
- retrobulbar neuritis in, 53:1072
- senile, fundus changes in, 37:160
- sex glands and, 54:496
- transient myopia during therapy for, 50:827
- vascular, diastolic retinal pressure and, 43:161
- ophthalmoscopy in, 47:290
- visual field changes in, 36:410
- Hyperthyroidism, exophthalmos and 46:115
- eye and, 50:1287
- movement, 53:1050
- thyrotrophin in, 43:1021
- Hypertropia, alternating, 53:554
- ectopia of macula and, 43:524
- surgery for, binocular vision after, 46:928
- See also under Strabismus
- HYPHEMA**: 46:284
- action chymotrypsin on, 49:1442
- adrenoxyl in, 52:1013
- after cataract extraction, 38:887; 40:775; 42:934; 44:297
- conjugated estrogens in, 50:687
- effect prednisolone on, 48:557
- effect trypsin on, 45:755
- enzymes in, 52:132
- experimental, 42:802
- fibrinolysin in, 53:197
- fibrinolytic agents in, 54:736
- preoperative, in cataract, 54:164
- radioactive study of, 52:292
- spontaneous, abnormal iris vessels and, 46:426
- traumatic, 38:881; 42:340; 54:520, 521
- estrogens to treat, 54:889
- in children, 44:302
- Hypnosis, during blepharorrhaphy, 45:762
- during pterygium removal, 45:762
- in ophthalmology, 53:551
- in strabismus surgery, 48:564
- Hypocalcemia, with cataract, 49:199
- Hypoglycemia, blood aqueous barrier in, 42:512
- EEG in, 41:894
- ERG in, 41:894
- eye manifestations of, 43:495
- fundus in, 42:512
- ophthalmologic aspects, 43:661
- retinal respiration in, 42:512
- Hypoparathyroidism, idiopathic, cataract and, 37:622; 50:1269
- papilledema and, simulating brain tumor, 49:672
- pernicious anemia and, 49:1076
- pseudo-, and pseudo-pseudo, 51:866
- Hypophyseal region, ocular tension in tumors of, 41:1098
- Hypophyseal syndrome, retinitis pigmentosa and, 44:721
- Hypophysectomy, effect on cataract development, 54:499
- effect on mitosis, 54:499
- in diabetic retinopathy, 43:184
- Hypophysis, blood vessels optic chiasm and, 46:916
- eyeball and, 41:562
- gumma of, 42:962
- tumor of, differential diagnosis, 37:309
- HYPOPHYON**, Behcet virus isolated from, 52:131
- effect hyaluronidase on experimental, 36:735
- erythema multiforme and, 37:152
- gelatin antibiotic disc for, 52:299
- Hypothalamus, blood vessels optic chiasm and, 46:916
- eye and, in genital stimulation, 46:242
- papilledema with hamartoma of, 51:865
- radiation damage to, 49:176

Hypothalamus (continued)

- stimulation of, effect on aqueous proteins, 47:266
- effect on ciliary body respiration, 47:266
- effect on ocular tension, 46:919
- Hypothermia, ERG in, 53:1038; 53:1069
- in hamsters, 47:281
- ocular changes in, 53:172
- Hypothyroidism, epiphora as symptoms of, 49:1459
- ocular signs, 43:661
- Hypotony, acute, 39:458
 - after cataract surgery, 47:923
 - after cyclodialysis, 46:272; 54:737
 - essential, 39:145
 - major cause of, 53:199
 - of globe, in systemic disorders, 47:144
 - phosphoryl choline chloride in, 47:274
 - retinal folds in, 39:614
- See also under Ocular tension
- Hypoxia, oxygen in, 46:771
- retrolental fibroplasia and, 41:151
- Hysteria, mydriasis in, 43:527

I

- Iceland, glaucoma in, 49:185
- Ichthyosiform erythrodermia, 43:346
- Ichthyosis, congenital cataract and, 47:130
- corneal dystrophy in, 40:292
- keratopathy and, 43:832
- Idiocy, amaurotic familial, 45:792
- juvenile amaurotic, 54:485
- lymphocytes in, 54:523
- late amaurotic, 38:902
- mongoloid, keratoconjunctivitis in, 48:881
- IDU, in dendritic keratitis, 54:735
- in herpes simplex, 54:481
- in herpetic keratitis, 54:1168
- ILLUMINATION**, artificial, in ophthalmology, 40:312
 - background, visual acuity and, 47:613
 - dark adaptation and, 37:966
 - effect of veiling luminance, 39:126
 - effect on color test plates, 44:286
 - EEG studies and, 41:1109
 - ERG and, 41:686; 47:710
 - fluorescent, visual fatigue and, 45:149
 - focal, instrument for, 52:436
 - for reading, 37:816
 - high, dark adaptation and, 52:293
 - in industry, 40:313
 - in road traffic, 52:133
 - influence on accommodation, 37:470
 - influence on glaucoma, 51:856
 - ocular tension and, 36:1009
 - of pseudo-isochromatic plates, 53:167
 - of tangent screen, 49:395
 - physiopathologic study of, 44:309
 - reduced, visual acuity in amblyopia and, 48:561
 - technique, for microscopy, 41:869
 - Cibis, 47:710
 - vision and, 42:167; 45:468
 - visual acuity and, 44:558
 - in low, 49:862
 - visual efficiency and, 39:443
- Illusion, for vertical lines, 53:400
- oculogravic, 36:562
- Illustrating the lecture, 38:611
- Images, contrast and integration in forming, 41:572
 - inverted, normal vision and, 44:556
 - movement during fixation, retina and, 48:121
 - unequal brightness of, 37:468
- Iminodipropionitrile, experimental lathyrism due to, 51:363
- Immunologic testing, in uveitis, 51:329
- Immunology, in lens pathology, 49:401
- of the cornea, 43:325
- sympathectomy and induced reactions, 48:554
- IMPLANTS**: 37:635; 45:329
 - acrylic, 45:476
 - in anterior chamber, 43:650
 - in keratoplasty, 42:813
 - lens, 43:652
 - sterilization with ultraviolet rays, 43:819
 - safety requirements for, 44:449

IMPLANTS (continued)

- after enucleation, 40:606; 42:806
- problems of, 41:355
- anterior chamber, 45:324; 46:255; 52:1011
- in aphakia, 52:308
- artificial lens, 54:500
- auricular cartilage, in retinal detachment, 51:1351
- bone, 39:618
- buried movable, 38:762
- buried orbital, 45:762
- capsuloscleral, 45:599
- corneal, 46:625
- cutaneous, in retinal detachment, 51:1350
- elderberry pith, 48:708
- extraconjunctival, 39:470; 44:287
- fixation of, 38:278
- for enucleation and evisceration, 51:565
- gelatin, in keratoconjunctivitis sicca, 53:404
- histology of removed, 53:188
- in orbital fractures, 42:676
- integral, 36:1489
- intraocular, 53:169
- intrasccleral, 46:117
- evisceration with, 51:1335
- prosthesis and, 41:904
- Ivalon, 52:314
- luxite, 52:314
- magnetic, intraocular, 40:767, 927
- orbital, 39:471; 41:540; 43:159, 505
- five-year survey of, 39:136
- muscle-cone, 50:526
- new material for, 38:895
- nylon thread, 44:140
- orbital, 40:926; 54:515
- after Arruga-Moura, 45:600
- amber, 38:278
- in eviscero-enucleation, 51:1357
- polystan, 43:529
- polyvinyl sponge, 38:278
- supramid, 43:529
- Paladon, in orbital defects, 54:909
- in orbital reconstruction, 49:1457
- in palpebral defects, 54:909
- plastic orbital, 39:922
- polystan, 49:194
- polyvinyl sponge, 41:338
- Ridley: See Ridley lens
- scleral, 37:311
- evisceration with, 51:1314
- supramid, 40:606
- two-pivot, 48:286
- vitreous, 53:414
- Incisions, iris prolapse during von Graefe, 43:504
- Inclusion bodies, staining of, 46:917; 51:551
- See also under Trachoma
- Incontinentia pigmenti, 48:716
- eyeground change and, 43:533
- toxoplasmosis reaction and, 43:533
- India, cataract extraction in, 48:885
- refraction school children in, 53:423
- Indonesia, ophthalmology in, 44:309
- INDUSTRY**, chemical, eye lesions in, 44:569
 - color deficiency in, testing for, 45:474
 - disability, compensation: See Disability compensation
 - ocular, causes of, 45:610
 - diseases in, 44:308
 - eye accidents in, 52:320; 53:1079
 - eye health in, 36:429
 - eye injuries in, 40:945, 947, 948; 41:368, 742; 47:743
 - visual evaluation after, 43:344
 - illumination in, 40:313
 - lens injuries in, 48:577
 - methanol poisoning in, 44:568
 - one-eyed persons in, 41:368
 - ophthalmology in, 46:785
 - optometry in, 40:312
 - photochemical, argyrosis in, 47:441
 - reading improvement in, 41:572
 - vanadium poisoning in, 43:344
 - vision in, programs for, 45:475
 - research on, 36:1329
 - visual aptitudes in, 37:323

INDUSTRY (continued)

- visual improvement in, 41:572
- visual screening in, 44:559; 45:477; 46:767
- Infancy, inflammations eye in, 36:575
- INFANTS**, amblyopia in, 45:760
 - anesthesia in, 37:141; 47:912
 - blindness in, 37:642
 - diagnosis of, 52:438
 - cataract extraction in, 51:561
 - cerebellar ablation in, 48:581
 - chlorhexidine in, 51:1330
 - dacryocystitis in, 42:823; 44:859
 - diseases of sinus in, 46:435
 - effect early strabismus surgery on, 48:568
 - ERG in, 54:511
 - endocrine exophthalmos in newborn, 44:305
 - epiphora in, 42:183
 - examination of, for blindness, 52:743
 - in tuberculosis, 45:474
 - fixation reflexes in, 51:163
 - inclusion conjunctivitis in, 51:329
 - iris cyst in, 49:661
 - iris melanoma in, 53:1077
 - lacrimal sac infections in, 37:637
- NEWBORN**, cytology conjunctival fluid in, 51:555
 - ERG in, 52:312
 - flicker, 47:609
 - to diagnosis blindness, 51:348
 - endocrine exophthalmos in, 44:305
 - eyes of, 44:863
 - care of, 44:863
 - findings, in cyanotic, 36:426
 - in brain injuries, 36:158
 - gangrene of eyelids of, 40:155
 - lacrimal abscess in, 53:419
 - nystagmus in, 53:180
 - ocular tension, under general anesthesia, 54:739
 - optic nerve lesions in, 45:175
 - orbital hematoma in, 48:427
 - orbital sarcoma in, 37:310
 - prophylaxis in, 42:176; 45:481; 53:424
 - comparative study of, 46:925
 - proptosis in, orbital sepsis and, 48:134
 - retinal hemorrhage in, 41:180, 730, 1103; 54:511
 - retinal lesions in, 45:175
 - tonometry in, 48:575; 53:722
 - trachoma in, 41:168
- normal neonatal period in, 43:157
- premature, 44:152
 - eyes of, 38:760
 - fundus in, 36:749
 - Pseudomonas infections causing death, 52:299
 - pupillary membrane in, 49:657
 - retinopathy in, 43:333
 - retrolental fibroplasia in: See Retrolental fibroplasia
 - vision in, 43:157
 - vitreous hemorrhage in, 41:588
- refraction in, 53:180, 402
- strabismus in, 50:834
 - and behavior of, 50:202
 - See also Strabismus
- toxoplasmosis in, 45:797
- trachoma in, 54:341
- uveal tuberculosis in, 41:171
- vision in, development of, 52:134
 - fields of, 46:250
 - grading of, 45:476
- visually defective, 52:743
- vitreous hemorrhage in, 41:588
- xanthoma in, 43:345

INFECTIONS, after Elliot trephination, 49:659

- bacterial, of conjunctiva, 49:1073
- coagulase-positive Staph. in, 40:280
- corneal, 43:645
- diaminodiphenylsulphone in, 51:1330
- drainage, in intraocular, 40:279
- endoculic, 43:825
- focal of eye, 47:615
 - differential diagnosis, 37:143
- foreign bodies and, 36:759
- gantrisin in, 36:572
- gram-negative, 37:288

INFECTIONS (continued)

- healing after, 54:912
- herpes: See under Herpes
- hospital, 52:603
 - in ophthalmic surgery, 51:1336
- Lanthasol-Aerosol inhalations in, 40:456
- late, after fistulizing operations, 51:750
- modern treatment of, 41:164
- mycotic: See Fungus infections
- polyfax to treat, 41:573
- polymyxin B in, 36:1167
- prophylaxis of, in eye surgery, 51:1342
- pyocyanus, 37:135; 40:288
- resistance to, 49:652
- Strep., serologic reactions in; 37:454
- streptomycin in, 43:807
- INFLAMMATIONS**, ACTH hydrolyzate in, 40:295
 - acute, of orbit, 42:822
 - adhesions of, 53:1046
 - and of ear, 39:611
 - aqueous electrophoresis in, 45:473
 - c-reactive proteins in, 49:654; 51:346, 1329
 - color tests in, 45:464
 - corneal permeability in, 41:152
 - cortisone in, 53:1045
 - effect Butazolidine on, 40:282
 - endogenous, 42:511; 53:197
 - fluorescein test in, 52:292
 - in infants, 36:575
 - influence hormones on, 37:454
 - influence novocaine block on, 44:435
 - of anterior segment, 49:176
 - of cavernous sinus, ophthalmoplegia and, 52:438
 - of orbit, sinuses and, 50:353
 - organisms identified in, 40:280
 - prednisolone in, 42:172
 - prednisone in, 42:172
 - radiotherapy in, 47:711
 - vasoconstrictors in, 48:879
 - vitreous opacities, edema and, 51:362
 - X-ray therapy for, 53:709
- Influenza, Asian, iridocyclitis in, 48:698
 - neuropapillitis in, 48:706
 - ocular complications of, 48:704
 - eye lesions in, 50:359
 - macular lesions after, 47:731
 - ophthalmoplegia after, 41:909
- Infrared, image in scotometry, 36:1489
- radiation: See under Radiation
- research instruments, 36:1486
- skiascope, 36:1486
- Inheritance, role in psychosomatic ophthalmology, 47:442
- INJURIES**: 43:848
 - acute, initial treatment of, 37:318
 - alkaline burns, 53:1079
 - allergy and, 50:821
 - analysis of, 52:597
 - anterior chamber hemorrhage after, 46:284
 - arcuate choroiditis after, 48:573
 - atomic bomb, 41:1117
 - atomic flash, 40:155
 - avulsion, cheek, eyelid, nose and lip, 47:743
 - bee sting, of cornea, 45:604; 48:126; 53:741
 - beryllium, 36:139
 - blindness after, 54:521
 - boxing, 36:758; 38:449
 - brain, fundus changes in, 52:597
 - diagnosis of, 36:755
 - in newborn, 36:158
 - optokinetic astasia in, 36:1493
 - visual disturbances after, 52:588
- BURNS**, corneal paracentesis in, 51:1359
 - of eyelid, ectropia due to, 47:740
 - healing of, 43:819
 - hydrogen ion in aqueous after, 43:813
 - Lambral in, 37:638
 - mucosal transplants in, 50:357
 - of cornea, 43:513
 - Passow operation in, 47:441
 - prophylaxis, 43:342
 - studies on, 54:169
 - treatment of, 44:860; 51:1360

INJURIES (continued)**BURNS (continued)**

treatment of (continued)

Vasculat in, 50:200

vitamins B₂ and C of cornea after, 53:741

calcium, 38:899

caterpillar hair, 43:343

cauterizing, novocaine infections in, 46:118

CHEMICAL, 38:281; 39:621; 46:283

antibiotics in, 36:759

aqueous flow after, 43:808

argyrosis due to, 47:441

blood-aqueous barrier after, 43:808

cortisone in, 40:147

chorvasymton in, 37:318

due to carbon disulfide, 44:569

due to lime, 44:443

due to silicon ester, 37:461

due to zinc chloride, 44:445

early operation for, 41:362; 44:568

effect on cornea, 42:649

healing of, 41:895

in industry, 44:569

methyl violet, 47:743

neurologic factors in, 42:161

of conjunctiva, 40:593

undermining of, to treat lime, 37:318

of cornea, 40:593; 758; 51:852

heparin in, 47:916

Passow's operation in, 47:146, 298

potassium permanganate, 37:610

priscol in, 36:759

regeneration after, 49:406

subconjunctival blood injections in, 44:304

sympatol in, 50:823

thioglycolic acid in, 36:1324

treatment of, 36:1482; 45:331; 53:401

severe, 36:1652

vasculat in, 36:357

cilia in anterior chamber, due to perforating, 42:340

ciliary body, diathermy in, 48:883

coal dust, 47:743

compensation for ocular, 39:929

See also Disability compensation

concussion, iris hole after, 50:356

contusion, 43:531

gonioscopic study of, 44:302

iris atrophy after, 46:780

corneal epithelium reaction to, 42:803

corneal perforation due to thermal burn, 51:743

corneal rare, 47:917

corneal vascularization and, 51:353

cranial, optic nerve lesions after, 52:585

deep anterior chamber after, 39:621

diagnosis of eye, in multiple injuries, 52:435

diplopia and, 48:135

treatment of, 54:886

due to air-gun shot, 39:924

due to aloe barb, 43:660

due to bile of goose, 44:728

due to blank cartridges, 49:198

due to butyl alcohol, 41:911

due to chloride of zinc, 50:357

due to gas pistols, 49:197

due to indelible pencil, 37:978

due to lightning, 44:302

due to power lawn mowers, 51:210

due to tear gas, 44:568; 49:198

eclipse burns, 40:155

electric, 44:302

emergency treatment of, 46:118, 119

eosinophil count in, 46:924

eye, and eyelid, in children, 53:209

gonioscopy in, 37:157

in adults, 38:281

foreign bodies: See Foreign bodies

fractures: See Fractures

gastric juice, of cornea, 47:620

glass, 43:849

retention of splinters, 46:781

globe luxation due to, 49:197

gonioscopy in, 37:157

INJURIES (continued)

grease gun, 41:1117

gunshot, 36:423; 40:309

exophthalmos from, 43:845

head, eye complications of, 37:319

eye signs of, 46:283

motility disturbances after, 49:396

healing after, 54:912

hyphema due to, 54:520, 521

iatrogenic, 40:610

in adults, 37:639

in agriculture, 40:609

in boxers, 37:837; 44:458

in children, 37:639; 43:660; 54:521

in coal miners, 40:609

in industry, 40:945, 947, 948; 41:368, 742; 47:743; 53:1079

evaluation visual function after, 43:344

in national emergencies, 44:302

in South Wales, 40:944

intracranial, eye signs in, 44:154

iris pigment changes after, 47:721

legal aspects of ocular, 39:929

lens deformity due to, 47:130

limbal, rare, 47:917

lime burns, 49:198

autohemotherapy in, 53:742

heparin in, 50:522

irrigation in, 49:406

operation in, 47:282

neck, iris atrophy after, 52:302

nonperforating, treatment of, 51:1361

ocular tension after, 45:783

variations in, 40:150

oculo-palpebral synkinesis after cranial, 52:1017

of cavernous sinus, 38:602

of chiasm, 41:738; 48:431

of cornea, 50:1263

bee sting, 45:604; 48:126; 53:741

due to alpha chymotrypsin, 51:197

due to cortisone, 51:1346

due to echinoderm spine, 51:196

from flowering tree, 52:139

leech bite, 43:1008

surgical repair of, 43:514

treatment of perforating, 36:1325

of eye, in head injuries, 50:1285

of eyelids, 38:281, 605

of globe, report on, 6:348, 36:162

of iris pigment epithelium, 47:123

of lens, in industry, 48:577

of optic nerve, 47:735

EEG in, 43:532

of optic pathways, 36:1492, 1493

of orbit, 36:1017; 41:356

and cranial fossa, 43:532

blowout fracture of, 53:208

due to wood splinter, 45:182

EEG in, 43:532

hemorrhagic, meningitis after, 36:890

of retina, due to atomic nash, 45:604

of sclera, 44:728

of serious import, 37:318

ophthalmoplegia after, 47:121

orbitocranial stab wounds, 45:797

oxycephaly due to, 48:144

penetrating, 37:318; 44:301, 568; 54:912

typhoid vaccine in, 49:671

perforating, 54:911

cortisone in, 40:155

gas gangrene after, 40:307

L.K.-values in, 46:422

long-term follow-up of, 46:439

penicillin in, 38:449

repair of, 54:912

scleral graft in, 49:198

photoelectric, 43:848

plastic repair of, 41:329

potassium permanganate, treatment of, 47:119

pupil disturbances after, 46:278

retinal detachment and, 40:600; 53:203

retinal vein obliteration in, 48:422

rose thorn, 37:157

INJURIES (*continued*)

- rupture of globe, sight recovery after, 39:621
- scleral cyst due to, 51:743
- self-inflicted, 47:743
 - keratectasia due to, 44:458
- skiascopy in evaluating, 36:1017
- skull, optic nerve lesions after, 41:351; 46:112
- soft tissue, management of, 50:687
- solar, 48:430, 431
- Soviet literature on, 49:198
- stab wounds, 38:899
- surgery of ocular, 48:432
- tear gas, 50:357
 - of cornea, 40:944
- thermal burns, of eyelids, 46:283
- thoracic, ocular manifestations of, 47:141
- treatment of, 44:302; 51:1360
- vanadium poisoning, 43:344
- visual hygiene and, 52:320
- unusual, 49:1460
- war, geniculocalcarine, 36:1651
 - repair sockets after, 37:634
- whiplash, 50:357; 53:1079
- Insect bites of eye, 46:623
- keratitis due to, 41:170; 47:121
- keratoconjunctivitis due to, 46:262
- Institute of International Education, research funds, 51:530

INSTRUMENTS, adaptometer, 36:740; 47:616, 617

- automatic recording, 38:586
- for mass screening, 45:761
- to measure dark adaptation, 47:710
- amblyoscope, 46:424
- animal platform, for slitlamp, 47:119
- applicator, rubber-tipped, 46:923
- Arruga speculum modified, 54:337
- attachment for Tudor Thomas stand, 49:864
- automatic release, for erisophake, 50:525
- ball-joint, for giant magnet, 41:904
- ball-point scissors, 48:124
- bistoury, with changeable blade, 36:571
- blepharostat, 45:761
 - for cataract extraction, 36:570
- camera, for stereophotography, 39:447
 - hand fundus, 46:924
 - Zeiss fundus, 51:553
- cannula, to apply alpha chymotrypsin, 50:524; 53:400
- anterior chamber, 50:201
- Castroviejo forceps, modified, 36:877
- cataract forceps, 54:337
- cataract knife, handle for, 52:295
- chart, to test astigmatism, 47:409
- clamp, for keratoplasty, 38:438
- contact glass, for ERG, 48:566
 - for slitlamp examination, 39:449
 - suction, to localize foreign bodies, 43:818
- contact lens, electrode for ERG, 41:904
 - for recording ERG, 47:120
 - prism and, for slitlamp examination, 36:143
- convex plunger, for tonometer, 51:738
- corneal forceps, 52:435
- corneal needle, 39:504; 42:949; 43:825
- corneoscleral suture forceps, 48:567
- cryoextractor, for cataract operations, 53:1064
- cutter for polyethylene, 50:828
- demonstration of, 54:338
- dental mirror, as eye, 52:295
- development of, 43:500
- "devil's hood" for fixation, 47:426
- deviometer, 52:438
- diagnostic, 51:176
- diathermy machine, 46:255
- dynamometer, 54:885
- electric manometer, 36:285
- electric to remove foreign bodies, 50:525
- electrocoagulation electrode, 53:401
- electrode, for diathermy, 49:864; 51:861
- electronic, for retinal detachment surgery, 52:311
 - manometer, for anterior chamber, 47:615
 - ophthalmodynamometer, 51:194, 738
 - tubes, to use direct current, 38:592
- electro-ophthalmoscope, 53:176

INSTRUMENTS (*continued*)

- endpiece, for giant magnet, 36:1173
- entoptoscope, 42:174
- enucleation scissors, 48:566
- ERISOPHAK**: 43:826; 54:335
 - automatic release for, 50:525
 - Bell's modified, 36:1172
 - electric, 51:552; 53:173
 - for cataract extraction, 41:348
 - modified, 53:552
 - tip for, 54:337
- exophthalmometer, 39:132
 - measuring device, 45:764
- extraction loop, for small lenses, 50:522
- eyeshield, Gluck's postoperative, 50:1258
- film-holder, 44:140
- filme visuscope, 52:138
- fixation, device, for Schiötz tonometer, 45:323
- forceps, 40:287
 - targets, for strabismus examinations, 50:523
- fixator, 45:473
- fluorescent lamp examination unit, 46:926
- fluorometer, for slitlamp, 48:124
- fluorophotometric apparatus, to study anterior chamber, 38:125
- for acoustic section of eye, 53:173
- for cataract extraction, 43:521; 50:1271
- for dacryocystorhinostomy, 52:1020
- for diasceral illumination, 47:277
- for diathermy, 42:807
- for electrosurgery, 36:1174
- for Elliot's operation, 39:135
- for focal illumination, 52:436
- for goniotomy, 36:572
- for infrared research, 36:1486
- for iontophoresis, in iodine therapy, 45:483
- for lamellar keratoplasty, 46:924
- for lamellar scleral resection, 54:157
- for orbitometry, 36:1643
- for perforating keratoplasty, 37:285
- for photography, of anterior segment, 49:177
- of chamber angle, 49:177
- for plastic operations, 37:286
- for round-pupil cataract extraction, 36:568
- for subconjunctival implantation, 46:257
- for vitreous surgery, 37:305
- forceps, corneal suturing, 39:906
 - and scleral, 43:502
 - for intracapsular extraction, 49:871; 50:524
- fornx conformer, 47:912
- frame for retinoscopy, 49:177
- Geiger counters, for eye use, 42:327
- probe, 39:449
- germicide stand, for tonometers, 40:767
- gold-ring electrode, for ERG, 52:297
- Goldmann perimeter, fields with, 40:146
- Goldmann-weekers adaptometer, 43:817
- gonioscope, 42:520
 - prism, 48:693
 - pyramidal, 36:1171
- von Graefe's knife, examination of, 45:767
- Haag-Streit slitlamp 900, 53:174
- hammer lamp, for ophthalmoscopy, 43:504
- hand optometer, 46:257
- head-pillow, for operating table, 48:285
- horopter finder, 47:911
- intracavitary radon applicator, 37:143
- iris repositr, 40:456
- iris retractor, 50:524
- keratoscope, 46:623
- lacrimal, 43:821
 - dilator and cannula, 46:255
 - suture-probe, 50:523
- lens supporter for ophthalmoscope, 41:575
- lid retractor, 38:438
- light for cataract extraction, 43:827
- Maggiore perimeter, 54:487
- magnet, 39:136
 - permanent, 45:764; 46:926
- magnetic campimeter, 39:132
- magnetic tangent screen, 44:714
- measuring hooks for strabismus, 39:905

INSTRUMENTS (continued)

micrometer, to measure fundus details, 47:616
 microrheometer, for perfusion, 46:613
 microscope for surgery, 38:437
 miniature diathermy apparatus, 52:295
 mirror, for Schepens ophthalmoscope, 49:177
 to locate foreign bodies, 53:401
 mobile operating table, 47:275; 51:1338
 Moeller refractor, 36:570
 muscle headlight, 48:124
 near-point rule, 39:904
 needle, for corneal surgery, 43:1005
 to remove corneal foreign bodies, 45:765
 needleholder, 42:172; 48:125, 285; 54:486
 for corneal suturing, 49:176
 for extracting cataract, 41:1101
 for retinal detachment operations, 44:559
 noose-tightener for sutures, 45:156
 notched retractor, 40:145
 notched speculum blades, 40:145
 occluder, 42:950
 for strabismus, 52:433
 of Gallo-Romans, 48:436
 of Goldmann and Gunther, to measure visual acuity, 51:194
 of Ohm-Romberg, for pleoptics, 54:1162
 ophthalmodynamometer, 47:712; 49:1444
 ophthalmoscope, attachment to diagnose fixation, 50:523
 color television, 46:926
 spectral color, 53:398
 with upright image, 47:275
 optic control of sharp ophthalmic, 37:471
 orbital compressor, 41:338
 ortho-stimulator, to treat strabismus, 50:526
 pellet injector, for carcinogens, 42:138
 perilimbal suction cup, 54:335
 perimeter, 39:132
 attachment for flicker perimetry, 38:126
 with recording mechanism, 39:448
 photocoagulator, 54:336
 photokeratograph, 46:926
 pins and forceps for retinal detachment surgery, 47:131
 plastic models of eye, 45:763
 portable campimeter, 53:1045
 portable eye irrigation unit, 45:475
 probe for Berman locator, 46:927
 projection co-ordinator, 39:130
 projection perimeter, 44:141
 ptosis clamp, 36:143
 ptosis spatula, 41:576
 punch forceps for keratoplasty, 46:932
 refraction, portable outfit for, 36:1171
 restraining device for small animals, 37:470
 retinal camera, hand, 42:950
 retraction forceps, 48:793
 Romberg apparatus, to determine visual acuity, 47:613
 rotator and illuminator, for color plates, 36:145
 scalpel and scissors, 49:871
 scissors, 48:125
 for cataract extraction, 45:157
 scleral projector, 42:175
 screen and slits for photo-biomicroscope, 48:409
 sharp, in eye surgery, 44:288
 silver style, in epiphora, 43:340
 solar cautery, 46:624
 space eikonometer, 36:739
 speculum, for aspiration, 51:552
 Lindner improved, 45:153
 sponge attachment for epiphora, 44:713
 stand, for donor eye, 51:1340
 to mount Wood's light, 46:926
 stereo camera, 45:153
 stereocampimeter, 45:762
 stereophorometer, in orthoptics, 49:865
 stereoscopic equipment, 39:904
 stereoscopic tests, 52:133
 sterilization of sharp, 38:435
 by boiling, 39:904
 suction cup, in clinical work, 50:526
 in diagnosis glaucoma, 52:1007
 support for surgical photography, 54:158
 surgical, demagnetizer for, 49:395

INSTRUMENTS (continued)

suturing, and fixation forceps, 36:143
 spatula, 47:710
 swivel instrument table, 37:475
 synchotome, for complicated cataract, 47:127
 syringe, for cataract extraction, 36:1313
 to irrigate soft cataracts, 36:741
 tables for, 37:474
 table viewer, for clinical demonstrations, 37:471
 test object, for campimetry, 47:617
 to calibrate ophthalmodynamometer, 52:1009
 to cut lamellar grafts, 37:969
 to determine angle corneal astigmatism, 47:272
 to diagnose and record diplopia, 50:522
 to enlarge anterior chamber opening, 47:710
 to extract foreign bodies, 47:713
 to extract pieces of cornea, 39:133
 to localize foreign bodies, 44:140
 to locate tears in retinal detachment, 47:731
 to measure, cloudiness cornea and lens, 40:456
 episcleral venous pressure, 53:173
 inter pupillary distance, 39:442
 pupil diameters, 43:318
 retinal blood vessels, 49:177
 visual perception speed, 37:144
 visual power, 42:171
 to photograph, anterior segment, 48:124
 optical sections, 49:178
 to project mobile stimuli on retina, 54:159
 to record eye movements, 39:775
 to refract young children, 53:168
 to register diplopia, 49:180
 to remove foreign bodies, 44:140
 to study scotopic visual fields, 45:154
 to take lamellar grafts, 47:276
 to test dark adaptation, 44:713
 to treat macular holes, 48:132
 to treat strabismus, 52:433
 tonometer, applanation, 38:592; 40:456
 electric, 49:175
 electronic, 36:569
 holder, 45:155
 Mackay-Marg, 54:159
 new, 37:142
 recording, 46:623
 stabilization scale, 53:1050
 with convex plunger, 51:857
 tonosphygmometer, 52:445
 trabeculotomy, 52:294
 transilluminator, for Geiger counter, 42:175
 with diathermy electrode, 36:877
 trays for, 37:474
 trial frame, 46:624
 trephine, 38:438; 43:1005
 for dacryocystorhinostomy, 39:274
 for keratoplasty, 37:969
 Vannas scissors, to remove sutures, 48:565
 voltage stabilizer, 39:130
 water chamber for glasses, 38:126
 zonule stripper, 48:123
 Insulin, in diabetic retinopathy, 36:293
 influence on lens permeability, 43:808
 shock, retinal and ocular pressure during, 46:624
 insulinase, in eye, 43:810
 Intermedin, in choroideremia, 43:180
 in retinitis pigmentosa, 43:180
 subconjunctival, 53:709
 International Congress of Ophthalmology, 39:626
 Intracranial disease, hemianopia and, 44:722
 papilledema and, 49:1456
 vascular, ophthalmodynamometry in, 46:924
 visual fields in, 44:722
 Intracranial tumors, 37:632
 diagnosis, 37:633
 eye symptoms in, 41:733
 prognosis, 37:633
 Intra-epithelial epithelioma: See Bowen's disease
 Intraocular implants, 53:169
 pathology after, 49:1441; 53:396
INTRAOCCULAR LENSES: 38:588; 44:449; 45:324; 46:255, 430; 48:131; 50:1257; 51:332; 53:174, 1063
 acrylic, 45:324; 47:288, 726

INTRAOCULAR LENSES (continued)

- animal experiments with, 47:130
- calculation of, 52:438
- complications of, 54:746
- fixation in pupil, 48:418
- implantation of, 47:128
- in anterior chamber, in ametropia, 41:159
- in anisometropia, 41:159
- in aphakia, 44:296; 54:1172
- in cataract, 52:308
- in keratoplasty, 42:813
- indications and technique, 44:558
- iris-clip, 53:558
 - in aphakia, 54:894
- new design of, 46:625
- report on 132 cases, 46:273
- results after, 54:500
- review of three cases, 51:858
- Ridley: See Ridley lenses
- Strampelli: See Strampelli lenses
- 10-year report on, 51:1334
- vision with, 51:857
- Intraocular pressure: See Ocular tension
- Intraocular tumors, invasion tendencies of, 47:140
- Intrauterine infections, new syndrome due to, 46:442
- Iodine, absorption into anterior chamber, 37:458
 - effect on eye, 39:606
 - in eye, 43:1001
 - in ocular therapy, 46:257; 49:655
 - migration into ocular tissues, 51:729
 - penetration in iontophoresis, 51:345
 - radioactive, 43:492
 - therapy, 50:200
- Iodoacetate, eye lesions produced by, 44:436
 - histologic studies, 45:751
 - poisoning, of rat retina, 49:860
- Iodoacetic acid, cataract from, 46:246
 - effect on inflammations, 45:753
 - effect on retina, 42:323
- Iodo-niacin, clinical experience with, 51:1339
- Ions, aqueous concentration of hydrogen, 43:814
 - bicarbonate, intraocular fluids and, 43:811
 - in vitreous, 43:811
 - permeability, of cornea, 36:739
- Iontophoresis, 36:742; 39:904; 40:289
 - antibiotic penetration by, 41:863
 - copper sulfate, in herpetic keratitis, 51:160; 54:333
 - cortisone by, 38:435
 - damage to eye in, 52:293
 - hydrogen ion and, 42:520
 - iodine, instrument for, 45:483
 - penetration of, 51:345
 - radioiodide for, 45:483
- Iran, asiatic influence in, eye complications of, 47:284
 - trachoma in, 45:778; 46:770
- Iraq, trachoma in, 50:204
- Irodenyl, after surgery, 43:161
- Irocodin, new analgesic, 40:146
- Irgaprin, in ophthalmology, 36:583; 40:766; 42:521; 43:506
 - in irritative diseases, 37:457
 - in sympathetic ophthalmia, 45:166
- IRIDECTOMY:** 43:837; 45:320
 - action of, 37:296
 - anterior chamber closure, 43:651
 - aqueous P₁₉ after, 43:156
 - effect on blood-aqueous barrier, 40:151
 - Elschnig's capsulo-, 36:1173
 - in glaucoma, acute, 42:660
 - closed-angle, 46:429
 - in primary iris tumor, 47:624
 - peripheral, 53:555
 - in angle-closure glaucoma, 49:182; 50:530
 - scleral cautery with, 47:922; 50:1266
- IRIDENCELEISIS:** 37:618; 40:297; 43:1012; 44:149; 46:628; 48:417; 49:400
 - action in glaucoma, 36:587
 - blood-aqueous barrier permeability after, 40:596
 - cataract extraction after, 47:627
 - clinical experiences with, 44:564
 - clinical value of, 42:955
 - cysts anterior chamber after, 37:153

IRIDENCELEISIS (continued)

- effect on choroidal tumors, 48:416
- gonioscopy and, 42:818
- histology of eye removed after, 41:1100
- in buphthalmos, 45:322
- in glaucoma, acute, 49:400
 - chronic, 42:334
 - congestive, 39:612
 - secondary, 39:779
- infections after, 50:534
- internal, 44:148
- mechanism of, 39:266
- modified, 47:626
- ocular tension regulation after, 38:598; 43:328
- papilledema ex vacuo after, 53:196
- pathologic anatomy of, 47:124
- results, of experimental, 39:912
- retinal detachment after, 42:817
- scleral incision in, 40:465
- scleral trephination in, 50:1265
- Stallard, 42:660
- tension-lowering effect, 41:175
- trephination and, 41:585; 52:443
- valvular postplaced, 46:770
- with sclerectomy, 48:576
- Iridentasis, 52:1008
- Irideremia, glaucoma and, 53:723
- Iridocapsulotomy, 50:526
- Iridociliary tuberculoma, 43:648
- Iridocorneal angle, prism to examine, 37:470
- IRIDOCYCLITIS:** 38:263
 - after cataract extraction, 46:274
 - after Papatacci fever, 42:529
 - allergic aspects of, 37:614
 - and diseases of cartilage and joints, 36:149
 - aqueous, cytopathology in diagnosis of, 41:1094; 50:828
 - studies in, 44:716
 - aureomycin to treat, 38:882
 - bacterial invasion and, 44:716
 - band keratopathy in, 38:264
 - body involvement in, 36:1647
 - cataract after, 38:268; 39:268
 - extraction in, 36:1313
 - chronic, 53:1056
 - conjunctivitis with, 42:332
 - corneal changes in, 42:810
 - corneal thickness in, 36:1179
 - cortisone in, 40:295
 - due to herpes simplex, 46:269
 - due to injected egg white, 41:560
 - effect gamma globulins on virus, 54:1160
 - etiology of, 46:767
 - experimental, 47:100
 - Finsen light treatment in, 47:614
 - glaucomatous, 41:915
 - hypersensitivity and, 44:716
 - in Asian flu, 48:698
 - in leprosy, 45:780
 - in sarcoidosis, 54:1169
 - in Still's disease, 37:616; 45:798
 - intravenous copper lactate in, 39:910
 - keratitis in, 42:332
 - leptospirosis, 39:143
 - naphazoline to treat, 41:167
 - nonspecific, pathogenesis of, 43:170
 - treatment of, 43:170
 - rheumatic, 48:289; 49:1450
 - surgical therapy of, 37:823
 - toxoplasmosis causing, 44:290
 - viruses in, 53:406
 - vitreous changes in, 37:158, 623
 - X-ray therapy in, 45:168; 49:398
- Iridopathy, due to deoxycorticosterone, 47:882
 - in diabetes, 54:903
- Iridoschisis, 36:149, 1007; 40:296; 41:172; 53:720
 - conical corneal and, 39:456
 - glaucoma and, 53:200
- Iridosclerectomy, after Lagrange, 54:160
- Iridotomy, 42:332
 - by photocoagulation, 50:526
- IRIS,** absence of: See Aniridia
- acetylcholine of, 36:1162

IRIS (continued)

- action cocaine on, 37:135
- action potential of, 51:198
- aniridia: See Aniridia
- anomalies, heterochromia and, 48:128
- aplasia of, 37:613
- maternal rubella and, 46:439
- ATROPHY**, 41:173
 - after glaucoma, 48:288
 - after iritis, 48:288
 - after neck injury, 52:302
 - after trauma, 46:780
 - corneal dystrophy, glaucoma and, 36:1645
- ESSENTIAL**, 36:881; 39:910; 45:167; 52:442
 - bilateral, 54:1168
 - glaucoma and, 49:1449; 50:207
 - progressive, 45:320
 - in glaucoma, 39:779; 43:327, 518; 44:291; 53:724; 54:162
 - primary, 54:498
 - secondary, 51:356
 - surgery of, 38:881
 - treatment of, 53:200
 - macular changes in, 47:918
 - of epithelial layers, 46:269
 - progressive, 37:614
 - proliferation corneal endothelium and, 54:162
- autonomic innervation of, 41:865
- blood supply to, 41:345
- blood vessels of, hyphema and, 46:426
- tissues spaces of, 49:391
- bombé, in closed-angle glaucoma, 42:659
 - in discission operations, 38:887
- carcinoma of, 39:612; 48:573
- cholinesterase of, 36:1162; 44:436
- coagulation of, with light, 43:162
- coloboma of, 44:863
 - congenital, 49:661
 - glaucoma and, 52:602
 - talipes varo-equinus and, 39:926
- color of, corneal degeneration and, 44:863
- congenital lesion of, 43:1010
- contractile forces, 47:877
- crypts, anterior chamber and, 47:603
 - and trabeculae of, 48:275
- cultivation of, 47:625
- cyclectomy, in melanoma of, 53:1057
- cysts of, 42:528; 43:648; 51:199
 - after miotics, 38:445; 43:327
 - chemical treatment of, 53:1056
 - dermoid, 53:407
 - electrolysis to treat, 41:319; 42:326
 - implantation, 43:171; 46:627
 - in infant, 49:661
 - operation of, 48:289
 - radiation therapy of, 40:463
 - simulating melanoma, 39:456; 47:624
 - spontaneous, 37:153
 - surgical treatment, 44:563
 - traumatic, 41:581
 - treatment, 36:1006
- defects, in hereditary aniridia, 52:601
- depigmentation, after muscle transplant, 45:170
- detached anterior segment, 53:197
- diabetic rubeosis of, 48:883
- disinsertion, spontaneous, 36:150
- dysgenesis of, 51:1363
 - gonioscopic findings in, 52:602
 - effect some medicines on, 36:1162
 - effect physostigmine on sphincter of, 37:462
 - effect pilocarpine on sphincter of, 37:462
 - effect Tosmilen on, 53:886
- electron microscopy, to study blood vessels, 51:728
- epinephrine in, 37:464
- epithelium, allergic reaction of, 53:193
- fixed cells of, tumors and, 42:510
- hernias, trichloroacetic acid for, 45:764
- heterochromia of, 38:263
 - congenital, 37:292
 - pigmentary glaucoma and, 53:406
 - scleral pigmentation and, 53:406
- hole in, after concussion, 50:356

IRIS (continued)

- hyaline membrane of anterior, 44:147
- hydergin effect on, 48:277
- hyperplasia of, 48:290
 - congenital, 45:491
- in anterior chamber, 51:152
- in mongoloids, 51:854
- in neurofibromatosis, 36:881
- inclusion operation, in glaucoma, 49:184
- innervation of, 39:920
- iridoschisis, 40:296
- irritation of, pressure response to, 46:618
- leiomyoma of, 37:293; 40:294; 41:543; 48:712
- lipids of, 38:745
- melanoma of, 38:597, 756; 39:143; 42:952; 43:517; 46:427; 47:122; 48:415
 - in infant, 53:1077
 - malignant, 53:719
- mesodermal dysgenesis of, 43:1023; 47:622
- muscle, action antihistamines on, 39:120
- action hydergine on, 48:277; 49:859
- pharmacologic effect of, 52:739
- reversal action, 41:888
- tumor of, 36:149
- necrosis, after scleral buckling, 53:550
- neoplasms, 43:516
- neurofibromatosis of, 41:1095; 45:166
- new vessel formation in, 49:661
- nodules of, 43:160
 - in mongolism, 47:123
 - posttraumatic, 41:1095
- norepinephrine in, 37:464
- pharmacologic examination of, 40:918
- photocoagulation of, 43:823; 47:278
- pigment of, changes in, from miotic, 42:527
- trauma and, 47:721
 - electron microscopy of, 47:101
 - of epithelial cells, 53:1032
 - epithelium of, hyperplasia of, 53:420
 - injuries to, 47:123
 - tumors of, 36:150; 53:420
- layers of, traumatic detachment of, 46:780
- plateau type, open-angle glaucoma and, 47:126
- prolapse, after cataract extraction, 46:274
 - during Graefe section, 43:504; 44:720
- photocoagulation in, 53:1057
- postoperative, 49:398
- replacement of, 46:933
- treatment of, 42:933
- rabbit, electrotrauma of, 43:532
- resistance of, tissue and form, 44:717
- response of, to retinal stimulation, 51:711
- retroflexion of, 45:169
- rubeosis of, 42:815; 45:491; 48:289; 50:529
 - hydrodynamic changes in, 50:530
 - in diabetes, 46:933
 - fluorescein test in, 46:269
 - in glaucoma, 50:1264
 - and diabetes, 53:725
 - in traumatic ocular hypertension, 47:626
- spontaneous disappearance, 44:716
- sarcoma of, 54:520
 - ring, 53:1078
- senile changes of, cataract extraction and, 53:727
- solar coagulation of, 46:627
- sphincter, effect parasympatholytic agents on, 49:392
- stroma, structure of, 45:462
- structure of, in primates, 51:344
- spongy, 46:916
- suction for, the, 54:756
- suturing of, 45:320
- sympathetic innervation of, 37:813
- thrombus of, simulating melanoma, 53:1048
- tissue, proliferation of, 37:614
 - spaces, 47:603
- tumors of, 37:315; 39:264; 42:952; 48:289; 54:517, 736
 - diathermy in, 41:914
 - gonioscopy in diagnosis, 38:263
 - iridectomy in, 47:624
 - primary, 46:268
 - rare, 47:625
- vessels of, 40:300

IRIS (continued)

- wound healing of, 42:146
- IRITIS**, after glaucoma operations, 38:598; 39:144
- allergic, color tests, in, 45:464
- ankylopoetic spondylarthritis and, 42:815
- aqueous in, 41:915
- albumin level of, 51:1346
- cytology in, 41:726
- electrophoresis in experimental, 48:277
- toxins in, color test for, 41:726
- bacterial flora in, 41:886
- bilateral, with poliosis, 38:265
- congenital, cataract and, 38:443
- cytogram in, 45:466
- due to herpes, 45:168
- Fuchs' heterochromia, 52:441
- glaucoma and, 52:304
- fundus involvement in, 39:142
- gout and, 53:406
- hypopyon, in leukemia, 47:745
- recurrent, retinal angitis and, 43:171
- iris atrophy after, 48:288
- leprous, anterior chamber puncture in, 39:142
- lipoidosis and diabetic, 45:319
- lytic allergic, 37:616; 38:881
- nervous influences in experimental, 40:918
- perichondritis, chondritis and, 46:268
- rheumatic, 48:289
- serous, as trachoma symptom, 47:431
- X-ray therapy in, 45:168
- Iron, compounds of and hemorrhagic glaucoma, 51:201
- intraocular tolerance of, 53:397
- studies, on erythrocytes in vernal conjunctivitis, 47:623
- Irradiation: See under Radiation
- Ischemia, light adaptation and intraocular, 42:519
- of ciliary body, 43:521
- of retina, in pregnancy, 54:506
- retinal function after intraocular, 42:164
- Iscikonia lenses, prescription of, 38:435
- Ismelin, in glaucoma, 53:726
- ISONIAZID**: 38:445
- activity of, 42:946
- antibacterial activity of, 36:1163
- cholinesterase behavior during, 37:136
- concentration of, in aqueous, 36:736
- diffusion of, in aqueous, 38:119
- in ocular fluids, 36:738
- effect of, in eye diseases, 38:117
- effect on immune mechanism, 36:1166
- in keratoscleritis, 40:291
- in ophthalmology, 36:281, 1481; 38:120, 749
- in tuberculosis, 43:1005; 48:874
- experimental, 36:557; 37:457
- ocular, 36:555; 40:459; 41:339; 42:174; 43:823
- of choroid, 43:647
- in tuberculous meningitis, 36:1011
- in tuberculous uveitis, 38:445
- in uveitis, 40:285; 42:147
- optic atrophy after, 40:153
- optic nerve damage due to, 43:999
- stress-producing effects, 36:1166
- tolerance to, 42:946
- transfer into aqueous, 36:736
- Isotopes: See Radioactive isotopes
- Israel, glaucoma in ethnic groups of, 51:861
- Italian, ophthalmic literature for 1959, 53:745
- ophthalmology, review of, 54:913

J

- Jackson, cross cylinder in astigmatism correction, 47:907
- memorial lecture, 50:1268
- Japan, postwar ophthalmology in, 38:413
- trachoma in, 46:930; 47:716
- pathology of, 46:263
- Japanese, optic disc in, 50:1279
- Jaw-winking phenomenon, 39:785; 41:733; 51:570
- See also Marcus Gunn syndrome
- Jensen's retinochoroiditis, due to dental granuloma, 36:1648
- Joint disease, ophthalmic syndromes related to, 42:186
- Joints, dislocations with cartilage disease and iridocyclitis, 36:149

Jordan, trachoma in, 49:171

K

- Kallikrein, autonomic nerves and, 43:812
- retinal blood vessels and, 43:812
- Kanamycin, 51:733; 54:1164
- Kaposi's sarcoma, chorioretinal lesions and, 45:169
- eye manifestations in, 43:325, 531
- of eyelid, 50:686
- Kayser-Fleischer corneal ring, 40:771; 44:145; 50:674
- diagnostic value of, 48:128
- electron microscopy of, 44:283
- in Wilson's disease, 39:269
- Keloid, corneal, 46:263
- treatment of, 37:472
- Keratactasia, due to self-inflicted injury, 44:458
- KERATITIS**, action prednisone on, 41:562, 596
- after cataract extraction, 46:892
- after prednisolone, 51:197
- anaphylactic, 50:191, 528
- antihistamines in, 36:555
- cortisone in, 36:555
- antituberculous therapy and, 48:413
- bacteriologic study of, 44:146
- band-shaped, corneal degeneration and, 38:258
- bullosa, after cataract surgery, 51:743
- corneal epithelium in, 51:196
- classification of, 43:646
- Cogan's syndrome and, 46:262
- conjunctivitis and, 42:332
- corneal, edema and, 43:513
- leukocytes, in experimental, 48:870
- mucopolysaccharides, 41:153
- delayed mustard gas, 48:126
- DENDRITIC**, 41:133
- acute dacryoadenitis with, 47:284
- after trigeminal resection, 53:555
- alpha chymotrypsin in, 53:189
- corneal epithelium and, 51:854; 53:189
- elementary bodies in, 54:492
- experimental in graft, 54:735
- IDU in, 54:735
- iodine and intracorneal neurotomy in, 47:917
- iodine vapor for, 36:570
- treatment of, 40:594; 43:831; 54:158
- didrosulfon in, 43:646
- diffuse, riboflavin metabolism and, 47:282
- disciform, 52:440
- due to smallpox vaccine, 36:1774
- epidemic of, in Japan, 36:1309
- herpetic, 47:99
- retrobulbar neuritis and, 37:148
- distribution of, 50:835
- dormant viruses and, 42:527
- due to insect bite, 41:170; 47:121
- due to mustard gas, 50:205
- due to plastic foreign body, 48:412
- due to smallpox, 50:836
- due to solvents, 47:916
- due to tuberculosis therapy, 40:771
- due to vitamin-D intoxication, 39:139
- effect gamma globulins on virus, 54:1160
- Elparon eyedrops in, 53:1054
- fibrin films to treat, 39:263
- filamentary, 41:344; 43:516; 47:915
- cytology of, 48:570
- fungus, 43:515; 45:777; 49:398; 53:1052, 1053
- carcinoma and, 54:340
- sporostatin in, 53:182
- HERPETIC**: 43:169; 53:185, 1053
- after fever, 48:288
- aurcomycin in, 36:578
- control of, experimental, 41:564
- copper sulfate in, 51:160
- by iontophoresis, 54:333
- corticosteroids in, 51:852
- dihydroergotamine in, 36:577
- disciform, 47:99
- effect antibiotics on, 39:898
- effect sodium tetrachloriodide on, 43:814
- electron microscopy of, 52:738
- etiology and pathogenesis, 54:1159

KERATITIS (continued)**HERPETIC (continued)**

- gamma globulins in, 44:715
- IDU in, 54:1168
- immunology of, 53:555
- in both eyes, 39:141
- iodine vapor in, 41:170
- irradiation with heat, 43:833
- isolation virus from, 51:188
- lysozyme in, 36:1775; 43:165
- meningitis secondary to, 38:283
- placenta in, 37:612
- simplex, control of experimental, 41:564
- smallpox vaccine in, 47:623
- studied for three decades, 47:720
- treatment of, 48:126; 49:866
- surgical, 48:571
- virus in anterior chamber in, 47:719
- virus interference and, 47:623
- hypopyon, 36:1180
- in agranulocytosis, 44:444
- in Felty's syndrome, 41:912
- in herring workers, 42:525
- in Kaposi's eruption, 43:325
- in mycosis fungoides, 54:340
- infectious, 54:735
- influence on tearing, 47:902
- INTERSTITIAL:** 41:913
 - after cortisone, 46:265
 - antisiphilic treatment for, 45:479
 - avascular, 49:867
 - chorioretinitis and, 36:1775
 - cortisone in, 39:264, 455, 610
 - endocrine disturbances and, 45:164
 - retrocorneal hyaline bands in, 37:612
 - serum iron levels in, 36:1490
 - siphilic, corticotropin in, 38:443
 - cortisone in, 38:443
 - glaucoma and, 52:1008
 - testosterone in, 38:443
 - thyroid in, 38:443
- iridocyclitis and, 42:332
- lagophthalmos, cicatricial ectropion and, 43:834
- marginal, after muscle surgery, 54:735
- vitamin B₂ in, 37:287
- mycotic, Griseofulvin in, 51:743
- naphazoline in, 44:146
- neuroparalytic, 40:770; 44:855
 - corneal alkaline phosphate in, 47:265
 - corneal and conjunctival desiccation in, 54:339
 - corneal water and nitrogen in, 47:265
 - studies on, 40:452
 - tarsorrhaphy in, 46:932
- nonsyphilitic, vestibuloauditory symptoms and, 48:412
- novocaine to treat, 40:292
- nummular, 45:162; 46:266
 - clinical picture in, 37:611
- of chickenpox, 46:264
- of coma, 53:183
- parenchymatous, cortisone in, 36:1005
- glaucoma and, 38:442
- phlyctenular, 36:1181
- physiology of, 39:116; 46:241
- punctate, adenovirus and, 46:918
 - in Africa, 45:490
 - superficial, 53:189
- purulent, 36:744
 - enucleation and, 54:888
- recurrent chronic, keratoplasty in, 51:747
- rosacea, allergy in, 40:925
 - ACTH in, 36:148
 - ascorbic acid in, 36:148
 - cataract extraction in, 38:879
 - chloramphenicol in, 37:141
 - keratoplasty in, 38:879
 - silver nitrate causing, 41:885
 - sinusitis and, 37:311
 - subepithelial, 41:344
 - superficial, diffuse, 42:812
 - epithelial loss in, 41:578
 - punctate, 37:819

KERATITIS (continued)**superficial (continued)**

- virus in, 36:147
- surgery of, 37:609
- trinitrotoluene causing, 40:593
- ulcerative, 54:888
- vaccinia, corneal immunity in, 47:604
- vernal, 54:888
- virus, 36:1004
 - isolation of, in rare, 51:353
- Westhoff's, cortisone in, 39:455
- Keratoacanthoma, 40:609; 43:1020
 - of conjunctiva, 52:596
- KERATOCONJUNCTIVITIS, APC virus in, 41:862**
 - aphtosa, 41:910
 - Bengal rose staining in, 46:768
 - chemical, 50:356
 - due to hydrogen sulfide, 37:480
 - eczematous, 44:444
- EPIDEMIC:** 37:882; 39:454; 41:170; 42:811; 45:162; 47:622; 53:1053, 1054
 - acetylcholine in, 40:293
 - due to adenovirus, 46:265, 266, 917; 47:238; 48:696; 51:747; 53:884
 - antibodies to APC virus in, 42:952
 - APC virus in, 47:916
 - clinical features, 49:867
 - convalescent serum in, 52:140
 - corneal complications of, 41:344
 - elementary bodies in, 54:492
 - etiologic features of, 49:867
 - histology of, 38:879
 - hydrocortisone-neomycin ointment in, 45:318
 - immunity after, 51:744
 - in Ceylon, 43:834
 - in Clydeside area, 43:169
 - in Düsseldorf, 40:148
 - in Styria, 41:578
 - in Vienna, 36:1005
 - pharyngoconjunctival fever and, 51:744
 - phase-contrast microscopy in, 36:275
 - precipitin reaction in, 51:728
 - relation to APC virus, 41:887
 - riboflavin metabolism in, 48:882
 - symptomatology, 37:289
 - tears in, 48:883
 - treatment of, 36:1646
 - virus of, 36:1158
 - etiology, 41:538
- herpetic, 43:169
 - in children, 39:910
 - in mongoloid idiocy, 48:881
 - insect producing, 46:262
 - light sensitization and, 44:704
- phlyctenular, 45:963
 - nontuberculous, 38:260
 - periangiitis and, 38:880
 - prvine-cibazol in, 37:611
 - rhodanates in, 37:611
 - scleritis and, 38:880
 - serum proteins in, 41:154
 - tuberculin sensitivity in, 36:553
- SICCA:** 36:757, 1322; 38:283; 44:723; 47:295; 50:1286
 - a general disease, 36:420
 - ACTH in, 36:1775; 41:168
 - atrophic, scleroderma and, 36:757
 - collagen diseases and, 43:325
 - cortisone in, 41:168
 - due to sarcoidosis, 44:290; 50:836
 - gelatin implants in, 53:404
 - in children, 36:1651
 - in diabetics, 39:622
 - influence hormones on, 44:857
 - lacrimal glands and, 43:323
 - neurohormonal factors in, 45:487, 777
 - pulmonary infections and, 40:926
 - rheumatoid arthritis and, 37:640; 42:330
 - sarcoidosis of lacrimal gland and, 41:1113
 - Sjögren's syndrome and, 45:489
 - See also Sjögren's syndrome, 45:489
 - tears in, electrophoresis of, 53:715

KERATOCONJUNCTIVITIS (continued)**SICCA** (continued)

- sodium in, 48:569
- testosterone in, 41:154
- treatment of, 45:161; 54:157
- urea secretion into tears in, 49:859
- uveine in, 51:738

KERATOCONUS: 38:594; 46:426

- acute, 38:880; 48:288; 50:529
- injury and, 43:515
- after thyroidectomy, 38:595
- bilateral, 45:488
- cataract and, 39:280
- cavity formation in, 44:290
- cauterization in, 43:645
- contact lens in, 39:607; 43:168
- microcorneal, 46:769
- early demonstration of, 53:717
- in identical twins, 47:122
- etiology of, 40:462
- glaucoma and, 38:595, 879
- chronic, 36:1777
- masked by, 36:290
- gonadotrophin in, 42:171
- histology of, 45:473
- histopathology of, 49:1447
- in mongolism, 43:645
- cataract and, 45:609
- iridoschisis and, 39:456
- keratoglobus and, 38:755
- keratography in diagnosis, 40:766
- keratoplasty in, 36:1645; 47:122, 915; 48:413
- partial penetrating, 37:612
- lenticonus, cataract and, 39:462
- microscopic structure of, 47:719
- military service and, 39:263
- myopia and, 47:145; 48:694
- ocular tension and, 38:879
- pathogenesis, 38:879
- pathologic anatomy, 48:126
- pathology of, 39:909
- posterior, 43:1008; 49:1446
- retinal pigment degeneration and, 42:186
- retinitis pigmentosa and, 38:901; 40:156, 311; 41:366
- surgery of, 47:916
- traumatic, 43:1009
- treatment of, 38:880; 41:344, 1092
- vernal catarrh and, 47:716
- vernal conjunctivitis and, 49:1073

Keratocyclitis, hydroa vacciniforme and, 47:744

KERATOGLOBUS: 36:579, 580; 42:178; 51:556, 1345

- acquired, 36:576
- and buphthalmos, 36:744; 45:778
- cataract and, 44:297; 47:621
- surgery in, 41:179; 46:631; 41:130
- clinical studies of, 43:645
- congenital glaucoma and, 54:494
- corneal degeneration and, 52:299
- genetic etiology of, 49:180
- keratoconus and, 38:755
- poikiloderma and, 50:1288
- Keratography, 38:880; 52:748
- Keratomalacia, adrenal hypoplasia and, 50:1262
- arthritis and, 45:773
- distribution of, 50:835
- in adults, 51:747
- pancreatic fibrosis and, 53:190
- protein deficiency in, 43:155
- xerophthalmia and, 47:717

Keratometry, contact lenses and, 54:735

in measuring astigmatism, 53:549

Keratomyces, 39:138; 48:569

KERATOPATHY, band, calcium disturbances and, 42:813

- corneal calcium deposits and, 48:696
- edathamil calcium-disodium in, 39:453
- iridocyclitis and, 38:264
- pinguecula in, 45:773
- substrate of, 41:725
- bullous, endothelium in, 43:167
- surgery of, 50:835

KERATOPATHY (continued)

- chloroquine, 50:204
- due to dehydration, 42:526
- ichthyosis and, 43:832
- lagophthalmos and, 44:562
- lipid, 53:184
- rheumatoid arthritis and, 43:168
- uveitis and, 43:168
- KERATOPLASTY**: 39:455; 42:310, 523; 45:163; 49:181; 53:185, 403, 554
- acetylcholine in transplants, 44:435
- achievements in, 45:775
- acrylic implant in, 42:813
- advances in, 52:300
- allergy and, 45:953
- attachment for Tudor Thomas stand, 49:864
- auto-, 40:763; 42:177; 45:160
- bilateral, in corneal dystrophy, 36:1182
- biochemical changes, in preserved cornea, 37:603
- clamp for, 38:438
- cornea, storage of, 48:288
- corneal, antigens and, 44:433
- endothelium and, 54:492
- immunity and, 36:552
- nerve regeneration in, 53:549
- thickness and, 37:143
- corneoscleral, 42:649
- limbal regeneration in, 47:429
- cortisone in, 36:575
- cosmetic, 53:181
- dehydration, to preserve whole cornea, 40:293
- Descemet's membrane, doubling of after, 52:298
- donor eyes, conservation of, 41:901
- infection in, 54:887
- selection by blood type, 47:122
- sterile, 54:687
- storage of, 45:318
- corneal changes during, 37:290
- effect gelatin solutions on, 53:189
- essentials of, 43:831
- experiences with, 50:1258
- experimental, 36:1179; 38:754; 39:454
- penetrating, 40:593
- with acrylic corneal implant, 41:1093
- Filatov's technique, 45:164
- for limbal dermoids, 37:149
- GRAFTS**, acetylcholine content of, 42:811
- allergic opacification of, 47:426
- autogenous, 46:265
- biochemical changes in preserved, 36:1165
- biologic response to homo-, 51:745
- clouding of, 52:300
- condom to protect, 46:931
- danger in preserved material, 36:1308
- delayed clouding of, 50:834
- edge-to-edge sutures in, 43:166
- enzymochanical studies of, 51:731
- fate of, 45:773
- fixation of, 40:772
- astigmatism and, 37:290
- covering, 49:867
- splints for, 43:323
- suture for, 49:867
- frozen, dehydrated, 49:181
- heterografts, 36:1179; 51:1345; 52:140; 53:1047; 54:1167
- biochemical studies of, 46:921
- immunochemical alterations in, 53:886
- serologic studies of, 51:742
- histochemical tests after lyophilized, 53:1055
- lamellar, 49:1448
- fresh, 54:339
- instrument to cut, 37:969; 47:276
- late disease of, 48:287
- metabolism of, 45:774; 52:741
- method of cutting, 43:826
- Mooren's ulcer in, 40:291
- mushroom, 53:188
- necrosis of, 43:167
- nerve changes in, 40:292
- opacity of, 38:257
- pathology of, 44:445

KERATOPLASTY (continued)**GRAFTS (continued)**

- postoperative management, 43:166
- postoperative radiation, 53:1045
- preservation of, 47:409, 429; 50:529; 53:187
- preserved, cornea and sclera for, 54:1164
- prevention sutures cutting, 36:145
- protection of, 40:462
- protein fractions of, 53:1040
- results in, 170, 41:169
- slope of sides, 38:258
- sodium distribution in, 53:1035
- suturing of, 52:440; 53:1045
- total, 53:403
- vascularization, after inflammatory leukoma, 37:148
 - prednisolone in, 53:403
 - radiation therapy in, 37:150
 - water content of, 53:1035
- hetero-, 45:162; 47:622
 - biochemical studies of, 45:957
 - corneal metabolism as index for, 47:611
- histidine in, 36:575
- histochemical study cornea in, 37:820
- histologic findings after successful, 41:1094
- in animal sensitized to heterologous proteins, 40:450
- in aphakic eye, protection in, 47:913
- in children, 41:1092; 53:187
- in corneal dystrophy, 40:594; 45:485
 - lattice, 40:594
 - leukoma, 39:139
 - opacification, 41:579
 - staphyloma, 42:525
 - ulcer, chronic, 45:489
 - therapeutic, in *Pseudomonas*, 50:673
- in dermoid tumors of limbus, 54:910
- in Fuchs' dystrophy, 48:413
- in gross opacification, 43:167
- in keratoconus, 47:122, 915; 48:413
 - partial penetrating, 37:612
- in Kopisk City Hospital, 43:833
- in Lodz eye clinic, 36:578
- in recurrent chronic keratitis, 51:747
- in rosacea keratitis, 38:879
- in staphyloma, 36:879
- in struggle against blindness, 51:554
- in xeroderma pigmentosum, 43:516
- indications, and contraindications, 37:971
 - for uncommon, 51:352
- infection after, 46:931
- instrumentation and techniques, 51:746
- jaundiced eyes in, 51:709
- Kazach Institute report on, 43:325
- LAMELLAR:** 38:754; 43:168; 51:335; 53:405
 - antitrypsin in serum after, 53:1036
 - in hypopyon corneal ulcers, 51:555
 - in mustard gas keratitis, 48:126
 - in pterygium, 54:486
 - in rodent ulcer, 41:170
 - indications for, 51:852
 - instruments for, 46:924
 - intracorneal, 51:349
 - lyophilized cornea in, 51:1345
 - lyophilized preservation graft for, 40:461
 - nonviable donor material for, 53:405
 - peripheral, 41:913
 - vs. penetrating, indications for, 36:524
- law to bequeath eyes, 37:642
- lens protection in, 36:571
- metachromasia in host cornea, 37:458; 47:717
- moist chamber for donor eyes, 36:568
- new method of grafting, 38:755
- nonpenetrating, 36:1180
 - findings in, 43:515
- operative technique and results, 48:411
- partial, in keratoconus, 36:1645
- penetrating, 37:288; 53:718
 - complications of, 39:141
 - phakoerisis in, 36:1309
 - preplaced sutures in, 36:1774
 - problems of, 51:197
 - results of, 39:610

KERATOPLASTY (continued)

- perforating, 36:580; 41:580; 45:163
 - instrument for, 37:285
 - suture for, 48:697
 - technique of, 37:973
 - precipitin test in, 51:748; 52:141
 - preparation of eye and patient, 37:972
 - present status of, 37:148
 - preservation corneas for, 37:972
 - in paraffin oil, 47:284
 - preservation, of donor eyes, 47:403
 - tissues for, 51:853
 - preserved cornea in, 51:853
 - problems of, 44:443; 49:660
 - recipient bed, slope of sides, 38:258
 - repeated, 36:577
 - results in, 43:169
 - long-term, 45:163
 - reverse, 41:724
 - scleroplasty and, 37:970
 - scope of, 38:258
 - sight restitution after, 36:1169
 - stand for donor eye, 51:1340
 - storage of eyes for, 37:969; 52:746
 - sutures in, collagen, 53:186
 - fixation of, 53:185
 - preplaced, 37:111
 - Thomas' fixation, 48:127
 - symposium on, 51:745
 - techniques in, 43:169
 - therapeutic, 38:356; 46:625; 51:746
 - in corneal ulceration, 46:769
 - lamellar, 48:411
 - tissue incompatibility in, 41:1093
 - total, 45:160
 - transportation donor eyes, 37:969
 - trephine for, 36:577; 37:969
 - trephining in, 42:526
 - viability corneal tissue in, 46:263
 - vitamin H' in, 36:575
 - with punch forceps, 42:950; 46:932
 - Keratoscleritis, 46:425
 - isoniazide to treat, 40:291
 - Keratosis, planoplastic and dermatoses, 51:851
 - Keratotomy, 54:1167
 - Keratotomy, vascularization after, 36:576
 - Kernicterus, VI nerve palsy in, 42:826
 - Kestenbaum's sign, diagnostic value of, 40:457
 - 17-ketosteroids, excretion of in glaucoma, 48:417
 - Kidneys, diabetic retinopathy and, 43:533
 - Kimmelstiel-Wilson disease, diabetic retinopathy and, 37:628; 42:821
 - Kinetics, of pupil, 46:244
 - Kittens, visual cortex ablation in dark-reared, 47:875
 - Klippel-Trenaunay syndrome, 51:1362
 - Knight Templar Eye Foundation, research fund, 51:531
 - Koch-Weeks bacillus, 42:511
 - Krakow, strabismus in, 47:714
 - Krause's gland, trachomatous cyst of, 51:556
 - Krönlein operation, in optic nerve tumors, 46:112
 - Krukenberg's spindle, glaucoma and, 36:1185
 - Kuhnt-Bangerter, tendon lengthening, 43:510
- L**
- Labotropin, synthetic mydriatic, 36:1640
 - Labyrinth, glaucoma and function of, 39:779
 - involvement, in keratitis, 48:412
 - sensitivity loss, in ophthalmoplegia, 45:771
 - Lacrimal abscess, in newborn, 53:419
 - LACRIMAL APPARATUS:** 48:138; 49:668
 - a review, 36:888; 38:279; 41:112; 43:845; 46:117; 51:865; 53:1076
 - air anomalies of, 48:139
 - alpha chymotrypsin, in lesions of, 50:1282
 - anatomy of, 52:594
 - and physiology, 48:138
 - CANAL, actinomycosis of, 36:757**
 - dacryocystorhinostomy and: See Dacryocystorhinostomy
 - polyethylene tube in, 37:312; 38:438
 - Veillonella parvula infection of, 37:313

LACRIMAL APPARATUS (continued)**CANALICULI:** 48:138

- actinomycosis of, 53:419
- atresia of, 49:1459
- innervation of, 40:757
- obstruction of, 47:740
 - polyethylene tubes for, 36:1016
 - surgery of, 53:419
- pathology of, 40:607
- repair of, 54:337
 - of severed, 48:427
- spirochetal infections of, 53:562
- stenosis, 49:1458
 - treatment of, 49:405
 - nonoperative, 43:659
 - surgery of, 36:1650
- traumatic disruption, reunion of, 49:874

caruncle, cystadenoma of, 49:670

catheter, 36:1322

concretions in, conjunctivitis and, 41:910

congenital, anomalies of, 40:608

atresia, 49:668

dacryocystitis: See Dacryocystitis

dacryocystorhinostomy: See Dacryocystorhinostomy

diseases of, diagnosis and treatment, 52:596

drainage insufficiency, 47:140

operation for, 49:1457

DUCT: 48:139

- alterations of, in trachoma, 45:601
- bird feather blocking, 49:671
- classification patency of, 46:437
- diseases of, eye and, 46:435
- intubation, 49:671
 - evaluation of, 43:845
 - for epiphora, 37:635
- nasolacrimal, atresia and, 46:117
- fungus infections of, 42:184
- intubation, 42:339
- obstruction, anastomosis for, 52:316
- prostheses for, 48:139
- radiologic exploration of, 42:326
- obstruction of, 38:279
 - prevention of, 54:168
 - recurrent, after anastomosis, 44:858
- plastic cannula for, 38:125
- radiography of, 38:897
- reconstruction, using Supramid tubes, 38:279
- restoration of, 45:602
- stenosis of, 51:865
- vitallium implants in, 45:796

fistulas of, 43:530

FLUID, dacryocytogram in study of, 36:757

- inflammatory factors in, 51:566
- pH of, 36:420; 47:424
- urea in, in keratoconjunctivitis sicca, 49:859
- See also Tears
- function of, 46:437
- functioning of, 47:741
- in facial palsy, 44:566

GLAND, aberrant, 47:140; 51:567

- and lymphoglandular system, 37:636
- bioreheutic orthology of, 45:601
- carcinoma of, 54:516
- congenital fistula of, 43:340
- cytomegaly of, 41:737
- denervation of, 47:441
- ectopic, 41:1113; 44:457; 47:296; 48:710; 53:1075
- effect testosterone on, 41:154
- electron microscopy of, 46:615
- function of, 41:152, 566
- in neurofibromatosis, 39:625
- influence hormones on, 44:857
- keratoconjunctivitis sicca and, 43:323
- lesions of, 48:138
- Mikulicz disease of, 43:846
- myoepithelial cells of, 41:559
- nerve distribution in, 46:916
- prolapse of, 42:677
- regeneration, 43:485
- response to parasympathicomimetics, 50:1283
- sarcoidosis of, 44:858

LACRIMAL APPARATUS (continued)**GLAND** (continued)

- sarcoma of, 36:1323
- tuberculosis of, 49:196
- tumors of, 37:314, 638; 41:1114; 44:727; 49:670; 50:356; 53:419; 54:908
 - epithelial, 41:358
 - X-ray diagnosis of, 41:359
- in trachoma, 46:779
- infectious mononucleosis and, 43:340
- instruments for, 43:821
- intubation, 37:977; 39:152; 41:1113
 - failures in, 41:358
- nasal surgery and, 49:670
- obstruction, due to leontiasis ossea, 53:209
- pathways, malformation of, 41:357
- obliteration of, 52:595
- obstruction of, 39:620
- permeability and canalicular test of, 47:440
- probing of, 38:897
- radiography of, 38:897
- reconstruction, 38:605
- restoration, 51:209
- probes for, insertion from nose, 43:1017
- puncta, 48:138
 - adjustment of, 54:516
 - double, 41:1112
 - eversion of, operation for, 51:210
 - supernumerary on caruncle, 54:909
 - transposition of, 44:726
- radiology of normal, 44:457
- reconstruction, 41:1112
- reflex, paradoxical gustatory, 53:1081
- repair of, 36:421
- SAC:** 48:139
 - angioma of, 36:1322
 - aspiration, in dacryocystitis, 37:835
 - calculus of, 36:161
 - carcinoma of, 47:296
 - in region of, 44:726
 - cellulitis, X-ray therapy in, 54:909
 - diverticulum of, 47:440
 - endonasal probing of, 38:895
 - fistula, 45:796
 - foreign body in, 37:977
 - 455 operations on, 48:428; 51:210
 - granuloma of, 54:516
 - after polyethylene tube, 45:183
 - infections, in infants, 37:637
 - intubation, 41:736
 - obstruction of, 47:296
 - polyps of, 53:209
 - pseudotuberculosis of, 39:787
 - reticulolymphosarcoma of, 36:419
 - stenosis of, due to smallpox vaccinia, 48:136
 - sulfonamide gel in dacryocystitis, 49:1459
 - surgery of, 43:341
 - tuberculosis of, 52:595
 - tumors of, 41:1112; 47:741; 49:671; 50:1283
- saccharine to test patency of, 41:320
- secretion, excess of, 37:641
 - in newborn, 43:342
 - in rheumatism, 52:594
 - influence keratitis on, 47:902
 - lack of, 47:295
 - role sympathetic in, 53:419
 - spenopalatine-ganglion block and, 46:281
 - See also Tears
- stenosis, intubation in, 41:1114, 1115
- surgery for, 50:1283
- suture probe for, 40:308; 50:523
- therapeutic advances, 41:358
- therapy, disorders of, 37:315
- trachoma changes in, 42:183
- X-ray studies of, 42:340
- Lacrimation: See Tears
- Lactation, optic neuritis during, 41:351; 50:1279
- Lactic acid, effect on retina, 42:160
 - in vitreous, 41:156
- Lagophthalmos, cicatricial ectropion and, 43:834
- corneal protection in, 38:880

Lagophthalmos (*continued*)

- keratopathy due to, in tropical countries, 44:562
- leprosy and, 36:421
- Lexer-Rosenthal operation, 43:847
- surgery for, 43:658; 46:282; 49:1459
- Lagrange, a tribute to, 41:1125
- sclecto-iridectomy modified, 40:465
- Lambril, in ocular burns, 37:638
- Lamina cribrosa, 44:703
- in mammals, 42:944
- vascularization of, 40:137
- Lamp, hammer for ophthalmoscopy, 43:504
- Lanthosol, for vascular spasm, 51:739
- inhalations of, in chronic infections, 40:456
- Largactil, retinal artery pressure after, 47:708
- Latex, perfusion of eye, 48:279
- Latin America, ophthalmology in for 1948, 52:320
- Lathyrism, due to IDPN, 51:363
- Laurence-Moon-Biedl-Bardet, syndrome, 36:428, 1020; 43:346, 535; 46:784; 48:704; 54:170
- Lavatt's method, in retinal correspondence, 53:1044
- Lawford's syndrome, 49:182
- Lawn mowers, eye injuries from, 51:210
- Lead poisoning, BAL in, 36:752
- Leber's disease, 43:815; 46:112, 434; 51:862
- family with, 41:367
- ophthalmoscopic findings in, 38:275
- Lectures, illustration of, 38:611
- Leech, bite of cornea, 43:1008
- eye attacked by, 39:279
- Leiomyoma, of ciliary body, 54:910
- of iris, 40:294; 41:543; 48:712
- Leishmaniasis, 47:144
- eye changes in infantile internal, 40:310
- of eyelids, 36:1325
- epidemiology of, 41:736
- LENS**, a review, 36:1491; 38:446; 40:300; 42:335; 44:449; 47:726; 48:578; 50:534; 52:308; 54:501
- abnormal development of, 38:743
- absorption of, oxygen, effect X-rays on, 46:614
- radioactive phosphorus, 36:1164
- accommodation, action on, 36:282; 37:139
- acid-soluble phosphates of, 45:955
- action hormones on, 41:897
- acoustic structure of, 52:452
- after prolonged galactose, 47:128
- aldolase activity of, age and, 43:498
- allergy to, 51:731; 53:164
- alpha ketoglutaric acid in, 52:581
- amino acids of, 36:1163; 50:193
- after irradiation, 37:602
- chromatography of, 36:738
- levels, 36:1164
- amperometric titration of, 47:707
- and corneal synchia, glaucoma and, 47:146
- anterior chamber: See Intraocular lenses
- antigens in, 42:129; 54:1159
- study of, 42:511
- argyrosis of, 43:840
- ATP of, effect butazolidine on, 47:607
- biochemistry of, 53:162
- of fish, 40:279
- capsule, exfoliation of, 44:848; 46:106
- glaucoma and, 47:125
- formed elements in, 52:737
- hyperplastic vitreous and rupture of, 53:411
- phase-contrast study of, 38:423
- puncture, in cataract extraction, 47:127
- rupture, glaucoma and, 37:158
- thermal detachment of anterior lamella, 46:106
- carbohydrate metabolism of, 41:564; 51:859
- carbonic anhydrase activity in, 44:434
- zinc-free diet and, 47:265
- catalysis activity of, 47:423
- cations of, effect calcium on, 50:822
- cell, nuclei in developing, 45:141
- production and migration in, 52:581
- chalcosis of, 54:895

CHANGES, after low temperatures, 52:451

- after radiation, 41:861
- due to autolysis, 50:1269

LENS (*continued*)**CHANGES** (*continued*)

- in chorioretinal degeneration, 38:746
- in diabetes, 40:300
- in experimental cataract, 48:703
- in iron rolling mill, 43:178
- in mongolism, 36:165
- in myotonic dystrophy, 53:1052
- in proteins, in cataract, 54:332
- in psoriasis, 54:1172
- chemistry of, 49:186
- cholesterol in, 36:293; 52:1013
- clouding, after electrocoagulation, 51:360
- codehydrase I in, 52:739
- coenzyme levels in, 54:483
- colobomas of, acquired, 50:1269
- in arachnodactyly, 36:428
- condensing enzyme in, 41:689
- congenital anomalies of, 42:181; 49:401
- and acquired, 49:186
- See also Under Congenital anomalies
- crystal formation in, 40:932
- culture of, 41:686; 50:524
- curvature of, anomalies of anterior, 44:565
- cyst formation of, 45:174
- cystoid spaces in, 38:270
- dislocation of, 42:664
- angioid streaks and, 52:441
- extraction of, 36:588
- in Marfan's syndrome, 41:585; 44:848
- operation for, 39:268
- subconjunctival, 50:1267
- DPN/DPN-H (free) in, 52:740
- ectopia of, 38:609; 42:335; 45:789
- congenital, 38:758; 44:847
- embryogenesis of, 50:1269
- familial, 38:285
- in Marfan's syndrome, 38:269; 47:725
- operative results, 54:502
- See also Ectopia lentis
- effect beta radiation on, 38:119
- effect deuteron microbeam on, 53:1066
- effect drugs on, 43:490
- effect X-radiation on, 41:893
- on shielded, 44:720
- electrolytes in, 43:151
- electron microscopy of, 40:137, 138; 48:274
- electro-oculography and, 52:436
- electrophoresis of, 39:770
- of rabbit, 39:121
- electrotrauma to, 43:532
- energy requirement, 41:537, 873
- enzymatic activities of, 41:871
- EPITHELIUM**, autoradiography of, 54:332
- behavior of surviving, 45:141
- effect aging on, 41:568
- effect high-energy particles on, 41:568
- effect X-rays on, 41:568
- electron microscopy of, 48:276
- growth in culture, 47:129
- in cataract pathogenesis, 46:107
- influence low atmospheric pressure on, 51:574
- mitosis in, 54:501
- effect hypophysectomy on, 54:497
- morphology of, 44:135
- phase-contrast study of, 38:424
- exfoliation, 43:652
- and glaucoma, 38:757; 50:1267
- Busacca deposits and, 51:558
- in 100 aged, 50:1267
- senile, 43:522
- syndrome of, 49:664
- extraction, acute glaucoma requiring, 49:662
- extracts of, ATP in, 43:491
- of fish, 37:828
- to treat glaucoma, 41:921
- fermental respiration of, 38:429
- fetal, pathology of, 48:418
- fibers, alterations in, after thyroxine, 39:438
- cytoplasmic elements of, 47:99
- electron microscopy of, 46:611; 47:102

LENS (continued)

- fibers (continued)
 - phase-contrast study of, 38:424
- fluid movement in cataractous, 39:461
- fluid uptake of, 44:136
- fluorescence of, 46:618
 - after X-rays, 49:172
- fluorescent substance in, 51:1330
- foreign body in clear, 43:178
- freezing point of calf, 37:602
- front surface of, changes during growth, 51:187
- fructose formation in, 51:712; 52:431
- glucose in, 52:581
- glutathione of, 36:1161; 37:603; 43:813
 - formalin and, 37:457
 - in ditzone diabetes, 47:423
 - polarographic study of, 41:890
 - reductase, 36:737
- hemorrhage into, 48:124; 49:1453; 52:453
- hexokinase of, 48:556
- hexosamine of, 52:581
- hydration of, 47:905
- immune electrophoresis of, 50:1257; 51:347
- immunity of, to tumors, 38:269
- in chick embryo, electrophoresis of, 41:896
- in congenital galactosemia, 48:291
- in myotonic dystrophy, 39:913
- in region of lenticonus, 38:446
- indentation of, 42:664
- induced, glaucoma and uveitis, 48:291
- intracapsularly extraction, histology of, 36:1009
- intraocular: See Intraocular lens
- lactic acid in, 50:518
 - dehydrogenase in, 53:887
- lipids of, 38:745
 - distribution of, in bovine, 47:906
- LUXATION** of, and subluxated, 43:330
 - bilateral, in Sprengel's disease, 43:535
 - Flieringa's ring in surgery for, 47:129
 - hereditary, 40:946
 - into vitreous, 42:663
 - extraction of, 43:840; 47:287; 53:1064
 - subconjunctival, 53:203
 - treatment of congenital, 40:597
- magnetic foreign body in, 40:599
- malformation, amblyopia and, 53:1067
- mercurization of, 37:622; 40:943
- METABOLISM** of, 36:139; 41:566; 43:154
 - action butazolidine on, 47:423
 - age and, 41:318, 872; 42:130; 45:143
 - cation shift and, 43:812
 - changes in, after glaucoma surgery, 53:1063
 - during accommodation, 41:891
 - effect drugs on, 43:491
 - effect sodium chloride on, 43:491
 - glucides in, 36:558
 - nicotinic acid, 44:436
 - oxygen and, 51:561
- phosphate, 42:130
- mitochondria of, hydrosoluble proteins of, 47:906
- motility of, in aged, 37:605
- mucopolysaccharides in, 51:562
- necrosis, after scleral buckling, 53:550
- nonfermental respiration of, 38:429
- of children, 43:997
- OPACITIES**, after pontocaine, 42:165
 - chorioretinitis and, 46:267
 - due to asphyxia, 37:602
 - due to cooling, 49:401
 - due to microwaves, 41:897
 - experimental studies on, 43:494
 - hypocalcemia, 49:1453
 - in microwave technician, 36:883
 - photography of, 50:1270
 - proteins producing, 41:567
 - reversible, 52:1013
 - sulfhydryl groups and, 46:765
- optical properties of, 40:775
- ossification of, 44:562
- oxidation pyruvate in, 43:154
- oxygen absorption by, 49:654

LENS (continued)

- oxygen consumption of, 41:563
 - polarographic study of, 41:890
- pathology of, symposium on, 49:186, 401
- pentoses of, 52:581
- peptidase content of, 52:452
- peptides of, 50:193
 - permeability, after experimental retinopathy, 40:918
 - after scleral diathermy, 38:758
 - influence insulin on, 43:808
 - to glucose, 41:566
 - to serum proteins, 41:566
- phase-contrast studies of, 36:734
- phosphatase in, 46:613
- phosphate, absorption by, 41:891
 - metabolism of, 51:561
- physics of, 49:186
- physiology of, 49:186
- potassium in, 42:165
- power and design, 43:494
- protection of, in keratoplasty, 36:571
- PROTEINS** of, 45:142; 46:616
 - age and, 46:614
 - allergy and, 38:744; 43:149; 45:463
 - antigenic structure of, 53:161
 - behavior water-soluble, 43:489
 - capsule permeability for, 47:608
 - changes, in aging, 42:513
 - distribution, during cataract formation, 45:465
 - electrophoresis of, 39:438; 40:282, 452; 48:278; 52:132
 - of soluble, 47:610, 703
 - embryonic, 44:707; 45:143
 - fractioning of, 47:270
 - new method for, 40:281
 - immunization against, 52:132
 - in cataract, 48:554
 - galactose, 42:513
 - in retinoblastoma, 38:117
 - influence pH on, 40:919; 43:810
 - interaction with other proteins, 41:567
 - intraocular fluids and, 44:707
 - micro-electrophoresis of, 48:556
 - pH, of alpha crystallin, 47:99
 - study of, 43:812; 51:729
- pseudoexfoliation of, 50:208; 54:1172
- pyruvic and lactic acid in, 52:742
- radiation dose to, 47:287
- radio-iodine study of, 41:687
- radiophosphorus uptake of, 39:439
- refraction tree, 37:285
- regulation osmotic pressure and, 40:453
- resistance to tumors, 43:1019
- resting potential of, 43:488
- RNA content of, 52:431
 - amino acid system, 52:431
- rodanese activity in, 49:171
- rupture, in hydrocephalic epilepsy, 36:411
- secondary irradiation of, 52:1012
- small, extraction loop for, 50:522
- sodium in, 42:165
 - and potassium, in ditzone diabetes, 47:271
- specific gravity changes in growing, 37:812
- SUBLUXATION**, after detachment surgery, 47:130
 - and luxation, 52:1012
 - anterior chamber depth changes in, 39:780
 - congenital, 43:840
 - extraction of, 43:1013
 - glaucoma secondary to, 41:1122; 43:840
 - in chalcosis, 43:343
 - spherophakia, brachydactyly and, 39:146
 - submicroscopic structure of, 39:605
 - sugar metabolism in, 39:771
 - sulfhydryl groups in, 47:98, 707
 - surfaces, centering of during accommodation, 36:1168
 - surgery of, 45:789; 54:164
 - in high myopia, 52:748
 - suspensory ligaments of, 47:260; 51:1327
 - swelling of, glaucoma due to, 53:723
 - thiaminase in, 46:765
 - thiamine content of, 52:453
 - transparency, after corneal paracentesis, 38:748

LENS (continued)

- transparency (continued)
 - aqueous chlorides and, 38:120
 - transplantation of, 48:554
 - traumatic deformity of, 47:130
 - ultrasound, absorption in, 47:424
 - to measure, 53:1045
 - vitamin C and, 36:560, 1165
 - metabolism, 38:121; 39:440
 - synthetic action of, 36:278
 - water of, 47:609; 48:279; 50:193; 53:884
 - and refractive power, 43:488

Lenses, conoid for indirect ophthalmoscopy, 47:588

LENTICONUS, 47:628

- anterior, 40:598; 47:725
 - acquired, 44:465
 - conical cornea, cataract and, 39:462
 - etiology and pathogenesis, 36:588
 - maternal rubella causing, 36:1185
- in renal disease, 52:601
- posterior, 38:446, 758; 39:146

Lentoid bodies, after cataract surgery, 46:775

Leontiasis ossea, 53:209

eye findings in, 42:675

LEPROSY, 36:163; 46:120

- aqueous in, 45:153
- cortisone injections in, 48:408
- fundus changes in, 42:681
- iridocyclitis in, 45:780
- iritis of, anterior chamber puncture in, 39:142
- lagophthalmos in, 36:421
- ocular, 44:306; 50:525
 - pathology of, 50:834
 - ocular complications of, 36:163
 - orbital neuralgia and, 43:339
 - sulfonamides in, 40:156

Leptospira, 36:276

in aqueous, 36:551

serologic examination for, 36:1310

Leptospiral uveitis, 36:149; 40:280; 48:573

LEPTOSPIROSIS, 41:172; 44:304

- changes due to, 54:729
- complications of, 43:648
- eye diseases and, 54:1163
- eye manifestations of, 47:263
- iridocyclitis and, 39:143
- of eye, 36:275
 - complications of, 36:1310
- treatment of, 43:501

Leptotrichosis, of conjunctiva, 36:148

LEUKEMIA, eye involvement in, 44:573; 53:420

- exophthalmos in, 42:680
- fundus changes in, 36:155; 48:432
- hypopyon iritis in, 47:745
- lymphatic, intraocular melanoma and, 36:162
- optic nerve in, 45:178
- orbit and, 36:1013
 - deposits in, 51:211
 - pseudotumor, 37:833
 - papilledema in, 53:206
 - pus cells in, 51:864
 - reticulum-cell sarcoma and monocytic, 54:519
- retinopathy of, 37:303; 46:109
- acute, 36:885

Leukocytes, agglutination in diagnosis, 47:280

in cornea, 44:432; 46:610

origin of, in injuries, 46:264

Leukoderma, due to Furacilin, 45:753

Leukoencephalopathy, eye in metachromatic, 47:264

Leukoma, graft vascularization after inflammatory, 37:148

keratoplasty in corneal, 39:139

surgery of, 39:131

Leukomycin, eyedrops, 41:888

in endophthalmitis, 45:957

Leukotomy, symptoms resulting from, 39:784

transorbital, 36:1319

Lexter-Rosenthal operation for lagophthalmos, 43:847

Liebreich, Richard, Atlas of Ophthalmology, 52:605

Ligament of Wiegner, 47:260

LIGHT, action on adaptation, 51:1333

LIGHT (continued)

ADAPTATION, changes in enzymes visual cells in, 46:616

- depth perception and, 36:563
- electroretinography and, 47:909; 53:1046
- intraocular ischemia and, 42:519
- mechanism of, 51:712
- monocular, 47:709
- thresholds for, 53:399
- to colors, 47:709
- vitamin B₂ administration and, 36:1168
- biomicroscopy with polarized, 47:279
- coagulation: See Photocoagulation
- depth perception in dim, 39:902
- distribution, retinal image and, 42:518
- effect on testicular development in drakes, 53:887
- effect on thyroid function, 42:164
- electrical phosphene and, 37:140
- electro-oculogram and, 41:158
- ERG and, 43:494

after stimulation with, 52:743

energy, loss in retina and choroid, 51:345

epilepsy, and exposure to, 50:353

fluorescent, for cataract extractions, 43:827

visual apparatus and, 38:431

fundus coagulation with, 43:162

influence on, aqueous flare, 53:1041

color change in frog, 47:609

ketosterones, 41:155

ocular tension, 53:1041

vegetative system, 46:247

intensity, response to, 38:584

intermittent, to evaluate visual development, 52:134

iris coagulation with, 43:162

LK-values, in eye injuries, 46:422

metabolism and, 41:368

monochromatic, in eye examinations, 37:143, 144

retinal response to, 37:459

perception, biochemistry of, 47:97

retinal, 38:124

flicker fusion to study, 37:139

pharmacology of visible, 48:120

polarized, biomicroscopy with, 46:925

pupil reaction to, 45:464; 49:172

reflex, thresholds of pupil, 47:706

retinal sensitivity to, 36:557

SENSE, Comberg's examination, 51:735

as clinical test, 40:765

effect meprobamate on, 48:872

eyeball compression to analyze, 40:760

in anisometropia, 40:920

in retinal detachment prognosis, 41:923

melanophoric hormone, diencephalon and, 38:600

ontogenetic development of, 41:900

test of, 45:473

values, with Goldmann-Weekers adaptometer, 47:709

vitamins and, 36:1168

sensitivity to, Adaptinol and, 44:705

effect Recorcin on, 43:150

monocular reduction of, 43:525

photopic sensitivity and, 43:158

sensitization, eye disease due to, 44:704

sight, color and, 53:399

source, for ERG, 47:710

stimulation, latent period in, 51:346

occipital lobe response after, 51:208

stimuli, in myopia, 48:886

in retinitis pigmentosa, 48:886

threshold, effect ultraviolet radiation on, 41:687

effect violet radiation on, 41:687

transmission of, corneal epithelium and, 51:192

ultraviolet, in ophthalmology, 43:823

varicolored, eye stimulation with, 50:1255

Lighting, fluorescent, effect on eye, 43:347

meibomian gland hypersecretion and, 44:456

subharmonic, 43:535

of hospital wards, 36:1022

Lightning, cataract due to, 47:726

injuries, 44:302

LIMBUS, arteriovenous anastomoses in, 42:943

carcinoma of, 37:151

LIMBUS (continued)

- cellular reaction at, after trephination, 53:1037
- degeneration, of Vogt, 52:138
- dermoid of, 36:889
 - keratoplasty in, 54:909
- epithelioma of, 44:458; 50:1285
 - radiotherapy in, 54:1161
- injuries to, 47:917
- lesions of, diagnosis and treatment, 42:496
- malformations, with microphthalmos, 36:1495
 - melanoma of, 45:777; 53:420
 - malignant, 53:717
- squamous-cell carcinoma of, 41:1116
- tumors of, 37:837
 - biomicroscopy in, 47:718
 - conjunctival-scleral keratoplasty in, 49:180
 - diathermocoagulation in, 43:324
- Vogt's white girdle of, 46:266; 53:183, 404
 - histology of, 50:203
- Lime burns: See under Injuries
- Lindau disease, in five generations, 46:110
- Lindau-von Hippel disease, 36:422, 427; 37:300
 - photocoagulation in, 54:898
- Lindner's scleral resection, 43:181
- Linomag, in blepharitis, 52:594
- Lions Club, research funds, 51:530
- Lipemia, essential hypertension and, 40:613
 - retinalis, 47:730
 - nondiabetic, 36:590
- Lipids, blepharitis due to, 36:421
 - keratopathy, 53:184
 - of arcus senilis, 54:1167
 - of cornea, 51:729
 - of eye, 38:745
 - of optic nerve, changes of in degeneration, 54:332
- Lipidogram, in diabetic retinopathy, 41:895
- Lipoderma, facial and mandibulofacial dysostosis, 50:360
- Lipogenesis, experimental, 48:557
- LIPOIDS**, action organ specific in retinopathy, 38:745
 - extracts of, in chorioretinal diseases, 37:830
 - in retinal diseases, 36:1318
 - infiltration of retina, 36:748
 - lymphocyte degeneration, 45:590
 - of cornea, 44:706
 - of retina, in hyperlipemia, 47:925
 - proteinosis, 54:913
- Lipoidosis, infantile cerebrospinal, 47:729
 - Neuman-Pick, eye findings in 43:346
- Lipoliquid, in diabetic retinopathy, 39:608
- LIPOMAS**, cysts, cataract and, 39:624
 - of conjunctiva, 51:210
 - of orbit, 46:778
 - subconjunctival, 43:531; 46:118
 - vascular, 43:164
- Lipoproteins, permeation aqueous by, 49:655
- Listerellosis, oculoglandular form of, 36:288
- Listeriosis, experimental, 43:486
- Listig's law, 43:828
- Liver, biopsy of in ocular tuberculosis, 43:505
 - eye and, 44:861
 - function, in diabetic retinopathy, 36:760
 - rupture of, eye changes after, 47:289
- Livingston tests, for scotopic visual fields, 43:821
- LK-values, in perforating eye injuries, 46:422
- Lobectomy, visual field changes after, 45:761; 46:777
 - neuro-ophthalmic symptoms in, 37:630
- Lobstein syndrome, 47:446
- Löffler's syndrome, 37:981
- Logic, application to medicine, 49:407
- London, trachoma in, 38:287
- Louis-Bar syndrome, 49:1462; 52:314; 54:905
- Lowe's syndrome, 54:1169
 - congenital glaucoma and, 54:891
 - ocular manifestations of, 45:797
- Lumbar puncture, in papilledema, 43:826
- Lumination, sense of, 53:549
- Luminescence, in diagnosing tumors, 54:884
- Luminosity, sense of, in amblyopia, 53:1042
- Luneberg, theory of visual geodetics, 43:499

- Lungs, cystic diseases of, eye changes in, 53:423
- Lupus erythematosus, 39:924; 44:144
 - fundus changes in, 38:900; 39:783; 51:867
 - of conjunctiva, 47:719
 - of eyelid, 41:1114; 44:155, 566
 - retinal manifestations of, 44:850
- Lymphadenosis, 43:1016
 - aleukemic, eye complications of, 36:1326
 - of orbit, 48:430
- Lymphangiectasia, hemorrhagic of conjunctiva, 41:911; 51:554; 54:340
- Lymphangioma, cystic of orbit, 54:169
- Lymphatics, of conjunctiva, 41:149
 - pathways, influence autonomic drugs on, 42:166
- Lymphoblastoma, 42:676; 46:438
- Lymphocyte, in juvenile amaurotic idiocy, 54:523
- Lymphocyoma, of orbit, 43:847
- Lymphocytosis, age variation in, 54:340
- Lymphogranulomatosis, eye changes in malignant, 52:600
- LYMPHOMA**: 39:788; 40:308, 309
 - of conjunctiva, X-ray therapy in, 42:951
 - of eyebrow, 45:63
 - optic nerve atrophy in, 44:565
- Lymphomatous disease, eye in, 36:162
- Lymphosarcoma, epibulbar, 51:567
 - of bulbar conjunctiva, 42:501
 - of orbit, 46:435
 - of uvea, 38:279
- Lysozyme, corneal epithelization and, 45:955
 - determination, in tears, 36:1482; 38:1116; 41:540
 - eye diseases and, 44:707
 - in cornea, herpetic infections and, 38:118
 - lesions due to chemical agents, 47:621
 - in herpetic keratitis, 43:165

M

- Macroglubulinemia, 47:441; 49:1461; 51:360, 867
 - ERG in, 51:866
 - eye changes in, 48:553
 - fundus changes in, 37:159
 - ocular manifestations of, 47:133
 - vascular changes in, 50:1274
- Waldenström's, 54:912
- Macropsia, of cyclopan eye, 46:249
- MACULA**: 51:736; 52:583
 - aberrant vessels of, vision and, 41:1107
 - arteries of, tortuosity of, 46:431
 - blood pressure, in capillaries of, 54:505
 - in pregnancy, 39:623
 - ocular tension and, 42:663
 - branch superior temporal vein crossing, 48:133
 - changes in, after venous obstruction, 45:177
 - coloboma optic disc and, 38:892
 - and choroid, 37:152
 - in arteriosclerosis, 39:147
 - in essential iris atrophy, 47:918
 - prognosis, 40:934
 - retinal artery occlusion and, 44:720
 - significance of, 40:934, 937
 - color of, 46:611
 - crystal lesions in, 36:749, 1316
 - cysts of, 39:614, 784
 - papilla pits and, 47:135
 - damage, due to eclipse, 42:821
 - defects, 50:688
- DEGENERATION**, 36:413, 1315, 1316
 - cholesterin, 36:593
 - collagen disease compared, 40:936
 - color vision deficiency and, 41:1122
 - cortisone in, 41:587
 - disciform, 37:830; 39:148; 51:859
 - juvenile, 46:276
 - senile, 36:886
 - effect heparin on, 43:842; 44:852
 - ERG in, 38:273; 49:188
 - electrotherapy in, 37:302
 - familial, 38:286; 41:741; 51:564
 - fundus changes in, 40:601
 - hereditary, 41:870
 - in aged, 44:297

MACULA (continued)**DEGENERATION** (continued)

- in children, photopic vision and, 43:524
- in oligophrenia, 43:346
- in renal glycosuria, 54:509
- of Stargardt, 47:730
- pituitary transplant in, 53:415
- retinitis pigmentosa and, 43:346
- senile, 46:110; 47:98; 51:538
 - heparin in, 48:421
 - treatment of, 51:362
- vitelliform, 52:458
- diseases of, 47:729; 50:538; 51:1351
 - color perception in, 52:293
 - diagnosis and treatment, 36:1314
 - earliest symptoms of, 37:298
 - ERG in, 41:867
- double innervation of, 48:560
- dysplasia, choroidal coloboma and, 36:165
- dystrophy, 41:366
 - spinocerebellar ataxia and, 49:192
- ectopia of, 43:183, 524
- edema of, after cataract extraction, 42:664; 47:726
 - recurrent, with Meniere's syndrome, 51:1350
- elevated lesions of, 39:614
- false, problems of, 51:735
 - treatment of, 38:878
- familial defects, 47:132
- hemorrhages of, 37:625
- heredodegeneration, 40:303, 600
- heterotopia of, 44:575
 - due to pseudostrabismus, 43:535
- holes of, amnion implants in, 45:791
- bilateral, 46:276
 - instrument for, 48:132
- pathogenesis, 41:350
- photocoagulation in, 44:451
- retinal detachment and, 46:277; 51:359
 - therapy of, 50:1272
- in amblyopia, 54:511
- in exudative retinitis, 37:304
- in hypertensive retinopathy, 47:733
- in retinal detachment, 44:450
- lesions of, after influenza, 47:731
 - classification of, 45:176
 - diagnosis of, 46:110
 - due to solar eclipse, 39:269
 - senile, 43:332; 50:209
- perforation of, traumatic, 37:638
- physiology of, 51:190
- pigment degeneration, in diabetes, 40:601
- retinal detachment operations and, 47:435
- scotomas, in occipital lobe tumors, 48:425
- sparing of, in hemianopia, 46:610
- star, in angiospastic retinopathy, 48:424
- stimulation of, 43:498
- symptomatology of, 44:565
- Macular corneal dystrophy, family with, 49:397
- Macular perception, headache and, 44:285
- Maddox-rod phenomenon, 47:912
- Maggots, eye disease and, 40:310
- Magitot, Andre, 47:746, 747, 748
- Magnification, 41:903
- Malaria, eye disturbance after drugs for, 50:204
- Malaya, two cases from, 46:925
- Malformations, cerebral angiomas, 37:309
 - mesodermal of eye, 36:1327, 1328
 - See also Congenital anomalies
- Malingering, tests for, 45:766; 47:711
- Malta fever, eye symptoms of, 52:437
- Malta, trachoma in, 52:320
- Maltese Islands, blindness in, 50:362
- Mandibulofacial dysplasias, 49:406
- Mandibulofacial dysostosis, 37:322; 46:442
 - facial lipoderma and, 50:360
 - genesis, 54:523
 - status dysraphicus and, 38:451
- Manometry, ocular tension during, 50:525
- Mantoux tests, comparison, 54:337
- Marble-bone disease, 46:436
- Marchesani syndrome, 36:1018; 46:108; 51:202; 52:602; 1008, 1012
 - glaucoma and, 47:145
- Marcus Gunn syndrome, 39:922; 41:733; 44:154; 47:294; 51:1358; 53:419
 - clinical studies of, 38:888
 - following, ptosis surgery, 43:336
 - strabismus surgery, 43:336
 - inverted, 52:591; 54:489
- Marfan's syndrome, 41:1122; 43:850; 44:576; 46:284; 47:145; 449; 50:360; 51:562; 52:1012; 53:1081
 - anterior chamber angle in, 52:142
 - ectopia lentis and, 38:269; 40:156; 47:725
 - glaucoma in, 50:533
 - gonioscopy in, 51:562
 - lens dislocation in, 41:585; 44:848
 - Madelung's deformity and, 44:576
 - retinal detachment and, 44:720
 - tonography in, 46:428
- Marin Amat syndrome, 45:795
- Mastoid, eye inflammations and, 50:355
- Maternal rubella, anterior lenticonus due to, 36:1185
- congenital anomalies due to, 36:164; 44:309; 47:448; 50:361; 52:602
 - infantile glaucoma and, 45:786
 - lens study in fetuses affected by, 39:461
- Maxillitis, neonatal, 48:135
- Maxitron diagnostic test, 40:764
- Maxwell's spot, in strabismus and amblyopia, 53:179
- Measles, blindness after, 36:1018
 - corneal necrosis in, 43:831
 - neuroretinitis after, 39:914
- Mechlorethamine, in tuberculous uveitis, 53:195
- Medical, records in ophthalmology, 43:851
- Medications, fallen into oblivion, 52:1026
- Medicine, logic applied to, 49:407
 - women and, 50:362
- Medulloblastoma, retinoblastoma and, 44:458
- Medullo-epithelioma, 54:169
- Megalocornea: See Keratoglobus
- Megalopapilla, 53:1073
- Meibomian glands, 53:1076
 - adenitis, tarsus hypertrophy and, 40:942
 - adenocarcinoma of, 48:140
 - anomalies of, 52:1021
 - cysts of, 40:154; 48:710
 - diseases of, 42:183
 - hypersecretion, fluorescent lighting and, 44:456
 - polyopia due to, 54:1160
 - tumors of, 43:342
- Melanin, formation of, 51:1331; 52:292
 - pathochemical study of, 39:122
- in retinoblastoma, 48:422
- ocular, 52:739
- Melanoblastoma, 39:140
 - diathermy in, 44:301
 - electron microscopy of, 51:210
 - intraocular, 45:183
 - of choroid, 45:781; 51:1346
 - photocoagulation in, 48:430; 54:519
 - of papilla, 50:682
 - of uvea, 48:71
- Melanoblasts, of choroid, 40:450
 - proliferation of, into cornea, 37:132
- Melanocytosis, 43:1004
- oculodermal, 52:317
- MELANOMA:** 49:405
 - after adrenalin, 46:283
 - age distribution in, 53:192
 - cysts of iris and ciliary body stimulating, 47:624
 - diagnosis and management, symposium, 48:141
 - endothelial dystrophy and, 42:678
 - enucleation in, 54:517
 - epibulbar, 45:184
 - glial hyperplasia disc and, 50:1284
 - in chronic irritated eyes, 42:678
 - in temporal periphery, 46:780
 - intraocular, with lymphatic leukemia, 36:162
 - iris thrombosis simulating, 53:1048
 - liver metastases, after 15 years, 41:737

MELANOMA (continued)

- MALIGNANT**, 43:530
 after evisceration, 37:315
 congenital melanosis and, 44:567
 diagnosis, by subretinal fluids, 43:835
 of the choroid, 43:326
 of corneal limbus, 53:717
 of iris, 47:122
 of orbit, 52:1022
 of uvea, 45:319
 management of, 54:884
 metastatic to choroid, from skin, 45:780
 mixed character of, 44:567
 of bulbar conjunctiva, 46:262
 of choroid, 36:744; 38:445, 597; 42:815; 43:1030; 46:427; 50:1285; 51:1363; 53:195
 biopsy in, 41:581
 carcinoma of neck and, 38:898
 delayed metastasis in, 52:317
 diagnosis of, 45:169
 echogram of, 49:196
 malignant, 37:973; 43:326
 morphology of, 36:1017
 mast cells in, 51:354
 photocoagulation in, 53:1078
 P²² to localize, 50:674
 size, shape and prognosis, 41:1094
 ultrasound to examine, 52:437
 of ciliary body, 36:758; 38:597; 46:427
 of conjunctiva, 38:280; 53:209
 malignant, 48:695
 pedunculated, 54:519
 xeroderma pigmentosum and, 54:340
 of cornea, 39:454; 45:779; 54:162
 of eyelids, 53:209
 of iris, 38:597, 756; 39:143; 42:952; 43:517; 46:427; 48:415; 53:719
 cyclectomy in, 53:1057
 in infant, 53:1077
 of limbus, 45:777; 53:420
 of optic disc, 36:1012; 47:722
 of orbit, 44:301
 of retina, 53:416
 of uvea, 41:738; 50:530
 diathermy in, 38:889
 differentiation of, 37:318
 P²² to diagnose, 39:621; 44:713
 radiation therapy in, 38:606; 51:1359
 statistical study of, 52:1022
 subretinal fluid in diagnosis of, 41:337
 tissue cultures in, 51:210
 unsuspected intraocular, 47:141
 Melanophore hormone, in retinitis pigmentosa, 40:152
 Melanosarcoma, of choroid, 47:742
 of ciliary body, 36:1007
 of optic disc, 36:1011
 retinal detachment and, 47:297
MELANOSIS, benign, 47:297
 cancerous, 43:831
 radiation therapy in, 48:692
 choroidal tumors in eyes with, 48:429
 congenital, 45:337
 malignant melanoma and, 44:567
 of sclera, 51:1363
 oculocutaneous, 43:1004
 oculofacial, 50:203
 of choroid, 38:280
 of conjunctiva, 38:280; 45:776; 53:404
 precancerous, 49:197
 of conjunctiva, 43:324
 radiation therapy in, 48:692
 progressive myopathy and, 52:1024
 Melkerson-Rosenthal syndrome, 53:170
 Meniere's syndrome, nystagmus in, 46:278
 ophthalmodynamometry in, 52:589
 recurrent macular edema and, 51:1350
 retinal vasospasm with, 43:523
 Meningeal hydrops, after otitis media, 44:455
 Meninges, in uveitis, 49:1073
 ocular signs in hemorrhage of, 47:438

Meninges (continued)

- orbit and, 36:872
Meningioma, at base of skull, eye signs, 38:603
 eye signs of, 47:137
 intrachoroidal, diagnosis of, 42:678
 of anterior clinoid process, visual loss and, 36:1321
 of optic foramen, 53:209
 of optic nerve, 39:149; 41:1108; 43:342; 44:299; 52:1017
 sheath, 39:272
 of orbit, 50:1281
 pregnancy complicated by signs of, 38:892
Meningitis, eye signs in, 51:363
 hemorrhagic, after orbital injury, 36:890
 herpes zoster and, 49:667
 optic atrophy complicating, 50:1278
 tuberculous, 51:211
 after-effects of, 53:210
Meningocele, of optic disc, 51:363
 of orbit, 50:685
Meningo-encephalocoele, exophthalmos and orbital, 50:1282
Meningo-veval syndrome, 46:782
Menstruation, cornea in, 43:1007
 vascular bed of conjunctiva in, 37:610
 vicarious, in eyes, 51:362
Mental defects, eye abnormalities in, 53:745
 retrolental fibroplasia and, 47:438
 Meperidin, retinal artery pressure after, 47:708
Meprobamate, 47:266
 effect on light sens, 48:872
 effect on visual fields, 48:872
Mercurialentis, 37:622; 40:943
Mesencephalon, in pigment degeneration retina, 51:859
METABOLISM, anthranilic acid, glaucoma and, 45:492
 calcium, in band keratopathy, 42:813
 carbohydrate, in rat lens, 51:859
 inhibition of, effect on ERG, 47:705
 of cornea, 42:649
 chlorine partition and, 42:517
 diseases of, in children, eye signs, 47:299; 51:536
 inhibition of, retinal swelling and, 46:614
 light stimuli and, 41:368
 lipoprotein, 52:454
 of aqueous, vitamin C and, 53:1039
 of graft, in keratoplasty, 52:741
 of lens, age and, 42:130; 45:143
 cation shift and, 43:812
 oxygen and, 51:561
 of optic nerve, 51:732
 of retina, effect stress on, 51:1352
 phosphate, of cornea, 42:803
 of lens, 51:561
 protein, in eye, 50:518
 of retina, 53:1037
 retinal pulse, cerebral circulation and, 43:813
 reduced, in uveitis, 51:557
 water, in glaucoma, 47:920
 Metachromasia, in host cornea, keratoplasty and, 47:717
Metacontrast, 36:560
Metamorphopsia, 47:425
Metantelin bromide, as mydriatic, 39:120
Meteorology, eye disease and, 39:117
Meteorotropy, of expulsive hemorrhage, 53:412
Methanol, intoxication, 45:144
 peroxide and, action on optic nerve, 36:1483
 poisoning, 37:629; 46:433
 eye changes in, 48:874
 in industry, 44:568
 mass, 53:167
 optic nerve in, 36:1482
 visual toxicity of, 41:868; 47:587
Methionine, effect on regeneration visual purple, 42:947
Methonium compounds, eye effects of, 36:873
 in retinal vascular disease, 39:148
Methoxsalen, eye photosensitization with, 51:189; 53:548
Methyl alcohol: See **Methanol**
Methyl cellulose, in ophthalmology, 44:712
 irritating action of, 46:891; 48:556
Methyl prednisolone, 46:909
Methyl rosaniline poisoning, fluorescein in, 36:759
Microaneurysms, 49:189

Microaneurysms (continued)

- episcleral, 43:514
- in diabetes, 52:459
- in diabetic retinopathy, 54:903
- electron microscopy of, 54:903
- of retina, 36:1649
- capillaries, 50:680
- Microangiography, 40:757
- Microcornea, congenital glaucoma and, 52:602
- hydrophthalmos and, 40:946
- Microelectrophoresis: See Electrophoresis
- Microgyria, chorioretinal dysplasia and, 47:925
- Micrometry, vascular of retina, 47:428
- Microphakia, 48:703
- MICROPHTHALMOS:** 39:280; 51:1364; 52:1011; 54:906
 - choroidal ossification in, 48:698
 - complicated, 53:744
 - congenital, 41:741
 - glaucoma, retinal detachment and, 48:423
 - histology of, 45:337
 - hypermetropia gravis and, 47:448
 - in prenatal toxoplasmosis, 37:976
 - limbus malformations with, 36:1495
 - ocular defects and, 53:733
 - pathogenesis, 46:121
 - retinitis pigmentosa and, 47:448
 - syndromes of, 44:862
- Microphotography, with slitlamp, 49:864
- Microprojection, 42:172
- Micropsia, of cyclopean eye, 46:249
- Microradiography, of eye, 40:757
- Microscopy, Cibis illumination for, 47:710
 - electron: See Electron microscopy
 - interference, to study vitreous, 47:881
 - new illumination technique for, 41:869
 - phase-contrast: See Phase-contrast microscopy
- Microsurgery, 52:745
- Microwaves, action on eye, 36:735
 - lens opacities due to, 36:883
 - radiation, biologic effects of, 41:897
 - See also under Radiation
- Middlebrook-Dubos reaction, 41:574
 - in ocular tuberculosis, 36:285
 - in uveitis, 50:828
- MIGRAINE:** 44:855
 - as psychosomatic disease, 36:760
 - cafergot in, 41:337
 - cerebral aneurysm in, 52:589
 - eye signs in, 52:313
 - ophthalmic, 41:1109
 - vasodilators in, 38:892
 - ophthalmoplegic, 36:1649; 39:921; 51:1363
 - pathogenesis of, 40:940
 - neuralgia and ocular palsy in, 54:905
 - refraction and, in myopic astigmatism, 49:1445
 - retinal circulation in, 37:641
 - scotomas associated with, 40:307
 - visual fields in, 40:307
- Mikulicz's disease, of lacrimal gland, 43:846
- Military, medicine, diagnosis papilledema in, 40:938
 - uveitis, problem of, 38:261
- Miltown, in glaucoma, 46:271
- Miners, eye affections in, 40:947
- Minimum separable, exposure time and, 36:564
- MINTACOL**, as mydriatic antagonist, 38:747
 - iris pigment cysts after, 40:148
 - use of, 41:576
- Miosis, congenital, 51:868
 - during manometry, 50:525
 - in Argyll Robertson syndrome, 42:183
 - influence on absorption red blood cells, 51:709
 - TEP-induced, visual effect, 43:155
- MOTICS:** 52:432
 - absorption speed, 42:161
 - BC48, 45:784
 - combined use, 44:438
 - comparison of, 37:132
 - effect phenylephrine with, 47:880
 - effect on aqueous outflow, 50:518
 - effect on ciliary body, 36:1162
 - effect on ocular rigidity, 53:169

MOTICS (continued)

- in esotropia, 39:451; 43:512
- in glaucoma, chronic, 36:1491; 37:155
- simple, 51:751
- in strabismus, 45:962; 51:1343
- surgery, 41:910
- iris cysts after, 38:445
- iris pigment changes due to, 42:527
- Mintacol as, 41:576
- physostin, action of, 37:135
- pupillary-iris cysts after, 43:327
- Pyridostigmin, 36:279
- Pyrophos, a new, 52:295
- red ring of chamber angle and, 47:126
- therapy, 36:1491
- Tosmilen, a new, 51:558
- Mitchell, Silas Weir, ophthalmic research and, 54:525
- Mitochondria, of retina, 47:96
- Moebius syndrome, 37:309; 41:545, 1110; 46:122, 443; 50:361; 51:863, 1356; 54:514
 - electromyography in, 51:1356
 - sign of, in Graves' disease, 37:641
- Mole, eye of, 36:872
- Moll, glands of, adenoma of, 50:1284
- cystadenoma of, 41:737
- Molluscum contagiosum, 43:639; 51:569
 - electron microscopy in, 43:487
 - palpebral localization of, 45:182
- Molluscum sebaceum, 44:301
- Mongolism, conical cornea, cataract and, 45:609
 - congenital cataract and, 51:763
 - eye manifestations of, 52:604
 - iris in, 51:854
 - nodules, 47:23
 - lens changes in, 36:165
- Monoamine oxidase, in ocular tissues of cat, 54:331
- Monocularly, in road traffic, 52:134
- Monocytosis, blood changes in, 49:658
- Monoiodoacetic acid, effect on lens, 43:490
- Mononucleosis, eye manifestations of, 38:450
 - infectious, lacrimal disease and, 43:340
 - ocular complications of, 50:528
- Monotreme, eye of, 37:452
- Moorfields, conjunctivitis at in 1956, 47:283
- Medical School, 52:604
- Morax-Axenfeld diplobacillus, 41:560
- Morax, V. 50th anniversary at Hosp. Lariboisiere, 45:338
- Morgagni syndrome, 51:1354
 - angioma of retina and, 38:609
- Morocco, eye study in, 38:286
- Morquio-Ullrich disease, 51:570
- Morality and professionalism, 40:947
- Mortality, in ophthalmology, 49:1081
- MOTILITY**, anisometropia and, 54:338
 - balance, streptomycin and, 53:712
 - department, organization of, 53:554
 - in scleral buckling, 53:552
 - orthoptics to improve, 52:137
 - phosphene of quick, 44:711
 - photography of problems of, 50:832
 - records, punch cards for, 50:830
 - refraction and, 53:1042
- Motor vehicle drivers, influence smoking on, 54:730
 - scotopic vision in, 40:921
 - visual perceptions of, 37:140
- Mouth, eyelid closure on opening, 52:591
- MOVEMENTS** of eye, 50:1261
 - after cerebral hemispherectomy, 41:691, 870
 - after scleral resection, 48:126
 - analysis of monocular rotations, 43:828
 - apraxia, 53:553
 - axes and meridians, in oblique, 42:177
 - classification of, 42:328
 - congenital disturbances of, 42:177
 - congenital motor apraxia and, 43:321
 - control of, 36:141
 - co-ordinometry to study, 45:598
 - cover test, 37:608
 - cybernetics of, 47:121
 - defects in, after cranial trauma, 46:284
 - disturbances of, after head injuries, 49:396

MOVEMENTS (continued)

- disturbances of (continued)
 - electro-oculography in, 38:752
 - during blinking, 49:179
 - during cinema viewing, 47:914
 - during fixation, 49:179
 - during reading, 42:328
 - during TV viewing, 47:914
 - electric registration of, 39:452
 - electro-oculography to study, 52:748
 - elimination of, in producing after-image, 48:879
 - examination of, 41:1090
 - extraocular, in primary brain tumor, 48:125
 - following, EMG during, 47:915
 - fusional divergence, in esotropia, 47:428
 - horizontal, analysis of, 41:870
 - stimulus and, 39:453
 - in hyperthyroidism, 53:1050
 - in myasthenia gravis, 40:940; 53:1050
 - in occipital lobe lesions, 45:157, 179
 - in ocular motor apraxia, 37:476; 45:795
 - in poliomyelitis, 41:352
 - in strabismic amblyopia, 50:1260
 - in tendon sheath syndrome, 50:673
 - in vascular syndrome, 50:352
 - influence age on, 43:507
 - instrument to record, 39:775
 - nystagmography to analyze, 43:844
 - objective determination of, 41:906
 - oculomotor centers and, 47:612
 - organization of, 43:148
 - paralysis of, 45:484
 - electro-oculography in, 43:319
 - in aged, 45:158
 - photography to register, 37:146
 - physiologic limits, 43:507
 - pursuit, in amblyopic eyes, 52:439
 - records of, punch cards for, 47:748
 - response of, to convergence stimuli, 42:948
 - restricted, diagnostic significance of, 40:769
 - rolling eye, around its visual axis, 40:769
 - saccadic, mechanism of, 39:453
 - vergence and, 43:318
 - small voluntary, 37:816
 - supranuclear disturbances and, 47:620
 - tachistoscopic apparent, 48:561
 - terminology standardization, 39:137
 - time consumption in, 39:906
 - torsional, of eyeball, 41:166
 - vergence, EMG of, 47:876
 - vertical, paralyzed horizontal muscles in, 43:513
 - visual and vestibular control of body and, 48:556
 - visual efficiency and, 50:673
 - vitreous attachment during, 39:434
 - vitreous dynamics during, 39:434
 - voluntary, localization during, 49:863
- Mucocle**, of eyelid, 40:154
- of frontal sinus, palpebral fistula and, 36:756
 - of maxillary sinus, 45:600
 - symptoms of, 37:310
- Mucoid**, of cornea, 37:603
- MUCOPOLYSACCHARIDES**, acid, in trabecula, 53:397
- staining of, for eye pathology, 47:904
 - in alloxan diabetes, 46:612
 - in cornea, 40:140
 - endothelium, 54:483
 - in keratitis, 41:153
 - inorganic S³⁵ sulfate and, 47:271
 - sulfate, 48:558
 - in diabetic retinopathy, 41:350
 - in experimental exophthalmos, 43:154
 - in lens, 51:562
 - in sclera, 40:140
 - sulfate, 48:558
 - in vernal conjunctivitis, 48:127
- Mucormycosis**, acute, 51:1328
- of orbit, 51:864
- Mucous membranes**, ectodermoses of, 43:833
- neuromas of, 48:711
- MULTIPLE SCLEROSIS**, eye symptoms in diagnosis
- 44:444, 723; 49:657

MULTIPLE SCLEROSIS (continued)

- flicker fusion thresholds in, 43:1016
 - hemianopia in, 38:602
 - ocular complications of, 43:844
 - optic neuropathy in, 37:976
 - optic tract neuritis in, 49:1077
 - periphlebitis retinae in, 37:631
 - retinal vein sheathing in, 39:150; 49:1454
 - retinopathy of, 52:586
 - retrochiasmal neuritis in, 44:565
- Mumps**, dacryoadenitis after, 47:140
- downward gaze palsy after, 52:590
 - eye manifestations of, 53:564
 - eye symptoms in epidemic, 39:926
 - intraocular infections from virus of, 38:744
 - ocular complications of, 37:320
- Muscae volitantes**, in young, 39:271
- MUSCLES** of the eye, action of, 41:167
- scheme for, 51:352
 - anomalies, torticollis and, 49:180
 - tumors and, 41:340
 - balance, high altitude and, 36:573
 - test for, 40:765; 48:409
 - ciliary, action potential of, 53:162
 - innervation of, 43:153
 - insertion in chamber angle, 43:147
 - congenital fibrosis of, 42:652
 - contraction, effect on eye elasticity, 48:417
 - dervation of, in pernicious anemia, 51:1343
 - diagnosis, cover test in, 41:1092
 - headtilting in, 42:810
 - diseases of, 46:424
 - disturbances, in endocrine exophthalmos, 41:576
 - divergence, 36:574
 - double folding of, 51:554
 - drugs to relax, 47:610
 - dystrophy, 46:930
 - ophthalmoplegia and, 49:396
 - electromyography of, 38:763; 39:450; 42:162; 43:509; 54:490
 - in myositis, 48:287
 - See also Electromyography
- ELEVATOR**, paralysis of, 41:167
- EXTRAOCULAR**, action d-tubocurarine on, 52:138
- action potentials in, 51:548
 - argyrophile fibers of, 53:1033
 - congenital anomalies of, 50:203
 - course in brainstem, 40:758
 - dystrophy, 46:259
 - effect drugs on, 43:491
 - EMG of, 39:439; 41:166; 46:929; 47:914
 - in following movements, 47:915
 - See also Electromyography
 - extraconjunctival approach to, 39:907
 - influence atropine on, 38:438
 - influence pilocarpine on, 38:438
 - influence position eye on, 51:1358
 - innervation of, 44:706
 - paralysis, in diabetes, 49:659
 - paresis of, 41:343
 - proprioception and, 43:809
 - refraction changes after surgery on, 49:659
- extrinsic**, disturbances after retinal detachment surgery, 41:908
- histologic structure of, 41:884
 - insertion, retinal tears and, 38:275
 - nerves of, 51:187
 - endings, in rabbit, 47:260
 - spiral, 51:186
 - spindles of, 42:157
 - time factor in studying, 45:769
- eyelid**, epiphora due to weak, 48:709
- grafting, in VI nerve paralysis, 51:850
 - horizontal, paralysis in vertical movements, 43:513
 - imbalance, binocular, 51:553
 - in orbital fractures, 47:738
 - test for, 38:432; 45:770
- in myasthenia gravis**, 39:925
- paralysis of, 46:258
 - inflammations of, 48:287
 - innervation, 49:652

MUSCLES (continued)

- intraocular, paralyzed, 49:652
- role proprioception in, 36:141
- iris, tumor of, 36:149
- levator, histology of, in acquired ptosis, 40:154
- palpebrae, surgical anatomy of, 54:1166
- malposition of, surgery for, 47:715
- motor, congenital defects of, 39:907
- myosensory impulses from, 47:709
- oblique, anatomy of, 39:116
 - inferior, marginal myotomy of, 41:341
 - myectomy of, 46:928; 48:125
 - paralysis, spontaneous regression, 47:714
 - pseudoparesis of, 51:850
 - recession, 54:886
 - tenotomy, 54:1166
- marginal myotomy of, 43:828
- superior, hypofunction, 49:865
 - insertion, 36:742
 - overaction, 53:1050
 - paralysis, 41:167; 50:1260
 - tendon sheath syndrome and, 43:829
- ocular, EMG studies of, 43:809, 812, 819
- oculomotor, stretching of, 47:428
- oculorotary, 39:775
- of iris, contractile, 47:877
- operations, levator, 46:283
 - Lloyd's, 36:1177
 - myectomy, 48:125
 - O'Connor cinch, 40:928
 - recession, under Tenon's capsule, 38:441
 - selection of, 50:831
- orbicularis, 39:115, 619
 - contraction power in, 52:1020
 - orthoptics and: See Orthoptics
- palsy, after retrobulbar acetylcholine, 38:440
 - congenital, 40:290
 - due to herpes zoster, 46:279
 - EMG to study, 39:906
 - inferior rectus, repair traumatic, 41:724
 - isolated, cyclovertical, 48:568
 - prognosis in, 38:753
 - treatment of, 38:753
- PARALYSIS**, after antitetanus serum, 49:179
 - Bielschowsky's test, 41:1090
 - cerebral aneurysms and, 51:716
 - deviation in, 36:876
 - diagnosis of, 37:818
 - divergence, 44:561
 - simulated, 36:574
 - Duane's syndrome, 36:146, 574
 - due to acetylcholine intoxication, 40:156
 - due to encephalitis, 45:598
 - electro-oculogram in, 51:352
 - external rectus, 45:768
 - extraocular, in diabetes, 49:659
 - treatment of, 38:754
 - extrinsic, 53:553
 - inferior oblique, 39:776; 42:522
 - spontaneous regression of, 47:714
 - internal rectus, 50:202
 - muscle transplantation in, 41:1090
 - ocular torticollis and, 45:158
 - of elevator, supranuclear, 41:167
 - of lateral rectus, 37:970
 - of superior oblique, 41:167
 - orbicularis, 39:786
 - perception disturbances in, 38:593
 - pupil disturbances and, 46:284
 - superior oblique, bilateral, 36:1489
 - transplantation in, 49:179
 - surgery in, 38:752; 39:263, 907
 - surgical aspects of, 36:878
- paresis, after cranial injuries, 52:1017
 - congenital, of levator, 36:574
 - extraocular, 41:577
 - head posture and, 53:179
- power, 40:460
 - in strabismus, 40:460
- proprioception, after images and, 47:910
- proximeter, to test balance, 41:159

MUSCLES (continued)

- Raeder's syndrome and, 36:417
- RECTUS**, absence of, 39:907
 - external, insufficiency, 40:611
 - paralysis, after antitetanus serum, 49:179
 - horizontal, vertical displacement of, 49:178
 - inferior, congenital absence of, 54:1166
 - fibrosis of, 53:180
 - ptosis and, 45:158
 - paralysis of, 50:202
 - medial, agenesis of, 47:120
- relaxants, 51:739
 - effect on eye, 43:822
 - myanesis, 41:346, 348
- sensibility, fixation and, 49:656
- shortening, by torsion and ligation, 45:159
- spasm, levator, correction of, 44:155
- striated, sensory nerves of, 40:449
- supplied by, III nerve, 43:187
- SURGERY**, 45:485; 47:715
 - advancement and recession, 36:878
 - of Kunz, 36:574
 - asymmetric horizon, 45:962
 - cardiac slowing during, 53:1051
 - catgut allergy in, 52:297
 - changes in corneal astigmatism after, 41:900
 - complications of, 51:351
 - corneal ulcer after, 49:1073
 - in esotropia, 36:146
 - keratitis and corneal ulceration after, 54:735
 - of levator palpebrae superioris, 47:296
 - of oblique, 52:439
 - oculo-cardiac reflex in, 46:253
 - postoperative complications, 52:138
 - torsion and tucking, 37:478
- tarsal, and levator, 43:340
- temporal, transplantation after exenteration, 51:208
- tendon, sheath syndrome, 50:673
 - to repair corneal fistula, 36:578
- transplantation, after severance medial rectus, 51:351
 - in A and V syndrome, 50:832
 - in concomitant strabismus, 50:202
 - iris depigmentation after, 45:170
- torticollis, in disturbances of, 37:817
- vertical, deviations of, operation for, 40:928
 - imbalance, 43:165
 - insufficiency, 53:181
 - operation on, in nystagmus, 48:568
 - surgery of, 51:333
- Muscular dystrophy, color blindness and, 43:664
- Muskurelax, in surgery, 43:814
- Mustard gas, keratitis due to, 50:205
- Myanesis, in cataract extraction, 41:348
- MYASTHENIA GRAVIS**, 38:284; 39:925
 - anticholinesterases in, 51:709
 - comments on, 43:662
 - electromyography in, 46:258; 50:830
 - eye findings in, 42:523, 822
 - eye movements in, 53:1050
 - eyelid retraction in, 41:589
 - ocular motility in, 40:940
 - ophthalmoplegia in, 41:353
 - Tensilon, in diagnosis of, 40:306
- Myasthenia ocularis, 45:958; 53:401
 - eyelid retraction in, 43:659
- Mycobacterial injections, uveitis and, 51:557
- Mycosis, fungoides, 50:687
 - of orbit, simulating neoplasm, 47:439
 - postoperative intraocular, 54:1164
 - secondary, 47:604
- See also Fungus infections
- MYDRIASIS**, absolute in hysteria, 43:527
 - and hypertension, in glaucoma, 42:179
 - due to plant with belladonna alkaloids, 53:1079
 - due to snake bite, 52:1023
 - influence on absorption red blood cells, 51:709
 - Jimson weed, 41:894
 - paralytic, in optic neuritis, 41:353
 - provocative test, 53:400
- MYDRIATICS**, 48:280
 - action on pupil muscles, 47:612

MYDRIATICS (continued)

- adsorption speed, 42:161
- aqueous floaters after, 52:295
- clinical experiences with Labotropin, 36:1277
- diagnostic, 54:730
- effect on ciliary body, 36:1162
- experiments with, 43:491
- for pain, in absolute glaucoma, 36:409
- Labotropin, new synthetic, 36:1640
- metantelin bromide as, 39:120
- Mintacol, as antagonist of, 38:747
- Mydriaticum as, 47:265, 707; 49:173; 53:164
- optometry and, 36:1654
- oxyphenonium bromide as, 43:810
- refraction with short-lasting, 47:274
- "Roche" as, 48:277; 51:733
- R-658 as, 46:616
- RO-17683 as, 48:555
- study of avagal, 37:134
- to treat shallow anterior chamber, 44:849
- tropicamide, a new, 52:290

Myeloid, tumor of eyelids, 36:1016

MYELOMA, multiple, 41:1115

- ocular manifestations of, 44:727
- of cornea, crystals in, 48:569
- of orbit, 37:316; 38:762; 44:856
- retinal hemorrhage in, 41:586

Myelomatosis, eye complications of, 41:360

Myiasis, 44:573

- of conjunctiva, 42:178
- posterior internal, 46:782

Myleran, cataracts produced by, 41:896

Myoblastomyoma, 54:519

Myopathy blepharophimosis and, 54:913

chronic progressive, 54:886

ocular, 46:929

MYOPIA, 42:170; 47:708; 48:281

- accommodation and, 53:1043
- acquired, in airline pilots, 46:248
- and nonmyopia, 40:143
- as ocular varicosity, 43:1002
- axial length, and refraction in, 47:612
- blood-aqueous barrier in, 40:296
- cataract extraction in, 41:178
- choroideremia, nystagmus and, 49:200
- chorioidopathy and, 53:192
- convergent strabismus and, 43:164
- corneal power in, 54:483
- corneal scars and, 36:288
- degenerative, 45:759
- audiometry in, 54:883
- gonioscopic observations in, 44:286
- treatment of, 43:500
- development of, 40:763
- diet and, in children with, 42:947; 45:148
- dioptric center in, 37:968
- disease in pregnancy and, 50:361
- effect Adaptinol on, 44:436
- effect on depth perception in pilots, 46:765
- ERG in, 39:783
- etiology of, 36:564
- exophthalmometric values in, 42:338
- Fukala's operation in, 40:143
- glaucoma and, 49:870; 53:1059
- tonography in, 48:574
- gonadotrophin in, 42:171
- heredity in, 36:561; 40:283

HIGH, aloe extract in, 49:656

- anisometropia and, tonography in, 52:307
- cataract surgery in, 52:451; 53:202, 703
- clinical studies of, 47:911
- corneal thickness in, 36:283
- functional disturbances in, 54:484
- glaucoma and, 43:175
- in premature twins, 50:1258
- lens extraction in, 51:1333; 52:748
- ocular hypertension and, 51:749; 52:1007
- perimetry in, 40:761
- refractive changes in, after cataract extraction, 45:471
- scleral resection in, 38:879
- shortening of globe in, 36:740

MYOPIA (continued)**HIGH (continued)**

- surgery in, 37:626; 47:907
 - arguments against, 43:158
 - horopter in, 41:571
 - in children, dietary treatment of, 46:921
 - increasing, 45:759
 - in neurofibromatosis, 42:183; 47:741
 - in twins, 42:682
 - keratoconus and, 47:145; 48:694
 - lamellar scleral resection and, 43:500
 - light stimuli in, 48:886
 - macular aplasia and, 46:123
 - malignant, collagen fibers in, 44:139
 - cyclodialysis in, 48:875
 - method to improve, 46:622
 - migraine, astigmatism and, 49:1445
 - neosynephrine to treat, 51:192
 - night, 53:399
 - occupational, prognosis in, 50:198
 - operation for, 39:905
 - physical growth and, 41:898
 - predilection for right eye, 51:1333
 - progressive, 43:1002
 - in Marchesani syndrome, 36:1018
 - surgery in, 41:898
 - pseudoneuritis in, 40:602
 - pseudopapilledema in, 40:602
 - retinal detachment in, 47:730
 - retinal lipid extracts in, 38:590
 - scleral changes in, 47:908
 - scleral resection in, 40:144; 41:571; 42:325; 43:818
 - scleral rigidity and, 54:338
 - sex differences in, 36:875
 - spherophakia, glaucoma and, 46:108
 - surgery of, 36:283; 38:433; 39:901
 - study of, 44:575
 - theories of, 36:1159
 - transient, after acetazolamide, 52:739
 - after corticotropin, 41:900
 - after Diamox, 42:512; 43:517; 45:959; 46:613; 51:1333
 - due to gastritis, 44:557
 - during hydrodiuril therapy, 51:1329
 - during hypertension therapy, 50:827
 - traumatic, 49:1460
 - with catarrhal fever, 51:191
 - traumatic retinal detachment and, 48:580
 - uveitis and, 38:263
 - visual field changes in, 39:126
- Myositis**, chronic ocular, 47:439
- chronic orbital, 43:337
 - exophthalmos due to, 46:778; 47:439
 - of orbit, 41:1111; 51:864
 - sclerotonitis and, 50:527
- Myotomy**, marginal, 43:828
- See also under Muscles
- Myotonia**, cataract in, 43:839
- hypotony in, 40:611
- Myotonic dystrophy**, 46:241
- cataract and, 36:588; 44:306
 - diabetes and lens changes in, 53:1052
 - of Steinert, 50:351
- Myxedema**, blepharoptosis of, 53:1076
- exophthalmic osteoarthritis and, 48:135
 - in enophthalmos, 51:570
- Myxofibroma**, of cornea, 38:756
- Myxoma**, endocardial, retinal artery embolism due to, 49:192
- of conjunctiva, 54:910

N

- Nailbed, blood vessels of, in diabetes, 51:1362
- Naphazoline, in eye disease, 44:287
- in glaucoma, 41:167
- in iridocyclitis, 41:167
- in keratitis, 44:146
- Naphthalene, intoxication, retinal lesions after, 46:765
- Nasal, diseases and orbital diseases, 39:471
- Nasociliary neuritis, 37:833; 42:675; 44:855
- Nasolacrimal anastomosis: See Dacryocystorhinostomy
- Nasolacrimal canal, epiphora and, 43:846

Nasolacrimal canal (*Continued*)

- radiography of, 37:836
- Nasolacrimal duct, development anatomy of, 36:136
- Nasolacrimal surgery, polythene tubes in, 49:670
- Nasopharyngeal fibroma, 37:630
- National Council to Combat Blindness, research fund, 51:531
- National emergency, ocular diseases and injuries in, 44:302
- National Foundation research funds, 51:531
- National Research Council, research funds, 51:531
- National Science Foundation, research funds, 51:531
- National Society for Prevention of Blindness, research funds, 51:531
- National Vitamin Foundation, research funds, 51:531
- Navy, color vision in, 47:273
- Near-reflex, spasm of, 41:897
- Nebacetin, in external infections, 42:805
 - therapy with, 53:173
- Necrosis, after retinal detachment surgery, 53:413
- Necroscleritis nodosa, 41:912
- Needle puncture therapy, 53:400
 - in glaucoma, 53:407
- Negros, glaucoma in, 51:356
 - surgery for, beta radiation as adjunct, 41:319
 - retinography in, 39:447
- Nematode endophthalmitis, 47:141
- Nembutal sedation, 37:817
- NEOMYCIN**, 46:247
 - antibacterial activity of, 36:1160
 - conjunctivitis due to, 48:571
 - in acute seasonal conjunctivitis, 42:329
 - in anterior segment inflammations, 49:176
 - penetration into globe, 36:1163
- Neoplasms, eye findings in malignant, 36:1494
- Neoprene casts, to study eye anatomy, 45:462
- Neosone, topical use of, 38:591
- Neosynephrine, in myopia, 51:192
 - ointment, 36:567
- Neotoben, in tuberculosis, 36:1167
- Neovascularization, in eye disease, 54:883, 885
- Nephritis, due to dacryocystitis, 50:1282
 - ocular deficiency and deafness in, 52:600
 - retinal blood vessels in, 51:729
- Nephropathy, adrenal cortex role in, 46:111
 - in diabetes mellitus, 50:680
 - in pancreatic diabetes, 47:142
 - retinal vein thrombosis and, 37:302
 - retinal vessels in, 37:304
- Nephrosis, retinal blood vessels in, 51:729
- Neprosol, in retinal hyperemia, 41:155
- Neptazane, 47:268
 - effect on ocular tension, 51:200
 - in glaucoma, 49:399, 1450
- Nepthys, filtrate in cornea abrasions, 47:717
- NERVES**, Bell's palsy and, 41:352
 - ciliary, anatomy of, 50:820
 - corneal innervation, 43:151
 - dystrophy of, 43:487
 - effect V cranial on ocular tension, 44:440
 - endings, in cornea, 37:451
 - in extrinsic eye muscles, 47:260
 - of eyelid, in orbicularis, 36:872
 - facial, influence on ocular tension, 52:1008
 - fibers, cyanopsia and, 43:158
 - in optic nerve, 43:486
 - in retina, 43:486
 - IV cranial, embryology of, 36:1157
 - injuries to, 40:306
 - oculomotor, clinical lesions of, 45:794
 - injury of, 39:919
 - of choroid, 50:820
 - of ciliary muscle, 49:653
 - of cornea, regeneration of fine, 47:260
 - sympathetic, 44:439
 - of lacrimal gland, 46:916
 - ophthalmic, effect resection of on ocular tension, 45:788
 - optic: See Optic nerve
 - palsies, auto accidents and, 41:342
 - electro-oculography in, 41:342
 - extraocular, in diabetic neuropathy, 47:915

NERVES (*continued*)

- palsies (*continued*)
 - Hering's law and, 41:1091
 - in diabetes, 41:1091
 - in herpes zoster, 44:714
 - muscle transplants in, 41:342
 - of VI, in keratitis, 42:826
- paralysis, abducens, 37:322; 41:545
 - in cranial lesions, 46:284
 - arteriographic study of, 43:655
 - facial, eye considerations in, 43:186
 - in diabetes, 45:770
 - oculomotor, 43:830
 - of III cranial, 50:683
- pathways, inglucomatous capillary hypertension, 40:463
- Raeder's syndrome and, 44:566
- reafference principle and, 49:654
- regeneration of, third, 45:328
- sensory, of striated muscle, 40:449
- VI cranial, embryology of, 36:1157
 - muscle graft in paralysis of, 51:850
 - palsy, due to furalatadone, 51:1332
- stimuli of, 39:121
- study of, in glaucoma, 40:298
- sympathetic, palsy in migraine neuralgia, 54:905
- III cranial, embryology of, 36:1157
 - influence on ocular tension, 36:1183
 - muscles supplied by, 43:187
 - pathways of, 41:559
- trigeminal, and facial connections to oculomotor, 47:611
 - in glaucoma, 41:1097
 - sympathetic and, syndromes of, 43:185
- Nervous centers, in glaucoma, 46:774
- Nervous components, of visual adaptation, 37:966
- NERVOUS SYSTEM**, autonomic, dysfunction of, 50:1280
 - effect on accommodation, 47:585
 - central, retinoblastoma metastatic to, 47:925
 - fluorescein permeability and, 49:654
 - influence of, in experimental iritis, 40:918
 - on ocular tension, 49:1074
 - myelination in, 45:462
 - parasympathetic, effect on ocular tension, 47:883
 - outflow facility and, 47:879
 - stimulation of, effect on cat eye, 47:904
 - sympathetic, corneal lesions and, 54:339
 - thyroid and, 53:1076
 - vegetative, influence light on, 46:247
- Netherlands, ocular tension in, 53:556
- retinoblastoma in, 49:191
- Neural diseases, retrolental fibroplasia and, 46:109
- Neuralgia, facial, 47:293
 - orbital, in leprosy, 43:339
- Neuramine, in herpes zoster, 48:693
- Neuraminic acid, isolated from eye tissues, 49:861
- NEURILEMMOMA**, of ciliary body, 42:528
 - of eyelid, 50:355
 - of orbit, 43:531
- Neurinoma, of orbit, 50:353; 53:209
- Neuritis, nasociliary, 43:657
 - prechiasmatic, 47:734
 - retrobulbar: See Retrobulbar neuritis
- Neuroangiomas, eye in craniofacial, 45:797
- Neuroblastoma, 43:1020
 - of adrenal gland, 44:727
 - radium therapy in, 36:1324
- Neurocirculatory disturbances, 47:443
- Neurodermatitis, cataract and, 37:829
 - and retinal detachment, 36:153
- Neurodynamics, in glaucoma, 45:785
- Neurofibroma, of eyelid, 39:469; 50:354; 53:1075
 - of orbit, 39:469; 48:430
 - papilledema due to, 46:279
 - subarachnoid hemorrhage due to, 46:279
- NEUROFIBROMATOSIS**, 46:279; 50:683
 - exophthalmos and, 39:618
 - pulsating, 54:515
 - glaucoma and, 40:940
 - in cranial bones, 48:428
 - iris in, 36:881; 41:1095
 - lacrimal gland in, 39:625
 - myopia in, 42:183; 47:741

NEUROFIBROMATOSIS (*continued*)

- optic disc tumor and, 37:629
- orbital manifestations of, 51:566
- palpebral manifestations of, 51:566
- pheochromocytoma and, 38:449
- skull bone lesions in, 52:1018
- surgery in, 51:1355
- uveal sarcoma and, 37:974
- See also Recklinghausen's disease
- Neurogenic disease, 44:455
- Neuroglia changes, in retinal degeneration, 44:434
- Neurology, in retinal periphlebitis, 43:180
- ophthalmic contributions to, 37:631
- Neuroma, of mucous membranes, 48:711
- of periorbital area, 54:515
- Neuromuscular disease, Parinaud's syndrome and, 43:844
- Neuromyelitis, 39:272
- intracranial pressure and, 43:843
- optica, 40:603; 47:134
- in encephalomyelitis, 37:308
- Neuro-ocular complication, of antirabies vaccine, 36:1013
- Neuro-ophthalmic, disturbances, in barbiturate poisoning, 41:353
- examinations, in children, 43:335
- NEURO-OPHTHALMOLOGY**, a review, 36:418; 37:832; 39:469; 41:1110; 43:336; 45:597; 48:426; 51:364; 53:562
- campimetry in, 39:785
- clinical value of, 41:734
- collagen disease and, 46:279
- perimetry in, 41:353
- problems of, 46:113
- signs, after lobotomy, 40:306
- after topectomy, 40:306
- trigeminal-ophthalmoepic syndrome and, 50:683
- visual fields in, 50:683
- Neuro-panuveitis, 51:199
- Neuropapillitis, in Asian flu, 48:706
- Neuropathology, of eye, 40:738
- Neuropsychiatry, in senile cataract, 41:729
- ophthalmic findings in, 44:307
- Neuroretinitis, after measles, 39:914
- due to solar eclipse, 53:210
- in suprarenal tumor, 53:1077
- Neurosurgeon's role, in acute visual failure, 47:618
- Neurosurgery, color fields in, 45:327
- Nevocarcinoma, of conjunctiva, 47:721
- Nevoid pigmentation, of retina, 50:680
- Nevoxanthoendothelioma, 45:335; 53:193
- epibulbar, 47:742
- NEVUS**, flammeus, glaucoma and, 42:342; 44:448
- of conjunctiva, 44:144
- of eyebrow, 52:587
- of eyelids, 51:1358
- of Ota, 52:317; 54:519
- pigmented, 36:889
- life history of, 36:422
- uveal, and skin, 36:150, 162
- Newborn: See under Infants
- Newcastle disease, 44:145
- virus, action on rabbit eye, 36:137, 551
- New Guinea, ophthalmic conditions in, 37:288; 43:348
- New York Academy of Medicine, 41:698
- Nicotine, effect on angioscleroma, 38:266
- effect on ocular tension, 38:266
- Nicotinic acid, deficiency, eye and, 39:125
- in retrobulbar neuritis, 41:589
- in tuberculous chorioretinitis, 47:616
- influence on blood vessels, of retina, 49:654
- of uvea, 49:654
- Isoniazid and, in tuberculosis, 48:874
- metabolism, in aqueous, lens and vitreous, 44:436
- Nieman-Pick disease, ocular findings in, 38:889; 43:345
- NIGHT BLINDNESS**: 47:708
- atypical, 47:732
- ERG in, 39:442; 41:923; 44:710; 47:96
- idiopathic hereditary, 44:307
- in retinitis pigmentosa, 54:506
- in tropics, 50:825
- Night driving, green windshields and, 38:123
- tinted windshields hazard in, 40:615

- Night vision, cinematographic evaluation of, 40:454
- evaluation of, 39:445
- radium adaptometer to examine, 37:138
- Nitrocellulose poisoning, 37:639
- Nitrogen, in vitreous, in retinal degeneration, 39:772
- mustard, in eyelid sarcoma, 44:857
- to treat eye diseases, 45:480
- to treat tuberculous uveitis, 51:199
- Nocardiosis, 46:120
- Noise, visual field constriction and, 54:513
- Nomogram, for problems of optics, 40:283
- Noradrenaline, effect on eye, 42:323
- effect on retinal circulation, 43:156
- in ophthalmology, 37:814
- Norepinephrine, in aqueous, 37:464
- in ciliary body, 37:464
- in iris, 37:464
- Norrie's disease, 53:564
- Norsulfazol-sodium, 43:816
- Nortestosterone, in diabetic retinopathy, 51:1352
- Norway, closed-angle glaucoma in, 53:408
- malignant neoplasms eye in, 53:740
- Nose, insertion lacrimal probes from, 43:1017
- Novesina, surface anesthetic, 38:119
- Novobiocin, 43:815
- Novocaine block, in corneal disease, 48:571, 572
- effect on, eye inflammations, 44:435
- glaucoma, 51:1348
- in hypertension with fundus changes, 41:907
- Novocaine, in keratitis, 40:292
- injections, in cauterizing injuries of eye, 46:118
- intravenous, 47:427
- in acute glaucoma, 46:774
- NP-207, toxic manifestations of, 44:852
- Nursing, ophthalmic, 38:609, 611, 902
- Nutrition, deficiency of, in eye diseases; 36:425; 42:825
- galactose cataracts and, 41:688
- in myopic children, 46:921
- of cornea, 54:491
- retinal degeneration and, 43:813
- retrolental fibroplasia and, 42:514
- Nutrition Foundation, research funds, 51:531
- Nylidrin, effect on ERG, 43:1000
- Nystagmography, 43:844
- Nystagmometer, 51:1333
- NYSTAGMUS**: 36:1642; 39:136; 50:832
- albinism and, 50:361
- analysis eye movements in, 41:733
- clinical significance, 36:887; 41:354
- congenital, eccentric, 36:1493
- electronystagmography in, 36:573; 37:476
- vertical, 41:365
- convergence and, 53:552
- counter rotation eye and, 43:335
- development of, 51:167
- disturbance central co-ordination, 37:147
- eccentric, surgery of, 53:553
- electromyographic evaluation, 51:353
- electronystagmography in, 36:742; 44:154; 48:125
- analyses, 46:434
- electro-oculography in, 38:752; 50:1260
- etiology of, 43:657
- fixation in, 45:147
- and pseudo-, 44:299
- hyperphoria and, 38:593
- in cholesteatoma of cerebellopontine angle, 47:137
- in clinical examinations, 54:338
- in Meniere's syndrome, 46:278
- in miners, 36:1177; 37:287; 45:771; 48:880
- coal, 40:947
- dissociated, 50:833
- vibration spectrum in, 38:440
- in twins, 42:682
- inhibition of, 46:434
- latent, 53:713
- myopia, choroideremia and, 49:200
- neurologic considerations in, 46:929
- operation in, on vertical muscles, 48:568
- OPTOKINETIC**: 39:136; 41:909; 44:300; 46:929; 50:201, 518; 51:176

NYSTAGMUS (continued)**OPTOKINETIC** (continued)

- after, 48:411; 52:298
 - in brain lesions, 43:528
 - in cerebral disease, 50:684
 - in psychogenic visual disturbances, 41:734
 - in strabismus, 48:125
 - ocular dominance studied by, 53:170
 - physiology of, 37:308
 - rapid phase of, 51:565
 - review, 1954-1960, 52:298
 - to determine visual acuity, 36:1306; 37:817; 47:613; 52:436; 53:175
 - to mark adaptation, 47:616
 - vertical, 54:887, 906
 - perrotary, 45:771
 - physiology of, 42:822
 - pseudoamblyopia and, 54:883
 - retraction, 43:513; 46:260; 47:736
 - seesaw, 48:568
 - sex-linked hereditary in, 42:959
 - strabismus and, 37:146
 - surgery for, 42:522; 51:538; 54:489
 - torticollis and, operation for, 50:832
 - oscillopsia and, 42:822
 - treatment of, 51:167
 - vestibular, in newborn, 53:180
 - voluntary, 36:285; 39:908; 51:739; 52:438; 54:734
- Nystatin in fungus infections, 51:551; 53:1033
- of cornea, 47:705

O

- O-antistreptolysin, blood-aqueous barrier and, 46:243
- Obesity, retinal degeneration and, 49:664
- Obstetric injuries, corneal lesions due to, 36:289; 41:167
- Obstetrics, retinal tonoscopy in, 43:161
- Occipital lobe, lesions of, 48:425
- macular scotoma in, 48:425
- oculomotor function in, 45:179
- Occlusive disease, evaluation of, 54:513
- fundus findings in, 54:732
- treatment, 54:513
- Occupations open to young blind, 49:1081
- Ochranosis, 40:944
- alkaptonuria and, 49:867
- and osteoarthritis, 37:979
- hereditary, ocular findings in, 52:319
- pigmentation in, 39:264
- Ocular distensibility, temperature and, 51:160
- Ocular dynamics, symbols of, 45:605
- Ocular hypertension, high myopia and, 51:749
- Ocular interoceptors, 43:156
- OCULAR RIGIDITY**, after raised venous pressure, 52:442
- at puberty, 53:1052
- clinical determination of, 54:889
- coefficient of, 51:752; 53:715
- effect bulbar compression on, 51:550
- effect ocular tension on, 51:550
- Friedenwald's, 45:173
- differential values of, 44:845
- dynamometric pressure and, 54:896
- effect miotics on, 53:169
- in children, 51:752
- in exophthalmos, 47:725; 48:136; 53:201
- endocrine, 50:1260
- in glaucoma, 43:175
- in mass tonometry, 53:721
- in normal eyes, 48:873; 50:1266
- intraocular blood volume and, 51:202
- measurement of, 42:817; 53:1052
- myopia and, 54:338
- ocular tension and, 36:882; 51:354; 54:341
- ophthalmodynamometry and, 53:1059
- postoperative changes in, 49:870
- refraction and, 53:1052
- scleral: See Scleral rigidity
- OCULAR TENSION**, action adrenalin on, 41:919
- action Citral on, 46:269
- action Diamox on, 40:773; 46:614
- action HC3 on, 47:880
- OCULAR TENSION** (continued)
- action meprobamates on, 50:207
- action thyrotropic hormone on, 37:619
- after cataract extraction, 52:580
- after eye injuries, 45:783
- after novocaine and adrenalin, 39:456
- after ocular insults, 52:1009
- after raised venous pressure, 52:442
- after scleral coagulation, 53:409
- after succinylcholine, 49:1442
- and endotracheal intubation, 49:1442
- alkaloids and, 42:804
- allergy and, 36:290
- anterior chamber, reformation and; 37:297
- sutures, to lower, 52:445
- aqueous, and control of, 46:245
- outflow, 48:557
- atmospheric pressure changes and, 41:584
- BC48 to lower, 47:269
- blood, flow through uvea and, 53:1035
- pressure and, 46:919; 53:556
- calculation of, 45:152
- carbonic anhydrase and, 40:281
- inhibitors, 48:698; 50:1266
- See also Diamox
- changes in, in retinal detachment, 42:671
- in uveitis, 37:620
- K-ion, in aqueous and, 42:166
- in serum and, 42:166
- ciliary artery contraction and, 41:584
- ciliary muscle and, 42:515
- compounds lowering, 37:617
- compression of eye and, 44:294
- consensual, 38:118
- control center for, 44:148
- cortisone and, 36:411; 37:133; 38:266; 39:143, 266
- cross circulation and, 48:559
- daily changes in, 37:621
- decrease in, after Diamox, 40:297
- significance of, 48:432
- development of, normal, 36:586
- Diamox and: See Diamox
- dibenzamine and, 37:293
- diencephalic stimulation and, 51:855
- distribution of, normal, 37:296
- diurnal variation in, blood-water content and, 51:752; 53:166
- eosinophil count and, 41:684; 44:564
- in glaucoma, plasma corticoid levels and, 54:891
- influence antiglaucoma surgery on, 54:497
- pathogenesis of, 39:612
- during anticoagulant therapy, 53:200
- during manometry, 50:525
- during second half night, 38:266
- during surgery, 38:583
- early morning, in glaucoma, 54:494
- effect of, on aqueous outflow, 47:879; 50:821
- on episcleral vessels, 39:912
- on rigidity coefficient, 51:550
- EFFECT ON**, of ACTH, 42:816
- of anthranilic acid, 51:558
- of Apresoline, 45:172
- of carbon anhydrase inhibitors, 49:1442
- of castration, 37:296
- of chlorothiazide, 49:1452
- of chlorpromazine, 41:318
- of convulsive shocks, 43:837; 44:295
- of Diamox, 40:150, 282, 465, 595; 43:150, 152; 47:267, 422; 53:556
- of diencephalic stimulation, 45:321
- of Diuril, 47:704
- of electrophoresis, 54:497
- of epinephrine bitartrate, 52:1010
- of general anesthesia, 53:723
- of histamine, 36:151
- of homatropine, 39:459
- of hyaluronidase, 49:1075
- of isopropyl-noradrenalin, 42:819
- of Myanesisin, 41:347
- of Nepresol, 45:172
- of nicotine, 38:266

OCULAR TENSION (continued)**EFFECT ON (continued)**

- of optic nerve resection, 45:788
- of retrobulbar anesthesia, 43:159
- of retrobulbar injections, 39:458
- of Rindex, 51:752
- of SKF No. 6890, 54:482
- of sleep, 40:298; 42:662
- of stellate ganglion block, 37:826
- of sympathergic drugs, 40:931
- of sympathicomimetic amines, 53:1063
- of testicle denervation, 40:931
- of tetraethyl ammonium, 38:118
- of Tubadil, 48:563
- of urea, 44:717
- electrical resistance corneal epithelium and, 51:751
- electromanometer to study, 36:144
- ERG in rapid changes of, 53:723
- electroshock and, 37:296; 45:174, 493; 46:615; 47:124; 48:576
- elevated, in exophthalmos, 43:177
- episcleral venous pressure in low, 44:845
- eye growth and, 42:134
- fall in, after acetazolamide, 49:183
- after salicylic acid, 38:885
- fluctuations of, extrasystoles and, 54:163
- female hormone and, 53:726
- formula of, 44:719
- frequency, in Netherlands, 53:556
- fronto-orbital centers in regulation, 50:193
- hemisphere cortex in regulation, 43:1013
- hemodynamic factors and, 52:445
- hemostatic regulation of, 53:1061
- hormones in, 43:649
- hyaluronidase and, 45:786
- HYPERTENSION**, aneurysms and, 36:152
- Diamox in, 41:1095
- See also Diamox
- experimental, 48:884
- glaucoma and, 38:266
- goitre and, 54:1170
- prevention, with polyphlorein phosphate, 53:199
- surgery for, 43:838
- treatment of, 43:521
- HYPOTONY**, acute, 48:698
- due to reduced aqueous flow, 37:620
- in myotonia, 40:611
- influence on cataract extraction, 37:157
- major cause of, 53:199
- optic disc in, 49:666
- illumination and, 36:1009
- impact on glaucomatous disc, 54:748
- in acromegaly, 50:533
- in animals, 54:495
- in athletics, 54:163
- in chick eyes, 43:806
- in diabetes, 53:200
- alloxan, 46:612
- in endocrine exophthalmos, 50:1260
- in experimental uveitis, 47:721
- in eyes with filtering scars, 36:410
- in glaucoma, 36:1184; 43:176
- after guanethidine, 53:410
- effect hyaluronidase on, 47:921
- influence sleep on, 48:290
- in herpes zoster, 41:918
- in high myopia, 52:1107
- in newborn, under general anesthesia, 54:739
- in parkinsonism, 44:861
- in retinal detachment, prognostic sign, 52:1015
- in tumors of hypophyseal region, 41:1098
- in Weil-Marchesani syndrome, 53:556
- INCREASED**, anemia and, 40:931
- anterior chamber depth and, 42:333
- Diamox in, 42:148, 529
- See also Diamox
- during corticosteroids, 53:201
- effect on Haidinger's phenomenon, 48:874
- electric potential in, 47:707
- experimental, 37:975; 47:423

OCULAR TENSION (continued)**INCREASED (continued)**

- gonioscopic study of, 39:144
- homatropine and, 37:619
- retinal vessels changes in, 41:1102
- serum ion content in, 42:953
- traumatic, rubecosis iridis in, 47:626
- visual field damage in, 41:1096
- influence of, on aqueous formation, 49:1451
- on aqueous outflow, 49:1451; 54:495
- on corneal hydration, 45:750
- on results retinal detachment surgery, 47:732
- INFLUENCE ON**, of autonomic drugs, 42:954
- of blood-pressure lowering drugs, 41:1099
- of cervic sympathectomy, 46:919
- of chlorpromazine, 41:728
- of Diamox, 38:884
- of diencephalon, 48:290
- of epinephrine, 48:290
- of facial nerve, 52:1008
- of V cranial nerve, 44:440
- of general anesthesia, 48:290
- of light, 53:1041
- of phenylephrine, 48:290
- of removal hemisphere cortex, 41:1098
- of Rivasin, 40:298
- of Serpasil, 41:1099
- of sleep therapy, 41:1099
- of sympathectomy, 45:144
- of III cranial nerve, 36:1183
- keratoconus and, 38:879
- macular capillary pressure and, 42:663
- mechanism parasympathetic effect on, 47:883
- mydriasis and, 42:179
- nervous regulation of, 41:584; 49:1074
- normal, 42:815; 47:432
- aqueous and, 39:123
- laminated veins and, 39:123
- limits of, 41:1100
- statistical study, 36:1008
- ocular rigidity and, 36:882; 54:341
- optico-vegetative reflexes and, 39:605
- phasic variations in, in glaucoma, 36:1184
- tonography in, 38:757
- vascular changes and, 36:1490
- physiologic, limits of, 48:701
- physiology and pathology of, 54:738
- pituitary and, after nicotine, 38:425
- after water, 38:425
- pressure curves, 42:955
- problems of, 44:845
- prophylactics for motion sickness and, 39:145
- range, in retinal detachment, 41:1103
- reactions, blocking of, 53:1062
- reactive, and regulatory fluctuations of, 49:869
- hypertension and, 53:725, 726
- reading of, comparison Schiötz and applanation, 51:855
- reduced, after cataract surgery, 40:300
- reducing, before surgery, 48:417
- factor, in spinal fluid, 41:728
- reflex changes in, after massage, 37:155
- regulation mechanism of, 43:172
- in glaucoma, 43:173
- regulation of, after iridencleisis, 38:598
- central, 51:751
- in glaucoma, 38:599
- morphology of, 46:270
- responses, centrally induced, 41:865
- to pressure on iris, 46:618
- retinal detachment and, 48:705
- retinal pressure and, during insulin shock, 46:624
- vascular, 36:874
- rise in, due to circumlimbal pressure, 44:844
- role of, in developing eye, 47:716
- scleral rigidity and, 49:399; 50:553; 51:354
- See also Ocular rigidity and Scleral rigidity
- sleep and, 36:586
- standards for determining, 41:921
- studies on, 52:306
- subnormal, after cyclodialysis, 46:272

OCULAR TENSION (continued)

- succinylcholine during general anesthesia and, 49:1444
- sympathomimetic drugs and, 43:809
- tonography and, 36:151
- Tosmilen eyedrops to reduce, 52:308
- urea to reduce, 47:124; 52:303
- variations in, aqueous veins and, 43:176
- blood circulation and, 52:445
- in chronic glaucoma, 37:974
- in traumatic glaucoma, 40:150
- venous pressure and, 37:157; 52:444
- vitamin-A overdosage and, 47:124
- vitreous role, in increased, 45:956
- Ocular torticollis, strabismus surgery for, 45:962
- Oculocutaneous syndrome, 53:1081
- Oculodermal melanocytosis, 52:317
- Oculodermatologic syndrome, 52:137
- Oculofacial, malformation, 49:200
- paralysis, 43:186; 54:515
- Oculogravic illusion, 36:562
- Oculomotor, apraxia, 53:553
- Balint syndrome and, 54:491
- dysmetria, and skew deviation, 53:417
- paralysis, aneurysm and, 43:823
- rhinogenic, 54:512
- parese, therapy for, 43:830
- Oculosalivary syndrome, 38:285; 43:659
- Oculovascular reflex, 36:1484
- Oestrus ovi, in conjunctiva, 36:287; 48:714
- infection, 36:892
- myiasis due to, 44:306
- of conjunctiva, 42:178
- Office of Education, Department of Health, research funds, 51:533
- Office Vocational Rehabilitation, research funds, 51:533

OGUCHI disease, 36:751; 39:270; 40:935; 43:181, 851

- clinical observations in, 39:916
- electric stimulation in, 43:818
- fundus albipunctatus and, 44:850

OINTMENTS, bases for, 36:1161

- in antibiotic treatment, 45:156
- castor in, 36:737
- duration action of, 53:171
- ecomytin-hydrocortisone, 47:268
- effect in anterior chamber, 45:473
- effect in conjunctival flora, 45:153
- Furacin, 39:132
- hydrocortisone, 51:349
- menstruum for, 37:460
- particle size drugs in, 49:393
- permeation of, 53:171
- Polyfax, in eye infections, 41:573
- standardized, 36:1482
- terramycin, 51:552
- use, in eye disease, 36:571

Old age, physiologic cup changes in, 36:1318

Oligophrenia, congenital defects and, 43:346

Omaine, in eyelid tumors, 53:402

Omnacillin, 38:437

ONCHOCERCIASIS, 37:979, 981; 40:945; 41:1118; 44:304;

45:336; 46:119; 47:745; 48:145; 52:599

- antypol in, 42:185
- degenerative lesions of, 45:593
- eye manifestations of, 52:598
- fundus lesions in, 39:624
- histology of, 46:120
- histopathologic study of, 43:661
- in Africa, 45:336; 48:286
- in Europeans, 43:849
- in Ghana, 49:1461
- ocular lesions of, 54:170
- optic nerve atrophy and, 45:334
- pathogenesis of, 47:449
- retinal diseases in, 45:334

One-eyed persons, compensation and, 49:1443

OPERATIONS, Barraquer in subluxated lens, 52:1012

- Blaskovics, in ptosis, 46:117
- Denig's, in trachomatous pannus, 38:258
- Elliot's, instrument for, 39:135

OPERATIONS (continued)

- enucleation: See Enucleation
- eyelid halving procedures, 52:316
- fistulizing, conjunctival flap in, 53:1060
- for facial palsy, 47:276
- for glioma, of optic nerve, 52:312
- for leukoma, 39:131
- for myopia: See Myopia
- for obstruction nasolacrimal duct, 52:316
- for ptosis: See Ptosis
- for pupil occlusion, 39:265
- for pupil seclusion, 39:265
- Fukala's, in myopia, 40:143
- iridectomy, in glaucoma, 52:1008
- Kettesy, in senile entropion, 47:139
- Krönlein, 38:603; 40:941
- in optic nerve tumors, 46:112
- Lagrange, 40:465; 45:787
- lamellar sclerectomy, 37:304
- Lindner-Guist, in retinal detachment, 36:1492; 38:890
- mobile table for, 51:1338
- O'Connor cinch, 40:928
- of Gallo-Romans, 48:436
- orbitotomy, 52:315
- Passow's, in chemical injuries, 47:146, 298
- in eye burns, 47:441
- in lime burns, 47:282
- plombage, for retinal detachment, 49:403
- Ridley's, 39:146, 267
- subconjunctival air injections, in fistulizing, 37:619
- transorbital leukotomy, 36:1319
- Ophthalmine, in surface anesthesia, 41:162
- OPHTHALMIA**, burdock, 40:310
- lenta, Leptosira in, 36:1310
- metastatic, antibiotics in, 43:159
- due to Candida albicans, 53:883
- NEONATORUM**: 40:771, 929
- bacitracin ointment in, 45:764
- penicillin ointment in, 45:764
- prophylaxis, 37:148
- Crédé method, 45:801
- Desoge for, 45:801
- in newborn, 44:863
- nodosa, 36:287; 37:153
- due to caterpillar hairs, 41:171
- phacogenic, 36:553
- purulent, 38:594
- campaign against, 37:983
- sympathetic: See Sympathetic ophthalmia
- OPHTHALMIC**, artery, aneurysms of, 43:345
- hypertension in, ocular tension and, 49:393
- origin and course, 53:1032
- See also under Blood, vessels
- bibliography, Polish for 1957, 48:717
- biochemistry, 37:134
- clinics: See under Clinics
- consulting rooms, pathology in, 47:747
- definitions, 38:902
- Foundation, research funds, 51:533
- history, books that make, 51:571
- hospitals: See Hospitals
- Institute, of Phnom-Penh, Cambodia, 45:800
- literature, in Finland, 43:1023
- Italian, for 1959, 53:745
- of Poland, 40:615; 43:348, 851
- meetings, first in Georgian Republic, 52:1025
- sixth, in Uzbekistan, 52:1026
- museum specimens, mounting of, 36:1481
- nursing: See Nursing
- problems, in aviation, 49:1443
- products, in Brazil, 53:887
- research, 41:318, 537, 684, 861; 51:328, 709
- biostatistical methods in, 51:1365
- eye of cat in, 51:1327
- funds available for, 51:528
- solutions: See Solutions
- stress, 37:639
- surgery: See Surgery
- teaching, TV in, 54:525
- Ophthalmodynamometer, calibration of, 52:1009

Ophthalmodynamometer (continued)

- of Bailliant's, 54:336
- of Baurmann's, 42:173
- construction of new, 47:712; 49:1444
- Ophthalmodynamometric data, evaluation of, 40:764

OPHTHALMODYNAMOMETRY: 46:927; 52:1010

- clinical, 47:275
- in brain tumors, 37:630
- in carotid-cavernous fistula, 51:867
- in carotid disease, 38:437; 53:422
- in cerebrovascular disease, 53:562
- in diagnosis, 52:1008
- in essential hypertension, 53:733
- in glaucoma, 50:1265
- in internal medicine, 46:784
- in intracranial vascular disease, 46:924
- in insufficiency intracranial circulation, 53:710
- in Meniere's syndrome, 52:589
- in pulseless disease, 36:1172
- in retinal artery occlusion, 52:312
- in vasomotor headache, 48:566
- ocular rigidity and, 53:1059
- physical basis for, 46:623
- to diagnose fundus changes, 42:325
- to study reading ability, 53:1050

Ophthalmologische Bibliothek, 54:525

OPHTHALMOLOGISTS, education of, 38:610

- in Brazil, 51:571
- patron saint for British, 40:313
- preventive medicine and, 51:1338
- public health and, 38:611
- quadrifocal spectacles for, 36:568
- refraction and, 49:174
- rehabilitation and, 51:1338
- traffic laws and, 52:604

OPHTHALMOLOGY, aeronautic, problems of, 41:1126

- American, for 1958, 53:746
- artificial lighting in, 40:312
- as general practice and specialty, 54:914
- beta therapy in, 50:199
- bibliography, of history of, 42:186; 46:443; 53:746
- cross section of, through 1961, 54:728
- efficiency in, 40:312
- electrophysiology in, 50:195
- experimental salicylate of sodium in, 45:957
- Felix Platter's contribution to, 44:863
- general medicine and, 52:598
- genetic counseling in, 43:535
- heredity in, 46:121
- history of, 45:800
 - bibliography of, 42:186; 46:443; 53:746
- hospital center, at Bab Khemis, 49:673
- hypnosis in, 53:551
- in Australia, 43:347
- in direction of eye care, 43:664
- in Frankfurt-am-Main, 52:603
- in 14th century, 44:863
- in Germany, for 1958, 52:320
- in Indonesia, 44:309
- in Papua and New Guinea, 43:348
- in Queensland, 44:309
- in rural areas, 38:286
- in Russia, in 1958, 52:1025
- in United States, 43:664
- industrial, 46:785
- influence Virchow's cellular pathology on, 48:436
- Latin-American, for 1958, 52:320
- logic applied to, 49:407
- medical, 43:347
- mid-century adjustment in, 54:170
- mortality in, 49:1081
- neurosurgical radiologic examination in, 54:885
- optometry and, 46:785
- otology and, 50:1288
- phagococulation in, 50:199
 - See also Photocoagulation
- Polish literature in, for 1953, 42:186
- postoperative care in, 40:764, 767
- practice of, in Lund, 36:1654
- preventive, 48:717

OPHTHALMOLOGY (continued)

- psychosomatic, 47:442, 443
- medicine and, 36:1022
- radio-isotopes in, 37:141
 - See also Radioactive isotopes
- research, training in, 54:171
- rheuma test in, 52:136
- salicylate of soda in, 46:768
- Scandinavian, 1958, 52:604
 - for 1959, 53:746
- skin grafts in, 45:761
- sleep therapy in, 42:181
- stress and allergy in, 43:504
- study of, 52:605
- suction cup in, 42:326
- Ophthalmometer, factors in findings with, 36:1486
 - in refraction, 47:274
- Ophthalmometry, corneal curvature and, 49:181
 - topographic, 41:157
- Ophthalmomyiasis, 38:283; 39:278; 47:144; 53:423
 - external, 53:744
 - internal, 43:850
- Ophthalmomycosis, 45:952; 47:716
- Ophthalmopathy, corticoids in thyroid, 54:1164
 - general treatment of, 53:551
- OPHTHALMOPLEGIA: 43:164
 - after influenza, 41:909
 - alternating, 42:950
 - ataxia, amyotrophy and, 47:915
 - areflexia and, 45:180
 - bilateral, posterior internuclear, 38:441
 - cavernous sinus inflammations and, 52:438
 - congenital, 42:651
 - diabetic, pupil in, 51:364
 - due to intracranial aneurysm, 46:434
 - endocrine, 47:876
 - exophthalmic, 40:769; 42:961
 - hyaluronidase in, 41:356
 - Robert Boyle on, 47:449
- EXTERNAL: 37:832
 - chronic progressive, 37:477, 878; 41:343; 43:829; 47:914
 - after trauma, 47:121
 - retinitis pigmentosa and, 51:351
 - visual fields in, 52:587
 - extrinsic nuclear, 51:742
 - extraocular extension of, 39:921
 - Graefe's progressive, 43:830
 - hereditary, 49:180
 - in acute polyneuritis, 47:137
 - in intracranial hypertension, 44:455
 - in myasthenia gravis, 41:353
 - in parotitis, 41:355
 - internal, due to lead poisoning, 41:889
 - monocular, 45:795
 - internuclear, 36:1321; 48:426
 - intranuclear, vascular origin of, 43:186
 - labyrinthine sensitivity loss in, 45:771
 - migraine and, 36:1649; 51:1363
 - ocular myopathy and, 49:396
 - of heredosyphilitic origin, 39:467
 - of vascular origin, 43:186
 - ptosis and, congenital, 46:122
 - recurrent, 42:950
 - retinal degeneration and, 53:179
 - retinitis pigmentosa, heart block and, 47:729
 - trigeminal syndrome and, 50:683
- Ophthalmoscope, binocular indirect, 47:275
 - Bielschowsky test and, 54:1165
 - color television, 46:926
 - fundus photography with, 50:1258
 - hammer lamp for, 43:504
 - indirect, of Geneva clinic, 49:396
 - lens supporter for, 41:575
 - monochromatic light for, 46:767
 - Schepens, mirror for, 49:177
 - use of, 48:285
 - vision chart for, 45:768
- Ophthalmoscopic, changes, in arteriosclerosis, 36:1174
 - in hypertension, 36:1174
 - evaluation, in hypertension, 36:416

OPHTHALMOSCOPY, animal, 52:296

clinical significance, in hypertension, 46:923

direct, dental mirror to aid, 52:295

magnification attainable by, 37:470

findings, in arteriosclerosis, 51:1337

fixation during, 49:658

in hypertension, 47:281

arterial, 46:925, 927

to classify, 46:923

vascular, 47:290

in primary glaucoma, 50:531

indirect, conoid lenses for, 47:588

photocoagulation with, 48:563

Richard Liebreich, atlas of, 52:605

sign in "white with pressure", 53:711

to measure retinal blood vessels, 49:177

Ophthalmotonic reaction, 54:1171

Opioid, effect on pupil, 50:822

sympatholytic drug, study of, 40:141

Opsoclonus, 50:833

OPTIC CANAL, anatomic relation to sphenoid sinuses, 44:431

decompression, in retrobulbar neuritis, 54:512

doubling of, 49:1462

optic nerve severed in, 36:1495

radiography of, 42:174, 176

radiophotography of, 45:483

septum of, 47:733

stenosis of, in craniopathy, 38:893

X-ray demonstration of, 45:157

OPTIC CHIASM, blood vessels of, 46:916

capillary glia in, 45:748

development of, 39:434

ganglioneuroma of, 52:317

glioma of, 42:502

X-ray evidence, 49:671

hemianopia after injury to, 50:357

lesions involving, 36:756

neoplasms of, 44:859

notching, in pituitary tumor, 38:447

tumors of, 45:764

OPTIC DISC, aplasia and hypoplasia of, 49:190

arterial anomaly at, 48:715

black, 50:681

blood vessel near, 52:289

blurred and pale, 45:178

changes, in glaucoma, 39:458; 50:838

choked, diagnosis in, 37:307; 54:166

experiments on, 45:465

of unknown origin, 45:327

pathogenesis, 40:604

pathology of, 53:206

pseudopapilledema and, 53:205

retinal blood pressure in, 51:207

coloboma of, 37:152; 41:741; 50:681

macular changes with, 38:892

colobomatous pitting of, 50:682

congenital anomalies of, 49:190

craterlike hole in, 37:307

cupping of, aged and, 36:1318

discolorations of, 45:177

double, 48:424

drusen of, 42:182; 53:417

ERG in, 53:204

edema of, 45:794

papillitis and, 50:1279

pitfalls diagnosing, 38:601

evulsion of, 41:1108

excavation of, 45:172

glaucomalike, without glaucoma, 47:135

glial hyperplasia of, 50:1284

grooves of, 41:1109

hemangioma of, 39:616; 42:667

holes in, in retinopathy, 51:564

hyaline bodies on, 45:178; 52:1017

in Japanese, 50:1279

in low ocular tension, 49:666

ischemia of, in temporal arteritis, 36:426

level of, 42:337

melanoma of, 36:1012; 44:722

OPTIC DISC (continued)

melanosarcoma of, 36:1011

meningocele of, 51:363

neovascularization of, in chronic glaucoma, 39:784

myelinated nerve fibers around, 52:456

papilledema, and variations in, 54:511

pigment crescent of, 36:1316

pits of, visual defects with, 36:1318

craterlike holes, 47:136

protrusion of, stereophotography of, 50:521

pseudo-atrophy of, 43:1015

pulse curve in, variations of, 54:512

pulse waves of, 53:205

tumor of, with neurofibromatosis, 37:629

vessels of, in pigment degeneration of retina, 41:162

Optic foramen, meningioma of, 53:209

OPTIC NERVE, a review, 38:601; 40:304; 42:673; 50:680;

52:311; 54:506

action methanol and peroxide on, 36:1483

action potential of, 54:330

effect acid on, 54:330

effect noxious agents on, 51:730

adenocarcinoma of, 52:596

after cranial trauma, 52:585

angioma of, 36:416

anomalies of nervehead, 51:362

aplasia of, 54:166

bilateral, 53:206

aspidium poisoning and, 45:956

astroglia and, 43:806

ATROPHY: 42:673

after cataract extraction, 47:726

after Isoniazid, 40:153

after nerve section, 50:350

after parturition hemorrhage, 38:893

after sinusitis, 39:616

after smallpox, 48:706

after X-ray therapy, 47:735

blood-aqueous changes and, 43:655

carotid aneurysm and, 45:794

Charcot-Marie-Tooth disease and, 51:564

complicating meningitis, 50:1278

doubling optic canal and, 49:1462

due to Optochin, 36:558

due to ossification, 44:573

due to sunstroke, 44:565

due to thallium poisoning, 36:557

dyschromatopsia and, 52:432

family with, 51:1354

hemianopia and, 36:756

hereditary, 39:927; 41:351; 42:826; 46:112, 433; 49:

189

in children, 40:937

in chiasm syndrome, 46:280

in chronic glaucoma, 44:447

in diabetes, 43:185; 46:123

in lymphoma, 44:565

in marble-bone disease, 46:436

in Morgagni syndrome, 51:1354

in pernicious anemia, 52:1018

in skull dysostoses, 42:186

in suprasellar osteochondroma, 52:550

infantile, 44:854

inherited, 47:136

bitemporal field defects and, 47:136

Leber's, central nervous system disease and, 36:

752

hereditary, 41:1124

ataxia and, 49:667

neurohormonal therapy in, 36:1012

of primary glaucoma, 37:294

onchocerciasis and, 45:334

pituitary hormone in, 36:416

and vitamin B₁₂, 37:831

posthemorrhagic, 36:416

retinal adaptation in, 36:1011

syphilitic, 38:601; 43:843

cortisone in, 38:601

penicillin in, 36:158; 38:601

visual field defects in, 51:863

OPTIC NERVE (continued)

- avulsion of, 43:527; 45:595
- blood supply of, 37:451; 43:486; 45:762
- blood vessels in, 43:806; 52:289
- capillary glia in, 45:748
- changes, in methanol poisoning, 48:874
- circulatory disturbances of, 45:793
- colobomas of, 36:751; 44:862, 863
 - at entrance of, 53:1073
- compression of, changes due to, 42:337
 - intracranial, 41:1108
 - visual fields in, 44:853
- conduction defects in, 53:207
- damage to, due to INH, 43:999
 - due to medicines, 45:595
 - due to pressure, 37:601
- decompression, in aneurysm, 36:417
- degeneration, electron microscopy of, 52:586
 - in pernicious anemia, 36:753
 - lipids and, 54:332
 - of fibers in, 45:464
- diastasis of, 45:596
- diseases of, 41:137; 42:673; 44:721; 47:729
 - color thresholds in, 45:152
 - perimetry in, 54:486
 - visual fields in, 50:350
 - vitamin B₁₂ in, 47:735
 - window scotoma in, 44:854
- drusen of, 54:166
 - in intracranial tumor, 52:585
- duplicate, 40:938
- edema of, 47:734
 - retinal artery and, 43:654
- effect retrobulbar procaine on, 41:902
- embryologic study of, 36:550
- endothelioma of, 46:776
- evulsion of, 36:886
- excavation, senile changes in, 40:304
- fibers in, 43:1016
- foreign bodies on, 52:1022
- ganglioneuroma of, 52:317
- glia of, 41:684; 54:327
- glioma of, 39:467; 615; 42:336; 43:844; 45:595; 46:111, 113; 47:135, 735; 51:363, 863; 53:1072
 - complete removal of, 41:351
 - operation for, 52:312
 - radiation therapy in, 42:338
 - X-ray manifestations of, 49:671
- head, anomalies of, 36:1020; 49:873
 - swelling, blindspot enlarged, 46:278
 - tumors of, 39:149
 - melanotic, 52:313
- herpes zoster infections of, 43:1016
- historadiography of, 46:622
- hyaline bodies of, 48:425
- in affections central nervous system, 39:150
- in experimental encephalitis, 41:560
- in experimental glaucoma, 54:494
- in leukemia, 45:178
- in methanol poisoning, 36:1482
- in pernicious anemia, 47:928
- in thyroid dysfunction, 53:1072
- inflammations of, 40:139
- injuries to, 47:735
- intracisternal administration drugs to, 36:276
- lesions, after skull injury, 41:351
 - ERG in, 46:923
 - in Congolese, 50:1278
 - in endocrine exophthalmos, 37:628
 - in newborn, 45:175
 - in skull injuries, 46:112
 - in tuberculous meningitis, 43:1015; 44:853
 - cortisone in, 38:751
 - neurosurgical indications, 51:362
 - tomography in, 39:448
- meningioma of, 39:149, 272; 41:1108; 43:342; 44:299; 52:1017
- metabolism of, 51:732
- phosphorus, 47:610

OPTIC NERVE (continued)

- metastatic carcinoma of, 54:904
 - micro-arteriography of, 41:149
 - myelination in, 45:462
 - nerve fibers in, 43:486
 - nutrition of, 40:137
 - palsy, headache and, 42:674
 - papilla of, 40:946; 42:674
 - tumor of, 40:938
 - vascular fossa on, 50:1279
 - radiologic observation of, 47:1119
 - reaction glial elements of, 41:861
 - reaction nervous elements of, 41:861
 - regeneration potentialities, 51:564
 - retinal ganglion cell layer and, 36:1156
 - retinal trigger mechanism and, 37:464
 - section of, effect on ERG, 54:904
 - semidecussation of, 46:114
 - severed, in optic canal, 36:1495
 - sheath, hemorrhage of, 51:862; 53:206
 - pathways of, 41:351
 - sinus disease and, 50:210
 - size and growth of, 52:586
 - spinal fluid, in diseases of, 53:1072
 - spongioblastomas of, 49:1077; 50:682
 - streptomycin toxic to, 43:154
 - surgical access to, 49:1443
 - syphilitic perineuritis of, 43:527
 - tissue electrophoresis of, 53:206
 - trauma to, 43:185, 532
 - indirect, 43:185
 - lesions after, 39:467
 - rupture of, 36:423
 - tumors of, 46:112; 47:136
 - diagnosis, 45:603
 - primary, 36:422
 - vaccinia virus involving, 53:161
 - vascular diseases of, 53:736, 1072
 - vessel, temporal arteritis and, 36:1650
- OPTIC NEURITIS:** 37:831; 43:1015
- acute, 53:206
 - after arsenicals, 41:352
 - after cataract extraction, 47:928
 - after varicella, 47:735
 - arteriosclerotic, 46:278
 - bilateral, 39:151
 - chiasmal, 46:111
 - corticosteroids in, 48:581
 - corticotropin in, 36:1319
 - during lactation, 41:351; 50:1279
 - edematous, 39:919
 - epidemic of, virus etiology, 36:1012
 - follow-up in, 53:417
 - hydrocortisone in, 46:433
 - in children, 47:735; 50:682; 51:352
 - in Foster-Kennedy syndrome, 41:352
 - in herpes zoster, 36:296
 - in multiple sclerosis, 49:1077
 - intravenous typhoid therapy in, 40:305
 - liver function and, 40:602
 - paralysis accommodation in, 41:353
 - paralytic mydriasis in, 41:353
 - Q fever and, 53:735
 - retrobulbar: See Retrobulbar neuritis
 - subacute, 43:843
 - treatment of, 51:862
 - virus etiology, 48:134
 - visual field changes in, 37:975
 - X-ray therapy in, 44:153, 154
 - Optic neuro-encephalo-myelopathy, 37:309
 - Optic neuropathy, in multiple sclerosis, 37:976
 - Optic papilla, carcinoma of, 38:607
 - Optic pathways, arterial blood of, 54:1158
 - gliomas of, in children, 45:596
 - injuries to, 36:1492, 1493
 - lesions of, 49:197
 - neurophysiology of, 47:264
 - vascular supply of, 41:149

Optic pathways (*continued*)

- vascularization of, 40:137; 42:158, 802; 43:806; 45:748; 49:390
- Optic radiation, visual fields and, 46:777
- Optic tract, astroglia and, 43:806
 - capillary glia in, 45:748
 - medical root of, 37:813
- Optical aids, for low vision, 47:908
- Optical illusions, 48:563
- Optical interference, as basis of vision, 49:394
- Opticomalacia, 38:275
- Optics, 38:750; 40:762; 42:948; 44:711; 46:620; 48:876; 50:825; 52:432
 - nomogram for problems of, 40:283
- Optochin, effect on eye, 36:558
- Optokinetic reaction, 52:739
 - in children, 43:162
- Optometry, ophthalmology and, 46:785
 - use cycloplegics and mydriatics in, 36:1654
- Optostatic reactions, in children, 43:162
- Optotypes, 47:907
- Ora serrata, disinsertion, 36:1492
 - rupture, 43:331
 - study of, 41:884
- ORBIT**, a review, 36:159; 37:310; 39:470; 41:357; 43:339; 45:329; 47:138; 51:209; 53:418
 - abscesses of, 53:1073
 - aneurysm of, 54:515
 - angioblastoma of, 38:898
 - angiofibrosarcoma of, 49:1456
 - angiography of, in diagnosis, 46:116
 - in exophthalmos, 54:884
 - angioma of, 39:275; 44:458; 47:742; 49:405
 - phlebography to diagnosis, 51:365
 - angiotriculoma of, 50:686; 52:593
 - cancer metastatic to, 36:422
 - carcinoma of, 36:159; 41:360; 50:1281
 - cellulitis of, 46:436; 48:708; 52:592
 - exophthalmos due to, 46:778
 - in children, 39:618
 - retinal detachment and, 44:300
 - viral, 44:723
 - changes, after carotid ligation, 36:157
 - chloroma of, 48:135
 - cholesteatoma of, 37:834; 39:786; 45:181; 46:281
 - chondrosarcoma of, 53:1073
 - collateral circulation of, 52:314
 - complications, in facial fractures, 48:144
 - congenital defects of, exophthalmos and, 43:340
 - cylindroma of, 38:604; 44:724
 - cysts of, 38:761; 50:685
 - anophthalmos and, 45:796
 - dermoid, 37:311
 - enlarged, due to, 47:138
 - hydatid, 37:639
 - defects of, Imre's graft in, 54:909
 - deformity, due to loss bony substance, 45:180
 - deposits in, in leukemia, 51:211
 - diseases of, differential diagnosis, 44:856
 - nasal conditions and, 39:471
 - sinus conditions and, 39:471
 - effect leukoses in, children, 53:420
 - encephalocele in, 50:354
 - posterior, 49:405
 - epithelioma of, 38:894; 52:592
 - after exenteration, 47:138
 - endothelioma of, 52:317
 - exenteration of, 38:277, 762; 45:598
 - temporal muscle transplant after, 51:208
 - eye pushed back into, 45:329
 - fascia of, 40:927
 - development of, 41:869
 - fat, disappearance after surgery, 47:620
 - fibroma of, 38:604
 - fibrous dysplasia bones of, 53:1074
 - fissures of, in tumor diagnosis, 40:284
 - syndrome, 53:562
 - fistula of, in empyema frontal sinus, 47:439
 - floor of, displacement of, 52:592

ORBIT (*continued*)

- floor of (*continued*)
 - reconstruction, in traumatic diplopia, 36:1494
 - in posttraumatic ptosis, 36:1494
 - foreign bodies of: See Foreign bodies
 - fractures of, 44:456; 48:283
 - blowout, 51:364; 53:208
 - diplopia in, 43:1017; 45:600
 - correction of, 38:441; 47:738
 - early treatment of, 49:404
 - enophthalmos in, 43:1017
 - implant to elevate eye after, 42:676
 - muscle imbalance after, 47:738
 - pupil disturbance after, 46:278
 - radiographic study of, 41:736
 - repair of, 54:911
 - giant-cell tumor of, 36:888, 1017
 - glioma of, 41:360; 43:1020
 - granuloma of, 38:280; 42:961; 43:657; 44:724; 45:600; 47:440, 740; 51:1357; 52:593
 - eosinophilic, 45:181
 - exophthalmos due to, 46:436
 - healing of, after exenteration, 49:193
 - hemangioma of, 50:685
 - hemangioendothelioma of, 41:735
 - hemangioma, 39:470; 45:328; 52:596; 54:907
 - aspiration of, 45:329
 - granuloma after, 42:822
 - hemangiopericytoma, 42:499; 48:712
 - hematoma of, 42:677
 - exophthalmos due to, 36:1321
 - in newborn, 48:427
 - hemorrhage of, after retrobulbar injection, 43:178
 - hydatid cyst of, 47:738
 - implants, of amber, 38:278
 - polyvinyl sponge, 38:278
 - in neurofibromatosis, 52:1018
 - infections of, 40:942
 - inflammations of, acute, 42:822
 - sinuses and, 50:353
 - injuries of, 41:357; 43:532
 - due to wood splinter, 45:182
 - tomography in, 42:824
 - See also under Injuries
 - lesions of, angiography in, 49:176
 - X-ray examination of, 42:961
 - leukemia and, 36:1013
 - lipoma of, 46:778; 49:1460
 - lymph tumors of, 48:708
 - lymphadenosis of, 48:430
 - lymphangioma of, cystic, 54:169
 - lymphosarcoma of, 46:435
 - margin of, hypoplasia of, 41:741
 - melanoma of, 44:301; 52:1022
 - meninges of, 36:872
 - meningioma of, 50:1281
 - meningocele of, 50:685
 - metastasis to, from breast cancer, 40:605
 - from renal carcinoma, 44:726
 - from stomach carcinoma, 43:530
 - mucormycosis of, 51:864
 - mycosis of, simulating neoplasm, 47:439
 - myeloma of, 37:316; 38:762; 41:1115
 - myelomatosis of, 44:856
 - myoblastoma of, 41:736
 - myositis of, 41:1111; 43:337; 51:864
 - neoplasm of, 37:637
 - neurilemmoma of, 43:531
 - neurinoma of, 50:353; 53:209
 - cerebral aneurysm and, 50:356
 - neurofibroma of, 39:469; 48:430
 - neuroma of, 54:515
 - osteoma of, 42:677; 45:599; 47:738, 739; 52:315
 - palpebral proliferation into, 52:1021
 - paraganglioma of, 53:738, 1078
 - parasite invading, 36:892
 - periostitis of, 51:864
 - phlebography, to diagnose hemangiomas, 54:906
 - phleboliths of, 46:116

ORBIT (continued)

- plasmacytoma of, 47:141
- extramedullary, 43:847
- plastic surgery of, 37:311; 50:685
- and eyelid, 44:859
- skin grafts in, 41:1116
- See also under Plastic Surgery
- pneumography of, 42:326; 45:328; 49:1443
- pseudotumor of, 37:310, 311; 39:273; 41:736; 42:654; 45:181; 46:280; 53:418
- cortisone in, 47:139
- in leukemia, 37:833
- intraocular inflammations and, 39:151
- radiology of, 36:137; 40:925
- external border, 37:144
- reaction, to implants, 50:517
- reconstruction of, 46:778
- eyelid and, 47:739
- paladon implants in, 49:1457
- polyvinyl sponge in, 37:977
- reticulosarcoma of, 40:155; 41:1112
- biopsy in, 46:780
- rhabdomyosarcoma of, 48:143, 711; 54:519
- roof of, tumors of, radiographic aspects, 44:724
- sarcoma of, 41:360; 52:597
- in monocytic leukemia, 54:519
- in newborn, 37:310
- primary, 49:194
- teratoid, 54:909
- sarcoidosis of, 46:116
- sepsis, in newborn, proptosis and, 48:134
- stab wounds of, 38:899
- supernumerary teeth in, 43:1016
- surgery of, fast-polymerizing acrylic in, 45:181
- results of, 38:447
- temporal approach, 47:739; 48:136
- teratoma of, 47:438; 48:426; 53:418, 1078
- polycystic, 47:440
- tissues of, in exophthalmos, 37:834
- retraction of, 42:675
- trauma to, diplopia after, 43:337
- tuberculoma of, 36:1322; 39:152; 48:708
- tuberculosis of, margin, 36:888
- TUMORS OF**, 36:423; 37:315, 316; 43:660, 847; 45:600; 48:427
- diagnosis, 40:941; 43:337, 1003; 47:618; 53:738
- phlebography in, 41:734
- radiopaque, 39:260
- X-ray, 38:278
- double primary, 37:837
- dermoid and epidermoid, 46:280
- epithelial, 52:591
- eyeball conservation in, 43:338
- in children, 45:598
- malignant, 37:637
- metastatic to, 41:548
- mixed, 46:438
- primary, 43:339
- radiation therapy in, 39:259
- surgery of, 47:738
- transcranial removal, 37:310
- treatment of, 40:941, 942; 41:356; 43:337
- veins of, radiography of, 38:762
- tomography of, 45:601
- venous circle of, radiographic study, 37:608
- volume of, 54:906
- wounds of, 36:163
- xanthma of, 39:273
- X-ray examination of, 42:808
- internal borders, 40:145
- Orbitography, 39:260
- Orbitometer, clinical use of Copper's, 38:278
- Orbitometry, 38:895; 40:606
- instrument for, 36:1643
- Orbitopneumography, in orbital neurinoma, 53:209
- Orbitotomy, 51:1342
- enlarged, 36:1014
- in intraorbital nerve tumor, 52:315
- Orisul, in vitreous, 50:1256

ORTHOPTICS: 38:440; 41:166; 42:329; 43:1006

- Bielschowsky test and, 54:1165
- cinematographic, 49:175
- clinical, 38:878; 50:831
- exercises, in dichromatopia, 39:442
- graphic method in, 37:466
- improvement of, 50:824
- in decompensated phorias, 50:832
- in esotropia, 46:258
- in strabismus, 37:466; 39:610; 44:289; 46:259, 260; 47:714; 53:178
- See also under Strabismus
- in suppression, 50:824
- in vertical tropias, 48:286
- indications for, 40:768; 51:850
- modern concepts of, 49:394
- motor, 48:411
- new methods of, 37:967
- occlusion in, 53:1048
- pitfalls in, 38:593
- present status of, 40:768
- results after, 42:522; 51:851; 54:333
- schools, of Europe, 48:567
- sensory, active and passive, 43:165
- stereophorometer in, 49:865
- studies on, 43:511
- study, before contact lens fitting, 38:586
- technicians, 43:1006
- teletrainer for, 37:474
- to improve ocular motility, 52:137
- to overcome effect of atropine, 45:145
- Orthoptist, intermittent strabismus from viewpoint of, 38:878
- Orthorater, evaluation of, 44:141
- Ortho-stimulator, in strabismus, 50:526
- Oscillation, in heterotropias, 44:143
- Oscilloscope, to magnify echogram, 49:1445
- Osmolarity, after acetazolamide, 47:705
- Osteoarthritis, exophthalmos and, 48:135
- myxedema and, 48:135
- Osteochondroma, optic nerve atrophy in suprasellar, 52:590
- Osteogenesis imperfecta, 36:880
- Osteoma, of bular conjunctiva, 44:144
- of orbit, 42:677; 43:660; 45:599; 47:738, 739; 52:315
- orbitoethmoidal, 43:847
- Osteomyelitis, of maxilla, 39:273
- eye symptoms in, 44:861
- Osteopetrosis, differential diagnosis, 37:321
- Otitis media, meningeal hydrops after, 44:455
- Otosclerosis, corneal dystrophy and, 50:1263
- Otriven, vasoconstrictor, 50:195
- Oxidative cycle, in retina, 50:192
- Oxycephaly, traumatic, 48:144
- OXYGEN**, content of aqueous, 49:172
- deficiency, fatal damage due to, 53:744
- effect on, blood-aqueous barrier, 43:811
- on developing blood vessels, 39:118
- retrolental fibroplasia and, 39:119
- eye diseases, 36:1640
- glaucoma, 51:1348
- new vessel growth in cornea, 39:899
- in aqueous, after artificial respiration, 53:1036
- in retrolental fibroplasia: See Retrolental fibroplasia
- increased, effect on developing retinal vessels, 39:899
- insufflation, in vitreous hemorrhage, 51:1360
- lens absorption of, 49:654
- effect X-rays on, 46:614
- lens consumption of, 41:563
- polarographic study of, 41:890
- metabolism, of lens, 51:561
- pressure, in anterior chamber, 47:703
- retinal vessels and, 41:563
- therapy, in traumatic cataracts, 54:501
- retinal circulation during, 39:916
- saturation, of aqueous, 47:703
- studies, in retrolental fibroplasia, 44:721
- to treat chorioretinal lesions, 46:771
- to treat dark-adaptation disturbances, 46:767
- uptake, in glaucoma, 38:884

Oxyphenonium, 39:436, 438
Oxytetracycline, in ophthalmology, 45:477

P

Padutin, in retinal vein thrombosis, 42:336
Paget's disease, eye and, 45:355
 Groenblad-Stranberg syndrome and, 46:287
 ocular changes in, 39:279
 of eyelid, 41:361
Pain, facial, 51:349
 in glaucoma, 36:409
 in herpes zoster, 36:296
Pakistan, trachoma in, 46:625
Pallidum, stereotactic lesions of, 52:313
Palpebra, line of marig, 36:1172
 spasm, etiology, 36:1016
Palpebral, cancer, 48:283
 edema, 47:140
 epithelioma, 36:162
 fissure, shortening of, 39:787
 fistula, in mucocele frontal sinus, 36:756
 hydroadenoma, 36:422
 neurilemmoma, 50:355
 surgery, steel wire in, 41:357
 See also Eyelids
Palsy, operation for facial, 47:276
Panchondritis, episcleritis and, 49:1446
Pancreas, cystic fibrosis of, eye in, 51:1361
Panthothenic acid: See Vitamin B
Panophthalmitis, antibiotics in, 36:1014
 due to *B. subtilis*, 36:159
 endogenous proteus, 51:569
 from pyelonephritis, 43:808
 gas gangrene, 42:962
 metastatic, 47:138
 sulfonamides in, 36:1014
Panthenol, effect on corneal necrosis, 51:555
Pantothenic acid, deficiency of, eye and, 51:734
Panum effect, 47:707
Papanicolaou, diagnosis of tumors, 43:821
PAPILLA, biomicroscopic study of, 49:403
 double, 41:1123
 drusen of, 47:734; 53:737
 hemorrhagic stasis of, 48:580
 melanoblastoma of, 50:682
 pits in, with macular cyst, 47:135
 structure of, 43:486
 tubercle of, 36:1011
PAPILLEDEMA: 37:632; 44:453; 47:736
 after cataract extraction, 47:726
 after poliomyelitis, 45:180
 anemia and, 48:422
 atypical, 44:453
 bilateral, 44:855
 cortical period in, 54:166
 diagnosis of, aqueous floaters in, 47:928
 differential, 40:938; 44:722
 due to neurofibroma, 46:279
 due to subdural hematoma, 49:192
 emphysema and, 46:112
 enlarged blindspot without, 51:863
 ERG in, 52:435
 experimental production of, 48:580
 ex vacuo, after iridencleisis, 53:196
 granulomatous angiitis and, 41:1118
 hypertension and, 46:286
 in diabetic retinopathy, 41:923
 in hamartoma of hypothalamus, 51:865
 in leukemia, 53:206
 in malignant hypertension, 53:562
 in meningeal hydrops, 36:417
 in retinitis pigmentosa, 47:733
 in Sydenham's chorea, 52:1017
 in syphilis, 37:307
 increased intracranial pressure without, 45:595
 inflammations and, 51:1354
 intracranial disease and, 49:1456
 lumbar puncture in, 43:826
 optic disc variations and, 54:511
 pathogenesis of, 42:944

PAPILLEDEMA (continued)

 pathology of, 43:998
 pseudo-, 41:589
 sequelae of, in cerebral tumors, 44:454
 simulating brain tumors, 49:672
 variations of, 53:417
PAPILLITIS, aqueous floaters in diagnosis, 47:928
 differential diagnosis, 44:722
 neurosurgical intervention in, 36:752
 optic disc edema and, 50:1279
 pseudo-, 45:326
 vascular, 44:454; 46:776; 50:350
Papua, ophthalmic conditions in, 37:288; 43:348
Parallergic phenomena, 48:871
Para-aqueduct, tumor of, 36:1321
Paracoccidiosis, of conjunctiva, 46:625
Paraganglioma, of orbit, 53:738
 nonchromaffin, 53:1078
Paragonimiasis, retrobulbar, 49:668
Parallels, perception of, 43:157
Paralysis of eye, EOG in, 50:1260
Paramyloidosis, eye in, 37:148
Paraphimosis orbicularis, 43:660
Paraplegia, retinal degeneration and spastic, 49:667
PARASITES, action worms on eye, 44:572
 endophthalmitis due to, 47:738
 eye disease due to, 44:571
 eye signs in infestation with, 44:305
 eyelid scars due to, 49:1458
 filaria loa, 48:434
 Hypoderma bovis larva, 38:450
 in ciliary body, 46:782
 in conjunctiva, 45:605; 48:714; 52:139
 in eye, 53:743
 in eyelid margins, 49:1080
 in vitreous, 47:435
 intraocular, symptoms of, 48:145
 intravitreal, 48:433
 migrating subcutaneous invading orbit, 36:892
 tropical eye diseases due to, 44:574
Parasympathetic stimulation, effect on anterior segment, 49:653
 effect on cat eye, 47:904
Parathion poisoning, eye effects of, 44:860
Pareses, ocular in status dysraphicus, 47:281
Parietal lobe syndrome, 43:336
Parinaud's syndrome, 42:952; 45:607, 777; 49:867
 differential diagnosis, 49:867
 evaluation of, 52:296
 frontal tumor and, 46:777
 in neuromuscular disease, 43:844
 semelologic evaluation of, 52:296
Paris, blindness in, 48:717
 cataract in sight-saving classes of, 52:448
Parkinson disease, glaucoma and, 47:123
 ocular tension in, 44:861
 visual motor performance in, 52:1018
Parotid duct, transplantation in xerophthalmia, 51:197, 365, 1358
Parotid gland syndrome, 46:782
Parotitis, action virus on eye, 36:1157
 ocular complications of, 43:534
 ophthalmoplegia in, 41:355
 See also Mumps
Pars plana ciliaris, cysts of, 45:167, 324; 53:406
 separation from sclera, 54:162
PAS, streptomycin and, in ocular tuberculosis, 36:280; 39:454
 study on use of, 38:428
 therapy, 42:162
 in phlyctenular diseases, 43:646
 toxicity of, 36:279
Passow, electrocautery of, 47:278
Patergia Zeissitis, 37:315
Patients, medication in unco-operative, 42:520
Pectinate ligament, ring of Schwalbe and, 40:756
Pellagra, eye changes in, 44:574
PEMPHIGUS: 37:147; 40:772; 53:716
 ACTH in, 39:610

PEMPHIGUS (continued)

- conjunctival, 36:1180; 44:715; 45:777; 47:429; 48:572
- epithelioma after, 45:164
- eyelid deformity due to, 49:1458
- cortisone in, 39:610
- dermatitis of Dühring-Brocq and, 39:777
- febrile, ocular symptoms of, 48:571
- mucosae, 45:777
- scleromalacia, arthritis and, 36:576
- Stevens-Johnson syndrome and, 36:160
- vulgaris, eye signs in, 37:978
- xerosis after, treatment of, 36:287
- Penethamate, penetration into eye, 48:555
- Penicillic acid, 45:760

PENICILLIN: 39:131; 40:766

- action metals on, 36:1484
- anaphylaxis, 43:161
- antiallergic activity of, 36:136
- antihistaminic activity of, 36:136
- concentration, in conjunctiva, 43:506
- dangers of, in ophthalmology, 36:284
- delayed-action, in eye infections, 42:326
- eczema, mycotic ointment in, 36:1643
- electrophoresis, in corneal ulcers, 42:813
- in ophthalmia neonatorum, 45:764
- in perforating injuries, 38:449
- in pyocyanic infections, 43:807
- in sympathetic ophthalmia, 43:647
- in syphilitic optic atrophy, 36:158
- in trachoma, 36:288; 50:522
- inclusions of and, 46:930
- levels, in aqueous, 53:398, 1039
- in vitreous, 53:398, 1039
- local use, 39:440
- penetration of, 50:194
- in aqueous, 53:1038
- in vitreous, 53:1038
- radioactive, blood-aqueous barrier after, 38:117
- sensitization, of conjunctiva, 36:1160
- Staph. resistant to, 37:453
- V and G, effect on rabbit eye, 53:1038
- Pendiomid, ocular action of, 39:122
- Pentoses content of lens, 52:581
- Peptidase content of lens, 52:452
- Peptids, of lens, 50:193
- of vitreous, 50:193

Perception time, in amblyopic eyes, 51:551

- in normal eyes, 51:551
- Periarteritis nodosa, 36:164; 40:612; 41:1119; 44:572; 48:132
- eye changes in, 36:553; 54:885
- eye lesions in, 39:278; 49:199
- ocular involvement, 43:182
- Sjögren syndrome and, 52:601
- tuberculous, 36:415

Perichondritis, iritis and, 46:268**Perilimbal suction cup, 54:335****Perimeters, comparison Maggioro and Goldmann, 37:138****projection, 44:141****slot, hand, 37:473****PERIMETRY**: 40:286

- color, 41:685
- evaluation of, 50:826
- extending use of, 36:1176
- flicker, 45:763; 49:864
- in brain damage, 50:829
- in chronic simple glaucoma, 47:918
- flicker fusion, 38:122
- fusional, 52:744
- Goldmann perimeter in, 45:480; 53:709
- Harms, in optic nerve disease, 54:486
- in cataract, 44:442
- in high myopia, 40:761
- in neuro-ophthalmology, 41:353
- in primary glaucoma, 50:531
- in scleritis, 38:880
- in sellar region tumors, 39:260
- in strabismic suppression, 48:568
- Maggioro, in cataracts, 54:487
- pupillomotoric, 43:502
- qualitative, 51:1338

PERIMETRY (continued)

- quantitative, importance of, 36:877
- light-sense, 51:193
- static, 47:913; 53:551, 1043
- in retrobulbar neuritis, 53:736
- thresholds in, effect blur on, 54:1163
- to diagnose pituitary lesions, 37:308
- to screen for eye disease, 48:564
- ultraviolet radiation and, 37:142; 40:764
- luminescent test objects in, 36:1643
- Perineuritis, syphilitic, 43:527
- Periostitis, of orbit, 51:864
- of orbital apex, 39:922
- Periphractitis of retina, 50:210; 51:861
- ERG in, 43:524
- in multiple sclerosis, 37:631
- neurologic examination in, 43:180
- semiology of, 51:860
- weather and hemorrhage of, 51:859
- Periscleritis, anterior suppurating, 37:150
- Peristom N, in retrobulbar neuritis, 44:853
- Peritomy, to prevent corneal complications, 45:476
- Peritoneum, graft in retracted conjunctival sac, 51:364
- to repair conjunctiva, 45:488
- Perlon, in eye disease, 42:521
- Pfeiffer bacillus, electron microscopy of, 52:738
- pH, study of lacrimal 36:420
- value, of cornea, clinical significance, 42:804
- PH203, in fundus circulatory disease, 47:435
- in vascular retinopathy, 47:435; 52:133
- Phacoanaphylaxis, 36:553
- Phacogenetic reaction, after cataract extraction, 46:269
- clinical signs, 38:881
- histology, 38:881
- of human eye, 37:622
- Phakoerisis, in penetrating keratoplasty, 36:1309
- of Barraquer, in cataract extraction, 50:679
- vacuum pump for, 41:907
- Phakomatosis, 44:577; 48:715
- eye and brain in, 51:564
- Pharmaceutical manufacturers, research funds, 51:533
- Pharmacology, a review, 36:140; 37:814; 39:438; 41:154; 43:490; 44:708; 50:823; 53:165; 54:1160
- advances in ocular, 43:492
- ophthalmic, 47:608
- Pharyngoconjunctival fever, epidemic, 43:834
- intrafamilial, 43:834
- study on, 51:744
- Phase-contrast microscopy, in diagnosis ocular tumors, 47:140
- in epidemic keratoconjunctivitis, 36:275
- of blood-aqueous barrier, in hemorrhagic glaucoma, 46:244
- of cornea, 36:1480
- of lens, 36:734
- capsule, 38:423
- epithelium, 38:424
- fibers, 38:424
- of vitreous, 37:452; 46:618
- of normal, 37:131
- of zonular fibers, 37:130
- to study effect of alpha chymotrypsin, 53:1037
- Pheniprazine hydrochloride, toxic amblyopia due to, 52:741
- Phenothiazine derivatives, effect on fundus, 43:816
- pigment retinopathy after, 50:1278
- Phenylephrine, effect on miotic-treated eye, 47:880
- influence on ocular tension, 48:290
- Pheochromocytomas, 43:1022
- albuminuric retinopathy and, 46:110
- eye manifestations of, 41:364
- neurofibromatosis and, 38:449
- Philologic commentaries, 53:564
- Phlebotasia, 43:164
- Phlebography, to diagnose orbital angioma, 51:365
- to diagnose orbital hemangiomas, 54:906
- to diagnose orbital tumors, 41:734
- Phleboliths, of orbit, 46:116
- PHLYCTENULAR** ophthalmia, cytology of, 43:1007
- differential diagnosis, 37:479

PHLYCTENULAR (continued)

- protein fractions blood in, 45:467
- treatment, 43:646
- See also under Keratoconjunctivitis
- Phorias, accommodation and refraction, 41:160
- See also under Strabismus
- Phosphatase, activity of ocular tissue, 47:268
 - alkaline, 38:116
 - histochemical study, 38:746
 - of cornea, 39:771; 46:613
 - of lens, 46:613
 - of retina, 36:1483
 - histochemical localization, 36:1480; 38:119
- Phosphate, absorption of lens, 41:891
- buffer, in chemical injury to cornea, 46:891
- cholinergic organic, action on eye, 47:878
- metabolism, of cornea, 42:803
 - of lens, 42:130; 51:561
- Phosphene, of quick eye motion, 44:711
- Phosphoglucosylase, of rabbit retina, 54:332
- Phosphine iodide, in glaucoma, 50:1264; 51:200
- See also Echthiophate
- Phosphomono-esterase, of ocular tissues, 50:196
- Phosphorus, acid soluble, in corneal epithelium, 51:1329
 - in vitreous, in retinal pigment degeneration, 41:155
- metabolism, 47:610
 - of retina, 42:944
- radioactive: See Radioactive phosphorus
- Phosphoryl choline calcium, 44:140
- Phosphorylase, in ocular tissues, 51:732
- Photochemical, component of visual adaptation, 37:966
 - reactions, in living eyes, 44:710
- PHOTOCOAGULATION:** 46:423, 617; 47:279, 728; 48:409, 429; 50:199, 826; 53:169; 54:334
 - advances in use of, 50:826
 - brillancy luminous focus in, 50:829
 - catoptric, 54:159
 - clinical experience with, 52:451
 - clinical results with, 51:1340
 - corepraxia by, 52:137
 - effect of, on choroid, 51:1341
 - on retina, 51:1341
 - on sclera, 51:1341
 - evaluation of, 51:714
 - in angiomatosis retinae, 54:898
 - in cataract, 51:357; 52:454
 - in choroidal melanomas, 53:1078
 - in choroidal melanoblastomas, 54:519
 - in Coats' disease, 53:1069
 - in Eales' disease, 52:1015
 - in eye diseases, 52:437
 - in fundus lesions, 53:203
 - in intraocular tumors, 53:401
 - in iris prolapse, 53:1057
 - in melanoma, of eyeground, 50:687
 - in retinal detachment, 41:587; 44:298; 54:160
 - in retinal lesions, 52:311
 - iridocapsulotomy by, 50:526
 - iridotomy by, 50:526
 - limits and hazards of, 54:160
 - of filtration angle, 51:329
 - of fundus, 43:823
 - of iris, 43:823; 46:627; 47:278
 - of retina, 47:278; 49:665
 - indications for, 51:361
 - recent experiences with, 50:830
 - retinal changes after, 54:898
 - retinal readaptation after, 51:204
 - retinal vein occlusion by, 53:415
 - scleral buckling and, 54:888
 - sunlight substituting for, 53:1068
 - symposium on, 54:160
 - therapeutic indications, 54:160
 - to treat macular hole, 44:451
 - with indirect ophthalmoscopy, 48:563
 - See also Solar coagulation
- Photocoagulator, 54:336
- Photoelectric injuries, 43:848
- PHOTOGRAPHY**, biomicroscopic-stereoscopic, 37:607
 - by slitlamp illumination, 47:588

PHOTOGRAPHY (continued)

- camera, for cinephotomicrography, 37:470
 - support for surgical, 54:158
- cinephotography, to study retinal circulation time, 47:235
 - color, of anterior segment, 42:808
 - of fundus, 36:1489
 - of retina, 37:471; 42:949
 - slitlamp adapted to, 43:825
 - microscopy, 41:691
 - with slit illumination, 48:564
- device, for anterior segment, 49:177
 - for chamber angle, 49:177
- electronic camera, for retinal, 36:1305
- electronic flash in, use of, 41:164
- FUNDUS:** 44:559; 49:395; 50:827
 - Gullstrand ophthalmoscope in, 43:819
 - history of, 48:879
 - improvised, 50:1259
 - in color, 40:146
 - in retinal disease, 52:457
 - with ophthalmoscope, 50:1258
 - gonio: See Goniophotography
 - in eye surgery, 52:747
 - infrared, in diagnosing corneal opacities, 42:807
 - labeling stereograms by, 43:824
 - law of maximum blurring, 54:485
 - micro-, with slitlamp, 49:864
 - of anterior chamber angle, 48:879; 51:1340
 - of aqueous flare, 50:521
 - of lens opacities, 50:1270
 - of motility problems, 50:832
 - of optical sections, 49:178
 - retinal, 40:288; 47:711
 - camera for, 42:950
 - 3-D colored, 37:144
 - slitlamp, 48:285; 51:350; 53:708
 - slitlamp microscopy and, 49:395
 - stereo attachment, for 35-mm. camera, 43:827
 - stereocamera for, 45:153
 - stereogonio-, 49:863
 - stereophotography: See Stereophotography
 - through corneal microscope, 44:442
 - to measure angle of squint, 50:203
 - to record ocular opacities, 41:163
 - to record strabismic deviations, 51:739
 - to register eye movements, 37:146
 - X-ray, to measure ocular axis, 47:612, 617
- Photomicrometry, to study retinal veins, 51:860
- Photophobia, 40:305; 41:904
 - contact lenses and, 37:605
- Photopic sensitivity, 43:158
 - due to methoxsalen, 53:548
- Photosensual reflex, in ducks, 53:1035
- Photoskiascopy, 53:399
- Phthisis bulbi, congenital familial, 41:1122
- Phylogenesis, amblyopia and, 50:198
- Physiologic chemistry of eye, 36:140; 37:464; 39:441; 41:568; 51:549; 53:398
- Physostigmine, effect on iris sphincter, 37:462
- Physostin, a new miotic, 37:135
- Pierre Robin syndrome, 50:688; 51:713
- Piezometry, in exophthalmos, 50:353
- Pigeon, fundus of, 54:1158
- Pigment, cells of retina and uvea, 51:198
 - deposits, on posterior cornea, 47:622
- epithelium, electron microscopy of, 51:735
 - of eye, behavior of, 45:143
 - study of, 41:884
- Pilocarpine, effect on iris sphincter, 37:462
 - in aqueous, 51:347
 - polarography to determine, 50:1256
 - in glaucoma, 53:724
 - chronic, 36:291
- test, of accommodation, 36:1485
- Pilots, airline, acquired myopia in, 46:248
- Pimaricin, as fungistatic agent, 53:554, 1033
- Pinealomas, early diagnosis of, 45:327

- Pingueculas, 48:412
 allergic inflammations of, 39:138
 in band-shaped keratopathy, 45:773
 Pinhole, practical use of, 48:877
 Piromen, a pyrogenic substitute, 47:614
 Pituitary, adenoma of, 51:565
 effect estrogens on, 46:768
 semiology of, 52:588
 anterior lobe, exophthalmos and, 48:560
 extract, in optic nerve atrophy, 37:831
 eye and, 40:453
 fish, in macular degeneration, 53:415
 in retinitis pigmentosa, 53:415; 54:506
 gland, in blindness, 53:160
 hormone, in optic atrophy, 36:416
 hypothalamic system, visual apparatus and, 45:754
 injections, influence on aqueous flare, 53:1041
 lesions, diagnosis of, 37:308
 ocular tension and, 38:425
 sella turcica and, 38:423
 tumors of, 37:309
 diagnosis and management, 54:905
 notching optic chiasm in, 38:447
 prognosis surgery in, 51:1355
 radiation therapy in, 46:253
 visual field changes in, 37:630, 880
PLACENTA, effect on blood-aqueous barrier, 36:1158
 extract, choroidal metabolism after, 39:770
 effect on corneal epithelization, 53:887
 therapy with, 48:879
 implantation, in fundus lesions, 43:501, 843
 into anterior chamber, 51:193
 pressure scissors for, 36:1771
 in herpetic keratitis, 37:612
 in optic atrophy, 36:1783
 in retinitis pigmentosa, 36:590
 retinal metabolism after, 39:770
 therapy, 39:133; 48:284
 in choroidal detachment, 39:265
 Plasma, chemical composition dogfish, 47:101
 corticoid levels, glaucoma and, 54:891
 dialysis aqueous against, 47:705
 penetration thiocyanate ions into, 41:563
 Plasmocytoma, ocular, 46:118
 of conjunctiva, 49:867
 of orbit, 47:141
 extramedullary, 43:847
PLASTIC SURGERY: 42:491
 bone grafting in, 39:259
 cartilage in, cadaver, 42:327
 costal, radiation and, 53:1046
 composite grafts in, 50:829
 disc-knife for, 37:286
 fascia lata, in corneococonjunctival, 36:1180
 fish-line sutures in, 43:820
 in alopecia, 37:835
 in aphakia, 52:300
 in ectropion, 37:636
 in Orient, 41:1113
 in scleromalacia, 43:165
 in symblepharon, 42:524; 49:660
 matching facial color in, 50:522
 mucosal transplants, in caustic burns, 50:357
 mucous membrane grafts in, 39:774
 of canthus, 44:300
 of congenital anomalies, 47:276
 of conjunctiva, 48:695; 49:1073, 1448
 cul-de-sacs, 46:778
 peritoneum in, 45:488
 of eyebrow, 42:676, 823; 50:687
 of eyelid, 38:279; 39:786; 40:307; 41:1114; 43:659, 845;
 44:300; 45:603; 49:194, 874, 1459; 50:353; 52:1022
 after carcinoma, 45:330
 after malignant lesions, 49:195
 and orbital cavity, 44:859
 failure in, 43:1018
 grafts for, 40:943
 of injuries, 41:329
 of lacrimal apparatus, 41:1112
 of lower fornix, 46:767
PLASTIC SURGERY (continued)
 of orbit, 46:778; 50:685
 skin grafts in, 41:1116
 of socket, 37:311; 42:339; 45:329; 50:830
 after war injuries, 37:634
 pocket graft in, 43:318
 polyethylene in, 41:906
 split-skin homograft in symblepharon, 37:611
 subcutaneous dermis graft, 50:830
 Plastics, in ocular surgery, 36:876
 in ophthalmology, 41:901
 use of, in ophthalmic surgery, 47:278
 Platter, Felix, contribution to ophthalmology, 44:863
 Platybasia, Arnold-Chiari malformations and, 39:149
PLEOPTICS: 47:272; 53:173
 after-images in, 51:192
 after-treatment of, 54:333
 electronic flashes in, 51:1336
 Haidinger's brushes in, 51:168
 in amblyopia, 52:745; 53:174
 with eccentric fixation, 50:521
 with strabismus, 48:567
 in suppression, 50:824
 indications for, 51:850
 lasting results of, 49:395
 Ohm-Romberg apparatus in, 54:1162
 results of, 51:851
 schools of, in Europe, 48:567
 Plethismography, in glaucoma, 43:162
 ocular, 43:837
 Plica semilunaris, fibrotic hypertrophy of, 38:444
 Pneumococcosis, eye changes in, 36:1324
 Pneumo-encephalogram, and refraction, 53:1042
 Pneumo-encephalography, retinal artery pressure in, 37:142
 Pneumography, cerebral, in opticochiasmic arachnoiditis, 50:201
 orbital, 42:326; 49:1443
 Pseudo-sinus dilatans, 50:1282
 Poikiloderma, megalocornea and, 50:1288
 Poiseuille's law, 47:610
 Polish ophthalmic literature, 38:451; 43:851
 bibliography of, 40:615; 43:348; 45:611; 48:717
 Poland, trachoma in, 51:552
 Polarography, to determine pilocarpine in aqueous, 50:1256; 51:347
 Poliomyelitis, eye disturbances in, 37:832
 palsy eye movements in, 41:352
 papilledema after, 45:180
 paralytic squint after, 43:829
 Poliosis, iritis and, 38:265
 Polyarteritis nodosa, 44:573; 47:445
 Polyarthritides, eye complications of, 36:424
 Still's disease, diagnosis value eye in, 36:890
 Polychondritis, atrophic, 47:721
 Polycythemia, eye symptoms in, 39:924
 fundus lesions in, 47:130
 Polyethylene, corneal erosion due to, 40:142
 cutter for, 50:828
 in plastic surgery, 41:906
 tubes, in dacryocystitis, 54:168
 in lacrimal canaliculi, 38:438
 obstructions of, 36:1016
 Polyfibromatosis, of Touraine, glaucoma and, 54:892
 Polymyxin B, in external eye infections, 36:1167
 in Pseudomonas infections, 36:1180
 corneal ulcer, 53:554
 Polymyxin E, 36:138
 in pyocyanus infections, 37:479
 Polymyxins, in pyocyanus infections, 37:610; 40:288
 ointments, 41:573
 subconjunctival, in corneal ulcers, 37:480
 Polyneuritis, ocular symptoms of, 36:754
 ophthalmoplegia in acute, 47:137
 Polyopia, due to meibomian gland secretion, 54:1160
 Polyps, of lacrimal sac, 53:209
 Polysaccharide, granules in retrolental fibroplasia, 39:918
 in retina, 36:1162
 of vitreous fibers, 41:563
 Polystan implant, after enucleation, 43:529
 Polyvinyl sponge, in orbital reconstruction, 37:977

- Pons, tumors of, 37:309
- Pontocaine, effect on corneal epithelium, 47:97
- lens opacities after, 54:165
- ocular damage due to, 36:1652
- Porak-Durante syndrome, 47:445
- Porocephalitis, 54:169
- Porphyria, eye changes in, 36:423; 45:779
- scleromalacia in, 50:205
- Posner-Schlossman syndrome, 44:563; 46:272; 49:1451; 50:530
- See also Glaucomatocyclitic crises
- Posterior chamber, penetration sodium thiocyanate into, 47:268
- Posterior segment, crystals in, 37:625
- Potassium cyanide, effect on lens, 43:490
- Potassium permanganate injuries, 37:610
- treatment of, 47:119
- Praepacillin, in ophthalmology, 36:741
- Prazine, in preparing for cataract surgery, 49:403
- Preaductal gland, conjunctival hyperplasia and, 47:720
- Precipitin test, in keratoplasty, 52:141
- PREDNISOLONE**, 40:759; 42:172; 48:873; 53:174
- effect on hyphema, 48:557
- in acute conditions, 43:824
- in aqueous, 50:822
- in diabetic retinopathy, 50:1275
- in inflammations, 42:172
- in temporal arteritis, 46:287
- intraocular penetration, 42:163
- keratitis after, 51:197
- retrobulbar, 47:427
- subconjunctival, 47:427
- to prevent vascularization in keratoplasty, 53:403
- topical, 44:444
- trimethylacetate of, 47:266
- PREDNISONE**, 40:759; 41:320, 562; 42:172; 43:150, 169; 46:257
- action on anaphylactic keratitis, 41:562
- butazolidin and, 51:730
- in chalazia, 43:658
- in corneal injuries, 42:805
- in corneal vascularization, 43:1007
- in ocular inflammations, 42:164, 172
- in sarcoidosis, 43:160
- in uveitis, 41:893
- in vernal conjunctivitis, 47:718
- intraocular penetration, 42:163
- Preglaucoma, 37:154
- PREGNANCY**, alloxan diabetes in, 53:421
- amaurosis in, 37:307
- blindspot in normal, 41:1120
- complicated by meningioma symptoms, 38:892
- congenital malformations of, 47:446
- convergence in, 54:1166
- endocrinopathies of, 47:446
- fundus in, 43:175; 52:455
- Groenblad-Strandberg syndrome and, 42:958
- macular blood pressure in, 39:623
- myopia during, 50:261
- retinal artery pressure in, 44:851; 47:444
- retinal ischemia in, 54:506
- retinal ischemia in, 54:506
- retinal vascular changes in, 40:945
- retinopathy of, 40:599; 41:363
- rubella in, congenital anomalies and, 47:448
- See also Maternal rubella
- toxemia of, conjunctiva in, 39:455
- eye findings in children after, 38:283
- flicker fusion in, 36:1488
- fundus in, 39:270
- retinal arterioles in, 47:438
- retinal circulatory changes in, 47:732
- retinal detachment in, 39:270
- retinal edema in, 44:451
- retinal separation and, 36:886
- tuberculous uveitis and, 36:289
- virus diseases in, 39:927
- Premature infants: See under Infants
- Prematurity, ocular manifestations of, 41:1106
- significance to eye, 43:662
- Prepapillary congenital cyst, 36:158
- Prepapillary formations, 36:158
- Presbyopia, accommodation in, 41:898
- correction of, 47:910
- optogeometries in spectacles for, 37:467
- premature, as preglaucoma sign, 51:751
- Preziosi's operation, in glaucoma, 43:518
- Primycin, 45:760
- PRISCOL**, action on aqueous flow, 47:724
- action on episcleral venous pressure, 47:724
- effect on retinal circulation, 39:919
- in chemical injuries, 36:759
- in provocative tests, 54:486
- in retinal artery occlusion, 41:351
- to test scleral rigidity, 48:701
- Priscoline, in diagnosing early glaucoma, 41:917
- in glaucoma test, 38:885
- to treat central serous retinopathy, 45:324
- PRISMS**, aberration, 43:499
- image distortion by, 36:143
- prescribing of, 42:168
- simplified calculations for, 37:469
- to examine iridocorneal angle, 37:470
- Privine, in retrobulbar anesthesia, 52:137
- Privine-cibazol, in phlyctenular keratoconjunctivitis, 37:611
- Procaine, influence on pupil kinetics, 46:244
- penetration of subconjunctival, 39:441
- retrobulbar, effect on optic nerve, 41:902
- Proctalgia fugax, ocular manifestations of, 48:713
- Progeria, diagnosis, 54:734
- eye abnormalities in, 43:1022
- symptomatology of, 54:734
- Progesterone, in glaucoma, 36:291, 1312
- Progresin, in ophthalmology, 49:865
- Propazin, in anesthesia for children, 53:710
- Propidin system, resistance to infection and, 49:652
- Propiolf, in ophthalmology, 40:765
- Proprioception, intraocular muscles and, 36:141
- PROPTOSIS**, due to amyloid disease, 39:923
- due to myelomatosis, 39:924
- due to osseous tumor, 53:738
- eyelid mobilization and, 39:471
- in children, 37:312; 40:942
- in infancy, 40:940
- in newborn, orbital sepsis and, 48:134
- tarsorrhaphy in, 39:471
- unilateral, 54:907
- PROSTHESES**, 37:607, 635; 41:1112; 42:327; 45:329, 479, 46:256
- acrylic corneal, 40:461, 928
- intracorneal implants and, 41:904
- nasolacrimal, 48:139
- new type, 42:521
- plastic and/or glass, 37:968
- scleral, after enucleation, 50:1259
- socket surgery to retain, 42:339
- synthetic resin in, 54:336
- Protective devices, visual impairment by, 37:642
- PROTEINS**, blood-aqueous barrier and, 46:245
- changes, in diabetic retinopathy, 42:129
- concentration, in vitreous, 45:146
- consumption, in myopic children, 42:947
- content, of intraocular fluids, 36:139
- decrease, in precorneal liquid, 36:426
- c-reactive, clinical significance, 49:175
- in Behçet's disease, 46:924
- in inflammations, 46:764; 49:654; 51:346
- in uveitis diagnosis, 41:318
- in vernal conjunctivitis, 47:620
- of aqueous, in anterior inflammations, 47:624
- cx-reactive, in rabbit aqueous, 47:263
- deficiencies, eye in, 47:907
- in keratomalacia, 43:155
- sex and, 48:558
- electrophoresis of, in calves' eyes, 41:894
- electropositive, cataract formation after, 43:814
- fractions, in cataract, 44:708
- in corneal grafts, 53:1040
- gluco-, electrophoresis of, 47:707

PROTEINS (*continued*)

- in idiopathic retinal detachment, 41:890
- in ocular tuberculosis, 54:481
- in subretinal fluid, 39:606; 43:490
- in uveitis, azostreptococcal skin test, 54:736
- increase in vitreous, during growth, 43:999
- injections, in experimental iridocyclitis, 47:100
- level, after typhoid vaccine, 42:516
- metabolism, in eye, 50:518
- of aqueous, 40:282; 45:955; 46:245; 48:281
- amino acids, 40:919
- determination of, 36:279; 41:567
- electrophoresis of, 37:463; 44:707; 48:558
- fractional separation of, 44:708
- in diabetics, 50:530
- of cornea, anaphylactic reactions to, 36:1158
- electrophoresis of, 51:730
- epithelium, 40:918; 42:945; 50:195
- stroma, 45:955
- water-soluble, 50:520
- of intraocular fluid, 44:707
- of lens, 40:281, 282; 44:707; 45:142; 46:616; 51:729
- age and, 46:614
- capsule permeability for, 47:608
- changes, in cataract development, 54:332
- electrophoresis, 39:438
- embryonic, 44:707; 45:143
- fractioning, 47:270
- hydrosoluble of mitochondria, 47:906
- in retinchoroiditis, 38:117
- influence pH on, 40:919
- interaction with other proteins, 41:567
- water-soluble, electrophoresis of, 47:703
- of spinal fluid, 54:337
- of tears, 39:899; 41:540; 44:435; 47:236; 51:330
- electrophoresis of, 49:195
- of vitreous, 40:282
- filtrates, 43:1001
- gelatinous, 38:584
- residual, 41:869; 47:237
- studies of, 37:456
- permeation of aqueous by, 49:655
- plasma, in albuminuric retinopathy, 39:437
- serum, in phlyctenular keratoconjunctivitis, 41:154
- in retinal vein thrombosis, 39:772
- in vernal catarrh, 41:154
- permeability, to lens, 41:566
- soluble, in cataract lenses, 47:266
- sulfhydryl group of, in bovine lens, 47:98
- to produce lens opacities, 41:567
- Prothrombin, in aqueous, 46:247
- Protozoa, affecting eye, 44:571
- uveitis due to, 46:426
- Prowazek's bodies, in trachoma, 42:526
- Proximeter, in refraction, 41:159
- to examine muscle balance, 41:159
- Pseudocysts, in anterior chamber, 46:770
- Pseudocxfoliation of lens, glaucoma and, 50:208
- Pseudoglaucoma, 47:734; 51:1364
- Pseudoglioma, 36:888, 1017; 48:410; 49:664
- classification of, 43:158
- diagnosis of, in children, 47:131
- due to larva, 52:310
- Pseudohypoparathyroidism, 51:858
- Pseudo-isochromatic plates, 53:167
- discrimination value of, 41:163
- Pseudomonas infections, 49:657
- action benzalkonium chloride in, 41:538
- cause death premature infant, 52:299
- chloramphenicol in, 37:135
- corneal ulcer due to, 47:621; 51:743
- polymyxin B in, 53:554
- cortisone in, 41:568
- of cornea, 50:673, 674
- of eye, 39:900
- polymyxins in, 36:1180
- varidase in, 36:1180
- Pseudopapilledema, 41:589
- Pseudopapillitis, 45:326
- vascular, 46:776
- Pseudophakia adiposa, 40:614
- Pseudotumors, 39:151
- cerebral, 47:617
- of orbit, cortisone in, 47:139
- Pseudoxanthoma elastium, 40:304; 46:784; 47:744; 52:1014
- angioid streaks and, 43:182; 43:527, 1015; 52:1014
- calcium in, 52:740
- drusen of fundus in, 42:528
- mottled fundus in, 52:311
- Psoriasis, lens changes in, 54:1172
- ocular, 36:1786
- vascular abnormalities at limbus in, 37:480
- Psychiatric patients, fundus in, 53:175
- Psychiatry, eye diseases and, 54:1162
- of primary glaucoma, 37:293
- Psychogenic eye symptoms, 40:145
- Psychophysical relations, in ophthalmology, 36:561
- Psychosomatic, disease, migraine as, 36:760
- factors, in eye disease, 39:447
- medicine, ophthalmology and, 36:1022
- ophthalmology, a symposium, 47:442, 443
- Psychotherapy, of amblyopia, 48:568
- PTERYGIUM:** 38:754; 40:461; 41:579
- beta irradiation in, 36:880; 52:139
- for recurrent, 44:145
- congenital, 44:715
- conjunctival graft for, 45:775
- free, 47:284
- corneal astigmatism due to, 36:580; 37:609
- cyst formation in, 38:756
- double, 36:879
- hyaluronidase to treat, 44:289
- hypnosis during removal of, 45:762
- intrasceral implantation of, 39:264
- keratoplasty in, 54:486
- operation for, 39:910; 53:1048
- pathogenesis, 53:1054
- problem of, 40:462
- in Canal Zone, 36:581
- prophylaxis, 37:609
- radioactive strontium in, 45:776
- recurrent, 41:323
- surgery, 36:879, 1181; 37:609; 51:195
- effect on corneal curvature, 51:352
- effect on refraction, 51:352
- survey of, 44:144, 145, 146
- treatment of, 37:609; 46:425
- visual loss due to, 46:263
- Pterygoid, cholesteatoma of, 52:315
- PTOSIS:** 37:636; 51:173
- after cranial injury, 52:1017
- congenital, 51:207
- dynamics of, 48:140
- genetic approach to, 48:435
- operative treatment of, 36:160
- correction of, 39:152
- crutch in, comments on, 37:978
- divergent strabismus and, 51:868
- due to snake bite, 52:1023
- etiology of, 49:670
- fibrosis inferior rectus and, 45:158
- levator muscle in, 40:154
- resection for, 52:316
- Marcus Gunn phenomenon and, 43:336
- operation, 39:620, 923; 40:942; 45:182; 52:316
- Bell's phenomenon after, 39:617
- Blaskovic, 38:896; 41:1113; 44:726; 46:117, 282; 48:140
- Cattaneo, 41:737
- Dickey, 42:962
- Friedenwald-Guyton, 36:1322; 40:943; 43:1003
- modified, 45:330
- ophthalmoplegia and, 46:122
- orbicularis muscle strip for, 40:154
- paralytic, contact lenses in, 46:435
- posttraumatic, treatment of, 36:1494
- refraction in, 46:923
- spatula, 41:576
- surgery of, 37:835; 38:605; 42:493
- of congenital, 42:823
- symposium on, 49:668, 669, 670

PTOSIS (continued)

- treatment of, 50:355
- unilateral, 43:530
- Puberty, ocular rigidity at, 53:1052
- Public health, ophthalmologist and, 38:611
- Public Health Service, research funds, 51:533
- Pulfrich effect, theory of, 39:903
- Pulfrich's photometer, to test color vision, 48:282
- Pulmonary disease, visual fields in, 48:874
- Pulse curve, optic disc variations and, 54:512
- Pulse volume, blood flow to eye and, 44:706
- Pulseless disease, 41:741; 43:661; 44:306, 307; 50:1286; 51:866; 53:744
 - cataract due to, 41:1117; 42:679
 - eye lesions of, 45:799
- Puncta, abnormal, 48:138
 - atresia of, congenital dyskeratosis and, 45:330
- PUPIL**, action cortisone on, 37:133
 - action sympathetic system on, 47:736
 - Adie: See Adie syndrome
 - after denervation cervical ganglion, 52:1018
 - Argyll-Robertson, 41:864; 49:1078
 - due to lesions ciliary ganglion, 49:873
 - in cerebral tumor, 51:1356
 - in suprasellar tumors, 36:417
 - syndrome, miosis and, 42:183
 - blockage, by subluxated lens, 43:840
 - in aphakia, 51:116
 - glaucoma due to, 53:1058
 - changes in, after diathermy, 37:307
 - in Holmes-Adie syndrome, 43:657
 - without muscle dysfunction, 36:887
 - contraction, during cataract extraction, 38:269
 - corectopia, 51:354
 - decentration, dioptries in, 41:157
 - diameter, in dark-adapted eye in glaucoma, 47:922
 - practical use of, 53:551
 - dilation, before cataract extraction, 47:434
 - with dark adaptation, age and, 44:709
 - dilator muscle of, 37:452
 - activity, 42:133
 - electron microscopy of, 53:1032
 - distance between, 44:714
 - disturbances, after injury, 46:278
 - muscle paralysis and, 46:284
 - effect Corneacin on, 41:568
 - effect Opilon on, 50:822
 - Elschnig's pearls occluding, 49:871
 - examination of, 36:754
 - Horner's syndrome: See Horner's syndrome
 - in Adie's syndrome, 51:1355
 - in aphakia, making a, 36:881
 - in contusion eyeball, 37:976
 - in diabetic ophthalmoplegia, 51:364
 - in diagnosis, 39:468
 - in Fuchs' heterochromia, 36:1647
 - in melanosis with myopathy, 52:1024
 - in myotonic dystrophy, 46:241
 - in Raeder's syndrome, 36:417
 - in vegetative dystonia, 38:447
 - inequality, in tuberculosis, 41:354
 - kinetics of, influence procaine on, 46:244
 - light reaction of, 45:464; 49:172
 - light reflex of, 45:753
 - amaurosis and, 48:426
 - measurement of, 44:137
 - pathways of, 36:1649
 - threshold of, 47:706
 - manifestation, of senility, 42:675
 - membrane, persistent, 45:337
 - miotic-resistant, mechanism of, 37:828
 - motility, in adaptation, 52:134
 - in dystrophia myotonica, 50:205
 - in enucleated eyes, 43:811; 44:437
 - mechanism of, 54:331
 - nervous regulation of, 43:335
 - muscles of, new mydriatic action on, 47:612
 - nondilatable, cataract extraction and, 54:500
 - observations of, in glaucoma, 44:446

PUPIL (continued)

- occlusion, surgery for, 39:265
- paradoxical movements of, 45:587
- pathways, damage to, 47:138
- persistent membrane of, 53:193
- pharmacology, of pigeon, 54:329
- photocoagulation to create, 52:137
- reactions, change with age, 37:832
 - in normal man, 47:99
 - pathologic changes in, 38:893
 - registration of, 39:920
 - vasoconstriction and, 41:568
- reflexes of, 38:761
 - in monozygous twins, 36:1495
- round, in cataract surgery, 43:329
- seclusion, differential tonometry in, 36:1311
 - glaucoma secondary to, 53:724
 - surgery for, 39:265
- size, accommodation and, 51:712
 - in darkness, 43:318
- symptoms, in optic chiasm lesions, 39:468
 - in optic nerve lesions, 39:468
 - in optic tract lesions, 39:468
- tonic, in Adie's syndrome, 52:590
- Pupillary membrane, congenital, 49:661
 - in premature infants, 49:657
- Pupillography, 36:572; 42:960; 50:522
 - electronic, 47:278
 - in accommodation paralysis, 48:134
 - in clinical diagnosis, 41:734
 - in hemianopia, 51:206
- Pupillomotor photoreceptors, 37:466
- Pupillotomy, sensory constriction reflex and, 51:1355
 - symptom of sympathetic irritation, 47:137
- Pupillotonia, due to ciliary ganglionitis, 43:333
 - pathogenesis of, 54:341
- Purin, exchange in vernal catarrh, 36:612
- Purkinje shift, in red-green blindness, 42:948
- Purtscher's disease, 39:466
 - after carotid ligation, 41:732
 - fundus changes in, 41:362
- Pyocyanea infections, 43:152
- penicillin in, 43:807
- polymyxin in, 37:479, 610
- Pyodermatitis, of eyelid, 36:160
- Pyrolozan derivatives, in eye therapy, 37:606
- Pyridostigmin, in glaucoma, 40:297
- Pyrogen, corneal ulcers and, 51:710; 52:139
- Pyruvic acid, effect on retina, in presence cortisone, 42:160
 - in vitreous, 41:156

Q

- Q fever, eye manifestations of, 53:743
 - optic neuritis and, 53:735
 - retrobulbar neuritis and, 45:178
- Quadrantopia, in pitting of optic disc, 50:682
- Queensland, ophthalmology in, 44:309
- Quimotrase: See Alpha chymotrypsin
- Quinine, amaurosis, 40:280
 - amblyopia, 40:141, 777
 - intoxication, 50:192
- Quinone-hydroquinone, corneal changes due to, 47:715

R

- Rabkin tables, in color blindness, 54:731
- RADIATION**, amino acids of lens after, 37:602
 - beta, 45:762
 - absorption P_{02} and, 51:548
 - cataract due to, 40:287
 - effect on eye, 42:173
 - in conjunctival disease, 40:455
 - in corneal disease, 40:455
 - in eyelid disease, 40:455
 - late effect of, 40:287
 - through rabbit cornea, 53:1033
 - cataracts due to, 43:330
 - See also under Cataracts
 - CO⁶⁰ body, 42:309
 - corpuscular, 48:870

RADIATION (continued)

- cysteine, to protect against, 46:247
- damage, to chiasm, 49:176
 - to hypothalamus, 49:176
- effect on eye cytology, 36:553
- effect on retinal blood vessels, 44:440
- electromagnetic, 48:870
- fetal eye after, 41:568
- infrared, 46:423
- interstitial substance, retinal changes by, 50:1278
- ionizing, anterior chamber liquid after, 53:192
 - effect on corneal neuroreceptors, 53:182
 - embryopathy due to, 54:520
- lens changes after, 41:861
- microwave, cataract due to, 47:94
- nuclear, 36:137
- postoperative, of corneal grafts, 53:1045
- secondary of lens, due to X-rays, 52:1012
- sickness, corneal wounds in, 45:489
- study, on monkey eye, 41:150
- TEM** and, in retinoblastoma, 51:160
- THERAPY**: 39:609; 43:160; 46:623
 - beta, 38:876; 39:903; 42:809; 52:738
 - application of, 41:906
 - corneal protection in, 38:428
 - effect on rabbit lens, 38:119
 - evaluation of, 42:325
 - in glaucoma surgery in Negro, 41:319
 - in pterygium, 52:139
 - in vernal conjunctivitis, 37:289
 - strontium⁹⁰ applicator in, 39:449
 - cataract after, 48:132
 - contact, of iris cysts, 40:463
 - diabetic retinopathy after, 46:775
 - dosage to lens, 47:287
 - functional, 45:482
 - gamma-ray application, 41:907
 - glaucoma after, 47:124
 - grenz rays, in eyelid epithelioma, 48:137
 - hazards of, 45:761
 - in eyelid tumors, 39:275
 - epithelioma, 39:274
 - in glioma, 42:338
 - in graft vascularization, 37:150
 - in herpes infections, 45:475
 - in inflammations, 47:711
 - in limbal epithelioma, 54:1161
 - in malignant lesions, 37:638
 - in melanoma, 38:606; 51:1359
 - in melanosis, 48:692
 - in ocular tumors, 39:259
 - in orbital tumors, 39:259; 43:530; 44:856
 - in pituitary tumors, 46:253
 - in pterygium, 36:880; 44:145
 - in retinal cancer, 51:865
 - in retinoblastoma, 40:303; 44:299; 46:775; 51:1353
 - in uveal inflammations, 48:573
 - in vernal conjunctivitis, 45:775
 - in vitreous hemorrhage, 40:601
 - indications for, 36:1175
 - microwave, 43:159
 - of conjunctival sac, 49:177
 - radium, in choroidal cancer, 48:427
 - in eyelid carcinoma, 50:686
 - in neuroblastoma, 36:1324
 - in retinoblastoma, 36:157; 38:607; 45:767
 - strontium, 48:286
 - tumor following, 53:551
 - yttrium⁹⁰ in exophthalmos, 48:433
 - X-ray: See under X-rays
 - to preserve costal cartilage homografts, 53:1046
 - ultra high frequency, cataract and, 47:627
 - ultrasonic, 45:473
 - See also Ultrasound
 - Ultraviolet: See Ultraviolet
 - X-rays: See X-rays
- RADIOACTIVE**, iodine, 43:492
 - distribution in eye, 41:896
 - in eye disease, 40:144
 - to study aqueous, 41:687

RADIOACTIVE (continued)

- iodine (continued)
 - to study corneal antibodies, 53:884
 - to study lens, 41:687
 - to study tears, 41:687
 - to study vitreous, 41:687
- isotopes, 37:141; 46:251, 621
 - in corneal disease, 53:184
 - in diagnosing tumor, 42:957; 47:297
 - in ophthalmology, 39:131; 41:904; 44:287, 443
 - to study hyphema, 52:292
 - to study lens epithelium, 54:332
 - to study mucopolysaccharides, 47:271
- phosphorus, action beta rays on, 51:548
 - appearance in aqueous, 43:156
 - aqueous changes after, 53:884
 - blood changes after, 53:884
 - determination of intraocular, 40:451
 - electrophoresis studies, 37:463
 - experience with, 37:459
 - experiments with, 43:489
 - in diagnosis, 38:436; 39:620, 621; 43:826; 44:457, 859; 54:336
 - intraocular tissues, 42:517
 - in melanoma diagnosis, 44:713
 - lens absorption of, 36:1164
 - to detect intraocular neoplasms, 38:590; 44:713; 46:283
 - to detect intraocular tumors, 37:836; 51:865
 - to localize choroidal melanoma, 50:674
 - to study phosphorus metabolism retina, 43:944
 - uptake, in tumors of eye, 48:559
 - of lens, 39:439
 - test, 41:906
- strontium⁹⁰, 51:350; 53:552
 - in pterygium, 45:776
 - therapy, 36:583
- sulfate, in corneal tissues, 54:491
 - to study corneal healing, 47:903
 - uptake, in eye, 45:752; 50:822
 - of cornea, effect alpha chymotrypsin on, 53:1037
- RADIOGRAPHY**, 43:824
 - cerebral, in arteriosclerosis, 51:1337
 - contrast media, in orbital, 41:163; 43:1003
 - of aqueous outflow, 47:906
 - of cavernous sinus, 37:608
 - of lacrimal duct, 38:897
 - of lacrimal passages, 38:897
 - of nasolacrimal canal, 37:836
 - of optic canal, 42:174
 - of orbital veins, 38:762
 - of venous orbital circle, 37:608
 - to diagnose chiasm gliomas, 40:602
- RADIOLOGY**, in lipoidosis, 43:346
 - neurosurgical, 54:885
 - of lacrimal apparatus, 44:457
 - of orbit, 36:137; 40:925
 - to examine cavernous sinus, 52:315
 - to study choroidal ossification, 44:562
 - to study lens ossification, 44:562
 - vascular visualization by, 44:558
- Radiopaque substances, to study aqueous outflow, 41:693; 42:944
 - to study optic nerve, 47:119
- Radiosensitivity, of retinoblastoma, 50:686
- Radiosodium, in Graves' disease, 39:151
- Radium phosphenes, 41:565
- Raeder's syndrome, 36:417; 43:335; 44:566
 - subdural hematoma and, 49:193
- Rauwolfia, retinal hemorrhage and, 51:1330
- Rayleigh's equation, 38:124
- Raynaud's disease, 38:284
- READING**, binocular co-ordination and, 53:1050
 - difficulties, congenital, 36:887
 - in children, 47:447
 - visual acuity and, 40:306
 - effect sloped text on, 42:170
 - eye movements during, 42:328
 - failures, visual screening results, 40:455
 - illumination and, 42:167
 - light intensities for, 37:816

READING (continued)

- problems, in children, 39:445
- management of, 41:329
- reverse, 51:710
- types for, 37:138
- visual training and, 36:565
- Reaffiance principle, 49:654
- RECKLINGHAUSEN DISEASE**, 45:166; 50:683; 52:1018; 53:1080
 - angioma conjunctiva with, 38:280
 - exophthalmos in, 46:281
 - pulsating, 44:725; 46:116
 - eyelid dermatolysis in, 36:1012
 - glaucoma and, 40:940
 - myopia in, 42:183
 - pheochromocytoma and, 38:449
 - surgery in, 51:1355
- See also Neurofibromatosis
- Reconstructive surgery: See Plastic surgery
- Recoreatin, effect on light sensitivity, 43:150
- effect on visual fields, 43:150
- Refracting media, effect X-rays on, 53:741
- REFRACTION**, 54:731
 - accuracy, of objective methods, 39:128
 - of subjective methods, 39:128
 - after Diamox, 47:61; 49:659
 - age and, 39:446
 - change of, 38:123
 - anomalies, depth perception and, 38:587
 - retinal sensitivity and, 38:586
 - anterior chamber lenses: See Intraocular lenses
 - axial length eye and, 42:805
 - before and after cataract extraction, 50:1269
 - bifocals, 42:167
 - binoocular, 36:564
 - blindspot in, 53:168
 - changes in, after Fonurit, 52:132
 - after muscle surgery, 49:659
 - after scleral excision, 42:168
 - after scleral resection, 38:587
 - after strabismus surgery, 41:158
 - due to changes in chamber depth, 37:469
 - during growth, 37:469
 - in high myopia, 45:471
 - in young men, 43:497
 - charts, 42:519
 - chromatic aberrations and, 41:899; 43:497
 - corneal curvature and, 43:818
 - correlation of factors in, 36:740
 - cross cylinders in, 39:258, 608
 - development of, 36:562
 - distance between eye and lens in, 45:760
 - double, of eye tissues, 41:154
 - effect lenses on, 41:899
 - effect luminance on, 41:899
 - effect pterygium surgery on, 51:352
 - effect target configuration on, 41:899
 - errors in, false scotomas due to, 36:570
 - in adolescents, 38:451
 - phlyctenular conjunctivitis and, 48:573
 - visual acuity and, 36:1485; 42:948
 - for near vision, 44:557
 - hypermetropic changes in diabetic, 36:741
 - image distortion, by prisms, 36:143
 - in aphakia, spherical, 41:571
 - in blepharochalasis, 46:923
 - in children, device for, 53:168
 - in glaucoma, 53:424
 - in identical twins, 38:435
 - in infants, 53:180
 - in myopic migrainous astigmatism, 49:1445
 - in presbyopia, 47:910
 - in ptosis, 46:923
 - in strabismus, 39:444; 52:138
 - influence acetic acid on, 36:565
 - influence bromtetra-ethyl-ammonium on, 36:565
 - magnification formulas and, 39:902
 - media, effect ultrasound on, 36:140
 - minor suggestions for, 41:899
 - objective methods, 41:159

REFRACTION (continued)

- ocular motility and, 53:1042
- ocular rigidity and, 53:1052
- of infants, 53:402
- of school children, in India, 53:423
- ophthalmologists and, 49:174
- ophthalmometer in, 47:274
- phoria and, 41:160
- portable outfit for, 36:1171
- proximeter in, 41:159
- Rodenstock refractometer in, clinical value, 38:584; 42:133
- sex and, 39:446
- short-lasting mydriatic in, 47:274
- skiametry, dynamic, 36:876
- subjective methods, 41:159
- testing corrections for, 39:901
- tree, 37:285
- trial cases, supplementary, 47:614
- unequal corrected vision, anisometropia and, 41:899
- ventricular systems and, 53:1042
- Refractometer, 36:741
 - clinical evaluation Rodenstock, 38:584; 42:133
 - coincidence, 43:499
- Reflexes, cardiovascular, retinal stimulation and, 43:188
- fusion, 43:497
- Refsum's syndrome, 46:784
 - in children with diabetes, 47:137
- Registry Ophthalmic Pathology, 52:605
- Rehabilitation, for blind, 54:524
 - ophthalmologist and, 51:1338
- REITER'S DISEASE**, 36:890, 1325, 1495; 42:680; 46:784; 48:432; 49:181, 182; 53:718
 - in women, 46:265; 48:433
 - neurologic lesions, 49:667
 - and symptoms, 49:667
 - retrobulbar neuritis complicating, 36:1325
- Relapse fever, eye complications of, 36:425
- Relaxants, guaiacol-glycerin-ether as muscle, 51:739
 - in surgery: See under Surgery
 - muscle, effect on eye, 43:822
- Remak cells, retinal astroglia and, 40:757
- Renal, biopsy, ocular vascular disease and, 52:747
- disease, ocular deficiency and deafness in, 52:600
- Rendu-Osler syndrome, 49:670
- Research, in ophthalmology and blindness, funds for, 51:528, 535
 - See also Ophthalmic research
- Reserpine, in convergence insufficiency, 47:913
- Retraction syndrome, 38:752
- Reticuloendothelioses, of conjunctiva, 43:1009
- Reticuloendothelium system, of uvea, 45:165
- Reticulohistiocytosis, corneal opacities in, 51:853
- Reticulosarcoma, of orbit, 41:1112; 43:847; 46:780
- RETINA**, a review, 38:601; 40:304; 42:673; 50:680; 52:311; 54:505
 - action cortisone on, 41:563
 - adaptation, in optic atrophy, 36:1011
 - adenocarcinoma of, 52:596
 - adenosine triphosphate of, 41:564
 - after Ditizone, 51:190
 - after retinal artery occlusion, 54:900
 - aging of, 42:671
 - amblyopia and, 54:508
 - amine oxidase in, 53:162
 - aneurysm of, 38:446; 40:777; 41:180; 42:667; 47:727; 53:732; 54:165, 900
 - anglitis obliterans of, hypopyon iritis and, 43:171
 - angioid streaks of, 47:435; 53:733
 - arterial disease and, 44:721
 - See also Angioid streaks
 - angioma, Morgagni syndrome and, 38:608
 - angiomatosis of, 38:275; 41:1103; 42:145; 47:729; 731
 - diathermy for, 41:1105
 - photocoagulation in, 54:898
 - angiopathia retinae traumatica: See Purtscher's disease
 - anomalies, diagnosis of, 43:512
 - heterochromia and, 48:128
 - area centralis of, 43:485

RETINA (continued)

- arterial, lesions of, spasm and, 47:733
- occlusions, herapin in, 43:843
- pulse, diagnostic importance of, 45:325
- arterioles of, 37:624
- in toxemia of pregnancy, 47:438
- occlusion of, 46:110
- arteriosclerosis, due to retinal vein obstruction, 48:423
- in hypertension, 36:1010
- arteriovenous aneurysm of, 47:434
- arteritis, 40:152
- in rheumatic arthritis, 46:776
- ARTERY**, action vasodilators on, 37:134
- anastomoses with ciliary, 41:885
- and brachial artery pressures, 36:560
- central, duplicated, 40:938
- collapse pressure of, 54:896
- ERG, in closure of, 43:331
- embolism, 49:872
- centennial of, 45:593
- due to endocardial myxoma, 49:192
- fat, in bone fractures, 43:526
- in chorioretinitis, 37:306
- of central, 47:288
- hypotension, significance of, 41:585
- in heart patients, 41:739
- obliteration, of central, 36:154
- occlusion, 41:1104; 50:557; 54:505
- central scotoma in, 41:586
- choroid after, 54:900
- ERG in, 38:272
- ganglioplegies in, 40:601
- glaucoma and, 36:1183; 46:273; 47:127; 48:699; 50:553; 51:1348; 52:208
- heparin in, 51:563
- macula and, 44:720
- medical therapy of, 40:152
- ocular palsy after, 38:440
- ophthalmodynamometry in, 52:312; 53:710
- Priscot in, 41:351
- retina after, 54:900
- retinal detachment after, 50:1272
- origin and course, of central, 50:516
- pressure, changes in, 36:569
- action Manganocholine on, 42:804
- after drugs, 47:708
- corneal pulse wave and, 53:166
- during surgery, 38:583
- effect carbon dioxide on, 52:430
- effect chlorpromazine on, 42:516
- effect drugs on, 39:124
- in cerebral hypotension, 42:671
- in cold-pressor test, 36:282; 42:959
- in diagnosis, 46:257
- in facial palsy, 36:1013
- in fundus disease, 41:587
- in pneumo-encephalography, 37:142
- in pregnancy, 44:851; 47:444
- in senile dementia, 42:807
- measurement of, 39:905; 49:666
- ocular tension and, during insulin shock, 46:624
- of central, 47:271
- vestibular stimulation and, 39:606
- segmental lesions of, 51:358
- serpentine pulsation of, 43:654
- spasm, 37:134; 48:420
- of central, during strabismus surgery, 47:289
- study of central, 50:1277
- thrombosis, temporal arteritis and, 36:414
- tortuosity, 54:898
- familial, 53:205
- aspidium poisoning of, 45:956
- atrophy of, 38:260
- retinitis pigmentosa and, 45:325
- astrocytes on inner, 43:148
- astroglia of, Remak cells and, 40:757
- blastomes of, 49:1079
- blood content of, effect on ERG, 52:742

RETINA (continued)

- blood flow of, 53:1070; 54:158
- blood pressure in, 51:729
- cerebrospinal pressure and, 39:774
- cold pressor test and, 51:1361
- diastolic, 43:161
- effect ganglion block on, 46:441
- in carotid artery occlusion, 43:1004
- in choked disc, 51:207
- in hypertension, 46:440; 47:142
- measurement of, 42:161
- spinal fluid pressure and, 40:459
- blood vessels of, anomalous development, 43:654
- autonomic nerves of, 43:812
- autonomic nervous balance and, 39:440
- caliber of, blood pressure in apoplexy and, 54:158
- cerebral vessels and, 39:147
- changes in, in brain tumor, 42:808
- in elevated ocular tension, 41:1102
- crossing phenomenon of, in diagnosis, 53:730, 734
- damage to, in juvenile hypertension, 36:416
- developing, 44:703; 49:390, 860; 52:581
- influence low atmospheric pressure on, 36:555
- influence retinal detachment on, 40:916
- oxygen and, 39:899; 41:563
- studies of, 40:916
- direct observation of, 44:287
- effect acetylcholine on, 39:607
- effect adrenalin on, 39:607
- effect oxygen increase on, 39:899
- effect radiation on, 44:440
- effect vasodilators on, 43:156
- hyaloid membrane of vitreous and, 54:505
- in coarctation of aorta, 47:443
- in diabetes, 52:1017
- alloxan, 43:999
- in hypertension, 51:1353
- essential, 42:959
- in monocular blindness, 54:901
- in nephrosis and nephritis, 51:729
- in renal disorders, 37:304
- influence fever therapy on, 46:921
- influence nicotine acid on, 49:654
- influence smoking on, 54:730
- injection technique to study, 47:587
- innervation of, 36:550
- lipemia retinalis and, 36:590
- measurement of, 44:142; 49:177
- nerve fibers of, 44:432
- polysaccharides in, 39:918
- pseudoaneurysm of, 47:434
- sheathing of, 47:927
- technique to study, 50:516
- thrombosis, glaucoma after, 50:208
- tortuosity, 38:271
- congenital, 40:310
- triple branching of, 50:516
- vaso-obliteration and, 44:703
- blood volume of, changes in, 41:539, 865
- factors influencing, 44:705
- breaks in, in Eye-Bank eyes, 41:922
- in senile dog eye, 53:560
- burns, due to solar eclipse, 53:415
- cancer involving, 48:430
- radiation in, 51:865
- capillaries of, basal membrane of, 52:1014
- circulation of, 49:173
- clinical examination of, 36:1011
- microaneurysms of, 50:680
- carbonic anhydrase activity of, 43:808
- carcinoma of, 47:742
- cardiotonic substance, of frog, 39:899
- cells of, crystalline substance in, 36:1157
- changes in, after photocoagulation, 54:898
- due to chorioretinal circulation, 49:861
- in alloxan diabetes, 51:563
- in Hodgkin's disease, 43:1014
- in hypertension, 40:599
- in methanol poisoning, 48:874
- induced by tobacco, 39:898
- cholinesterase in, 42:163

RETINA (continued)**CIRCULATION** of, blood current in, 38:447

cerebral circulation and, 42:164; 46:440; 49:657

changes in, during Krasno-Ivy test, 42:808

in toxemia of pregnancy, 47:732

control of, 37:604

disturbances of, 39:623; 45:768

ERG in, 36:1010; 38:272; 46:432

PH-203 and ACTH in, 50:829; 52:133

during oxygen therapy, 39:916

effect Hydergine on, 36:281

effect hypotensive drugs on, 42:174

effect 1-noradrenalin on, 43:156

effect priscoline on, 39:919

ERG of, 39:147

in diabetes, 47:290

in headache, 37:641

in hypertension, 39:622

in migraine, 37:641

in pregnancy, 44:306

in uveitis, 40:152

physiopathology of, 39:613; 46:764

problems of, 37:627

relation to ametropias, 40:142

time of, 49:1442

cinéphotography to study, 47:235

Coats' disease of, 48:132

coloboma of, 44:863

complications in, in diabetes, 40:610

cones of, distribution in, 37:466

electron microscopy of, 52:584

visual acuity and, 37:466

cotton-wool patches in, 54:901

cyclopean, 50:825

cysts of, 41:182, 324; 44:452; 52:582

postchoroidal, 53:194

cytochrome C in, 51:189

cytochromoxydase activity in, 51:189

cytoid bodies of, 36:592

damage, due to chloroquine, 53:204

due to cyanide poisoning, 36:278

dark adaptation of, 47:271, 426

dazzling of, visual fields after, 45:149

defects of, congenital, 40:311

DEGENERATION: 44:298; 49:872

alkalines of ocular fluid in, 44:704

anterior dialysis and, 38:891

cytoid, 44:451

diaminodiphenoxylalkanes inducing, 47:425

drusen and, 48:435

due to sodium fluoride, 54:505

effect endocrine function of, 43:813

effect nutrition on, 43:813

ERG in, 40:920; 44:151; 53:204, 732

central, 52:1016

pigmentary, 50:680

equatorial, 50:1274

experimental, 44:439; 50:519

pigmentary, 37:627

familial, 53:732

fundus pigmentation in, 49:872

glycolysis inhibitors inducing, 47:425

hereditary, 50:1288; 54:912

ataxia in, 43:179

histopathology of, 54:328

honeycomb colloid, 36:1491

in dog, 37:130; 39:615, 625, 917

in Laurence-Moon-Biedl syndrome, 48:704

in siblings, 42:826

juvenile, 37:300

neuroglia changes in, 44:434

obesity, diabetes and deafness in, 49:664

of pigment epithelium, 46:276

onchocerciasis and, 48:145

ophthalmoplegia and, 53:179

optic disc vessels in, 41:162

PIGMENTARY, ACTH in, 36:590

action retrobulbar alcohol on, 39:900

after NP 207, 47:289

and conical cornea, 42:186

and retinal detachment, 41:585

RETINA (continued)**DEGENERATION (continued)****PIGMENTARY (continued)**

audiometer tests in, 47:130

basal metabolism in, 37:975

hearing loss in, 52:457

influence electroshock on, 39:900

iodate, transaminase activity in, 47:607

melanophore hormone in, 36:590

mesencephalon in, 51:859

pathogenesis of, 39:897

phosphate in vitreous in, 41:155

respiration inhibitors inducing, 47:425

tissue therapy in, 36:156

unilateral, 42:182

production of, in rat, 48:278

punctata albescent, 53:1071

secondary, of human, 47:901

senile, dark adaptation in, 43:996

spastic paraplegia in, 49:666

tapeto-, 36:1316; 39:269; 43:841; 45:590; 49:189

audiometric studies in, 44:298

central, 53:413

cerebral sclerosis, dwarfism and, 48:435

diagnosis, 38:890; 46:109

ERG in, 36:414; 39:463, 467, 783; 46:431; 48:133

and EEG, 46:632

pathogenesis, 38:890

urinary studies in, 38:890

Thiol reactors and, 44:283

toxic, 43:526

visual fields in, 43:996

vitreous nitrogen in, 39:772

vitreous proteins in, 47:607

dehiscence of, choriocapillaris disease and, 39:911

dehydrogenase activity of, 47:98

detachment of: See Retinal Detachment

developing, vaso-obliteration in, 50:194

diseases of, 44:721; 47:729

a review, 36:1648

color mechanisms in, 51:712

ERG in, 43:331

fundus photography in, 52:457

in onchocerciasis, 45:334

lipoid extracts in, 36:1318

vascular, campimetry in, 42:806

methonium compounds in, 39:148

disinsertion of, etiology, 41:587

dysoric nodules of, 52:309

significance in collagen disease, 44:853

dysplasia, 42:825

edema, during hydrodiuril therapy, 51:1329

in toxemia of pregnancy, 44:451

effect on, of alpha chymotrypsin, 50:518

of diathermy, 51:1341

of illumination variations on, 38:588

of iodoacetate and thiol reagents, 49:860

of iodoacetic acid, 42:323

of lactic acid, in presence of cortisone, 42:160

of photocoagulation, 51:1341

of pyruvic acid, in presence cortisone, 42:160

of vitreous injections on, 53:548

elastosis of, psychic difficulties and, 53:735

visual functions and, 38:272

electric activity of, optic nerve and, 37:464

electric potentials of, recording, 50:524

electric responses of, 47:705

electrolytes in, 43:151

electron microscopy of, 54:327, 503

electronic camera to photograph, 36:1305

electrophysiology of, 36:874

ERG and: See Electoretinography

elements in subcutaneous homographs, 36:1167

elevation of, scleritis and, 50:527

epithelium of, amino acids of, 48:555

mice with absent sensory, 47:447

pigment granules of, electron microscopy of, 37:812;

51:728

exudates of, in diabetes, 53:731

in monochromatic light, 45:791

resorption of, 52:456

RETINA (*continued*)

- fetal, circulatory disturbances in, 46:631
- fixation and, 43:496
- fluid (subretinal), composition of, 47:271
- membranes in, 37:301
- microscopic findings in, 39:899
- study of, 39:439
- folds in, atypical falciform, 36:412
- congenital, 45:176; 50:1276
- embryonic, 39:280
- in hypotony, 39:614
- in macular region, 39:465
- persistent vitreous vessels and, 37:626
- tumor producing, 45:326
- function, after intraocular ischemia, 42:164
- effect hallucinogenic agents on, 51:548
- flicker frequency to test, 47:133
- maddox-rod to test, 45:481
- test for, 54:1162
- ganglion cells of, 45:750
- adequate stimulation of, 36:736
- optic nerve and, 36:1156
- glioma of, 37:159; 42:679; 44:727
- heredity and, 39:927
- gliosis of, 40:937
- glucose uptake of, 42:945
- glucose utilization by, 37:461
- glutaminic acid and, 36:277
- glutamotransferase in, 42:135
- glycogen in, 37:465; 46:246; 53:549
- after ACTH and cortisone, 44:707
- glycogen-phosphatase in, 38:428
- granulomatosis of, larval, 50:536
- grooves in, due to pressure on globe, 48:133
- hamartoma of, 53:559
- hemangioma of, 39:917; 42:667; 47:434
- hemorrhages of, 43:183
- after blood transfusion, 41:732
- Butazolidin and, 51:1332
- diathermy for, 40:153
- in blast injuries, 37:302
- in myeloma, 41:586
- in newborn, 41:180, 730; 41:1103; 54:511
- Rauwolfia in, 51:1330
- hexokinase activity in, 51:547, 1330
- histochemistry of, 37:461, 815; 38:424; 52:430
- histology of, ERG and, 50:1273
- in batrachians, 50:820
- in reptiles, 50:820
- holes in, 53:1067
- chorioretinal lesions and, 43:525
- craterlike, 45:589
- formation of, 47:926
- hyaline bodies in, 48:424
- hyperemia of, 43:493
- Neprosol in, 41:155
- hypotension of, 36:873
- image, in ametropia, 40:922
- in hypermetropia, visual acuity and, 41:157
- light distribution in, 42:518
- motions of, during fixation, 38:587; 48:121
- in achromatopsia, 54:484
- in experimental glaucoma, 54:494
- in hyperlipemia, 51:358
- in hypertensive disease, 45:793; 52:746; 53:733
- in lupus erythematosus, 44:850
- in periarteritis nodosa, 48:132
- in Schilder disease, 52:312
- in systemic disease, 49:665
- in Tay-Sachs disease, 48:421
- in virus infections, 49:665
- inversion of, 36:885
- inflammations, chlorothiazide in, 53:1034
- tuberculous, streptomycin in, 36:1305
- inhibitory processes in, 36:556
- interaction, 47:267
- inner limiting membrane of, 52:1016
- interstitial substance of, 50:1278
- iodoacetate poisoning of, glycolysis in, 49:860
- isopters, for separate power of central, 39:901

RETINA (*continued*)

- ischemia of, experimental, 54:509
- in pregnancy, 54:506
- larva of, pseudoglioma due to, 52:310
- lateroversion of, 38:274
- lesions of, after naphthalene intoxication, 46:765
- changes in, prognostic sign, 51:1351
- in Hodgkin's disease, 43:179
- in newborn, 45:175
- in physical exertion, 44:153
- in telangiectasia, 42:826
- photocoagulation of, 49:665; 52:311
- light energy loss in, 51:345
- light perception in, 38:124
- flicker fusion to study, 37:139
- light sensitivity of, action amino acids on, 37:133
- light threshold of, influence endocrines on, 43:1000
- lipemia of, 47:730; 52:1015
- in diabetes, 52:113
- idiopathic, 39:614
- lipids of, 38:745
- lipoid infiltration of, 36:748
- in hyperlipemia, 47:925
- METABOLISM** of, 37:133, 455; 46:920
- action butazolidine on, 47:423
- action metabolic poisons on, 48:280
- after acetazolamide, 48:871
- after placenta extract, 39:770
- effect on, of deproteinized blood, 52:310
- of methyl-bis-amine, 48:872
- of stress, 45:146; 51:1352
- of testosterone, 36:1162
- ERG study of, 49:873
- influence ACTH on, 38:117; 45:752
- influence corticosteroids on, 46:242
- influence cortisone on, 41:562
- melanophore hormone and, 47:265
- of developing, 48:278; 50:1274
- vitamin B and, 44:283
- metastatic melanoma of, 53:416
- microaneurysms of, 36:1649
- in diabetes, 43:526; 52:459
- microhemangiomas of, 39:788
- mitochondria of, 47:96
- monoamine oxidase of, 53:163
- necrosis of, after scleral buckling, 53:550
- nerve fibers in, 41:149; 43:486
- myelinated, 52:587
- neuro-epithelial dysgenesis of, 45:177
- nevus pigmentation of, 50:680
- optic sensation and, 46:621
- oxidative cycle in, 50:192
- periarteritis, and vascular disease, 41:181
- peripheral, 47:292
- periphlebitis of, 43:180; 50:210; 51:861; 52:1015
- blood studies in, 40:153; 41:586
- ERG in, 42:820; 43:524
- in multiple sclerosis, 37:631; 41:1110
- mononucleosis and, 40:777
- toxoplasmosis and, 38:759
- semiology of, 51:860
- treatment of, 42:821
- weather and hemorrhage in, 51:859
- perivascular sheathing in, 46:276
- phosphatase of, 36:1483
- histochemical study, 36:1480; 38:119
- phosphoglucosidase of rabbit, 54:332
- phosphorated components of, 47:606
- phosphorus metabolism in, 42:944
- photostimulation of, response iris to, 51:711
- photocoagulation of, 47:278
- indications for, 51:361
- photographs of, 3-D colored, 37:144
- photography of, 40:288; 47:711
- color, 37:471; 42:949
- pieces of, in vitreous, 36:156
- pigment of, cells, 51:198
- changes in, 51:174
- chromatophotopic hormone in, 51:1354

RETINA (continued)

- pigment of (*continued*)
 - epithelium, 37:301
 - drusen in, 43:843
 - sudanophilic granules of, 53:416
 - tumors of, 37:637; 50:682
 - ultrastructure of, 38:114
- pigmentation, due to choroidal melanoma, 41:182
- polysaccharides in, 36:1162
- projection mobile stimuli on, 54:159
- proprioceptive stimulation of, 42:170
- proteins of, electrophoresis of, 45:755
- metabolism, 53:1037
- pseudotumor of, 38:601
- hereditary bilateral, 53:735
- pulse wave of, protein metabolism and, 43:813
- reaction glial elements of, 41:861
- reaction nervous elements of, 41:861
- reactions of, in puerperal eclampsia, 49:653
- readaptation of, after photocoagulation, 51:204
- red shadows on, 39:609
- representation in later geniculate body, 51:206
- respiration of, 41:564; 45:957
- in hypoglycemia, 42:512
- study of, 41:156
- response of, to monochromatic light, 37:459
- richets vascular lesions of, 52:584
- rodanese activity of, 49:171
- rods of, electron microscopy of, 51:563
- sclerotic plaques of, 54:510
- senescence, morphology of, 36:750
- sensitivity of, ERG study of, 42:515
- in aphakia, 49:191
- in refraction anomalies, 38:586
- to brightness, 41:898
- to light, 36:557
- effect Adaptinol on, 45:754
- sensory relations of, 53:1068
- separation, toxemia of pregnancy and, 36:886
- sheen, significance of, 50:827
- siderosis of, prophylaxis, 53:204
- therapy, 53:204
- silver impregnation of whole, 51:361
- sodium fluoride swelling of, 48:278
- spatial summation of, 36:1486
- spike action potentials in, 41:688
- spots of, 47:133
- staining of, Pas, 47:881; 54:896
- with saccharated iron oxide, 48:553
- stereophotography of, 47:279
- stimulation, cardiovascular reflexes and, 43:188
- succinodehydrogenase activity of, 42:160; 53:1035
- surgery of, ERG in, 50:1275; 51:360
- survival of, 47:727
- swelling of, metabolic inhibition and, 46:614
- syphiloma of, 38:600
- tears in, during surgery, 41:179
- insertion extrinsic muscles and, 38:275
- intravenous fluorescein and Geigy blue in, 37:628
- prophylactic operation of, 36:1317
- solar coagulation in, 53:1068
- transconjunctival localization, 36:1317
- without detachment, 36:1010; 43:840
- thiaminase in, 46:765
- thrombophlebitis of, 46:433
- tissues of fetal, 46:616
- toad, ERG of, 45:754
- toxic effect on, of L-glutamate, 44:708
- of NP207, 44:852
- traumatic lesions of, 39:467
- tumors of, histogenesis, 47:236
- ultrastructure of, 53:882
- vascular changes in, in pregnancy, 40:945
- visual failure and, 49:188
- vascular disease of, campimetry in, 43:653
- treatment of, 38:888
- vascular disturbances of, Hydergin in, 38:891
- in diabetics, 38:889
- vascular, index of, 42:670
- lesions, in diabetes, 53:731
- micrometry, 47:428

RETINA (continued)

- vascular (*continued*)
 - occlusion, 40:776
 - patterns, 38:114, 423; 51:563; 52:311, 312; 54:509
 - in diabetic retinopathy, 53:414
 - pressure, ocular tension and, 36:874
 - proliferation, 50:537
 - system, 40:138
 - vasculitis, 53:553, 1069
 - with hemorrhage, 43:182
 - vasospasm, Meniere syndrome and, 43:523
 - stellate ganglion block in, 36:754
 - VEINS**, arterial blood in, 36:414
 - arteriovenous crossings, 36:1318
 - blood pressure of, 38:747
 - dilation of, intermittent blindness and, 54:506
 - fundus photomicroscopy of, 51:860
 - obstruction, 54:895
 - retinal arteriosclerosis and, 48:423
 - occlusions, 38:116; 50:1277; 51:859
 - anticoagulants in, 43:185; 45:593
 - antisclerosis therapy in, 45:593
 - blood pressure in, 51:204
 - by photocoagulation, 53:415
 - ERG in, 50:1278
 - fibrinolysin in, 53:1070
 - glaucoma and, 42:956; 49:1455; 51:361
 - in diabetics, 42:336
 - pathogenesis, 43:525
 - phenylbutazon and magnesium in, 54:166
 - retinal pathology after, 53:561
 - treatment of, 42:666
 - X-rays in, 50:210
 - pressure in, influence cerebrospinal fluid on, 50:1257
 - influence ocular fluids on, 50:1257
 - prethrombosis signs in, 36:415; 48:423
 - pulsation, 37:306; 49:1455
 - sheathing of, in multiple sclerosis, 39:150; 49:1454
 - stasis, signs of, 36:1314
 - thrombosis, 36:594; 42:959; 53:561
 - anticoagulants in, 43:653; 45:326; 51:1353; 54:509
 - and vasodilators, 39:465
 - bilateral, 36:590
 - blood coagulation in, 39:782, 914
 - course of, 38:600
 - Dicumarol in, 41:1104; 42:516; 48:133
 - EKG in, 44:849
 - fibrolytic enzyme to treat, 37:305
 - Fluidemin in, 48:705
 - glaucoma secondary to, 47:126; 53:407, 727
 - nephropathy and, 37:302
 - Padutin in, 42:336
 - sequelae of, 41:350
 - serum proteins in, 39:772
 - Sintrom in, 47:728
 - tension of, 54:896
 - Thrombocid in, 44:851; 48:878
 - thrombophilia and, 38:889
 - treatment, 48:706
 - Tromexan in, 36:293; 37:160; 41:181
 - trypsin in, 39:917
 - X-ray therapy in, 50:525
 - traumatic obliteration of, 48:422
 - verruosities, of limiting membrane, 37:305
 - vitamin B₁₂ in, 36:1483
 - influence thiamin deficient diet on, 41:565
 - X-rays, and functional arrangement of, 50:824
- Retinal adaptometry, 51:737
- RETINAL CORRESPONDENCE**: 38:122
- abnormal, Clippert's method in, 48:877
 - treatment of, 53:1044
 - value in binocular vision, 39:444
 - after intervention for heterophoria, 51:740
 - anomalous, 45:149
 - after-image test in, 39:443
 - in strabismus, 39:450; 41:1090
 - peripheral fusion and, 54:507
 - treatment of, 53:178
 - clinical study of, 41:898
 - concomitant strabismus and, 43:829

RETINAL CORRESPONDENCE (continued)

- fractional changes in, 47:273
- in diplopia, 39:772
- in strabismus, 36:145; 39:263; 51:849
- pathologic types of, 41:900
- transfer test in, 41:908
- visual axes and, 43:513

RETINAL DETACHMENT: 42:490; 44:151; 48:421; 52:457; 53:560

- after carotid-cavernous fistula, 50:537
- after iridencleisis, 42:817
- after tenonitis, 36:1317
- aging and, 54:900
- air injections in, 36:157
- annular peripheral, 38:601
- aphakia and, 53:561
- arachnodactyly and, 43:534
- areas prone to, 48:705
- arterial hypertension causing, 40:600
- at posterior pole, 47:435
- auricular cartilage implant in, 51:1351
- bilateral, 37:453
- bipolar electrolysis in, 47:730
- bullous, 47:926
- calciform, 47:435
- calcium oxalate and, phosphate crystals in, 47:264
- cataract and, 39:613; 43:1014
- extraction, 40:598; 42:937
- neurodermatitis and, 36:153
- choroidal detachment, after operation for, 39:466
- circular tube in, 48:420
- and "Plomb" operation, 54:485
- climatic factors in, 38:274
- clinical considerations, 38:760
- coloboma of choroid and, 51:860
- concomitant symptoms in, 39:916
- corneal astigmatism in, 43:331
- cutaneous implants in, 51:1350
- data on, 43:179
- dermatitis, cataract and, 54:746
- developmental processes and, 50:1272
- DFP use and, 39:467
- diagnosis, 44:450
- fundus in, 36:294
- diathermic chorioretinitis in, 38:271
- diathermy in, 41:703; 43:524; 51:1352
- electrode for, 51:861
- puncture, sclera and choroid in, 36:748
- results with different forms of, 38:891
- techniques for, 41:707
- due to cysticercus, 51:361
- due to macular holes, 53:413
- due to nontraumatic dialysis, 51:359
- due to posterior holes, 53:413
- due to stress, 41:1107
- early, 37:628
- echogram in, 49:1444
- ectopia lentis with, 43:534
- electrocoagulation in, 48:880
- electro-oculography in, 52:1014
- ERG in, 36:414; 39:783; 44:451; 53:415; 54:507
- prognostic value of, 45:326; 47:729
- electroshock in presence of, 47:278
- electrosurgery for, 41:542
- epidermolysis bullosa and, 54:507
- etiologic, 36:294
- and pathogenesis, 47:292
- evolution of, 49:188
- experimental, 37:158
- failure in surgery for, 43:523
- familial, 53:414
- fascia lata strips in, 54:897
- functional control of, 53:559
- galvanocautery in, 50:679
- gelatin sponge in, 39:148
- glaucoma and, 44:849; 52:1010; 54:743
- sclerotenonitis and, 50:527
- globe shortening in, 53:1071
- Goldmann's skiascotomy after operation, 42:336

RETINAL DETACHMENT (continued)

- Gonin's operation for, 43:522
- histamine in subretinal fluid in, 41:561
- histologic findings after operation, 50:1276
- hormones in, 36:886
- hyaluronic acid as vitreous implant in, 51:564; 52:457
- idiopathic, 36:886; 40:152; 42:671; 46:111
- blood-serum proteins in, 41:890
- eye abnormalities and, 52:582
- in juveniles, 41:1102
- localization tears in, 48:887
- operation in, 36:415
- prophylaxis for, 49:872
- sclerosed foci in, 43:183
- in advanced cataract, 53:1068
- in aphakia, 36:589; 41:1102; 47:926; 51:205; 53:561
- prophylaxis of, 50:1276
- in four-year-old child, 40:601
- in glaucoma, 41:1106
- in myopia, 47:730
- in pre-eclampsia, 47:134
- in superior half, 51:358
- in toxemia of pregnancy, 39:270
- in young persons, 36:1009
- influence on oxygen vaso-obliteration, 40:916
- influence on retinal blood vessel, 40:916
- inherited, 36:885
- injury and, 40:600
- lens clouding, after electrocoagulation for, 51:360
- light sense as prognostic sign, 41:923
- Lindner-Guist operation in, 36:1492
- Lindner's scleral resection, 43:181
- localization of, 47:292
- tears, 41:705
- macula in, 44:450
- hole, 46:277; 51:359
- Marfan's syndrome and, 44:720
- medical, 48:578
- melanoma of choroid and, 43:326
- melanosarcoma and, 47:297
- metabolism in, 37:133, 601
- meteorology and, 38:274
- microphthalmos, glaucoma and, 48:423
- morbidity rates in, 43:523
- motility disturbances after, 41:908
- observations on, 43:180
- occlusion retinal artery and, 50:1272
- ocular tension and, 48:705
- changes of, 42:671
- prognostic meaning, 52:1015
- range of, 41:1103
- OPERATION** in, 42:665, 669
- advice against, 41:705
- globe encircling, 52:1016
- marker for, 36:294
- necrosis after, 53:413
- needle holder for, 44:559
- pathology of, 46:277
- results of, 42:669, 672
- role sclera in, 47:288
- statistical study, 39:615
- without tearing macula lutea, 47:435
- ora serrata disinsertion and, 36:1492
- orbital cellulitis and, 44:300
- parapapillary holes causing, 39:464
- pathogenesis, 37:298; 39:917; 41:349, 588; 54:508
- pathologic anatomy, 54:508
- pathology of, 36:294; 43:840
- photocoagulation in: See Photocoagulation
- pigmentary retinal degeneration and, 41:585
- planned treatment of, 45:325
- plombage operation for, 49:403
- postoperative complications in, 36:295
- postoperative management of, 36:295; 37:298; 41:708; 47:293
- preoperative management of, 41:708
- preventive treatment of, 49:665
- prognostic factors, 36:294
- prophylaxis, 41:183; 48:291; 52:583, 585

RETINAL DETACHMENT (continued)

- protein content subretinal fluid, 41:564; 53:734
- pupil changes after diathermy for, 37:307
- rates, among railroad employees, 39:463
- recurrent, 42:668
- reoperation in, 41:708
 - sclera in, 41:705
- results in, 39:148
- Schepens's operation for, 43:525
- scleral buckling in, 43:524; 47:134, 290, 731; 48:578; 50:209; 51:860; 53:559; 54:899
 - and reefing, 54:509
 - complications of, 49:1454
 - procedures for, 47:437; 51:556
 - silicone rod for, 52:295
 - silver ball in, 52:1016
 - with rolled scleral flap, 48:705
 - See also Scleral buckling
- scleral changes, after diathermy for, 40:303
- scleral depression in, 41:704
- scleral folding, 46:109; 47:615
 - technique for, 47:133
- scleral imbrication for, 47:616; 48:423
- scleral indentation in, 47:133
- scleral reefing in, 38:880
- scleral resection in, 36:412, 593, 594; 37:300, 612, 625; 38:273, 446, 890; 39:463; 40:144, 302, 698, 699, 702; 41:319; 42:699, 670; 45:793
 - and diathermy, 37:624
 - complications of, 47:437
 - current techniques, 47:436
 - procedures for (symposium), 47:436
 - refraction changes after, 38:587
 - results, 42:672
 - technique of lamellar, 37:612
 - See also Scleral resection
- scleral staphyloma and, 39:270
- scleral tucking for, 44:721
- sclerectomy in, 46:431
- seasonal variations in, 45:792
- serous, sclerochoroidal compression in, 54:1173
- silicone rod for, 52:295
- social viewpoint in, 42:670
- spontaneous delimiting of, 36:751
- star-shaped fold in, 53:560
- statistical study of, 37:303
- subclinical, 47:293
- subretinal fluid in, 43:522; 47:727; 53:1044
 - electrophoresis of, 51:205
- surgery of, 36:1317; 43:654, 841; 44:150; 46:108, 111; 47:292, 729; 50:1273; 51:860; 52:458
 - advances in, 48:579
 - choroid reactions to, 45:595
 - development of, 38:889
 - diathermy in, 47:728
 - or scleral resection, 47:732
 - electronic instrument for, 52:311
 - end results, 37:301
 - fluid release in, 41:706
 - history of, 50:362
 - in advanced cataract, 54:506
 - intravitreal vitreous in, 47:291
 - lens subluxation after, 47:130
 - pins and forceps for, 47:131
 - postoperative course, 48:422
 - postoperative ophthalmoscopy in, 47:732
 - procedures for, 54:902
 - progress in, 36:749
 - results in, 41:179; 45:589; 48:705
 - evaluation of, 36:296
 - influence ocular tension on, 47:732
 - rotation eyeball in, 49:1455
 - scleral, mechanical factors in, 47:436
 - silver ball in, 50:538
 - techniques, 53:559
 - urea in, 52:310, 443
 - vortex veins in, 47:728
- symposium on, 36:294; 41:698; 47:292
- sympathetic ophthalmia after operation for, 37:822

RETINAL DETACHMENT (continued)

- tears in, 36:1317
 - instrument to locate, 47:731
 - pathogenesis of, 53:1070
 - without, 36:1010
- therapeutic considerations in, 38:760
- transconjunctival diathermy in, 54:904
- traumatic, 38:273; 53:203
 - evaluation of, 47:133
- myopia and, 48:580
- treatment of, 36:295, 593; 39:463; 41:179; 43:842; 44:450; 45:176
 - modern, 36:589, 594
 - success in, 36:293
- ultrasound to diagnosis, 46:110; 54:895
- unilateral blindness and, 43:181
- viscosity of subretinal fluid in, 45:790
- visual functions in, 40:600
- vitamin-A deficiency and, 37:302
- vitreous in, 41:701, 708
 - condensation and, 53:1068
 - detachment, 51:1353; 52:459
 - hemorrhage, 49:188
 - hydrostatics, 53:1067
 - impants, 45:177; 54:511
 - replacement, 45:793
- water-drinking test in, 36:1316
- with double disinsertion, 44:721
- with macular hole, 41:706
- with tears, in retrolental fibroplasia, 36:1782
- Retinal image, reversal of, 36:283
- Retinal perspective, 37:642
- RETINITIS**, allergic in ocular tuberculosis, 48:887
 - angiospastic, endocrine dysfunction and, 36:415
 - central serous, 40:301
 - with cataract, 45:592
- Coats', 44:153; 49:1076
 - retinitis pigmentosa and, 43:1015
 - toxoplasmosis and, 43:1014
 - xanthomatosis and, 42:958
- diabetic, 45:333
 - See also Diabetic retinopathy
- due to *Candida albicans*, 46:277
- due to toxoplasmosis, 51:204
- exudative, 50:1277
 - echogram in, 51:205
 - external, 40:302; 51:360, 361
 - hydrocortisone in, 42:958
 - internal, 41:1105
 - macula in, 37:304
- macular cysticercus and, 36:1649
- neuroretinitis, 37:306
- PIGMENTOSA**, 41:1105; 44:452
 - ACTH in, 36:1648; 37:627; 39:770; 40:152
 - and melanophore hormone, 36:590
 - acanthrocytosis, neuromuscular disease and, 44:729
 - anaerobic glycolysis in, 50:196
 - atypical, 46:432
 - audiometric examination in, 41:1105
 - Behcet's disease and pseudo-, 52:583
 - biochemical findings in, 54:504
 - cataract extraction in, 44:564
 - choroidal atrophy in, 45:325
 - Coats' disease and, 43:1015
 - cone vision in, 41:869
 - congenital, malformations and, 39:927
 - therapy in, 36:293
 - conical cornea and, 38:901; 40:156, 311; 41:366
 - cortisone in, 39:770
 - deafness and, 49:664; 52:457
 - Dicumarol in, 42:651
 - effect Adapton in adaptation in, 44:436
 - EEG in, 41:183; 47:875; 52:455
 - electron microscopy in, 37:130
 - electrophoresis in, 39:606
 - ERG in, 36:1492; 44:452; 51:563
 - and EEG in, 39:467
 - in sector-type, 49:403
 - endocrine disturbances and, 38:275

RETINITIS (continued)**PIGMENTOSA (continued)**

- etiology and treatment, 52:583
 - experimental study of, 51:562
 - familial sector-shaped, 49:1454
 - fish pituitary implantations in, 54:566
 - foveal threshold in, 39:615
 - Fuchs' heterochromic iritis and, 52:441
 - fundus reflexes in, 41:180
 - Gaucher's disease and, 43:1014
 - genetic study of, 47:132; 51:204
 - glaucoma and, 36:1328
 - gonioscopy in, 37:302
 - hearing in, 53:413
 - hypophyseal syndrome and, 44:721
 - Intermedia in, 43:180
 - late forms of, 40:601
 - light sensitivity in, 44:705
 - monocular reduction of, 43:525
 - light stimuli in, 48:886
 - macular degeneration and, 43:346
 - melanophore hormone in, 40:152
 - microphthalmos, glaucoma and, 47:448
 - nephrogenic, 38:887
 - ophthalmoplegia, heart block and, 47:729
 - papilledema in, 47:733
 - pathologic anatomy of, 41:182
 - pituitary transplant in, 53:415
 - placenta therapy in, 36:590
 - retinal atrophy in, 45:325
 - rod vision in, 41:869
 - rosettes in advanced, 41:732
 - sex-linked, 40:304
 - syndromes associated with, 46:784
 - tissue therapy in, 36:294, 1648
 - unilateral, 36:591; 38:600, 888; 43:842; 48:421; 54:506
 - with glaucoma, 48:579
 - Usher syndrome and, 47:289
 - vestibular examination in, 41:1105
 - vitamin-A deficiency in, 54:504
 - vitamin B₁₂ and, 38:759
 - vitiligo of skin and, 37:300
 - vitreous cyst with, 36:751
 - with bitemporal field defects, ERG in, 49:403
 - X-ray therapy in, 50:681
 - proliferans, 42:958; 51:862; 52:1015
 - diabetic retinopathy and, 48:579
 - in diabetes, 41:729
 - loops of retinal vein in, 51:1349
 - pseudoalbuminuric, intracranial hypertension and, 43:333
 - punctata albescent, 42:668; 48:423
 - septic, 47:927
 - artificial kidney in, 54:510
 - in endocarditis lenta, 43:522
 - serous central of Masuda, 38:759
 - solar, 48:703
 - toxic of Leber, 36:294
- RETINOBLASTOMA:** 41:180, 731; 42:670, 672; 43:523; 45:176; 49:664; 54:910
- bilateral, 40:935
 - in Denmark, 53:413
 - blood vessels of, 53:416
 - clinical diagnosis of, 44:152
 - diagnosed as granulomatous uveitis, 50:538
 - diagnostic difficulties in, 45:594
 - differential diagnosis, 44:849
 - diffuse infiltrating, 50:538
 - echogram in, 48:292
 - eugenic considerations in, 45:802
 - fate of patients with, 38:891
 - genetic aspects, 47:438
 - heredity in, 44:452; 51:1352
 - in adult, 46:780
 - in children of survivors, 52:317
 - frequency, 39:626
 - in Netherlands, 49:191
 - in twins, 52:582
 - intraocular cartilage formation in, 39:466
 - lesions simulating, 36:888

RETINOBLASTOMA (continued)

- malformations and, 39:466
 - management of, 54:884
 - medical therapy of, 53:1070
 - medulloblastoma and, 44:458
 - metastatic, intracranial calcification due to, 44:849
 - to central nervous system, 47:925
 - multiple islands of, 41:183
 - pathogenesis, 36:1017
 - postmortem findings in, 47:290
 - prognosis in, 39:271; 53:731
 - pseudorecurrence of, 37:830
 - radiation therapy in, 40:303; 44:299; 51:1353
 - radiologic examination in, 38:760
 - radiosensitivity of, 50:686
 - radium in, 36:157
 - discs, 38:607
 - radon seeds in, 38:607; 45:767
 - spontaneous regression of, 43:184
 - statistical study of, 52:1022
 - treatment of, 47:131, 133; 48:422; 53:414
 - according to Reese, 50:1273
 - triethylene melamine in, 40:303; 46:775
 - and radiation, 51:160
 - X-ray therapy, 36:157, 885, 751
- Retinocoele,** 44:152
- Retinochoroidal tissue,** ultraviolet absorption of, 41:569
- Retinochoroiditis,** differential diagnosis, 41:915
- due to dental granuloma, 36:1648
 - due to injection egg white, 41:560
- Retinocortical time,** 47:268
- Retinography,** in arteriosclerosis, 40:613
- in color, 36:1173
 - in hypertension, 40:613
 - in identical twins, 40:457
 - in Negro, 39:447
- RETINOPATHY,** action lipoids on, 38:745
- adrenalin producing, 43:997
 - after Asian flu, 48:704
 - after chloroquine therapy, 49:664; 52:584; 53:1071
 - after hemorrhage, 52:1013
 - albuminuric, 39:437
 - pheochromocytoma and, 46:110
 - alpha chymotrypsin, in, 47:926
 - angiospastic, 41:350
 - macular star in, 48:424
 - central, capillary fragility and, 47:132
 - serous, 41:349
 - ERG in, 54:510
 - holes in optic disc and, 51:564
 - in twins, 51:1350
 - priscoline to treat, 45:324
 - skiascopic findings in, 43:501
 - choriopathy and, 42:958
 - circinate, 45:590
 - decompression, 53:733
 - dermatomyositis and, 48:886
 - diabetic: See Diabetic retinopathy
 - due to deoxycorticosterone, 47:882
 - dysoric, 52:309; 53:205
 - hypertensive, 40:599; 46:917; 47:727; 50:209
 - adrenal resection and sympathectomy in, 45:325
 - cochlear function and, 43:843
 - fever therapy in, 36:1315
 - Hydergin in, 38:450
 - macula in, 47:733
 - in anemia, 48:580
 - in diabetes: See Diabetic retinopathy
 - in premature infants, 43:333; 44:850
 - See also Retrolental fibroplasia
 - in sickle-cell disease, 46:109; 51:861
 - juvenile exudative, 44:721
 - Leber's, 53:731, 734
 - lens permeability after, 40:918
 - leukemic, 36:885, 37:303; 46:109
 - macular, 45:592
 - of multiple sclerosis, 52:586
 - of pregnancy, 40:599; 41:363
 - pigmentary, after phenothiazine, 50:1278
 - Purtscher's, 48:705

RETINOPATHY (continued)

- renal function in diabetes and, 43:533
- vascular, index retina in, 42:670
- PH203 and Hydergine in, 47:435
- Retinoschisis, 47:291
 - central, after retinal thrombosis, 53:734
 - pathologic confirmation of, 50:679
- Retinoscopic reflex, 52:438
- Retinoscopy, cylinder rotation in, 42:167
 - errors in, 41:158
 - frame for, 49:177
 - labile cylinder, 39:129
- Retraction syndrome, 37:478
- RETROBULAR NEURITIS:** 44:153; 47:135; 48:425
 - after herpes zoster, 37:629
 - allergy and, 44:299
 - aureomycin in, 37:833
 - bilateral, 54:167
 - brain allergy and, 51:207
 - changes in, of blood-aqueous barrier, 43:655
 - complicating infectious mononucleosis, 39:921
 - cross scotoma in, 36:1319
 - digitalis intoxication and, 43:655
 - disciform keratitis and, 37:148
 - due to carbon monoxide, 37:307
 - due to injection egg white, 41:560
 - due to nitrocellulose poisoning, 37:639
 - due to sinusitis, 37:311; 43:333; 44:431; 46:278
 - electric excitability of eye in, 37:306
 - final results of, 45:595
 - flicker fusion test in, 36:296, 417; 42:182
 - hydrocortisone in, 42:673; 46:433
 - hypoglycemic shocks to treat, 37:831
 - in hypertension, 53:1072
 - in Melkersson-Rosenthal syndrome, 47:138
 - in pernicious anemia, 52:1018
 - insulin shock to treat, 39:920
 - multiple sclerosis and, 47:737
 - nicotinic acid in chronic, 41:589
 - nutritional, accommodation in, 36:416
 - occipital lobe infarction simulating, 36:417
 - Periston N to treat, 44:853
 - psychogenic allergy and, 38:115
 - Q fever and, 45:178
 - rhinogenous, 54:512
 - spinal fluid circulation and, 46:111
 - static perimetry in, 53:736
 - toxic, 47:298
 - treatment of, acute, 51:206
 - tuberculosis allergy and, 54:512
 - viral etiology of, 45:793
 - visual fields in, 44:454
 - vitamin-E deficiency and, 40:940
- Retrobular pseudoneuritis, due to endocranial metastasis, 48:581
- Retrochiasmal neuritis, in multiple sclerosis, 44:565
- RETROLENTAL FIBROPLASIA:** 36:156, 589, 590, 591, 592, 750, 884; 37:159; 38:272, 273; 39:270, 615; 40:600, 776; 43:652; 44:450; 45:326, 792; 52:458
 - ACTH in, 36:154
 - animal experiments in, 38:270
 - anterior dialysis and, 38:891
 - buphthalmos and, 42:669
 - chlorpromazine and, 42:670
 - clinical observations on, 36:748
 - cortisone in, 43:1014
 - development of, early, 36:154
 - of fundus, 37:625
 - of ten children blinded by, 49:672
 - effects of, 40:302
 - etiology of, 39:465, 915
 - experimental, 41:151, 886; 44:433
 - pathology, 43:184
 - follow-up in, 47:132
 - fundus in, appearance of, 36:749
 - hemangioma and, 37:315; 42:688
 - histologic study of, 39:918
 - hyaluronidase inhibitor, in serum in, 36:749
 - hydrophthalmos and, 43:842
 - in Birmingham, 36:589

RETROLENTAL FIBROPLASIA (continued)

- in England, 40:776
- in Hungary, 47:729
- in Los Angeles County, 39:626
- in New York nursery, 36:595
- in one twin, 44:849
- in Oxford, 36:591
- in prematurity, 44:152
- in Switzerland, 44:850
- in twins, 44:151
- in United Kingdom, 40:776
- in Wales, 40:776
- incidence with controlled oxygen, 46:775
- mechanism of, 36:156
- mental defects and, 47:438
- neural disease and, 46:109
- nutrition and, 42:514
- ocular calcification and, 43:185
- oxygen and, 37:299; 38:274; 42:673; 45:592; 51:203
 - administration of, 40:304, 600; 41:1102
 - concentration, 42:668
 - alternating, 51:203
 - levels, 38:273
 - studies on, 44:152, 721
 - therapy, 41:182
 - weaning, 40:301
- pathogenesis, 39:915
- pathology of, 36:155
 - basis, 38:888
- physiologic review of, 45:177
- polysaccharide granules in, 39:918
- prevention of, 36:155
- prophylaxis, 38:889; 39:915
- retinopathy of immaturity and, 44:850
- review of 46 cases, 37:301
- somatic disease and, 46:109
- symposium on, 41:588
- terminating in ablatio falciformis, 41:1107
- therapy of, 41:349
- Retropharyngeal lymphosarcoma, blindness with, 53:1077
- Revue des hopitaux civils de Metz, 49:200
- Rhabdomyosarcoma of orbit, 43:660; 48:143, 711; 54:519
- Rhaetocaine, in blepharospasm, 47:741
 - in spastic entropion, 47:741
- Rheology, of human sclera, 51:328
- Rheometry, to measure aqueous outflow, 50:1256
- Rheuma test, in uveitis, 52:136, 301
- Rheumatic disease, cataract in, 53:558
 - iridocyclitis and, 49:1450
 - eye manifestations of, in children, 47:744
 - serologic examination in, 49:858
 - uveitis and, 43:171
- Rheumatic fever, capillary microscopy in, 41:902
- Rheumatism, fundus in, 54:485
 - iridocyclitis and, 48:289
 - iritis and, 48:289
 - lacrimal secretion in, 52:594
 - scleromalacia and, 45:486
 - uveitis and, 45:320; 50:206
- See also Collagen disease
- Rhinology, exophthalmos and, 36:756
- Rhinosporidiosis, of conjunctiva, 45:490; 48:695; 53:183
 - simulating tumor, 47:440
- Rhodanese, and rhodanese S, in ocular fluids, 46:613
- Rhodanates, in phlyctenular keratoconjunctivitis, 37:611
- Rhodopsin, flash-illuminated in solution, 47:271
 - human, 45:755
 - lipoproteins of, 47:268
 - method to determine, 40:452
 - regeneration of, 40:452; 45:956
- Riboflavin: See Vitamin B₂
- Rickettsias, 36:276
- Rickettsial disease, eye manifestations of, 53:742
 - in arachnoiditis, 44:722
 - in uveitis, 44:722
- RIDLEY LENSES:** 36:589; 37:158, 297, 298, 622; 40:457, 762, 774; 44:449; 48:418
 - after extracapsular cataract extraction, 41:348
 - case report, 41:177
 - experiences with, 38:270, 887
 - histopathologic examination of eye with, 45:174

RIDLEY LENSES (continued)

- implantation of, 41:177
- modified, 48:131
- report on use of, 37:623; 38:270
- See also Intraocular lenses
- RIDLEY OPERATION:** 36:1186; 39:146, 267; 41:177; 43:653
 - Casanova's memoirs and, 41:368
 - complications of, 40:598
 - experiences with, 41:178
 - five-year, 45:324
 - findings after, 43:521
 - histopathologic study of failures after, 43:178
 - late follow-up, 42:954
 - modification of, 39:914
 - results after, 41:178
 - in 12 cases, 44:847
 - technique of, 40:598
- Rieger's disease, 50:1288
- Rigidity of eye: See Ocular rigidity
- See also Scleral rigidity
- Riley-Day syndrome, 43:324
- Rindex, effect on ocular tension, 51:752
- Rodenstock refractometer, clinical value of, 42:133
- Roenne's nasal step, Bjerrum scotoma and, 41:1109
- Roentgen: See X-rays
- Romberg apparatus, to determine visual acuity, 47:613
- Rosacea, 37:818
 - eye manifestations of, 37:819
 - See also under Keratitis
- Rose thorn, injuries of eye, 37:157
- Rose water, in ophthalmic therapy, 36:284
- Ross Foundation, albucid discovered by, 40:313
- Roth, septic retinitis of, 43:522
- Rubella, congenital blindness due to, 54:501
 - embryopathy, 46:439; 50:361
 - in pregnancy, 47:448
 - maternal: See Maternal rubella
- Rubeosis iridis, 42:815; 48:289; 50:529
 - and diabetes, 48:883
 - blood chemistry in, 46:246
 - glaucoma and, 50:1264
 - hydrodynamic changes in, 50:530
 - spontaneous disappearance, 44:716
- Rural ophthalmology, 38:286
- Russia, ophthalmologists in, 45:338
- ophthalmology in, in 1958, 52:1025
- Rutin, in diabetic retinopathy, 38:890

S

- Sabin-Feldman test, for toxoplasmosis, 43:647
- Saccharine, to test lacrimal patency, 41:320
- Saint Triduana, legend and shrine of, 37:982
- Salicylate of soda, in ophthalmology, 46:768
- Saliva, lysozyme content of, 53:738
- Salivary syndrome, 46:782
- Sanatorium, an eye, 37:142
- Sanguinarine poisoning, in monkeys, 43:153
- Sarcoid, Boeck's, 41:1120; 51:1336
 - of conjunctiva, 37:971
 - of fundus, 52:456
- SARCOIDOSIS**, 37:131, 613; 42:185; 43:149, 170, 1010; 46:119; 47:143; 48:142, 565; 54:1169
 - conjunctival biopsy in, 41:337
 - eye changes in, 36:409; 53:210
 - fundus changes in, 36:414; 47:299
 - keratoconjunctivitis sicca due to, 44:290; 50:836
 - ocular, 51:569; 53:1076
 - ocular manifestations of, 47:735
 - of conjunctiva, 48:572
 - of fundus, 51:713
 - of lacrimal gland, 41:1113; 44:858
 - of orbit, 46:116
 - pathogenesis of, 36:1646
 - prednisone in, 43:160
 - rarity in, 41:164
 - uveal disease with, 36:149

SARCOIDOSIS (continued)

- uveitis and, 43:171
- vestibuloauditory disease with, 36:149
- SARCOMA**, of choroid, 36:1182
 - anatomy of, 43:848
 - juxtapapillary, 36:1016
 - of eyelid, 39:152
 - nitrogen mustard in, 44:857
 - of iris, 54:520
 - of lacrimal gland, 36:1323
 - of orbit, 52:597
 - in newborn, 37:310
 - primary, 49:194
 - teratoid, 54:909
 - of uvea, basophilia of, 38:898
 - with neurofibromatosis, 37:974
- Saudi Arabia, chronic glaucoma in, 54:164
- Scandinavia, ophthalmology for 1958, 52:604
 - for 1959, 53:746
- Scars, diplopia due to, 49:863
- Scheerer's phenomenon, clinical value of, 40:145
- Scheiner, P., contribution to optics, 37:137
- Schepens, operation in retinal detachment, 43:525
 - ophthalmoscope, 48:285
- Schilder's disease, eye changes in, 41:354
- retina in, 52:312
- Schirmer test, 54:489
 - types of paper in, 53:169
- Schiotz tonometer, 43:819
 - scale of 1954, 42:817
 - tonography and, 43:519
- Schlemm's canal, blood in, 42:809
 - drainage channels in, 51:344
 - external visibility region of, 44:712
 - function of, 37:293
 - pressure in, 41:154
 - technique for opening, 50:1259
- Schools, visual testing in, 51:571
 - See also under Children
- Schwalbe ring, pectinate ligament of, 40:756
 - visibility, trabecular zone and, 40:756
- Schwartzman phenomenon, 44:136
 - influence cortisone on, 36:738
 - ocular changes in, 54:503
- Scissors, for enucleation, 48:566
- SCLERA**, a review, 36:147, 1179; 38:443; 40:292; 41:911; 43:831; 46:261; 47:916; 51:854; 53:1055
 - abscess of, 47:718
 - after shortening operations, 36:885
 - appearance by polarization microscopy, 42:158
 - blood vessels of, 51:727
 - blue, 47:445, 446
 - cutis hyperelastica and, 36:1020
 - microanatomy of, 39:778
 - osteogenesis imperfecta and, 36:880
 - syndrome of, 39:141
 - changes, after diathermy for retinal detachment, 40:303; 51:1341
 - in myopia, 47:908
 - circumlimbal pressure on, 44:844
 - coagulation of, ocular tension after, 53:409
 - ocular rigidity and, 53:191
 - cysts of, traumatic, 37:149; 51:743
 - diathermy coagulation of, 46:765
 - in glaucoma, 52:305
 - lens capsule permeability after, 38:758
 - distention of, tonography and, 48:565
 - effect photocoagulation on, 51:1341
 - electric conductivity of, 49:393
 - electric resistance of, 50:528
 - electrolysis to study, 53:166
 - electrophoresis of, 51:734
 - experimental wounds of, 44:445
 - extensibility of, 43:1000
 - foreign body of, 52:1022
 - graft, in perforating eye injuries, 49:198
 - grafting, in choroidal hernia, 38:595
 - granuloma of, 46:266
 - gumma of, 43:166
 - implants of, into cornea, 40:293
 - in nonperforating electrocoagulation, 51:1340

SCLERA (continued)

- inflammations of, effect cortisone on, 36:569
- intracorneal transplant of, 40:770
- melanosis of, 51:1363
- mucopolysaccharides in, 40:140; 48:558
- necrosis of, 36:1644
- pigmentation of, in alkaptonuria, 38:879
- in heterochromia, 53:406
- in pigmentary glaucoma, 53:406
- polarization in, 42:158
- preserved, indications for use, 54:1164
- scleroplasty with, 53:187
- protuberance of, 52:140
- reefing of, in retinal detachment, 38:880; 41:1104
- rheology of, 51:328
- role of, in retinal detachment operations, 47:288
- rupture of, ultrasound to diagnose, 46:425
- separation pars plana from, 54:162
- silver stains to study, 48:570
- stereophotogrammetric reproduction of, 38:750
- stereophotographic reproduction in living eye, 36:1487
- structure of, age changes in, 50:837
- subconjunctival injuries of, 44:728
- surgery, collagenous sutures in, 49:396; 51:1339
- transplants, into cornea, 37:135
- tuberculoma of, 40:146
- wound edge retraction, as glaucoma operation, 47:922
- SCLERAL BUCKLING:** 45:593; 47:731; 54:339, 899
- and reefing, 54:509
- external, 45:590
- granuloma complicating, 50:829
- motility complications of, 53:552
- necrosis iris and ciliary body after, 53:550
- photocoagulation and, 54:888
- procedures, 51:556
- silicone rod for, 52:295
- See also under Retinal detachment
- Scleral, excision, refraction after, 42:168
- fold, overlapping technique, 47:132
- projector, 42:175
- prosthesis, after enucleation, 50:1259
- SCLERAL RESECTION:** 40:458; 42:669, 670, 672
- before lens extraction, 51:1333
- corneal changes after, 43:158
- diathermy on, 43:184
- histologic findings after, 43:515; 46:109
- in myopia, 41:571; 43:818
- degenerative axial, 42:325
- high, 38:879
- in retinal detachment, 40:302; 43:654; 45:793
- See also under Retinal detachment
- lamellar, 36:593, 594; 40:144; 42:948; 43:185
- anatomic-pathologic examination of, 45:594
- in myopia, 43:500
- degenerative, 43:500
- in retinal detachment, 36:412
- instrument for, 54:157
- Lindner's operation, 43:181
- observations on, 41:319
- ocular motility after, 48:126
- procedures, a symposium, 47:436, 437
- wound closure in, 45:767
- SCLERAL RIGIDITY:** after Priscot test, 48:701
- clinical study of, 45:785
- coefficient of, 51:159
- effect intraocular volume on, 51:159
- in glaucoma, 50:531
- in normal eyes, 50:531
- new method to determine, 50:676
- during water-drinking test, 47:724
- effect surface diathermy on, 51:554
- ocular tension and, 49:399; 50:533
- Schiotz tonometer and, 49:870
- tonography and, 44:564
- tonometry and, 46:273
- See also Ocular rigidity
- Scleral shortening, 40:764
- comparative study, 41:864
- evaluation of, 43:180
- Scleral tonometry, 40:765
- Sclerecto-iridectomy, 45:787
- Sclerectomy, in retinal detachment, 46:431
- lemellar, indications for, 37:304
- posterior, 39:780
- effect in glaucoma, 44:719
- Sclerodema adultorum, 37:819
- SCLERITIS,** angitis and, 48:412
- bilateral necrotizing, 43:646
- in Felty's syndrome, 41:912
- melanoma of choroid and, 43:326
- nodular, 48:412
- perforating, 36:288
- periangiitis in form of, 38:880
- posterior, 46:626
- progressive, 37:290
- retinal elevation and, 50:527
- Sclerocorneal limbus, dermoids of, 36:889
- SCLERODERMA:** 47:447
- a coup de sabre, 47:448
- atrophic, keratoconjunctivitis sicca and, 36:757
- linear, neurotrophic changes in, 51:1346
- localized, 47:296
- of cornea, 42:524
- Scleromalacia, 41:169; 43:831
- in porphyria, 50:205
- mediasclerosis and, 45:486
- perforans, 39:263; 46:425; 51:853
- arthritis deformans, pemphigus and, 36:576
- bilateral, 41:725
- cortisone in, 36:147; 37:288
- plastic surgery in, 43:165
- rheumatism and, 45:486
- scleral grafts in, 37:821
- surgery of, 48:694
- symptoms of severe sepsis, 36:575
- Scleroperikeratitis, 36:879; 39:455; 48:696
- Scleroplasty, keratoplasty and, in ocular tumor, 37:970
- with preserved sclera, 43:187
- SCLEROSIS,** cerebral, 48:435
- lenticular, age and, 44:150
- multiple, achromatic threshold fovea in, 47:737
- clinical features of, 51:867
- eyeground in, 41:1110
- retinal periphlebitis and, 41:1110
- retrobulbar neuritis and, 47:737
- Uhthoff's symptoms in, 53:417
- See also Multiple sclerosis
- tuberos, 37:160; 44:567
- diagnosis of, 54:513
- findings in, 52:296
- fundus changes in, 42:336
- Sclerotenonitis, 50:527
- Sclerotomy, 42:668
- Herbert's, 45:323
- in glaucoma, 38:884
- posterior, for flat anterior chamber, 43:503
- Scholiosis, muscle imbalance and, 43:165
- Scophedal, in ocular surgery, 36:741
- Scopolamine, eyedrops, 52:741
- in cycloplegia, 52:132, 740
- SCOTOMAS,** after chloroquine, 54:730
- after Diabinese, 52:741
- annular, 38:602
- arcuate, 48:707
- artificial, glaucoma test, 36:1183
- to treat amblyopia, 41:570
- as symptom pernicious anemia, 52:600
- Bjerrum's, 42:337
- Roenne's nasal step and, 41:1109
- central, color, 42:521
- in retinal artery occlusion, 41:586
- study of in darkness, 37:606
- cross, in retrobulbar neuritis, 36:1319
- false, due to refraction errors, 36:570
- head position change and, 53:164
- hemianopic, 36:418; 45:474; 46:434
- in medial vertical line of fields, 40:603
- in migraine, 40:307
- in retinal artery occlusion, 54:505
- in sella turcica affections, 43:187
- in strabismic amblyopia, 54:1167

SCOTOMAS (*continued*)

- luminogenic, to treat false macula, 38:878
- macular, in occipital lobe lesions, 48:425
- paracentral, glaucoma surgery and, 47:921
- plotting of, 39:448
 - with Goldmann perimeter, 45:480
 - relative, 41:165
 - ring, with tapetal-like fundus reflex, 53:1068
- skiascotomy of Goldmann, 39:443
- window, in diseases optic nerve, 44:854
- Scotometry, glaucoma diagnosis with, 43:520
 - infrared image in, 36:1489
- Screening, in eye disease, 48:564
- Scrofulous disease, 38:287; 40:613
 - tuberculosis and, 36:1326
- Scrofula, in children, 36:892
- Scurvy, ascorbic acid and, 51:1332
 - collagen defect in, 50:822
 - eyes and, 49:672
 - vitreous changes in, 45:589, 954
- Sea sickness, eye lotion for, 42:175
- Sedation, for eye surgery, 40:923
 - Irodenyl for, 43:161
 - Nembutal, 37:817
 - pre- and postoperative, 43:825
- Sedimentation rate, ocular wounds and, 44:708
- Selenium sulfide, in blepharitis, 48:708
 - in seborrheic, 48:136
 - intoxication, eye changes in, 44:434
- Sella bridge, importance to eye, 36:285
- Sella turcica, affections of, scotomas in, 43:187
 - aneurysms, symptoms of, 48:134
 - to measure size pituitary, 38:423
- Selson, in marginal blepharitis, 41:1115
- Selye's adaptation syndrome, 39:117
- Seminoma, ocular metastases from, 49:1460
- Senescence, in ophthalmology, 36:429
 - ocular, 54:333
- Senility, color-sense changes in, 38:434
 - in ophthalmology, 36:429
 - lens in, motility, 37:605
 - macular lesions in, 50:209
 - pupil manifestations of, 42:675
- Serology, in rheumatic eye disease, 49:858
- Serpasil, influence on ocular tension, 41:1099
- Setif, antitrachoma campaigns in, 48:128
- Shock, ocular tension and convulsive, 43:837
 - therapy, cataract and, 46:430
- Sickle-cell disease, 50:359
 - conjunctival, blood flow in, 53:708
 - signs in, 52:748
 - intraocular lesions and, 44:729
 - retinopathy of, 46:109; 49:1454; 51:861
- Siderosis bulbi, 40:943; 44:860
 - experimental, 51:735
 - ERG in, 51:733
 - intraocular, 51:1328
 - of retina, 53:204
- Siegrist streaks, Groenblad-Strandberg syndrome and, 50:1277
- Sight, light and color, 53:399
 - primitive, 54:485
 - saving, schools of, 36:429
 - See also under Vision
- Silicon ester, eye injuries from, 37:461
- Silver style, in epiphora, 43:340
- Sintomycin, in trachoma, 40:462
- Sintrom, in retinal vein thrombosis, 47:728
- SINUS**, cavernous, aneurysm of, 37:976
 - arteriovenous fistula in, 42:822
 - radiologic examination of, 52:315
 - thrombosis of, 46:421
 - transversing nerve of, 43:147
 - transversing vessels of, 43:147
- frontal, empyema of, 47:439
 - trochlear paresis after surgery to, 54:161
- maxillary, reticulosarcoma of, 54:911
- nasal, X-ray findings in, 43:326
- SINUSES**, eye and, 50:206
 - and disease of, 46:435
 - diseases of, in infants, 46:435

SINUSES (*continued*)

- diseases of (*continued*)
 - abnormal optic nerve and, 50:210
 - in uveitis, 50:206
 - orbital diseases and, 39:471
 - optic nerve atrophy, after acute suppurative infections of, 39:616
 - orbital inflammations and, 50:353
 - retrobulbar neuritis and, 43:333
- Sinusitis, in keratitis, 37:311
 - in retrobulbar neuritis, 37:311
 - in uveitis, 37:311
 - influence on glaucoma, 51:749
 - retrobulbar neuritis and, 46:278
- Size, optical delusions of, 46:922
 - visual and tactile illusions of, 49:656
- SJOGREN'S SYNDROME**: 36:757, 1322; 38:283; 42:331; 44:723; 45:489; 46:439; 47:295; 48:882; 49:660; 50:1286; 53:184, 401
 - a general disease, 36:420
 - ACTH in, 37:472; 39:923
 - cortisone in, 37:472; 39:274
 - early diagnosis of, 39:140
 - eye symptoms of, 39:787
 - in male, 48:882
 - infectious agent in, 36:879
 - influence hormones on, 44:857
 - lacrimal antibodies in, 47:283
 - neurologic complications of, 54:904
 - periarteritis nodosa and, 52:601
 - pulmonary infections in, 40:926
 - rheumatoid arthritis and, 37:640
 - salivary antibodies in, 47:283
 - scleroderma and, 36:757
 - stomatologic manifestations of, 39:448
 - therapy in, 50:831
 - See also Keratoconjunctivitis sicca
- Skiascopy, 43:816; 48:282
 - fixation during, 49:658
 - in evaluating eye injuries, 36:1017
 - with cylinders, 39:258
- Skiametry, quantitative system of dynamic, 36:876
- Skiascotometry, in eye disease, 43:501
 - in glaucoma, 43:501
- SKE No. 6890, effect on ocular tension, 54:482
- Skin, allergies of, 47:903
 - capillary permeability, in eye disease, 43:816
 - diseases of, cataract in, 53:1066
 - cornea and, 45:161
 - eye manifestations of, 52:137
 - grafts, in ophthalmology, 45:761
 - uveitis and, 54:890
- Skull, actinomycosis of, 43:845
 - fractures, 50:687
 - injuries, optic nerve lesions in, 41:351; 46:112
- Sleep, effect on ocular tension, 40:298; 41:1099; 42:622; 48:290
 - therapy, in ophthalmology, 42:181
- Slitlamp, animal platform for, 47:119
 - color camera for, 43:825
 - color photography with, 48:564
 - fluorometer for, 48:124
 - indications, for cataract surgery, 49:402
 - microphotography with, 49:864
 - microscope, color photography through, 41:691
 - microscopy, of fundus, 41:905
 - photographic, 48:285
 - photography, 51:350
 - by illumination of, 47:588
 - of human eye, 53:708
 - to examine fundus, 48:292
 - to examine posterior segment, 46:255
 - Zeiss-Opton, 37:143
- Smallpox, keratitis due to, 50:836
 - optic atrophy after, 48:706
 - vaccination, eye complications of, 36:1326
 - in herpetic keratitis, 47:623
- vaccinia, lacrimal sac stenosis due to, 48:136
- Snake bite, blindness after, 37:456; 41:1116
 - eye manifestations after, 36:1165; 45:155

- Snake bite (*continued*)
 mydriasis due to, 52:1023
 ptosis due to, 52:1023
- Snake venom, conjunctivitis due to, 49:1446
- SNH, in experimental tuberculosis, 51:1337
- Socket, contraction of, operation for, 54:167
 infections of, Varidase in, 38:448
 plastic surgery of, 50:353
 reconstruction of, 45:329
- Sodium fluoride, effect on lens metabolism, 43:491
 retinal degeneration due to, 54:305
- Sodium propionate, action of, 45:751
 bacteriostatic activity of, 36:1161
 in eye disease, 45:482
 external, 38:877
- Sodium salicylate, in experimental ophthalmology, 44:709
- Sodium tetrachloroiodide, in herpetic keratitis, 43:814
- Sodium transport, across corneal epithelium, 47:95
- Soemmerring's ring, 44:450
 dislocation of, 37:828
 traumatic subluxation of, 41:1101
- Soframycin, 47:422
 in corneal infections, 50:527
- Solar coagulation, 53:1068
 sphincterotomy by, 47:120
 See also Photocoagulation
- Solar eclipse, macular damage due to, 42:821
 neuroretinitis due to, 53:210
- Solar radiations, injuries due to, 48:431
 melanoblastoma and, 48:430
- Solar retinopathy, 39:269
 See also Retinitis and Retinopathy
- Solcoseryl protection, in X-ray therapy, 52:432, 434
- SOLUTIONS**, bases of, 36:1161
 preparation of sterile, 37:145; 39:609
 preservation of, 37:457; 39:609; 40:285
 against pyocyanin, 43:152
 saline vs. balanced salt, 51:159
 steretainer dispenser, 37:145
 sterilization of, 40:767; 47:712
 factor in selecting, 41:905
 maintenance of, 37:145
 problems of, 40:288
- Solvents, effect on eye, 43:815
 keratitis due to, 47:916
- Somatic disease, retrolentil fibroplasia and, 46:109
- Sorcery, eye in, 41:1125
- Sound, effect on accommodation, 44:286
 effect on vision, 52:744
 effect on visual function, 53:1036
 stimulation, effect on dark adaptation, 47:425
 See also Ultrasound
- South-Banat, ocular diseases in, 53:424
- Soviet literature, on eye injuries, 49:198
- Space, egocentric localization of objects in, 50:197
 flights, ocular behavior in, 54:914
 perception, Luneberg theory in, 43:499
 psychologic conception of, 47:613
- Spargana, ocular infections with, 53:1080
- Spasms and tics, 54:514
- Spasmus nutans, 39:468
- Spastic syndrome, oligophrenia and, 43:346
- Spatial discrimination, to measure visual acuity, 44:711
- Spatial orientation, in spectacle wearers, 53:399
- Specimens, preparation of laboratory, 53:160
- SPECTACLES**, accommodation and, 37:140
 all-glass microscopic and telescopic lenses, 41:692
 anterior chamber lens: See Intraocular lenses
 as therapeutic agents, 49:174
 bifocal, checking segments of, 39:442
 measuring additions in, 41:901
 optic center in, 39:129
 to treat myopia, 45:759
 trial lenses, for, 48:281
 British standards for, 43:535
 color in lenses of, 36:1487
 contact lenses: See Contact lenses
 cornea-vertex distance and, 44:285
 distance from eye, 45:760
 effect on eye focus, 37:140
 epithelioma in wearers of, 46:438
- SPECTACLES** (*continued*)
 fitting of microscopes, 40:454
 for partially sighted, 51:1337
 for subnormal vision, 45:758
 for water-to-air vision, 48:560
 frames for, 42:518
 epithelioma due to, 48:141
 fixation defects induced by, 53:1043
 visual defects induced by, 53:1043
 in low vision, 53:1042
 in nonoptical eye abnormalities, 45:756
 isekonic, prescription of, 38:435
 lens transposition in, 39:129
 lenses, for children, 47:710
 magnifying, in amblyopia, 49:175
 new concept in, 44:710
 Lindner stenopeic, 51:194
 low-vision aids, 47:908; 52:435
 magnification devices for, 39:258
 patients using, 51:348
 measuring oblique astigmatism in, 36:1169
 multifocal, fixation and, 36:1171
 prismatic aberration in, 43:499
 new glass for, 51:737
 occlusion, in visual screening in schools, 50:521
 optogeometric considerations in, 37:467
 pinhole, 48:877
 placing concave lenses, 46:620
 plastic lenses, evaluation of, 36:1642
 polaroid, partial occlusion with, 52:742
 to treat amblyopia and strabismus, 47:273
 prescribing, punctal lenses, 39:444
 tinted lenses, 39:444
 punctual imagery of spherical lenses, 36:1170
 quadrifocal, for presbyopic ophthalmologist, 36:568
 shade to prevent glare, 52:173
 spatial orientation, in wearers of, 53:399
 telescopic, 40:920; 42:519
 television, 47:274
 temporary, for aphakia, 45:756
 trial case, 48:410
 trial frame, 46:624
 trifocal, 39:445
 accommodation amplitude with, 36:1169
 focus depth with, 36:1169
 ultraviolet absorption, in asthenopia, 39:773
 X-ray, red glass, 45:476
- Spectrophotographic measurement, of choroid, 46:926
- Spectrophotometric study, of lens fluorescence, 49:172
- Speculum, for aspiration, 51:552
- Sphenoid body, X-ray examination of, 43:821
- Sphenoid bone, exophthalmos due to sclerosis of, 44:855
- Sphenoid sinus, blindness due to cysts of, 45:599
- Spherophakia, myopia, glaucoma and, 46:108
 subluxated lenses, brachydactyly and, 39:146
- Sphincterotomy, by solar coagulation, 47:120
 with solar cautery, 46:627
- Spider lick ophthalmomerozoosis, 52:1021
- Spine manipulations, glaucoma secondary to, 42:807
- Spinal fluid, circulation of, retrobulbar neuritis and, 46:111
 comparison with aqueous, 37:463
 in optic nerve disease, 53:1072
 ocular tension reducing factor in, 41:728
 protein fraction of, 54:336
- Spirochetal infections of canaliculus, 53:562
- Spiramycin, 47:95
 in toxoplasmosis, 52:135
- Spongioblastomas, of optic nerve, 49:1077; 50:682
- Sporotrichosis, in mycotic keratitis, 53:182
- Spleen, irradiation of, in vernal catarrh, 39:264
- Sprengel's disease, luxation of lens in, 43:535
- STAINS**, for Schlemm's canal, 53:405
 for trachoma inclusion bodies, 39:116
 PAS, of retina, 47:881; 54:896
 silver, to study cornea, 48:570
 to study sclera, 48:570
 to study acid mucopolysaccharides, 47:904
 toluidine blue, test in viral diseases, 51:853
 trypan blue, teratogenic effect of, 47:903

STAINS (continued)

- vital, of conjunctiva and cornea, 40:287
of fundus, 39:119
- Staining, Bengal rose, in keratoconjunctivitis, 46:768
methods, alcian 8 G N, to study cornea, 43:811
metachromatic, 40:448
silver carbonate, to study astroglia, 43:806
silver impregnation, 44:431
of inclusion bodies, 46:917
- Stamps, postage of ophthalmic interest, 36:165
- Staph., aureus, bacteriophage typing of, 50:821
bacteriophage typing, of ocular strains, 51:710
infections, of conjunctiva, 52:289
penicillin-resistant, 37:453
sensitivity of, to antibiotics, 52:737
- Staphylococci, corneal transplantation in, 36:879
intercalary, 44:561
of cornea, hereditary, 46:442
retinal detachment and sclera, 39:270
- Stargardt's syndrome, 53:732
- Statistical methods, in medicine, 47:146
- Status dysraphicus, dyscephaly symptoms in, 51:1355
eye signs of, 36:1020
mandibulofacial dysostosis and, 38:451
ocular pareses in, 47:281
retinal degeneration and, 50:1288
- Stenorrhoea, 43:164
- Steinert's myotonic dystrophy, 50:351; 52:296, 599
- Stellate ganglion block, effect on ERG, 39:439
in cervical rib syndrome, 36:754
in glaucoma, 37:295; 53:408
- Stenosis, mitral, posterior sylvian syndrome after, 43:188
visual loss after, 48:714
- Stensen's duct implantation, in xerophthalmos, 46:770
- Stereocampimeter, 45:762
- Stereogoniophotography, 49:863
- Stereograms, data camera to label, 43:824
- Stereography, in binocular vision, 52:743
- Stereophorometer, in orthoptics, 49:865
- Stereophotography, 47:277
of anterior chamber angle, 52:746
color, 50:1258
of anterior segment, 52:746
apparatus for, 48:124
of optic disc protrusion, 50:521
of retina, 47:279
- Stereopsis, 43:1003
after strabismus therapy, 43:830
disparity limits of, 36:142
in children, 44:140
in diplopia, 42:169
localization in brain, 52:439
Panum effect and, 47:707
vertical disparity and, 40:283; 47:909
- Stereoretinotopography, 46:632
- Stereoscope, indications for use of, 42:807
- STEREOSCOPIC**, biomicrophotography, 37:607
image, measurement of, 38:749
luster, 44:710; 51:1334; 52:294; 53:1044
movies, 38:752
test, 52:133
vision, method to determine, 47:909
- Stereoscopy, foundations of, 54:156
- Stereotactic lesions, 52:313
- Stereotronic radiation, 45:756
- Sterilization, congenital anomalies and, 43:346
of eyedrops, 44:141
and solutions, 47:712
of sharp instruments, 38:435
ultraviolet, of acrylic lens, 43:819
- STERIODS**, and antibiotics, in uveitis, 51:199
effect on corneal wounds, 47:905
in Coats' disease, 51:1351
in herpetic corneal disease, 47:122
in rheumatoid arthritis, cataract and, 51:710
in urine, in vernal conjunctivitis, 47:907
local application of, 47:263
retrobulbar, in diabetic retinopathy, 53:1069
therapy, 43:822; 50:1260
See also ACTH, cortisone, hydrocortisone, etc.
- Stevens-Johnson syndrome, 36:890, 1495; 38:608; 46:781;
50:359, 1261
erythema multiforme and, 36:160
eye manifestations of, 36:286
fatal, after phenylbutazone, 46:781
ocular complications of, 40:612
pemphigus and, 36:160
See also under Erythema multiforme
- STH, in experimental tuberculosis, 42:163
- Still's disease, 36:890; 42:953; 45:169
eye complications of, 36:424
eye manifestations of, 39:788; 40:295; 45:798
iridocyclitis and, 37:616
- Stilling-Türk-Duane syndrome, 41:166; 45:770; 51:1363;
52:439
- Stimulus orientation and threshold, 47:237
- STRABISMUS**: 39:263; 42:490; 43:164, 1006; 45:159; 47:620,
715; 53:714
a review, 36:146; 39:137; 40:770; 50:831; 53:178; 54:734
A and V syndrome, 53:402
See also A and V syndrome
accommodative convergence in, 47:121
action d-tubocurarine in, 52:138
acute, due to occlusion, 51:195
adaptation in, 36:566; 43:507
- AMBLYOPIA AND**: 39:445; 41:569; 51:195, 351
adaptometry and, 45:771
Cüpper's postimage method in, 48:567
euthyscope to treat, 53:712
evaluation of, 40:769
false diagnosis in, 53:400
film visuscope to treat, 52:138
fixation patterns in, 43:829
inhibition eye with, 50:520
localization in, 51:851
motor differences in, 50:1260
symptoms of, 49:179
ploptics in, 48:567
scotoma in, 54:1167
sensory symptoms of, 49:179
treatment of, 48:567
visual improvement in, 47:910
visual threshold in, 43:322
- amblyopia without, 49:656
sensory-motor co-ordination in, 50:684
anaglyphic images to examine, 40:766; 44:712
angle of, 39:137; 50:1261; 51:352
amount of surgery and, 51:553
equalizing, 51:709
measurement of, 47:714
photography for, 45:154; 50:203
- anisometropia, amblyopia and, 49:865
anomalous correspondence in, 39:450; 41:1090; 51:849
anomalous sensory relationship in, 51:194
asymmetric pseudo-, 53:714
Bielschowsky test in, 54:1165
bilateral trochlearis paresis in, 46:930
binocular, function after surgery for, 43:320
movement, 47:619
muscle imbalance and, 51:553
vision, 51:849
- Chinortho eyedrops to treat, 45:485
- CONCOMITANT**: 43:321, 322; 43:507; 45:768; 48:881
abnormal correspondence in, 43:320
agnosis in, 51:849
amblyopia and, 44:143; 50:202
cerebral damage and, 44:561
convergent, 49:1445; 53:402
in adults, 41:341
recurrent, 53:714
diagnosis of, 43:508
eccentric fixation in, 54:490
electronystagmography in, 50:203
etiology of, in twins, 43:321
etiopathogenesis, 36:1177
false projection in, 43:320
fixation anomalies and, 49:178
in twins, 40:928
infant behavior and, 50:202
juxta foveal fixation in, 42:810
long-term results in, 47:282

STRABISMUS (continued)**CONCOMITANT (continued)**

- measuring deviation in, 45:158
 - muscle transplantation in, 50:202
 - nonsurgical treatment, 42:951
 - occlusion in, 50:833
 - operation for, 36:1177; 38:439
 - overcorrection of, 43:511
 - physiopathology of, 43:508
 - prognosis in, 38:439
 - results in, 37:474; 53:554
 - retinal correspondence and, 43:829
 - sensory-motor disorders in, 52:297
 - surgery in, 43:512; 53:177
 - results of, 44:561
 - late, 47:618
 - treatment of, 37:476, 477; 38:439; 43:318, 319, 509; 44:714
 - vertical component in, 38:439
 - conjunctival abnormalities in, 41:1092
- CONVERGENT:** 41:909; 47:715
- concomitant, acute, 54:338
 - functional results in, 54:887
 - depth perception after therapy for, 43:830
 - DFP to treat, 41:343, 1091
 - disjunctive, 43:186
 - in myopia, 43:164
 - operation for, 40:927
 - stereopsis after therapy for, 43:830
 - surgery in, 51:849
 - results of, 51:553
 - treatment of, 43:827
 - corneal sensitivity after operation for, 53:179
 - correction of, with concave lenses, 39:452
 - current approach to, 38:440
 - cyclovertical, 53:403
 - dark adaptation in, 46:249
 - depth perception after treatment for, 43:830
 - development of vision in, 43:828
 - diagnosis, 43:507
 - concordance method for, 38:440
 - deviations in, photography to record, 51:739
 - diplopia in, 47:586; 54:1161
 - after surgery for, 40:460; 42:522
 - disappearance orbital fat, 47:620
- DIVERGENT:** 37:146; 41:343, 724; 47:428; 49:1445; 54:886
- abducens paralysis and, 51:1315
 - excess, 47:714
 - intermittent, 49:179
 - management of, 54:886
 - ptosis and, 51:868
 - eccentric fixation in, 51:192; 53:181
 - age of onset and, 49:178
 - effect of, on psychology of child, 41:1091
 - EEG findings in, 45:484
 - electro-oculogram in, 37:145
 - electromyography in, 49:659
 - enophthalmos after surgery for, 47:620
 - eserine, to diagnose and treat, 51:740
 - esotropia, miotics in, 39:451
 - operation of choice in, 36:574
 - See also Esotropia
 - ethmoidism and, 50:360
 - etiology of, 43:321
 - systemic factors in, 46:424
 - exotropia, surgical management of, 39:452
 - See also Exotropia
 - facial asymmetry and, 49:397
 - family with, orthoptics and, 53:178
 - fixation in, 48:880; 51:351; 53:712
 - targets to examine, 50:523
 - fixus, 46:925
 - foveal targets to treat, 37:466
 - Gonin's operation in, 53:713
 - head-tilting test in, 42:176
 - heterophoria, binocular vision and, 36:566
 - in aviation medicine, 36:286
 - See also Heterophoria
 - horizontal, surgical indications, 46:260
 - vertical component of, 37:286

STRABISMUS (continued)

- hyperphoria, alternating, 39:906
 - hypertropia, changes of, 39:906
 - immature behavior eyes in, 45:485
 - in Amsterdam youth, 42:328
 - in Copenhagen, 46:928
 - in infants, 50:834
 - in Krakow, 47:714
 - in Siamese cats, 51:330
 - in twins, 50:831
 - incidence of, in Denmark, 51:740
 - incomitant, 46:929
 - primary spastic, 54:490
 - inferior oblique surgery and, 41:908
 - influence anesthesia on, 46:929
 - inhibition in, 50:832
 - instrument to treat, 52:433
 - intermittent, orthoptics and, 38:878
 - localization, to treat, 45:159
 - management of, in children, 45:962
 - Maxwell's spot in, 53:179
 - measurement of, 53:179
 - medical treatment of, 39:610
 - medico-social aspect of, 39:281
 - miotics in, 45:962; 51:1343
 - monocular fixation in, 50:520
 - muscle power in, 40:460
 - myotomy in, 39:775
 - noncentral fixation in, 53:1051
 - nystagmus and, 37:146; 48:125
 - occluder for treatment of, 52:433
 - occlusion in, 36:574; 49:866
 - operation for, amblyopia and, 47:120
 - forced position after, 37:287
 - indications, 40:768
 - optical localization reflexes in, 54:887
 - orthoptics in, 39:610; 40:459; 43:828; 44:289; 46:259, 260; 47:714; 48:286
 - See also Orthoptics
 - ortho-stimulator to treat, 50:526
 - paralytic, 43:1006
 - convergent, 41:577
 - poliomyelitis and, 43:829
 - sixth nerve and, 50:527
 - surgical treatment of, 39:908; 41:340
 - passive duction test in, 54:490
 - pathogenesis, 37:145; 43:321
 - pleoptics in: See Pleoptics
 - polaroid glasses to treat, 47:273
 - prevention of, 53:553
 - pseudo-, 39:136
 - psychological problems in, 42:809
 - psychosomatic aspects of, 47:442
 - ptosis surgery and, 43:336
 - recovery from, diplopia after, 38:877
 - refraction in, 39:444; 52:138
 - remarks on, 43:165
 - residual deviations in, 44:561
 - retinal correspondence and, 36:145; 39:263
 - sensory fusion and, 46:250
 - small-angle, 49:1072
 - depth perception in, 50:202
 - stereopsis after treatment for, 43:830
 - Stilling-Türk-Duane syndrome, 52:439
 - suppression in, 41:908
 - inhalation cerium salts and, 52:298
 - perimetry and, 48:568
- SURGERY FOR:** 39:776; 40:459, 460; 41:909; 43:510, 828; 46:259; 47:714, 715
- anesthesia sphenoidal fissure in, 45:485
 - anomalous correspondence and early, 50:202
 - binocular function and, 39:776
 - cardiac slowing during, 53:1051
 - corneal refraction after, 45:771
 - diplopia after, 47:281
 - double folding muscle in, 47:428
 - effect early on infant, 48:568
 - electro-oculogram in, 39:451
 - fusion after, 46:928
 - hypnosis in, 48:564
 - in esotropia, 36:146
 - in ocular torticollis, 45:962

STRABISMUS (continued)**SURGERY FOR (continued)**

- influence of, on fixation amblyopic eye, 47:619
- millimetric evaluation of, 51:741
- miotics in, 41:910
- monocular, or binocular, 39:451
- new technique for, 47:714
- of obliques, 53:180
- of vertical, 51:742
- pitfalls in, 43:507
- problems of, 43:510
- results in, 50:833
 - late, 42:177
- spasm central retinal artery during, 47:289
- surgical-orthoptic treatment of, 45:484
- tonography in, 47:286
- treatment of, 37:477; 38:434; 43:507; 45:158; 51:741
 - by localization, 43:830; 48:287
 - conservative, 42:810
 - in children, 49:866
 - and adults, 53:715
 - latest methods, 45:484
 - modern, 49:659
- unconditioned reflexes in, 43:321
- vertical divergent, 40:289; 45:772
- hyperphorias and, 36:1177
- mechanism of dissociated, 37:146
- operation for, 40:928
- surgery of, 51:742
 - classification for, 40:290
- Strampelli lenses, 48:561
- Strangulation, hemorrhage after, 44:569
- Streptococcal antihyaluronidase, in primary glaucoma, 42:159
 - in uveitis, 42:159
- Streptococcus, in anterior uveitis, 47:917
- serology, in uveitis, 48:288
- vaccine, in uveitis, 37:824; 43:327
- Streptodornase, and streptokinase, 36:1481
 - in corneal ulcers, 39:445; 43:514
 - in vitreous hemorrhage, 36:593, 736
 - results with, 44:142
- Streptokinase, experimental study of, 38:426
 - in corneal ulcers, 39:455; 43:514
 - in vitreous hemorrhage, 36:593, 736
 - results with, 44:142
 - use of, 43:824
- Streptokinase-streptodornase (Varidase), 38:448
 - in socket infections, 38:338
 - in tuberculous meningitis, 41:338
 - results with, 36:1481
- See also Varidase
- STREPTOMYCIN**, blindness during therapy, 53:402
 - blood-aqueous barrier during, 36:1166
 - Flivazid and, in ocular tuberculosis, 44:442
 - in choroidal inflammations, 36:1305
 - in experimental tuberculosis, 51:1337
 - in infections, 43:807
 - pyocyanus, 40:288
 - in retinal inflammations, 36:1305
 - in tuberculosis, 38:125; 43:490
 - chorioretinitis, 47:616
 - meningitis, 36:412
 - influence on nicotinic acid, 42:804
 - local use, in ocular tuberculosis, 36:145
 - neurotoxicity of, 37:464
 - ocular motility and, 53:712
 - PAS and, in ocular tuberculosis, 36:280
 - in tuberculosis of conjunctiva, 39:454
 - in tuberculous periphlebitis, 37:626
 - penetration of, 42:804
 - toxicity of, to optic nerve, 43:154
- Stress, allergy and, 43:504
 - effect on ascorbic acid metabolism, 43:153
 - effect on corneal herpes, 53:1033
 - effect on retinal metabolism, 45:146; 51:1352
 - in eye disease, 45:157
 - influence on mitosis, of corneal epithelium, 47:611
 - retinal detachment due to, 41:1107
 - uveitis and, 51:855; 53:1056
- Sturge-Weber syndrome, 36:1018; 40:311; 46:443; 48:434; 51:1356, 1362
- Sturge-Weber syndrome (continued)
 - ocular signs of, 43:851
 - symptoms in, 51:1362
- Sturm's conoid, astigmatism and, 43:495
- Styes, treatment of recurrent, 47:295
- Styria, epidemic keratoconjunctivitis in, 41:578
- Subtilin, electrophoretic characteristics of, 51:330
- Succinodihydrogenase activity, in retina, 53:1035
- Succinylcholine, effect in general anesthesia, 49:1444
 - expulsive hemorrhage due to, 50:1270
 - in anesthesia, 47:882
 - ocular tension after endotracheal intubation and, 49:1442
- Suction cup, in ophthalmology, 42:326
- Sugar, level in aqueous, in diabetic cataract, 53:1065
- Sulfathiazole, corneal changes after, 38:442
- Sulfhydryl, cataract after, 51:754
 - in corneal disease, 36:1482; 37:609
 - in lens, amperometric determination of, 47:707
 - lens opacities and, 46:765
 - of proteins: See Proteins
- SULFONAMIDES**, 37:816
 - absorption of, 37:804
 - corneal infections and, 43:645
 - hypoglycemic, in diabetic eye, 47:713; 50:209
 - in chronic eye disease, 36:567
 - in conjunctivitis, 46:768
 - in infections, after cataract extraction, 36:1313
 - in ocular leprosy, 40:156
 - in panophthalmitis, 36:1014
 - in senile cataract, 51:203; 54:1173
 - in trachoma, 36:288, 289, 743; 38:257; 46:625, 770; 51:551
 - photosensitization due to, 40:293
 - studies on, 36:280, 571
- Sulfophenylpyrazol, in trachoma, 53:1046
- Sun, eclipse of, retinal burns due to, 53:415
 - watching, 49:1079
 - navigation, in birds, 40:921
- Sunstroke, optic nerve atrophy due to, 44:565
- Supracillin, in ophthalmology, 36:741
- Supramid implant, in orbit, 43:529
- Supraorbital torus, 52:315
- SURGERY**, acute glaucoma after, 50:1264
 - advances in corneal, 52:300
 - air in, 43:163; 44:559
 - alloy-steel sutures in, 40:144
 - anesthetics in, 43:159, 160, 162, 164
 - See also under Anesthesia and under Anesthetics
 - antiglaucoma, 43:838
 - influence on diurnal variations in tension, 54:497
 - See also under Glaucoma
 - arterial 50:828
 - artificial hibernation in, 41:901
 - aseptic, advances in, 50:825
 - binocular microscope in, 41:902
 - cardiac, neuro-ophthalmic complications of, 52:313
 - ocular changes in, 53:172
 - slowing, during strabismus surgery, 53:1051
 - catgut sutures, in corneal, 52:140
 - chlorpromazine in, 45:472
 - complications of, 43:506
 - conjunctiva arrangement in, 53:177
 - controlled vascular hypotension in, 39:258
 - curare in, 36:567, 876; 41:163; 42:809
 - drug actions in, 41:161
 - EKG changes during, 45:478
 - endobulbar, barbiturates in, 47:712
 - experiences in, 40:459
 - eye probe in, 40:926
 - eyeball immobilization during, 45:768
 - fibrin in, 53:173
 - foam reaction in urine in, 54:328
 - for epithelial invasion anterior chamber, 45:479
 - for glioma optic nerve, 52:312
 - glaucoma: See under Glaucoma
 - glaucoma attacks after, 54:496
 - glyceric ether in, 51:1340
 - hypophyseal stalk, in diabetic retinopathy, 54:504
 - in abducens palsy, 47:282
 - in children, lytic cocktail for, 47:712
 - in deaf and dumb, 45:472

SURGERY (continued)

- in nystagmus, with torticollis, 54:489
 - in strabismus: See under Strabismus
 - in vernal catarrh, 51:1344
 - in V exotropia, 54:483
 - infections in, 51:1336
 - prophylaxis, 51:1342
 - keratoplasty: See Keratoplasty
 - micro-, 52:745
 - microscope for, 38:437
 - mobile operating table for, 47:275
 - muscle, catgut allergy in, 52:297
 - postoperative complications of, 52:138
 - See also under Muscles
 - Muskurelax in, 43:814
 - Nembutal sedation in, 37:817
 - ocular tension reduction before, 48:417
 - of astigmatism, 47:614
 - of blepharophimosis, 50:686
 - of cornea, 47:283
 - of herpetic keratitis, 48:571
 - of iris cysts, 48:289
 - of keratoconus, 47:916
 - of lagophthalmos, 49:1459
 - of lens, 45:789
 - of malignant exophthalmos, 44:456
 - of malignant tumor, 39:261
 - of myopia, 47:907
 - of ocular injuries, 48:432
 - of prechiasmic neuritis, 47:734
 - of retinal detachment, advances in, 48:579
 - See also under Retinal detachment
 - of Schlemm's canal, 50:1259
 - of scleromalacia perforans, 48:694
 - of secondary exotropia, 53:178
 - of senile ectropion, 49:1459
 - operations: See Operations
 - patient, care of, symposium on, 48:123
 - peritomy, 45:476
 - pharmacodynamic potentiation in, 40:923
 - pharmacologic preparation for, 53:1047
 - photographic technique for, 52:747
 - plastic: See Plastic surgery
 - plastic material in, 36:876; 47:278
 - plastic shells, in anterior segment, 48:408
 - postoperative care in, 40:764; 47:427
 - potentiated medication in, 50:199
 - premedication for, 45:478, 762, 767
 - preoperative care in, 47:427
 - preoperative hypotony in, 44:444
 - prevention sepsis in, 52:136
 - primacaine in, 46:254
 - problems of, 40:923
 - ptosis: See under Ptosis
 - reconstructive, use bovine bone in, 48:877
 - See also Plastic surgery
 - relaxants in, 43:159, 160, 162, 164
 - results of, 42:522
 - retinal detachment: See under Retinal detachment
 - Ridley: See Ridley operation
 - saline vs. balanced salt solution in, 51:159
 - Scopchedal in, 36:741
 - sedation for, 40:923
 - sharp instruments in, 44:288
 - solo technique in, 39:146
 - sterile air in, 38:589
 - strabismus: See under Strabismus
 - techniques in, notes on, 44:558
 - thrombin in, 49:863
 - to improve lacrimal drainage, 49:1457
 - tranquilizers in, 51:350
 - trifluoromazine in, 50:523
 - Tubadil in, effect on ocular tension, 48:563
 - urinary corticosteroids in, 54:328
 - vascular complications of, 48:409
 - vascular hypotension and, 49:864
 - ventilation under drapes during, 44:559
- SUTURES**, absorbable, in cataract surgery, 37:828
- alloy steel wire, 40:144
 - buried, in cataract surgery, 48:578
 - mattress, for cataract incision, 49:871

SUTURES (continued)

- catgut, in corneal surgery, 52:140
 - collagenous, 51:1339
 - in corneal surgery, 49:396
 - in scleral surgery, 49:396
 - conjunctival, in enucleation, 41:903
 - corneal, 42:813
 - anterior chamber reformation after, 41:165
 - forceps for, 43:502
 - corneoscleral, 38:592; 39:134; 54:1168
 - forceps for, 48:567
 - removal, 46:258
 - edge-to-edge, in corneal grafts, 43:166
 - fish line, in plastic surgery, 43:820
 - human hair as, 46:767
 - in cataract extraction, 39:269, 461; 43:650; 45:789; 47:433; 49:186; 53:202; 54:503
 - in entropion surgery, 40:307
 - in iris surgery, 45:320
 - in penetrating keratoplasty, 48:697
 - in tarsorrhaphy, 53:708
 - influence on chamber formation, 53:728
 - modified intermarginal, 49:394
 - modified McLean, 40:598
 - preventing cutting grafts, 36:145
 - scleral, forceps for, 43:502
 - subconjunctival, in cataract extraction, 44:712
 - Vanna scissors to remove, 48:565
 - virgin silk, 54:335
- Sweden, glaucoma in, 54:496
- Switzerland, eye hospitals in, 54:524
- retrolental fibroplasia in, 44:850
- Symblepharon, amniotic membrane in surgery of, 46:261
- of trachoma, surgical treatment, 37:971
 - operations for, 42:677
 - plastic surgery in, 42:524
 - prevention of, 42:677
 - with paraffin paper, 42:331
 - split-skin grafting in, 37:611; 49:660
 - surgery of, 41:170
- SYMPATHETIC OPHTHALMIA**, 36:150; 37:823; 38:881; 41:914; 42:499; 46:268; 49:868; 52:142; 53:194
- ACTH in, 36:289
 - after retinal detachment operation, 37:822
 - antibiotics and sulfidin in, 36:289
 - antigen-antibody reactions in, 48:554
 - as an allergic phenomenon, 49:660
 - blood changes in, 49:658
 - concept of, 37:822
 - corticosteroids in, 53:197
 - cortisone in experimental, 36:289
 - cure of, 45:166
 - electron microscopy of, 42:529; 45:168; 51:198
 - experimental studies of, 41:172
 - influence temperature on micro-organism causing, 36:555
 - Irgapyrin in, 45:166
 - keto-enol substance in urine in, 38:261
 - pathogenesis, 41:580, 1095
 - penicillin in, 43:647
 - sympathizing eye in, 36:584
 - three cases of, 54:493
 - treatment of, 37:822; 38:427; 51:556
 - uveal autoantibodies in, 41:173
 - virus of, 36:554
 - Vogt-Koyanagi syndrome, Harada's disease and, 44:716
- Sympathicoblastoma, 40:309
- Sympathotomy, influence cervical on ocular tension, 46:919
- Sympatol, in chemical burns, 50:823
- SYNDROMES**, A and V, 53:402
- muscle transplantation in, 50:832
 - accommodative effort, 44:138
 - Adie's, 41:733; 48:707; 50:352
 - Albers-Schoenberg, 38:285
 - aortic arch, 52:599; 53:744
 - arterial occlusion, 41:364
 - Ascher, 52:595
 - Balint, and oculomotor apraxia, 54:491
 - Behçet's: See Behçet's disease
 - Brill-Symmers, 49:874
 - cartilage disease, iridocyclitis and joint disease, 36:149

SYNDROMES (continued)

- Charlin's, 43:657
 chiasm, 39:149
 role internal carotid in, 45:598
 Claude Bernard, 44:577; 47:736
 heterochromia and, 52:141
 Horner, 41:171
 Cogan, 46:262; 47:916; 51:353
 Cushing, visual recovering after operation, 36:1651
 Duane's: See Duane's syndrome
 due to intrauterine infection, 46:442
 dyscephalic, 48:291
 congenital cataract and, 47:447
 microphthalmos and, 47:447
 of François, 53:1080
 Franconi, 48:696
 foramen lacerum, 36:1319
 Foster-Kennedy: See Foster-Kennedy syndrome
 Franceschetti, 46:442
 Fuchs, heterochromia and, 52:141
 Fuchs-Salzmänn-Terrien, 48:570
 Groenblad-Strandberg: See Groenblad-Strandberg
 Guillian-Barré's, ocular symptoms of, 36:754
 Heerfordt's, See Heerfordt's syndrome
 Hertwig-Magendie, 47:619
 Horner's: See Horner's syndrome
 hypertension and retinitis, 43:333
 hypophyseal, retinitis pigmentosa and, 44:721
 in natives of Australia and New Guinea, 45:609
 Klippel-Trenaunay, 51:1362
 Laurence-Moon-Biedl: See Laurence-Moon-Biedl syndrome
 Lawford's, 49:182
 Löffler's, 37:981
 Louis-Bar: See Louis-Bar syndrome
 Lowe's: See Lowe's syndrome
 Marchesani: See Marchesani syndrome
 Marcus Gunn: See Marcus Gunn syndrome
 Marfan's: See Marfan's syndrome
 Marin Amat, 45:795
 Melkersen-Rosenthal, 53:170
 Meniere: See Meniere's syndrome
 meningo-uveal, 46:782
 microphthalmos, 44:862
 Moebius: See Moebius syndrome
 Morgagni, 51:1354
 oculocutaneous, 53:1081
 oculodermatologic, 52:137
 oculosalivary, 38:285; 43:659
 of blue sclera, 39:141
 of cavernous space, 41:162
 of development eye and bone, 44:576
 of lens exfoliation, 49:664
 opticochiasm, cisternographic study, 47:737
 orbital fissure, 53:562
 parietal lobe, 43:336
 Parinaud's: See Parinaud's syndrome
 Pierre Robin, 50:668; 51:713
 Posner-Schlossman: See Posner-Schlossman syndrome
 posterior sylvian, after mitral stenosis surgery, 43:188
 Raeder's paratriggering: See Raeder's syndrome
 Refsum's, 46:784
 Reiter's: See Reiter's syndrome
 Rendu-Osler, 49:670
 retraction, 37:478
 Riley-Day, 43:324
 salivary, 46:782
 Selye's adaptation, 39:117
 Sjögren's: See Sjögren's syndrome
 See also Keratoconjunctivitis sicca
 spasms and tics, 54:514
 spherophakia-brachymorphia, 41:1123
 Stargardt, 53:732
 Steinert, 50:351
 Stevens-Johnson: See Stevens-Johnson syndrome
 Stilling-Türk-Duane: See Stilling-Türk-Duane syndrome
 Sturge-Weber: See Sturge-Weber syndrome
 superior oblique tendon, 43:829
 takayasu (pulseless), 43:661; 44:306, 307
 tendon sheath, 50:673

SYNDROMES (continued)

- Terson, 50:351
 Toni-Fanconi, 47:145
 trigeminal-ophthalmoplegic, 50:683
 trigeminal-sympathetic, 43:185
 Türk-Duane, 47:619
 Usher, 52:457
 uveomeningeal, 41:727
 cranial contusion and, 49:1461
 encephalitis and, 48:285
 van der Hoeve, 37:981
 vascular, eye movements in, 50:352
 Waardenburg's, 51:1363; 53:423
 Weill-Marchesani, 50:360; 53:556; 54:913
 Werner's, 37:158
 in three brothers, 47:627
 Wernicke, 43:164
 with congenital cataracts, 50:1268
 Synechia, anterior, operation for, 41:905
 cornea-lens, 47:146
 due to flattened anterior chamber, 42:334
 Synoptophore, indications for use of, 42:807
 Syphilis, allergy to penicillin in, 36:571
 congenital, chorioretinitis and, 36:1007
 infantile cataract and, 36:1312
 diagnosis of, ocular, 40:286
 fundus changes in, 37:144
 latent, 41:165
 fundus examination in, 42:824
 Herxheimer reaction in, 36:571
 papilledema in, 37:307
 perineuritis of optic nerve in, 43:527
 serologic tests in, 40:458
 Syringomyelia, ocular changes in, 47:138
 Szokalski, Wiktor, education of, 43:664

T

- Tabes dorsalis, 36:416
 Tachistoscopic, apparent movement, 48:561
 visual field screener in glaucoma, 44:713
 Takayasu's (pulseless) disease, 43:661; 44:306, 307; 51:886;
 53:744
 fundus changes in, 47:609
 ocular signs, 43:662
 Takayasu-Ohnishi disease, 54:330
 Tanderil, in eye disease, 51:1343
 Tangent screen, illumination of, 49:395
 Tapetoretinal degeneration: See under Retina
 Tarsectomy, 36:888
 Tarsoplasty, for entropion, 36:420
 for trichiasis, 36:420
 Tarsorrhaphy, 51:1358
 in neuroparalytic keratitis, 46:932
 suture for, 53:708
 Tarsotomy, in entropion, 51:209
 Tarsus, hypertrophy of, meibomian adenitis and, 40:942
 Tattooing, new pigment for, 50:325
 of cornea, 50:830
 Tay-Sachs disease, 40:946; 42:681; 44:308; 46:442
 retina in, 48:421
 TEARS, absence of, 38:896
 biochemistry of, 53:162
 bloody, cause of, 36:889
 crocodile, 38:276
 decreased, in facial palsy, 44:566
 drainage upper lid restriction and, 44:726
 electrophoresis of, 42:944
 in keratoconjunctivitis sicca, 53:715
 excretion of, physiology of, 52:432
 sodium in, 48:136
 urea, 48:277
 fibrinolytic activity of, 41:155
 flow of, colorimetric measurement, 36:571
 gamma zones, 51:328
 gas, eye lesions due to, 44:568
 injuries due to, 50:357
 of cornea, 40:943, 944
 gland, autotransplantation of, 40:138
 glucose, in diabetics, 47:424
 in epidemic keratoconjunctivitis, 48:883

TEARS (continued)

- in leukemia, 51:864
- in normal eyes, 36:1016
- influence keratitis on, 47:902
- lack of, 36:1651; 47:295
- lysozyme in, 41:540; 53:738
- action cortisone on, 37:135
- determination of, 36:1482
- electrophoretic, 38:116
- eye disease and, 44:707
- measurement of, 47:741
- osmotic pressure of, 52:316
- pH of, 37:313; 47:424
- production of, 54:489
- proteins in, 39:899; 41:540; 44:435; 47:236; 51:330
- radio-iodine studies of, 41:687
- Schirmer test, 51:209; 53:169; 54:489
- secretion, defective, 39:624
- in diabetics, 39:622
- role sympathetic in, 53:419
- sodium in, in keratoconjunctivitis sicca, 48:569
- stagnoscopy of, 40:609
- vitamin B₁₂ binding substance in, 47:608
- See also Lacrimal secretion
- Teeth, exophthalmos, due to retained, 39:786
- extraction and, 43:339
- in eye disease, 43:160
- in infants, ocular signs unerupted, 38:448
- supernumerary, in orbit, 43:1016
- Telangiectasia, ataxia and, 46:121; 52:314
- conjunctival lesions with, 42:826
- retinal lesions with, 42:826
- Television, as visual task, 49:672
- asthenopia from viewing, 47:119
- diplopia and, 48:693; 51:851
- in ophthalmic teaching, 54:525
- ocular movements during viewing, 47:914
- Temporal arteritis: See Arteritis, temporal
- Tendon, lengthening, 43:510
- sheath syndrome, 50:673
- Tenon's capsule, resection under, 42:950
- surgical aspects of, 54:1166
- Tenonitis, 46:435
- Tenotomy, advantages of, 43:507
- disadvantages of, 43:506
- of inferior oblique, 54:1166
- partial, 43:510
- Tension, in diagnosis myasthenia gravis, 40:306
- Teratogenic effect, of trypan blue, 47:903
- Teratology, and human optic vesicle, 36:428
- Teratoma, epibulbar, 43:530
- of orbit, 47:438; 48:426; 53:418, 1078
- polycystic, 47:440
- TERRAMYCIN**, 38:902; 39:118
- action in eye, 36:138
- combined with other drugs, 36:1640
- in eye infections, 36:145
- in trachoma, 36:1005; 39:140, 778, 909; 40:594; 43:1009
- ointment, 37:289
- ointment, 51:552
- penetration of, 41:153
- tolerance eye to, 36:138
- Terrien's disease, 45:487
- Terson syndrome, 50:351
- Testicle denervation, effect on ocular tension, 40:931
- TESTOSTERONE**, effect on lacrimal gland, 41:154
- in diabetic retinopathy, 37:320; 40:302
- in syphilitic interstitial keratitis, 38:443
- influence on retinal metabolism, 36:1162
- TESTS**, adaptometric, monocular, 51:1339
- cold pressor, retinal blood pressure and, 51:1361
- complement fixation, in endogenous uveitis, 54:1168
- in trachoma, 52:300
- ERG double-flash, 51:1342
- for corneal transparency, 52:301
- George Young, in glaucoma, 51:1348
- hemagglutination, in toxoplasmosis, 51:1341; 53:711
- in tuberculosis, 39:116
- Middlebrook-Dubos, in uveitis, 47:262
- nicotine, in glaucoma, 54:496

TESTS (continued)

- objective, ERG for ocular functions, 54:158
- of retinal functions, 54:1162
- passive duction, in strabismus, 54:490
- provocative, Priscoll in, 54:486
- rheuma, in uveitis, 52:301
- Schirmer, types paper in, 53:169
- usefulness of, 51:209
- serologic, value in eye disease, 40:458
- visual, based on optokinetic nystagmus, 52:436
- See also under Vision and Visual tests
- Tetanus, eye care in, 45:605
- serum, rectus paralysis after, 49:179
- Tetany, cataract in idiopathic, 40:466
- Tetracycline, and derivatives, use in eye, 53:163
- in herpes infections, 40:454
- in ophthalmology, 39:898
- in trachoma, 41:577; 52:436, 747
- in vaccinia, 40:454
- intraocular migration of, 44:438
- studies on, 41:887
- Tetraethyl-ammonium, effect on ocular tension, 38:118
- in glaucoma, 37:974
- Thalamus, stereotopic lesions of, 52:313
- Theodore, Carl, the royal oculist, 48:147
- Theopterine, action on corneal wounds, 39:606
- THERAPY**: 48:284
- advances in, 37:475
- among Brazilian Indians, 48:123
- antirheumatics in, 45:961
- chloroquine, eye complications of, 46:931
- current, for eye lesions, 45:763
- dehydroergotamine, in herpetic keratitis, 36:577
- desensitizing, in eye allergies, 47:711
- electro-, in macular degeneration, 37:302
- fever, 45:478
- influence on retinal vessels, 46:921
- ketosteroids in urine and, 45:479
- shock phase in, 45:479
- study of, 45:474
- ganglioplegic drugs in, 36:285
- hormonal-steroid, 43:822
- in virus diseases, 37:607
- iodine vapor, in herpetic lesions, 36:570
- Igrapyrin, 36:583
- Neotoben, in tuberculosis, 36:1167
- new developments in, 43:820
- nitrogen mustard, 45:480
- of lacrimal apparatus, 37:315
- of ocular allergy, 38:125
- placenta, 51:193
- pyrazolon derivatives, 37:606
- rationale of, 39:125
- rose water in, 36:284
- serum of Bogomolec, 36:569
- steroid, 50:1260
- See also under names of steroid preparations
- streptodornase, in vitreous hemorrhage, 36:593
- streptokinase, in vitreous hemorrhage, 36:593
- TB 1/698, in tuberculosis, 36:1166
- thermal, 44:560
- Tromexan, in retinal thrombosis, 37:160
- ultrasound, 36:1643; 37:607
- urea, in glaucoma, 51:355
- vascular fundus lesions, 45:763
- with products of tissue disintegration, 37:606
- with total extracts of eye, 45:767
- Thiaminase, in lens, 46:765
- in retina, 46:765
- Thiosemicarbazone, in tuberculous disease, 36:1166
- Thiouracil, exophthalmos due to, 43:150
- Thorax, ocular manifestations of injury to, 47:141
- Thorazine, effect on ocular tension, 41:318
- Three-dimension movies, psychologic aspects of, 38:433
- Thrombin, in ocular surgery, 49:863
- Thromboangiitis obliterans, vitreous hemorrhage and, 53:1079
- Thrombocid, in retinal thrombosis, 44:851; 48:878
- Thrombocytes, in diabetic retinopathy, 44:861
- Thrombocytopathia, hemophthalmos in, 50:358

- Thromboelastography, 46:763
 of secondary aqueous, 46:764; 47:264
 Thrombophlebitis, cavernous sinus, 44:307
 Thromboplastin, in corneal disease, 38:596
 Thyroid, disease, eye manifestations of, 39:277; 51:211
 dysfunction, exophthalmos and, 48:433
 eyelid retraction and, 48:433
 optic nerve in, 53:1072
 effect light on function of, 42:164
 ERG, in hyperfunction of, 42:176
 in syphilitic interstitial keratitis, 38:443
 influence on vitamin B₁₂ in ocular tissue, 46:617
 ophthalmopathy, corticoids in, 54:1164
 sympathetic nervous system and, 53:1076
 Thyroidectomy, diplopia after, 40:927
 Thyrotoxicosis, eye signs of, 42:824
 juvenile, 38:279
 Thyrotrophin, in exophthalmos, 43:1021
 in hyperthyroidism, 43:1021
 Thyroxin, alteration lens fibers and, 39:438
 in uveitis, 51:557
 Tic douloureux, peripheral neurectomy in, 46:114
TISSUES of eye, after radiation glaucoma, 41:728
 alkaline phosphatases and, 38:116
 biochemistry of, in glaucoma, 54:482
 blood volume in rabbit, 54:329
 calcium oxalate crystals in, 47:271
 carbonic anhydrase in, 44:706
 catalytic activity of, 45:954
 changes, in alloxan diabetes, 42:161
 coagulation components in, 41:156
 collagen: See Collagen
 connective, disorders of, 51:556
 culture, of adenovirus 8, 53:1034
 of amnion cell, 47:262
 of cornea, 53:718
 endothelium, 48:874
 epithelium, 48:874
 of lens epithelium, 47:129
 of melanoma, 51:210
 to study toxicity of medicaments, 46:920
 deoxyribonucleic acid in, 52:292
 double refraction of, 41:154
 effect on bacteria growth, 39:436
 effect diathermy currents on, 47:277
 embedding specimens of, 40:139
 fluid, of choroid, 36:282
 historadiography of, 47:276
 hyaluronidase in, 41:565; 42:163
 influence trypsin on, 42:159
 inoculation *Trichomonas vaginalis* into, 50:517
 insulinase in, 43:810
 iodine migration into, 51:729
 isolation neuraminic acid from, 49:861
 lens antigens in, 54:1159
 lyophilized, use of, 42:805
 mechanical qualities of, 36:551
 monoamine oxidase in, 52:136
 in cataract, 54:331
 phosphatase activity of, 47:268
 phosphomono-esterase of, 50:196
 phosphorylase in, 51:732
 preservation of, corneal, 47:409
 retrobulbar, effect cortisone on, 51:734
 scars, diplopia due to, 49:863
 sex of nuclei in, 40:917
 spaces, in iris, 47:603
 submicroscopic structure of, 39:434
 ultrastructure of, 39:115
 velocity ultrasound in, 53:1035
 water metabolism in, 53:165
TISSUE THERAPY: 36:285; 37:607, 817; 45:156, 766
 considerations in, 39:131
 Filatov's, 36:568
 in parenchymatous xerosis, 37:287
 in pigmentary retinal degenerations, 36:156
 in retinitis pigmentosa, 36:294, 1648
 in 12th century, 40:615
 placental: See Placenta
 skin grafts, implanted under conjunctiva, 48:567
TISSUE THERAPY (continued)
 technique improvement in, 40:457
 transaminase in, 51:732
 Tobacco amblyopia: See under Amblyopia
 Tobacco, cochlear changes induced by, 39:898
 retinal changes induced by, 39:898
 Toluidine blue test, in viral disease, 51:853
 Toni-Franconi syndrome, 47:145
TONOGRAPHY: 36:151; 41:347, 583; 43:173, 1011; 45:492;
 46:428; 50:677; 51:749; 52:305; 54:892
 after cataract extraction, 45:324
 after cyclodiathermy, 54:1169
 after Diamox, 42:818
 after glaucoma operations, 47:920
 after water-drinking test, 47:724
 basis of, 45:493
 calculations in, 49:1074
 changes in, during accommodation, 47:721
 in blood-aqueous barrier after, 47:905
 clinical, 54:892
 evaluation, 43:174
 new method of, 46:271
 coefficients of, 45:173
 constant-pressure, 47:723
 corneoscleral, 44:294
 data interpretation in, 47:625
 during water-drinking test, 52:442
 effect blood pressure on, 51:751
 effect footplate hole on scale reading, 47:723
 effect of prolonged, 47:723
 effect on intraocular blood volume, 47:606
 electro-, to study effects alpha chymotrypsin, 52:451
 errors in, 52:305
 causes of, 45:492
 experimental, 41:345, 892; 43:174; 52:305
 in diabetes, 53:170
 in early diagnosis, of closed-angle glaucoma, 45:172
 in enucleated eyes, 40:297
 in glaucoma, 40:774; 42:661; 43:1013; 46:629; 50:532; 52:
 306
 management, 52:306
 myopia and, 48:574
 primary, 46:627
 research, 40:932
 simple, 52:445
 in group health, 52:1002
 in Marfan's syndrome, 46:428
 in orbital injuries, 42:824
 in strabismus, 47:286
 influence on other eye, 47:587
 instrument for, 49:175
 modification of, 51:201
 new method of, 47:723
 of intracranial carotid, 42:949
 phasic variations in, 38:598
 and ocular tension, 38:757
 practical value of, 44:564
 present status of, 37:294
 principle of, 52:305
 protracted, 49:184
 recording galvanometer, 47:409
 Schiötz tonometer and, 43:519
 scleral distention and, 48:565
 scleral rigidity and, 44:564
 simplified, 52:442
 tables for, use of, 40:464
 technique of, 45:493; 52:305
 to determine aqueous production, in uveitis, 51:1343
 to measure aqueous flow, 51:549
 to study action Prisol on aqueous flow, 47:724
 to study effect Depressin, 48:129
 to study high myopic anisometropia, 52:307
 to study normal eyes, 45:171
 water-drinking test and, in glaucoma, 43:172
 with different weights, 52:143
 with Schiötz tonometer and Merté support, 47:126
TONOMETER, a new, 37:142
 applanation, 38:592
 calibration of, 40:924; 44:447; 48:576; 50:676; 52:143
 comparison of Schiötz and applanation, 51:855
 convex plunger for, 51:738

TONOMETER (continued)

- electric, 49:175
 - electronic, 41:165; 50:199
 - error range in, 46:925
 - footplate, effect in tonometry, 48:417
 - geometry, 53:1063
 - germicide stand for, 40:767
 - holder for, 45:155
 - Mackay-Marg, 54:159
 - precision of, 41:573
 - recording, 46:623
 - scale, stabilized, 53:1050
 - Schietz, 43:819
 - and applanation, 53:172
 - calibration of, 51:199; 54:733
 - fixation device for, 45:323
 - Merté support for, 47:126
 - new and used, 51:749
 - standardization of, 40:930
 - testing of, 40:930
 - standardization of, 37:285; 43:500, 501; 49:662; 53:721
 - of Schietz, in Belgium, 54:732
 - standardized X-, 47:920
 - sterilization of, 37:475; 40:764; 48:878; 53:409
 - to test for early glaucoma, 43:327
 - weights, consistency 1955 calibration, 47:883
 - with convex plunger, 51:857
- Tonometric measurements, and aqueous elimination, 38:116
- TONOMETRY**, advances in, 45:322
- age and, 46:428
 - applanation, 44:845; 45:783; 49:399; 51:199, 559, 750; 52:308; 53:556; 54:495
 - accommodation and, 51:330; 52:143
 - aqueous outflow studied by, 51:856
 - vs. indentation, 52:303
 - cornea and, 43:175
 - bending and buckling of, 51:856
 - curve, in diabetic rubeosis iridis, 46:771
 - in hemorrhagic glaucoma, 46:771
 - differential, 43:177
 - in pupil seclusion, 36:1311
 - values, 54:893
 - during general anesthesia, 54:498
 - effect tonometer plate on, 48:417
 - fixation light for, 43:819
 - for senior medical students, 45:173
 - globe deformity during, 50:207
 - history of, 49:1451
 - importance of, in glaucoma, 37:826
 - impression, eye volume variation in, 50:533
 - in glaucoma, 50:532
 - primary, 54:494
 - in group health, 52:1009
 - in newborn, 48:575; 53:722
 - indentation, and applanation, 51:165
 - ocular rigidity in mass, 53:721
 - oil-can effect in, 51:328
 - practical value of, 44:564
 - prevention infection during, 54:1165
 - routine, 49:869
 - scleral, evaluation of, 40:765
 - rigidity and, 46:273
 - standard error in, 39:912
 - testing stations, at Liège, 44:560
 - to detect glaucoma, 47:125; 54:739
 - tonometer accuracy and, 54:1171
- Tonoscopy, retinal in obstetrics and gynecology, 43:161
- Tonophymography, in chronic glaucoma, 52:445
- Tonsillitis, eye disease and, 47:711; 53:885
- Torsion, 38:753
- flase, 37:368; 38:593; 40:143, 455
- Torticollis, muscle anomalies and, 49:180
- nystagmic, operation for, 50:832
 - ocular, 37:817; 40:290
 - superior oblique hypofunction in, 49:865
 - surgery in, 54:489
- Tosmilen, a new miotic, 51:558
- effect on iris muscle, 53:886

Tosmilen (continued)

- eyedrops, 51:738; 52:443
 - in simple glaucoma, 54:495
 - to reduce ocular tension, 52:308
- Toxicology, and pharmacology, 41:154; 43:490; 44:708; 50:823; 53:165; 54:1160
- ophthalmic, 47:608
- Toxocara, blindness due to, 52:1024
- endophthalmitis due to, 53:1080
 - ocular infestation with, 53:1080
 - retinal granulomatosis due to, 50:536
- TOXOPLASMA**: 36:276
- antibodies, in aqueous, 43:807
 - culture of, 51:547
 - in aqueous, 52:738
 - in acquired, 51:1327
 - infection, 36:280; 42:159
 - morphology of, 51:547
 - persistence of, 41:863
 - recovery of, from human eye, 47:262
 - role in ocular disease, 48:693
 - tests, 36:891
 - hemagglutination, 51:1341
 - methylene blue, 46:440
 - uveitis due to, 44:716; 50:674
 - clinical aspects, 52:302
 - diagnosis, 41:581
 - serology, 52:302
 - treatment, 41:581
- TOXOPLASMOSIS**: 37:320; 40:613; 41:171, 365; 42:185, 312, 681; 43:344; 44:850; 45:608; 46:109, 782; 47:143; 48:868; 50:1281; 51:344; 53:160, 421; 54:522
- acquired, 39:623; 49:1080
 - chorioretinitis in, 53:561
 - eye signs in, 53:719
 - adult, 36:572; 37:639; 38:424; 39:133
 - chorioretinitis in, 36:151; 38:261, 264; 39:911
 - serologic data in, 38:262
 - antibody production in, 50:820
 - antitoxoplasmosis precipitins, in aqueous, 42:131
 - aqueous in, diagnostic value, 54:1164
 - chorioretinitis in, 48:146; 49:661
 - clinical aspects of, 44:728
 - clinical study of, 36:880
 - Coats' disease and, 43:1014
 - congenital, 37:321; 38:608; 39:925; 41:581; 43:344; 45:605; 52:320
 - endophthalmitis in, 46:436
 - in infants, 45:797
 - in state school for blind, 47:409
 - ophthalmoscopic aspect, 39:150
 - diagnosis, in adults, 36:1306
 - epidemiologic aspects, 44:728
 - exophthalmos with, 38:604
 - experimental, 36:880; 41:151; 47:262, 604; 48:146; 51:1329
 - hepatitis epidemica and, 36:891
 - in twins, 48:716
 - iridocyclitis as sign, 44:290
 - microphthalmos in prenatal, 37:976
 - of uveal tract, 39:910
 - parasites in intraocular tissues, 39:436
 - reaction, in incontinentia pigmenti, 43:533
 - recurrent chorioretinitis in, 48:133
 - retinal periphlebitis and, 38:759
 - retinitis due to, 51:204
 - spiramycin in, 52:135
 - tests for, evaluation of, 36:878
 - hemagglutination, 53:400, 711
 - serologic, 40:458; 44:704
 - appraisal of, 44:729
- Toxoplasma in aqueous, in acquired, 51:1327
- treatment of, 52:744
 - uveitis and, 40:772; 47:285
 - posterior, 53:194
 - skin and dye tests in, 43:647
 - treatment of, 48:697; 54:732
- X-rays to study, 54:486
- TRABECULA**, acid mucopolysaccharides in, 53:397
- amorphous substance in, 43:997
 - aqueous flow through, 41:153
 - biochemical behavior of, 51:347

TRABECULA (*continued*)

- biophysical behavior of, 51:347
- corneoscleral, atrophy of, glaucoma and, 52:141
- drainage channels in, 51:344
- endothelium, 47:422; 47:901; 48:868
- of iris, 48:275
- meshwork, anatomy of, 41:542; 43:146, 485
- aqueous flow through, 47:267
- aqueous outflow channels in, 48:276
- endothelial cells of, 48:276
- in primary glaucoma, 47:919
- nodular dystrophy of, 51:711; 54:727
- recent histologic findings, 47:238
- Schwalbe's line and, 40:756
- Trabecular system, electron microscopy of, 54:727
- innervation of, 54:727
- Trabeculotomy, 52:294
- TRACHOMA:** 37:288; 38:443; 41:862; 44:145; 46:769, 770
- achromycin in, 51:553
- acute, 36:579
- allergy in, 46:770
- antibiotics in, 36:289, 743; 37:610; 45:772; 54:484
- aureomycin in, 36:1309; 37:465; 39:909; 40:594; 41:912
- bacteria of conjunctiva in, 48:126
- blood clotting and, 42:814
- campaigns against, in Algeria, 46:770
- in Cosenza, 36:288
- in Sétif, 48:128
- changes due to, in corneal sensitivity, 42:814
- in lacrimal apparatus, 42:193
- chemotherapy in, 45:772
- chloramphenicol in, 36:288; 37:970; 38:256; 43:833; 46:770
- cicatricial, care of, 36:744
- ciliary ganglion in, 49:392
- classification of, 38:257; 45:163; 46:261
- clinical manifestation of, 45:610
- regional differences in, 45:610
- combating, 44:146
- complement fixation test in, 52:300
- conjunctival, changes in, 48:127
- smear cytology, 40:460
- conjunctivitis and, in Egypt, 37:150
- corneal degeneration of, 47:720
- corneal papilloma in, 45:489
- cortisone in, 46:769
- criteria for cure in, 37:821
- cyst of Krause's gland in, 51:556
- cytologic studies in, 51:555
- diagnosis of, 40:929
- Dibiomycin in, 53:176
- disappearance of, in Finland, 53:424
- distribution of, 50:362
- ecologic techniques in, 37:982
- electrocoagulation in, 38:255
- electron microscopy, pathology of, 46:261
- of virus of, 36:1158
- endemic, in Potenza, 46:123
- entropion of: See Entropion
- epidemiology of, 51:868
- regional differences, 45:610
- erythromycin in, 37:291; 39:777; 43:166
- Etazol and Ronidase in, 45:774
- ethylcellosolf in, 42:330
- etiology of, 37:149; 38:257
- problems, 47:623
- experimental, 38:258; 50:517; 51:1328; 53:401
- inoculation, 37:819
- produced by cultured virus, 47:429
- eye deformities in, surgical correction, 39:908
- fibrinolysis in, 42:815
- 15-year study of, in Catania, 36:288
- 50-year study of, 47:747
- follicle of, virus and, 45:164
- follicular conjunctivitis of, 48:571
- folliculosis and, diagnosis of, 46:626
- gantrisin in, 38:260
- glaucoma operation in, 46:628
- in cicatricial, 42:334
- granules of, electron microscopy of, 46:931
- Greek legislation against, 38:287
- helminthiasis and, 42:178

TRACHOMA (*continued*)

- hematologic examination in, 46:262
- histopathology of, 51:353
- human inoculation, from culture, 36:743
- immunity in, 37:151; 44:446
- in Afghanistan, 50:204
- in Argentina, 43:664
- in Australia, 45:161
- treatment of, 50:1259
- in Australasia, 47:718
- in Egypt, 38:286
- in Fiji Islands, 37:291
- in French West Africa, 46:626; 47:147
- in Gambia, 49:171
- in Germany, 46:627
- in Greece, 37:982
- in infants, 54:341
- in Iran, 36:879; 45:778; 46:770
- in Iraq, 50:204
- in Japan, 46:930; 47:716
- in Jordan, 49:171
- in London, 38:287
- in Malta, fight against, 52:320
- in Negroes, 38:260
- in newborn, 41:168
- in Pakistan, 46:625
- in pilots, 46:932
- in Podrigne, 37:820
- in Poland, 51:552
- in Ribeirao Preto, 45:802
- in school population, West Australia, 50:1262
- in Sekukuniland, 37:147
- in South Tunisia, 46:626
- in traveller, 37:151
- in United States, 40:929; 45:611
- in USSR, 45:318
- in Viet-Nam, 37:290
- inclusion bodies in, 40:450; 41:578
- late, 36:149
- penicillin and, 46:930
- staining of, 39:116; 46:917
- tetracycline and, 52:436
- inclusion producing agent of, 51:547
- infection with, accidental, 47:430
- inflammation of, 46:932
- initial symptoms of, 51:743
- laboratory research in, 47:284
- lacrimal apparatus in, 46:779
- lacrimal duct alterations in, 45:601
- map of, in Europe and Near East, 37:983
- mass campaign against, 51:571
- morphologic terminology in, 36:148
- new concept of, 38:754
- pannus of, 47:717
- catgut under conjunctiva in, 43:1009
- changes in, after trauma, 38:442
- corneal thickening due to, 51:556
- Denig's operation for, 38:258
- pathology of, 38:259
- in Japan, 46:263
- penicillin in, 36:288; 50:522
- problems of, 37:289, 291
- prophylaxis in, 40:293; 49:1447
- Prowazek's bodies in, 42:526
- after dibiomycin, 53:191
- recurrence of, 40:462
- serologic diagnosis, 41:911
- serology of, 40:926; 47:717; 48:128; 54:734
- serous iritis as first symptom, 47:431
- signs of, 36:287
- Sintomycin in, 40:462
- spontaneous cure in, 39:456
- sulfonamides in, 36:288, 289, 743; 38:257; 46:770; 51:551
- antibiotics and, 38:442, 588
- derivatives, 46:625
- sulfophenylpyrazol in, 53:1046
- symblepharon of, surgery for, 37:971
- terramycin in, 36:1005; 39:140, 778, 909; 40:594; 43:1009
- ointment, 37:289
- tetracycline in, 41:577
- tetran in, 52:747

TRACHOMA (continued)

- treatment of, 36:287; 44:715; 50:828; 51:353
 anatomic-clinical, 37:821
 insufficient, 46:626
 medical, 36:286; 40:294
 rapid, 38:443
 surgical, 36:286
 three-year, 46:262
 trichiasis of, 47:139
 surgery of, 36:743
 See also Trichiasis
 vaccination in, 52:746
 venereal psittacosis and, 45:749
- VIRUS** of, 40:450; 53:885
 antibiotics and, 44:145
 cultivation, 41:911; 45:141
 in chick embryo, 53:1033
 inconjunctiva, 37:454
 electron microscopy of, 36:1158; 42:512; 43:149
 isolation of, 46:917; 51:188, 547
 in embryonate eggs, 46:611
 in United States, 51:187
 research on, 38:424
 resistance of, to dehydration, 39:140
 study on, 37:453
 toxinlike substance of, 39:141
 World Health Organization report on, 36:581
- TRAFFIC**, accidents, color vision and, 53:1043
 aphakic correction in, 51:1365
 color perception in, 51:1333
 dark adaptation, illumination and glare, 52:133
 laws, ophthalmologist and, 52:604
 speed limit in, 51:1364
 visual acuity and monocularly and, 52:134
 visual field in, 51:1364
- Tranquilizers, action on fusion frequency, 52:131
 use in surgery, 51:350
- Transaminase, action on corneal epithelium, 52:293
 in ocular tissues, 51:732
 in retina, in iodate pigment degeneration, 47:607
 lenticular, in experimental uveitis, 47:612
- TREPINATION**, cellular reaction at limbus after, 53:1037
 Elliot's function test after, 52:1009
 gonioscopy after, 52:1009
 follow-up 164 eyes after, 50:206
 iridencleisis and, 41:585; 52:443
 scleral, 50:1265
- Trepine, bone for dacryocystorhinostomy, 51:1359
- Trial case: See under Spectacles
- Trichiasis, entropion with, 51:209
 of trachoma, 47:139
 surgery of, 36:743
 partial, treatment of, 37:820
 tarsoplasty for, 36:420
- Trichinosis**, 38:450
- Trichloroacetic acid, in dermoid cysts, 45:764
 in iris hernias, 45:764
- Trichomonas vaginalis*, inoculation into eye tissues, 50:517
- Triethylene melamine, in retinoblastoma, 40:303; 46:775;
 of orbit, 36:1322; 39:152; 48:708
 48:422
 radiation and, 51:160
- Trifluorpromazine, in ocular surgery, 50:523; 54:129
- Tritium-labeled thymidine, in cornea, 51:197
- Trochlear paresthesia, after sinus surgery, 54:161
- Tromexan, in retinal thrombosis, 36:293; 37:160; 41:181
- Tropical diseases, eye in, 45:335, 604
- Tropicamide, new cycloplegic-mydratic, 52:290, 741; 53:397
- Tropics, night blindness in, 50:825
- Trypan blue, teratogenic effect of, 47:903
- Trypsin, 43:155; 46:423; 48:410
 alpha chymotrypsin and, 50:1267
 effect on, blood injections into vitreous, 47:906
 eye tissues, 42:159
 hyphemas, 45:755
 rabbit cornea, 54:331
 in retinal vein thrombosis, 39:917
- Tubadil, in ophthalmic surgery, 48:563
- Tuberculides, of conjunctiva, 48:882
- Tuberculin, antigen, conjunctiva sensitized against, 36:277
 effect of heparin on reaction of, 48:555
 effect on eye permeability, 48:129
 in uveitis, 45:765
 reaction, tuberculosis sensitization and, 54:728
 sensitivity to, in phlyctenular keratoconjunctivitis, 36:553
 of conjunctiva, 36:137
- Tuberculoma, of bulbar conjunctiva, 51:748
 of orbit, 36:1322; 39:152; 48:708
 of sclera, 40:146
- TUBERCULOSIS**, 37:323; 44:305
 ACTH in experimental, 39:448
 allergic reaction of, cortisone in, 49:392
 allergic reaction of, 49:392
 cortisone in, 49:392
 retinitis due to, 48:887
 allergy in, 36:1158, 1480; 54:728
 in experimental, 39:435
 retrobulbar neuritis and, 54:512
- anisocoria in, 41:354
- aqueous metabolism carbohydrates in, 53:548
- BCG vaccination in, 43:820
- blood proteins in, 54:481
- blood transfusion in, 51:1337
- capillary resistance in, 36:1305
- cataract extraction after intraocular, 40:599
- chlororetinitis due to, 47:616
- cortisone in, 36:278; 37:473; 38:751; 42:160
 in experimental, 39:121, 448
- dacryoadenitis in, 46:437
- differential diagnosis in, 37:143
- eye examination, in infants with, 45:474
- experimental, 38:425; 47:713; 48:870
- ACTH in, 51:1337
 cortisone in, 36:1173
 cycloserine in, 51:190
 isoniazid in, 36:557
 of cornea, 37:969
 pyrazinamide in, 51:190
 SNH in, 51:1337
 streptomycin in, 51:1337
 Vyomycin in, 51:190
- eye complications of pulmonary, 48:434
- eye hospital for, 37:142
- eye reactions in, 46:241
- focal, of eye, 40:926
 and pulmonary, 36:1306
- fundus in, in primary, 40:944
- skin changes and, 37:627
- hemagglutination test in, 36:567; 39:116; 40:139
- immunologic study, 39:436
- in children, in Zakopane, 47:713
- in etiology of eye disease, 49:1441
- isoniazid in, 36:555; 40:459; 41:339; 42:174; 43:823, 1005; 48:874
- liver biopsy in, 43:505
- Mantoux test in, 54:337
- meningitis and, 51:211
 after-effects of, 53:210
 eye and, 43:533
 during antibiotics for, 36:158
 symptoms, 41:353
- Foster-Kennedy syndrome in, 51:867
- fundus changes, 36:755, 884, 1648
- isoniazid in, 36:1011
- ocular manifestations of, 41:1120
- ophthalmoscopic findings in, 39:925
- optic atrophy in, 50:1278
- optic nerve lesions in, 43:1015; 44:853
- optic neuritis in, 40:777
- streptokinase-streptodornase in, 41:338
- streptomycin in, fundus changes after, 36:412
- Middlebrook-Dubos test in, 36:285, 1643; 37:814; 41:574
- Neoteben in, 36:1167
- of choroid, 43:647

TUBERCULOSIS (*continued*)

- of conjunctiva, 37:292; 39:454; 42:330
 - differential diagnosis, 49:867
 - primary, 37:479
 - treatment, 43:1008
 - of eye, 42:680
 - external, 46:626
 - in BCG vaccination, 48:277
 - of lacrimal gland, 49:196
 - of lacrimal sac, 52:595
 - of orbital margin, 36:888
 - of uvea, 40:594
 - optochiasmatic arachnoiditis in, 43:527
 - papilla tubercles in, 36:1011
 - pathogenesis of, 39:450
 - periarteritis, chorioretinitis and, 36:415
 - periphelebitis and, treatment of, 37:626
 - pulmonary, fundus changes in, 47:616
 - uveitis in, 45:491
 - results in 40 cases, 40:766
 - scrofulous eye disease and, 36:1326
 - serologic studies in, 36:1176; 40:458
 - diagnosis by, 47:279
 - sensitization, tuberculin reaction in, 54:728
 - STH in experimental, 42:163
 - streptomycin in, 38:125
 - and calciferol, 37:292
 - and Ftiivazid, 44:442
 - and PAS, 37:292
 - local use, 36:145
 - studies, at Debrecen, 47:744
 - tests for, intradermal and percutaneous, 38:876
 - thioethyl chaulmoograte in, 52:290
 - thiosemicarbazone in, 36:1166
 - treatment of, 39:450
 - Ftiivazide in, 43:163
 - keratitis and, 48:413
 - uveal, in infancy, 41:171
 - uveitis and, chronic, 36:1310
 - mechlorethamine in, 53:195
 - nitrogen mustard in, 51:199
 - Tuberculum sellae, tumors of, 43:528
 - Tuberous sclerosis, 44:567
 - Tularemia, ocular, 36:425
 - oculoglandular, 38:448; 47:620
- TUMORS** 38:449
- angioma: See Angioma
 - at base of skull, eye symptoms, 38:603
 - biopsy, in intraocular, 37:473
 - brain, fundus in, 50:352; 53:1072
 - carcinoma: See Carcinoma
 - cells, in aqueous, 53:196
 - cerebral, 37:633
 - Argyll Robertson pupil in, 51:1356
 - eye signs in, 42:959
 - headache and, 50:351
 - papilledema in, 44:454
 - classification of, 42:184
 - cystic lymphangioma, 54:169
 - cytologic diagnosis after biopsy, 45:183
 - detection, P²² in, 44:457
 - diagnosis, by study orbital fissures, 40:284
 - of optic nerve and orbit, 45:603
 - P²² in, 39:620, 621
 - radioactive isotopes in, 42:957
 - ultrasonography in, 50:836
 - diathermocoagulation in, 43:324
 - diathermy in intraocular, 38:898
 - Diodrast to diagnose orbital, 41:339
 - echogram in, 49:196
 - effect cortisone on growth of, 39:435
 - electrosurgery to treat, 39:276
 - epibulbar, 37:637; 38:280; 46:253; 49:406
 - epithelioma, 44:567
 - melanoma, 45:184
 - epithelioma: See Epithelioma
 - exophthalmos due to, 53:1078
 - experimental, 51:709
 - fluorescein in diagnosis, 37:318
 - frontal, Parinaud syndrome and, 46:777
 - glial hyperplasia disc due to 50:1284

TUMORS (*continued*)

- hypernephroma, choroidal metastases, 53:194
- in West China, 37:316
- in Yemen, 50:353
- intrachoroidal, diagnosis of, 42:678
- intracranial, 41:733; 43:334; 44:855
- glaucoma and, 43:519
- optic nerve drusen and, 52:585
- Parinaud syndrome and, 52:296
- symposium on, 37:632
- intraocular, 44:567; 47:742
 - biopsy in, 49:1079
 - diagnosis of, 42:678
 - by P²², 54:336
 - diathermy in, 51:536
 - ERG in, 46:438
 - invasion potential malignant, 47:140, 741
 - lens resistance to, 43:1019
 - management of, 54:884
 - misdiagnosis in, 45:330
 - metastatic, 49:405
 - phase-contrast microscopy in, 47:140
 - P²² to detect, 37:836
- intraorbital, 38:277; 44:300
 - nerve orbitotomy in, 52:315
- Kaposi's disease and, 43:531
- keratoplasty and scleroplasty in, 37:970
- lens immunity to, 38:269
- luminescence to diagnose, 54:884
- lymphatic, 45:331
- lymphomas: See Lymphomas
- malignant, clinical data on, 54:910
 - primary, 42:184
 - radiotherapy in, 51:1359
 - treatment of, 42:184
- medullo-epithelioma, 54:169
- melanoblastoma: See Melanoblastoma
- melanoma: See Melanoma
- muscle anomalies in presence of, 41:340
- myogenic, 43:342
- ocular, in children, 50:1284
- ocular rhinosporidiosis simulating, 47:440
- of adnexa, 37:317, 837
- of anterior chamber, 36:161
 - angle, 39:779; 48:142
- of anterior clinoid process, 36:1321
- of anterior segment, 52:1022
- of brain, 37:630, 633, 634; 42:675
 - early diagnosis, 52:1019
 - extraocular motor disturbances in, 48:125
- eye signs in, 42:674
- in children, 48:706
- retinal vessel changes in, 42:808
- of canthus, 42:184
- of caruncle, 38:896; 50:1284
- of cavernous sinus, 38:602
- of cerebellum, 53:740
- of cheek, exophthalmos due to, 45:599
- of chiasm, 40:602
- of choroid, 36:408, 1016, 1017, 1182; 37:316, 837, 973; 38:280, 444, 445, 448, 449, 597, 898; 39:263; 40:463; 41:581, 726, 1094; 42:815; 43:326, 848, 1019, 1020; 45:169, 760, 781; 46:267, 427, 932; 47:742; 48:283, 427; 49:869; 50:356, 674, 1285; 51:353, 354, 1346, 1363; 52:317, 437; 53:195, 740
- and sclera, 48:430
- diathermy in, 48:429
- differential diagnosis, 45:491
- echogram of melanoma of, 49:196
- metastatic to, 45:165; 54:811
- photocoagulation in, 48:429; 53:1078
- visual field changes in, 36:144
- of ciliary body, 36:758, 1007; 38:597; 41:360; 42:528; 43:342; 46:427; 48:573, 712; 53:563; 54:910
- gonioscopy in, 38:263
- malignant, 43:326
- of ciliary nerves, 54:1169
- of conjunctiva, 37:149, 316; 38:280; 39:141, 453, 619, 777; 41:344, 361; 42:501, 525, 678, 951; 43:832; 44:144; 54:164; 46:118, 769; 47:622, 715, 719, 721; 48:572, 694, 695, 712,

TUMORS (continued)

- of conjunctiva (*continued*)
 - 881; 49:867; 51:210, 567; 52:299, 596; 53:183, 209; 54:340, 519, 910
 - bulbar, 46:262
 - epithelial, 44:561
 - lymphoma, 36:161
 - melanotic, 45:776
 - pigmented, 37:151; 43:167
- of cornea, 37:149; 39:454; 42:951; 43:831; 45:779; 53:186, 716; 54:162
- biomicroscopy in, 47:718
- conjunctivo-sclero-keratoplasty in, 49:180
- of epiglottis, metastatic to choroid, 48:712
- of ethmoid, exophthalmos due to, 37:317; 44:456
- of eye, malignant, 53:740
- radioactive phosphorus uptake of, 48:559
- radioisotopes to diagnose, 49:297
- of eyebrow, 45:603; 46:282
- of eyeground photocoagulation in, 50:687
- of eyelid, 36:162, 422, 757, 1016; 37:316, 317, 835, 836; 38:606; 39:152, 275, 469, 619, 787; 40:608; 41:359, 728, 737, 1114; 42:678, 823; 43:341, 659, 848; 44:155, 857; 46:282, 779; 47:139, 207; 48:137, 140, 709, 710; 49:1457, 1460; 50:354, 355, 686, 1284; 51:209, 352, 567; 52:594, 1021; 53:209, 1075; 54:516, 520
- adenocarcinoma, 36:160
- blepharoplasty for, 45:330
- chemotherapy of, 47:278; 48:283; 54:517
- management of malignant, 48:710
- Oma in, 53:402
- radiation therapy in, 39:274, 275
- radium in, 50:686
- repair after, 52:595
- study of, 43:847
- therapy of, 39:276
- of face, 46:118; 50:1285
- of glands of Moll, 50:1284
- of hypophysis, differential diagnosis, 37:309
- ocular tension in, 41:1098
- of hypothalamus, 51:865
- of iris, 37:293, 315; 38:597, 756; 39:143, 264, 612; 40:294; 41:543; 42:952; 43:516, 517; 45:166; 46:268, 427; 47:625; 48:289, 415, 573, 712; 53:719, 1078; 54:517, 520, 736
- diathermy in, 41:914
- gonioscopy in, diagnosis, 38:263
- in infant, 53:1077
- iridectomy in, primary, 47:624
- iris fixed cells and, 42:510
- muscle of iris and, 36:149
- pigmented epithelium, 36:150
- of lacrimal caruncle, 49:670
- of lacrimal gland, 36:1323; 37:314, 638; 41:1114; 44:727; 49:670; 50:356; 53:419; 54:516, 908
- epithelial, 41:358
- X-ray diagnosis, 41:359
- of lacrimal sac, 36:419, 1322; 41:1112; 44:726; 47:296, 741; 49:671; 50:1283
- of limbus, 36:889; 37:151, 837; 44:458; 45:777; 50:1285; 53:420, 717; 54:1161
- biomicroscopy in, 47:718
- conjunctivo-sclero-keratoplasty in, 49:180
- dermoid, keratoplasty in, 54:909
- of meibomian gland, 43:342; 48:140
- of mucous membrane, 48:711
- of ocular adnexa, 40:609
- of optic chiasm, 42:502; 44:859; 45:764; 52:317
- X-ray evidence of, 49:671
- of optic disc, 36:1011, 1012; 37:629; 39:616; 42:667; 44:722; 51:363
- of optic foramen, 53:209
- of optic nerve, 36:416; 39:149, 272, 467, 615; 42:336; 43:342; 44:299; 45:595, 603; 46:111, 112, 113, 776; 47:135, 136; 49:1077; 51:363, 863; 52:317, 596, 1017; 53:1072; 54:904
- head, melanotic, 52:313
- primary, 36:422
- spongiblastomas of, 50:682
- X-ray evidence of, 49:671
- of optic papilla, 38:607; 40:938
- of optic pathways, 45:596

TUMORS (continued)

- of orbit, 36:422, 423, 1017, 1322; 37:310, 315, 316, 834, 837; 38:280, 604, 762, 894, 898; 39:151, 152, 273, 275, 469, 470, 786; 40:155, 941, 942; 41:356, 360, 735, 736, 1112, 1115; 42:499, 677, 822, 961; 43:531, 657, 660, 847; 44:301, 458, 724, 856; 45:181, 328, 329, 599, 600; 46:280, 281, 435, 438, 778, 780; 925; 47:141, 438, 440, 738, 739, 742; 48:135, 143, 426, 427, 430, 708, 711, 712; 49:405, 1456, 1460; 50:353, 685, 686, 1281; 51:365; 52:315, 317, 591, 592, 593, 596, 597, 1022; 53:209, 418, 739, 1073, 1078; 54:519, 907, 909
- carcinoma, 36:159
- cerebral aneurysm and, 50:356
- conservation eyeball in, 43:338
- diagnosis, 43:337, 1003; 47:618
- differential, 53:738
- Diodrast in, 41:339
- exophthalmos and, 50:1282
- X-ray, 38:278
- giant-cell, 36:888
- in children, 45:598
- malignant, 37:637
- metastatic, 41:548; 44:726
- phlebography in diagnosis, 41:734; 54:906
- primary, 43:339
- radiation therapy in, 43:530; 44:856
- surgery of, 47:738
- treatment of, 40:941; 43:337
- X-ray diagnosis of, 38:279
- orbitography in diagnosis of, 39:260
- of para-aqueduct, 36:1321
- of periorbital area, 54:515
- of pineal gland, 53:1073
- of pituitary, 37:309, 630; 46:253, 254; 51:565; 52:588
- diagnosis and management, 54:905
- ophthalmic, 37:286
- effect estrogens on, 46:768
- notching optic chiasm in, 38:447
- surgery in, prognosis for, 51:1355
- transsphenoidal operation for, 49:1460
- of pons, 37:309
- of pterygoid, 52:315
- of third ventricle, 43:657
- of retina, 39:917; 42:145, 667, 679; 44:727; 47:742; 49:1079; 52:596; 53:416, 559, 735
- histogenesis of, 47:236
- pigment epithelium of, 37:637; 50:682
- radiation in, 51:865
- of sclera, 40:146
- of sellar region, perimetry in, 39:260
- of skin, 50:1284
- of skull, X-ray findings in, 44:154
- of temporal lobe, 36:887
- of tuberculum sellae, 43:528
- of uvea, 36:1651; 37:974; 38:279, 898; 41:738; 45:319; 47:625; 48:129, 711; 50:530; 51:210
- diathermy in, 38:889
- differentiation, 37:318
- osseous, proptosis due to, 53:738
- Papanicolaou method of diagnosis, 43:821
- photocoagulation in: See Photocoagulation
- pigmented, 36:578
- pseudotumor cerebri, 47:617
- P₂₅ to detect, 38:590; 44:859
- to treat, 43:826
- radiation therapy of, 37:638; 38:606; 39:259
- in melanosis, 48:692
- radioactive fluorescein in diagnosis, 36:1324
- retinal fold due to, 45:326
- retinoblastoma: See Retinoblastoma
- retrobulbar, 53:418
- subretinal fibroma, 39:466
- subretinal fluid in diagnosis, 41:337
- suprarenal, retinopathy in, 53:1077
- suprasellar, 52:590
- Argyll Robertson pupil, in, 36:417
- differential diagnosis, 50:352
- surgery in, 39:26
- transplantation of, into fundus, 41:861
- ocular response to, 36:138
- subcutaneous response to, 36:138

TUMORS (continued)

- treatment of intraocular, 51:567
- Frabrieus Hildanus on, 39:281
- vascular lipomas, 43:164
- X-ray therapy in, 48:428
- in sellar and juxtasellar, 44:859
- xanthomatous, 47:742
- Tunisia, trachoma in South, 46:626
- Türk-Duane syndrome, electromyography in, 45:961
- TWINS**, anomalous correspondence in, 46:258
- audiovisual reactions in, 47:427
- concomitant squint and amblyopia in, 43:921
- exotropia in, 46:258
- fundus in monzygotic, 41:367
- high myopia in, 50:1258
- hydrophthalmos in, 44:576
- identical, color disparity in, 47:449, 911
- keratoconus in, 47:122
- myopia in, 42:682
- nystagmus in, 42:682
- optometric data on, 36:1020
- pupillary reflex in, 36:1495
- refraction in, 38:435
- retinoblastoma in, 52:582
- retinography in, 40:457
- retinopathy in, 51:1350
- retrolental fibroplasia in, 44:151
- in one, 44:849
- strabismus in, 50:831
- toxoplasmosis in, 48:716
- TYPHOID** vaccine, aqueous in uveitis and, 36:150
- by continuous intravenous infusion, 36:143, 144
- circulatory reactions to, 45:765
- complement titer and, 42:528
- in eye disease, 43:161
- in fever therapy, 36:1315
- in penetrating eye injuries, 49:671
- protein level after, 42:516
- prothrombin level in, 45:153
- Typhus, eye findings in scrub, 36:163
- Tyrosolvin, a new antibiotic, 36:875

U

Ulcers: See under name area, organ, etc.

- ULTRASONIC**, energy, effect on rabbit eye, 41:894
- in ophthalmology, 39:437, 440
- impulses of eye, 38:748
- radiation, 45:473
- effect on corneal nerves, 53:717
- eye temperature and, 43:814
- vitreous temperature after, 42:947
- study, of vitreous, 40:301
- therapy, in corneal lesions, 39:437
- Ultrasonography, 52:135
- in tumor diagnosis, 50:826
- ULTRASOUND**: 47:616; 48:283
- absorption, in aqueous, 47:424
- in lens, 47:424
- in vitreous, 47:424
- biomicroscopy, 51:552
- in choroidal melanoma, 52:437
- choroidal detachment by, 47:431
- diagnostic studies with, 54:161
- echoes, distance between, 51:1331
- echogram of: See Echogram
- effect on, blindspot, 52:1023
- blood-aqueous barrier permeability, 36:1164
- blood protein fraction, 41:905
- corneal nerves, 36:1641
- eye, 53:1049
- refractive media, 36:140
- in choroidal melanoma, 49:196
- in diagnosis, 45:766; 54:884
- of foreign bodies, 49:1461
- of retinal detachment, 46:110; 54:895
- of scleral rupture, 46:425
- in ophthalmology, 45:477
- in retinoblastoma, 48:292
- influence on, corneal permeability, 46:919
- vitreous viscosity, 54:503

ULTRASOUND (continued)

- locating techniques for, 47:614
- therapy, 36:1643; 37:607
- in ophthalmology, 36:1306
- to measure, anterior chamber depth, 53:1045
- axial length, 53:177
- eye, 54:334
- lens, 53:1045
- to study, pulsation wave of eye, 47:618
- vitreous, 48:120
- to treat, vitreous opacities, 40:922
- velocity of, in eye, 47:424
- in ocular tissues, 53:1035
- Ultrastructure, of Descemet's membrane, 38:114
- of lens, 40:137, 138
- of ocular tissues, 39:115
- of retinal pigment epithelium, 38:114
- pigment granules of, 37:812
- See also Electron microscopy
- ULTRAVIOLET**, absorption, lenses in asthenopia, 39:773
- of retinochoroidal tissue, 41:569
- of senile cataract, 39:899
- contrast perception with glasses impervious to, 37:606
- lamp, to examine corneal disease, 41:725
- light, eye protection against, 46:620
- in perimetry, 37:142
- near, electric response eye to, 48:556
- radiation, vision and, 37:967
- in perimetry, 36:1643; 40:764
- rays, ocular changes due to, 53:563
- to sterilize acrylic lens, 43:819
- urine 17-ketosteroid after, 47:904
- United Cerebral Palsy Foundation, research funds, 51:535
- Urbach-Wiethe disease, 54:913
- UREA**, aqueous content, 40:142; 52:431
- as hypotensive agent, 53:721
- blood content, 52:431
- effect intravenous on ocular tension, 44:717
- excretion in tears, 48:277
- in cataract extraction, 54:500
- in glaucoma, 51:355; 52:581; 53:1059
- acute, 52:304
- in retinal detachment surgery, 52:310
- indications for, 53:1047
- intravenous, in ophthalmology, 52:443
- secretion into tears, 49:858
- to induce preoperative hypotony, 53:723
- to reduce ocular tension, 47:124; 52:303
- Uremia, fundus changes in, 47:133
- Urethane, in chemical injuries, 41:895
- Urinary melanophore dilator principle, 38:890
- Urine, cataractogenic factor in, 39:125
- effect on citrate excretion, 47:878
- 5-OA in, in senile cataract, 52:309
- keto-enol substance in, in sympathetic ophthalmia, 38:261
- ketosteroids in, influence fever therapy on, 45:479
- 17K excretion in, after ultraviolet rays, 47:907
- in vernal conjunctivitis, 47:907
- Urogenital disease, uveitis and, 52:302
- Usher syndrome, 47:289; 52:457
- Utrecht, glaucoma clinic at University of, 49:1463
- UVEA**, 47:123; 52:142; 53:1057
- biohemophotometry of, 52:136
- blood content of, 53:886
- blood flow through, cat, 53:886
- ocular tension and, 53:1035
- blood vessels of, 51:727
- effect nicotinic acid on, 49:654
- coloboma of, in Romberg's syndrome, 42:682
- diseases of, 36:1182; 38:261; 40:148; 42:179
- inflammations of, ascorbic acid and, 43:808
- carbonic anhydrase activity and, 43:808
- radiation therapy in, 48:573
- X-ray therapy in, 45:492
- lymphosarcoma of, 38:279
- melanoblastoma of, 48:711
- melanoma of, 45:319; 50:530; 51:210
- diathermy for, 38:889
- differentiation, 37:318

UVEA (continued)

- neurotrophic changes, in scleroderma, 51:1346
- ohmic resistance of, 53:195
- oxygen uptake of, in glaucoma, 33:884
- pigment cells of, 51:198
- reticulo-endothelial system of, 45:165
- sarcoma of, 48:129
- basophilia of, 38:898
- with neurofibromatosis, 37:974
- sensitization of, elective, 46:612
- tuberculosis of, 40:594
- tumors of, 36:1651
- rare, 47:625

UVEITIS: 41:580; 47:917

- a medical problem, 41:148
- a military problem, 38:261
- acute, prognosis in, 33:407
- after antisyphilitic treatment, 45:479
- allergy and, 54:1169
- anaphylactic, 47:265
- aqueous osmotic pressure in, 47:904
- glutathione in, 46:243
- lenticular transaminase in, 47:612
- vitamin B₁₂ in, 45:749
- antibiotics and steroids in, 51:199
- anti-hyaluronidase titers in, 38:262
- antistreptodornase levels in, 52:441
- antistreptolysin titers in, 38:262; 43:835
- O in, 47:94
- in aqueous, 54:736
- test, 45:142

aphthous, 45:606**aqueous in, 44:147**

- chlorides of, 46:612
- production of, 51:1343
- proteins, 51:1331
- typhoid vaccine and, 36:150

arteriopathy in, 53:1056**autoantigenicity in, 53:1034****balneotherapy, in chronic, 43:1011****blood-aqueous barrier in, 36:1310****permeability of, 36:1310; 41:726****Boeck's sarcoid and, 43:171****catamnestic studies after, 49:868****cataract and, 42:935****chloroquine in experimental, 49:860****chronic, 37:152****tuberculous, 36:1310****clinical features, 53:198****cortisone in, 36:584; 41:893; 42:952****c-reactive protein in, 41:318****cytomegalic inclusion disease and, 48:414****diagnosis of, 41:916; 53:198****c-reactive protein in, 41:318****due to helminths, 46:426****due to medication, 42:528****due to protozoa, 46:426****due to Torula histolytica, 38:264****due to Toxoplasma, 50:674****dysgenesis mesostromatis and, 53:197****early symptoms of total, 37:153****effect on intraocular fluids, 41:561****effect on lens, alkaline reserve, 41:561****amino acids, 41:561****water, 41:461****ERG in, 37:292****endogenous, 53:196****Behçet's syndrome and, 46:933****complement-fixation test in, 54:1168****in children, 37:613****pathogeneous, 36:1007****etiology of, 39:142; 42:331; 45:169****in diagnosis, 54:487****of chronic, 40:772****problems in, 41:582****experimental, 51:748; 53:194****leptospirosis, 40:280****fluorometry and, 51:354****focal infections in, 45:491; 50:837****genital infections in, 53:718****giardiasis and, 52:440****UVEITIS (continued)**

- glaucoma and, treatment of, 44:717
- granulomatous, 47:918
- heterochromic, 54:341
- hypertensive, 53:1057
- diathermy in, 38:596
- hypometabolism in, 51:557
- idiopathic, 43:835
- inoculation tests in, 47:285
- pathogenesis of, 42:953; 45:170
- immunologic testing in, 51:329
- in allergic encephalomyelitis, 47:260
- in chickenpox, 39:911
- in children, 37:822; 38:262; 47:285
- tuberculosis and, 53:196
- in Hodgkin's disease, 39:911
- in pulmonary tuberculosis, 45:491
- in Reiter's syndrome, 48:432
- isoniazid in, 40:285; 42:147
- in tuberculous, 38:445
- keratopathy and, 43:168
- lactic dehydrogenase activity in, 47:703
- latex agglutination test in, 50:837
- lens-induced, 43:171; 48:291
- glaucoma and, 40:463
- leptospirosis, 36:149, 275; 41:914; 43:516; 45:781; 48:573
- liver function in, 46:933
- meninges in, 49:1073
- Middlebrook-Dubos test in, 47:262; 50:828
- mycobacterial injections in, 51:557
- myopic debility, hydrocephalus and, in twins, 38:263
- neurologic symptoms in, 51:1346
- nongranulomatous, 43:327
- ocular tension and, 37:620
- in experimental, 47:721
- peripheral, 54:162
- phacogenic, 45:170
- phosphate benzoiccarbinolo-trimethyl acetate in, 47:422
- posterior, hormone treatment in, 38:596
- toxoplasmosis and, 53:194
- posttraumatic, cholesterol crystals and, 45:780
- precipitate formation in, 36:584
- prednisone in, 41:893
- pyrimethamine in, 43:517
- recurrent chronic, diagnosis in, 43:170
- vitreous hemorrhage and, 46:267
- with hypopyon, 37:613
- retinal circulation in, 40:152
- retinoblastoma diagnosed as, 50:538
- rheuma test in, 52:136, 301
- rheumatic, after cataract extraction, 45:319
- disease and, 43:171
- etiology, 50:206
- rheumatism and, 45:320
- rheumatoid arthritis and, 50:837
- rickettsioses in, 44:722
- sarcoidosis and, 53:210
- secondary glaucoma and, 53:1057
- serology of, 54:736, 890
- serum proteins in, 46:933
- sinuses and, 50:206
- sinusitis as focus infection in, 37:311
- skin disease and, 54:890
- skin test in, 54:736
- spinal fluid in, 46:933
- spondylarthritis ankylopoietica in, 50:837
- streptococcal, 48:415
- Strep. antihyaluronidase in, 42:159
- serology in, 48:288
- vaccine in, 37:824
- Streptococcus in, 47:917
- stress and, 51:855; 53:1056
- sympathetic: See Sympathetic ophthalmia
- symposium on, 37:615; 51:855
- thyroxine utilization in, 51:557
- tonsillectomy in, 40:149
- toxoplasmic, 40:772; 43:647; 44:716; 47:285
- diagnosis, 41:581
- serologic and clinical aspect, 52:302
- treatment, 41:581; 48:697; 54:732
- treatment of, 37:822; 45:168; 49:181
- in children, 52:441

UVEITIS (continued)

- tuberculin in, 45:765
- tuberculosis and, mechlorethamine in, 53:195
- nitrogen mustard in, 51:199
- pregnancy and, 36:289
- upper respiratory infections and, 41:691
- urogenital disease and, 52:302
- uroprecipitating reactions in, 41:914
- vascular index retina in, 42:670
- vitamin D in chronic, 41:915
- vitreous in, 37:973
- X-ray findings in nasal sinuses and, 43:326
- X-ray treatment in, 37:615
- Uveo-encephalitis, severe forms of, 37:153
- Uveomeningeal syndromes, 41:727
- cranial contusion and, 49:1461
- encephalitis and, 48:285
- Uveomeningitis, arachnoiditis and, 50:351
- epidemic, 53:196
- fundus changes in, 47:431
- UVEOPAPILLITIS**, 50:530
- sympathetic, 37:973
- Uveoretinal blood pressure ratios, 45:145
- Uzbekistan, 6th ophthalmic meeting in, 52:1026

V**VACCINATION**, adenovirus 8, 54:729

- antirabies, neuro-ocular complications of, 36:1013
- BCG, 43:820
- eye complications of, 49:1441
- in trachoma, 52:746
- smallpox, eye complications of, 36:1326
- in herpetic keratitis, 47:623
- Vaccina, antiherpetic, 40:450
- effect high titer adenovirus, 54:329
- streptococcus, in uveitis, 43:327
- typhoid, effect on steroids, 43:1003
- Vaccinia, accidenta, 44:300
- effect gamma globulin on, 40:279
- infections, tetracycline in, 40:454
- of eyelids, 38:605
- immune globulin in, 51:209
- virus, arachnoid involved by, 53:161
- optic nerve involved by, 53:161
- Vancomycin, intraocular penetration of, 54:482
- Van der Hoeve syndrome, 37:981
- Vapor lamps, eye complications due to, 37:642
- Varicella, eye complications of, 49:672
- optic atrophy after, 47:735
- Varidase, 53:171
- buccal, 54:158
- in corneal ulcers, 39:455
- in *Pseudomonas aeruginosa*, 36:1180
- in socket infections, 38:448
- Variola, conjunctival nodules and, 36:137
- Vascular changes, in diabetic rats, 43:807
- in macroglobulinemia, 50:1274
- phasic tension variations and, 36:1490
- Vascular consensual reaction, 36:584
- VASCULAR**, disease, incidence in glaucoma, 39:911
- of eye, 40:612
- renal biopsy and, 52:747
- retinal periarthritis and, 41:181
- visual pathways and, 43:186
- disturbances, flicker fusion to diagnose, 40:924
- lesions, of visual cortex, 50:1280
- of visual pathways, 43:844
- patterns, in eye, 38:591
- phenomena, allergic, 40:925
- of conjunctiva, 46:266
- pseudopapillitis, physiopathology, 50:350
- reactions, physiopathology of eye, 36:1165
- Vascularization, of optic pathways, 43:806
- Vasculat, in eye burns, 50:200
- in glaucoma, 36:746
- Vasculitis, retinal, 53:1069
- Vasoconstrictors, 46:928
- effect on choroidal blood volume, 54:1159
- Otriven as, 50:195
- to treat inflammations, 48:879
- Vasosterone as, 43:999

VASODILATORS, 46:928

- action on blood-aqueous barrier, 40:140
- action on retinal artery, 37:134
- effect on choroidal blood volume, 54:1159
- effect on ERG, 39:439
- in ocular burns, 37:638
- in ophthalmic migraine, 38:892
- in retinal thrombophlebitis, 46:433
- in retinal veins thrombosis, 39:465
- induced supravision to study, 43:331
- influence on retinal vessels, 43:156
- Vasogenic factors, in glaucoma, 43:1012
- Vasopressin, 43:149
- Vasosterone, clinical evaluation, 43:999
- Vegetative dystonia, 37:832
- Venous pressure, ocular tension and, 37:157
- Ventriculography, visual disturbances after, 42:949
- VERGENCE**, 47:120
- accommodation and, 47:120, 585
- pupil size and, 51:712
- electromyography to study, 41:340; 45:769; 47:876
- versions and, 51:171
- VERNAL CATARRH**, 43:1010
- affecting cornea, 40:594
- allergic reactions in, 47:283
- blood picture in, 36:1178
- cornea in, 42:951
- electrophoresis blood in, 39:456
- etiology of, 43:168
- inclusions in, 42:525
- keratoconus and, 47:716
- purin exchange in, 37:612
- serum iron levels in, 36:1490
- serum proteins in, 41:154
- spleen irradiation in, 39:264
- surgical treatment of, 51:1344
- treatment of, 41:912
- Vernal conjunctivitis: See under Conjunctivitis
- Veterans Administration research funds, 51:535
- Vibration, high frequency of eye, 49:172
- Virac, a new iodophore, 47:609
- Virchow, influence on ophthalmology, 48:436
- Virology, of herpetic infections of eye, 45:476
- VIRUSES**: 36:276
- action on chick embryo, 37:452
- adenovirus, conjunctivitis due to, 53:181
- epidemic keratoconjunctivitis and, 46:265, 266, 917; 51:747; 53:884
- eye infections in Aberdeen due to, 45:486
- histologic study, 51:745
- immunity studies in, 45:750
- isolation of, 51:747
- from conjunctiva, 51:728
- punctate keratitis and, 46:918
- type 3, infections in Brisbane, 54:162
- type 8, 48:869
- culture in conjunctival cells, 53:1034
- experimental, in humans, 47:238; 49:858
- in epidemic keratoconjunctivitis, 47:916; 48:696
- in tissue culture, 53:1034
- vaccine of, 54:329
- vaccination with, antibodies in, 54:729
- agglutination, 42:813
- and viral diseases, symposium on, 47:604
- APC, adult clinical disease and, 42:963
- antibodies to, 42:952
- corneal involvement with, 41:913
- epidemic keratoconjunctivitis and, 41:538, 887
- eye disease due to, 41:579
- group of, 41:170
- in conjunctivitis, 42:812
- infections, in 1955, 41:693
- isolated, in keratoconjunctivitis, 41:862
- Behçet, isolated from hypopyon, 52:131
- diseases, 46:241
- in pregnancy, 39:927
- new treatments for, 37:607
- of anterior segment, 45:472
- of conjunctiva, 51:1344
- of eye, 49:653

VIRUSES (continued)

diseases (continued)

- toluidine blue test in, 51:853
- Xenovis in, 54:334
- dormant, role in keratitis, 42:527
- etiology, in rodent ulcer, 52:140
- in retrobulbar neuritis, 45:793
- filterable, and exanthematous disease, 44:704
- HERPES**: 54:1159
 - action antibiotics on, 36:1159
 - effect on corneal tissue culture, 53:1055
 - in anterior chamber, 47:719
 - simplex, 54:884
 - effect on rabbit cornea, 53:885
 - zoster, encephalitis after, 45:327; 49:667
- See also under Herpes and Herpetic infections
- in epidemic optic neuritis, 36:1012
- in Harada's disease, 36:745
- in inclusion blenorrhea, 48:276
- in iridocyclitis, 53:406
- in ophthalmology, 36:554; 41:150
- in superficial punctate keratitis, 36:147
- in Vogt-Koyanagi syndrome, 36:745
- infections, cortisone in, 36:737
 - of conjunctiva, 45:749
 - of eye and adnexa, 47:605
 - retinal manifestations of, 49:665
 - treatment of, 52:433, 748
 - upper respiratory, 47:605
- isolation, in inclusion conjunctivitis, 51:329
- in rare keratitis, 51:353
- keratitis due to, 36:1004
- molluscum contagiosum, 43:487
- mumps, intraocular infection with, 38:744
- Newcastle, 44:145
 - action on rabbit eye, 36:137, 551
- ocular, review of, 43:807
- of epidemic keratoconjunctivitis, 36:1158
- of epidemic parotitis, 36:1157
- of sympathetic ophthalmia, 36:554
- of trachoma: See under Trachoma
- optic neuritis due to, 48:134
- orbital cellulitis due to, 44:723
- phenomenon of interference of, 47:623
- prospects in study of, 47:605
- status of study of, 47:605
- vaccinia, 53:161
 - experiments with, 38:115

Visio, a new unit of visual acuity, 41:158

VISION: 47:442

- action tiotico acid on, 52:131
- after congenital cataract operation, 40:597
- behavior of, in anisometropia, 40:143
- BINOCULAR**: 45:959; 53:1050
 - after hypertropia operation, 46:928
 - after strabismus surgery, 43:319
 - anomalies of, fusion for distance in, 47:281
 - at synoptophore, 47:273
 - bilateral aphakia and, 47:129
 - cerebral mechanism of, 36:561
 - considerations of, 43:495
 - development of, 54:485
 - distance appreciation and, 48:283
 - fusion in, 38:121
 - heterophoria and, 36:566
 - in free space, 47:273
 - in photogrammetry, 45:800
 - in strabismus, 51:849
 - monocular stimuli and, 45:150
 - new method to study, 45:960
 - observations on, 36:560
 - ocular dominance and, 37:815
 - peripheral fusion in, 40:921
 - problems of, 40:922
 - re-education of, 49:658
 - size and distance in, 45:150
 - stereograms in, 52:743
 - stereoscopic movies and, 38:585
 - striated glass to examine, 47:272
 - superiority of, 44:557
 - suppression theory of, 36:1168; 38:431

VISION (continued)**BINOCULAR** (continued)

- testing of, 38:433
- visual acuity in, 38:434
- biochemistry of, 43:150
- biomathematical topology of, 51:736
- biophysics of, 45:471
- changes in, in exophthalmos, 39:618
- chart, for ophthalmoscope, 45:768
- color: See Color vision
- corneal transplantation and restitution of, 36:1169
- damage to, in boxing, 36:758
- defective, deafness and, 36:164
 - school for children with, 36:1329
- development of, 43:817
 - in infants, 52:134
 - in man, 51:1335
 - in strabismus, 43:828
- disparity limits of stereopsis, 36:142
- disturbances in, due to digitalis, 45:753
- drugs affecting, 53:164
- effect sound on, 52:744
- endogenous, 48:561
- evaluation of, after industrial injuries, 43:344
- evolution of, 36:165
- examination of, at light perception, 40:288
- failing, 53:172
 - vascular changes and, 49:188, 199
- grading of, in infants, 45:476
- hue discrimination, in normal, 45:470
- illumination and, 45:468
- importance of, in aviation, 48:561
- improved by vasodilators, 43:331
- in binocular aphakia, 51:1335
- in children, failing, 40:921
- in empty visual field, 52:135
- in Oguchi's disease, 43:181
- in premature infants, 43:157
- in transfer of learning, 41:1125
- in transplanted eyes, 36:875
- lead poisoning damaging, 36:752
- loss of, amaurosis fugax and, 43:827
 - due to hemophilia, 51:568
 - in craniostenoses, 36:1653
- low, 43:496
 - optical aids for, 47:908; 53:1042
- mechanism of, 46:249
- monocular, in workers, 40:311
- size and distance in, 45:150
- near, distant and, in amblyopia, 43:496
 - magnification for, 37:815
 - new way to express, 39:127
- normal, and with images inverted, 44:556
- optical interference as basis of, 49:394
- panoramic, in eye disease, 46:922
 - in systemic disease, 46:922
- peripheral, problems of, 43:499
- pernicious anemia and, 47:928
- personality adjustment and, 36:1329
- photopic, in macular degeneration, 43:524
- preservation of, 36:754
- prognosis for, in pancreatic diabetes, 48:292
- quantum effects in, 46:250
- recovery of, after operation for Cushing syndrome, 36:1651
 - after rupture of globe, 39:621
- relation perceived size to perceived distance, 36:739
- scotopic, in adiposogenital dystrophy, 40:286
 - in motor vehicle drivers, 40:921
- size difference in, 36:1484
- stereoscopic, 38:123; 45:959; 46:248; 47:274
 - basis of, 39:445
 - eye dominance and, 36:563
 - in children, 44:140
 - mechanism of, 37:815
- straight, 44:139
- subnormal, magnification in, 47:426
 - optical aids for, 45:758
 - utilization of, 49:174
- suitability for work, 40:312
- television as task of, 49:672

VISION (*continued*)

- theories of, 51:736
- transient loss of, during cerebral arteriography, 36:1493
- twilight, driving safety and, 47:147
- ultraviolet radiation and, 37:967
- water-to-air, spectacles for, 48:560
- Visual accidents, pulmonary collapse therapy and, 38:284
- Visual action time, 45:468
- VISUAL ACUITY:** 36:562
 - binocular diaphragm to test, 40:924
 - contact lenses and, 37:605
 - defects in, of psychogenic origin, 40:764
 - dependence on parafovea, 49:656
 - determination of, 40:761
 - in amblyopia, 47:709
 - nystagmometer in, 51:1333
 - objective, 40:457; 44:441; 48:121
 - optokinetic nystagmus in, 36:1306; 37:817; 52:436
 - effect high altitude on, 39:901
 - effect refraction errors on, 42:948
 - examination of, in children, 47:709
 - for motorist, 54:525
 - illumination and, 44:558
 - of background, 47:613
 - under reduced, in amblyopia, 48:561
 - improvement in, in strabismus with amblyopia, 47:910
 - without glasses, 36:562
 - in binocular vision, 38:434
 - in Brazilian Indians, 47:746
 - in low illumination, 49:862
 - in road traffic, 52:134
 - in treated amblyopia, 50:824
 - influence alcohol on, 36:1484
 - influence color on, 42:519
 - limit of, 47:614
 - measurement of, 41:570
 - by Goldmann and Günther instruments, 51:194
 - objective, 53:175; 54:333, 1162
 - spatial discrimination in, 44:711
 - standardization of, 47:274
 - method to improve, 46:622
 - ocular lesions and, 37:139
 - of hypermetropes, retinal image and, 41:157
 - photovisodilator reflexes and, 38:750
 - physiologic background of, 36:1487
 - psychologic factors in, 36:562
 - reading difficulties and, 40:306
 - refractive error and, 36:1485
 - retinal cone distribution and, 37:466
 - Remberg apparatus to test, 47:613
 - screening tests for, group, 41:899
 - speed and distance judgment and, 42:343
 - stimulus situation and, 41:160
 - subjective, objective examination and, 41:160
 - testing, clinical, 36:1485
 - clock as, 45:960
 - objective, 45:150, 155
 - universal optotypes for, 45:481
 - visio, new unit of, 41:158
- Visual adaptation, nervous components of, 37:966
- photochemical component of, 37:966
- Visual agnosia, 36:887
 - alternating dominance and, 37:631
- Visual aids, 52:435
 - for partially sighted, 51:1337
 - for subnormal vision, 43:158
 - in nonoptical abnormalities, 45:756
 - telescopic, 42:519
- VISUAL APPARATUS**, Cajal and anatomy of, 52:605
 - electrical responses of, 38:431
 - fluorescent light and, 38:431
 - in toxic polyneuritis, 47:298
 - intracranial aneurysms and, 40:605
 - pituitary-hypothalamic system and, 45:754
 - sensory motor function of, 38:586
- Visual aptitudes, in industry, 37:323

Visual auras, significance of, 42:337

VISUAL CELLS, degeneration, ERG in, 48:147

- differentiation of, 47:270
- electron microscopy of, 54:327
- histochemical study of, 36:1156
- metabolic organization of, 47:270
- mitochondrial substance in, 36:1479
- resting potential of, 44:284
- viability of, 47:270

Visual centers, vertebrate, 38:115

Visual contrast thresholds, 48:121, 282; 49:174; 51:190; 53:167

Visual cortex, ablation, in dark-reared kittens, 47:875

EEG to study, 47:708

vascular lesions of, brain herniation and, 50:1280

vascularization of, 49:390

Visual defects, in children, 41:570

Visual disturbances, after abortion, 40:612

after antimalarial drugs, 50:204

after cranial trauma, 52:588

Visual distortion, in amblyopia, 46:922

Visual effects, of green windshields, 38:123

Visual efficiency, estimation loss of, 41:362; 45:471

eye movements and, 50:673

Visual experience, neural correlates of, 37:968

Visual failure, neurosurgeon's role in acute, 47:618

Visual fatigue, fluorescent lighting and, 45:149

in young persons, 52:435

Visual fibers, anatomy of, 54:727

VISUAL FIELDS: 44:559

after hyaline bodies on optic disc, 45:178

after lobectomy for epilepsy, 50:1281

after retinal dazzling, 45:149

ametropia and, 37:142

arcuate scotoma in, 48:707

CHANGES in, after glaucoma surgery, 53:199

after lobectomy, 46:777

after X-ray for pituitary tumor, 46:254

in choroidal tumors, 36:144

in glaucoma, 50:838

in hypertension, 36:410

in myopia, 39:126

in optic neuritis, 37:975

in pituitary tumor, 37:630

syndromes associated with, 45:597

colloid bodies and, 45:596

color, contours for perception of, 45:760

importance of, 37:630

in neurosurgery, diagnostic value, 45:327

constricted, glaucoma operations and, 47:920, 921

noise-induced, 54:513

damage, in elevated ocular tension,

dark adaptation and, in glaucoma, 54:892

DEFECTS, after lobectomy, 45:761

homonymous, congruency of, 48:565

in brain aneurysms, 47:137

in glaucoma, 39:458

atypical, 45:322

progression of, 37:616

in optic atrophy, 47:136

induced by spectacle frames, 53:1043

of psychogenic origin, 40:764

effect Meprobamate on, 48:872

effect Rocorcin on, 43:150

EEG control of, 46:422

examination of, central, 42:175

EEG in, 37:631

finger counting in, 53:553

flicker perimetry in, 49:864

Goldmann perimeter for, 40:146

Maggiore perimeter for, 54:487

tangent screen for, 48:286

test objects for, 47:617

importance of, 47:912

in amblyopia, 44:557

beri-beri, 39:786

in brain damage, 50:829

in cataract, 54:487

in chronic anoxia, 48:874

in color blindness, 46:922

in degenerative punctata albescentis, 49:1455

VISUAL FIELDS (continued)

- in external ophthalmoplegia, 52:587
- in glaucoma, 46:629
 - chronic, 36:290; 40:296
 - normal, 54:1170
 - primary, 46:271
- in infants, 46:250
- in intracranial disease, 44:722; 49:1077; 50:683
- in Jensen's chorioretinitis, 39:614
- in migraine, 40:307
- in occipital lobe lesions, 53:737
- in optic atrophy, 51:863
- in optic nerve, compression, 44:853
 - disease, 50:350
- in pernicious anemia, 52:600
- in pulmonary disease, 48:874
- in retrobulbar neuritis, 44:454
- in senile retinal degeneration, 43:996
- in temporal lobe lesions, 52:590
- in traumatic chorioretinopathy, 45:332
- inversion of, to test malingering, 47:711
- isopter of intermediate, 48:564
- limits of, 54:882
- loss, disability evaluation and, 49:1445
- mapping of, with Goldmann perimeter, 53:709
- metacoast in, 38:584
- multiple pattern test, 41:904; 48:409
- nervous interactions in, 36:1320
- nocturnal and diurnal, in brains lesions, 42:338
- optic radiation and, 46:777
- peripheral functional defects, 54:167
- pupil diameter and, 53:551
- red, in early glaucoma, 38:599
- scotomas in medial vertical line in, 40:603
- scotopic instrument to study, 45:154
 - Livingston's test in, 43:821
- sensibility variations in, 36:1320
- significance when projected into space, 40:283
- spiral, 45:959
- superimposed, 46:256
- tubular, 36:755
 - due to glaucoma, 51:716
 - surgical results, 50:676
- vertical asymmetry of isopters, 39:129
- vision in an empty, 52:135
- Visual function, changes in aging, 48:554
- development of, in infants, 52:134
 - effect acoustic stimuli on, 52:744; 53:1036
- electroshock and, 43:496
- entoptic examination of, 47:272
- in congenital glaucoma, 44:563
- in heterotropia, 48:122
- in retinal elastosis and, 38:272
- scotopic, 45:147
- Visual hygiene, 52:320
- Visual impairment, by protective devices, 37:642
- Visual incapacity, after industrial accidents, 40:945
- Visual interpretation of environment, 36:141
- Visual latency, relation to intensity, 38:430
- Visual loss, acute, neurosurgical emergency, 46:115
 - after cerebral infarction, 46:114
 - due to pterygium, 46:263
 - during cardiac arrest, 38:749
 - prevention of, 46:123
- Visual maturation, 54:731
- Visual motor performance, in parkinsonism, 52:1018
- VISUAL PATHWAYS**, acetylcholine metabolism in, 37:465
 - damage of, 47:138
 - development of, 39:434
 - stimulation of, cerebellar responses after, 44:705
 - vascular disease and, 43:186, 844
 - wounds of, 36:418
- VISUAL PERCEPTION**: 37:468
 - disturbances of, in muscle paralyses, 38:593
 - filling-in process in, 38:588
 - form in, 41:571
 - motor reactions and, 49:873
 - of motor vehicle driver, 37:140
 - parallels of, 43:157
 - speed of, instrument to measure, 37:144

VISUAL PERCEPTION (continued)

- vertical, factors influencing, 38:585
- Visual performance, among school children, 37:467
- in mentally retarded children, 38:433
- limits of, 47:270
- Visual physiology, 38:750; 40:762; 44:711; 46:620; 48:876; 50:825; 52:432; 54:731
- Visual prognosis, in surgery pituitary tumor, 51:1355
- Visual purple regeneration, 42:947
 - effect amino acids on, 47:612
 - ERG and, 47:708
- Visual requirements, and modern travel, 38:610
 - for motor-sport drivers, 40:614
- VISUAL SCREENING**: 42:325
 - for groups, 41:899
 - in industry, 44:559; 45:477; 46:767
 - of children, findings in, 36:1021
 - procedures for, 36:1021
 - tests, grades 4 and 7, 36:1170
- Visual skills, ACA ratio to measure, 39:280
- fusion ability and, 43:347
- training in, 42:650
- Visual space, effect restricted on primate eye, 51:328
- in Cezanne's paintings, 50:197
- Visual stimuli, ERG and, 41:686
- flicker sensation and, 43:337
- in amblyopia, 43:322
- Visual system, on-responses in human, 47:272
- Visual tasks, in aerial mapping, 36:1487
- Visual testing, of school children, 51:538, 571
- occlusion spectacles for, 50:521
- VISUAL TESTS**, after-image, 45:763
 - duochrome-star, 43:499
 - for school children, 38:587
 - Japanese projectochart slide, 43:496
 - new type for, 42:171; 47:907
 - picture charts, 43:498
 - stereoscopic charts, 52:133
 - studies on, perception of checkerboard patterns, 48:562
 - Yamamori's 6-6-ring, 37:968
- Visual threshold, in strabismic amblyopia, 43:322
- Visual training, graphic method in, 37:466
- motion pictures in, 39:130
- reading and, 36:565
- Visuscope, to treat amblyopia, 52:134
- Vitiligo, corneal dystrophy and, 50:1263
- of skin, retinitis pigmentosa and, 37:300
- VITAMINS**:
 - A: 38:592
 - and D, in macular degeneration, 51:362
 - dark adaptation and, 37:464
 - deficiency, ERG in, 41:923
 - fundus changes in, 48:133
 - hemeralopia and, 52:294
 - herpes corneae and, 41:132
 - in rats, influence protein deficiency on, 48:558
 - influence sex on, 48:558
 - in retinal detachment, 37:302
 - in retinitis pigmentosa, 54:504
 - retrobulbar neuritis and, 47:135
 - effect on corneal necrosis, 51:555
 - in healing cornea ulcers, 39:777
 - in liver, 47:267
 - intoxication, eye manifestations of, 47:706
 - level, influence alcohol on, 36:1484
 - overdosage, ocular tension and, 47:124
 - B, complex, deficiency, eye signs in, 43:153
 - deficiency, in corneal epithelial dystrophy, 36:1645
 - visual degeneration due to, 38:429
 - in damaged corneal epithelium, 36:147
 - in healing aseptic corneal lesions, 36:736
 - retinal metabolism and, 44:283
 - B₁₂, after pituitary removal, 37:814
 - and pituitary extract, in optic atrophy, 37:831
 - content, of lens, 41:565
 - deficiency, degeneration eye due to, 36:1166
 - retrobulbar neuritis and, 47:135
 - distribution, in aqueous, 38:117
 - in vitreous, 38:117
 - effect in glaucoma, 52:1008
 - in blood, 47:267

VITAMINS (continued)

- B₁** (continued)
 in eye, after removal cervical ganglion, 47:608
 in ocular tissues, 46:617
 in retina, 36:1483
 influence pituitary hormone on, 36:739
B₂, antiallergic effect of, 41:154
 corneal metabolism of, 53:1038
 deficiency, corneal changes due to, 41:156
 eye symptoms of, 40:611
 effect on corneal metabolism, 54:330
 in cornea, after burns, 53:741
 in marginal keratitis, 37:287
 influence on corneal respiration, 47:608
 influence on corneal wound healing, 36:147
 light adaptation after, 36:1168
 metabolism, 47:282
 in epidemic keratoconjunctivitis, 48:882
 keratitis and, 47:282
B₆, deficiency, blepharoconjunctivitis and, 47:621
 influence on corneal nerve fibers, 46:243
B₁₂, action on corneal wounds, 39:606
 binding substance, in tears, 47:608
 deficiency, tobacco amblyopia and, 47:132
 diabetic retinopathy and, 47:727
 herpes zoster and, 49:172
 in corneal disease, 41:725
 in diseases of optic nerve, 47:735
 in experimental anaphylactic uveitis, 45:749
 in eye diseases, 44:726
 in neural therapy, 46:255
 in ophthalmology, 36:1160
 in xanthelasma, 45:761
C, cataract and, 36:747
 changes, in diseased cornea, 36:1483
 chorioretinal degeneration and, 36:278
 concentration, in scurvy, 51:1332
 decomposition, in cataract, 37:463
 deficiency, in cataract, 37:465
 in conjunctivitis, 43:1007
 dinitrophenol cataract and, 38:583
 exchange in aqueous, 39:439
 in cataract, 38:118
 in blood, in cataract, 38:118
 in cornea, after burns, 53:741
 fixed cells of, 39:439
 in physiology of color vision, 38:431
 in rosacea keratitis, 36:148
 in uveal inflammations, 43:808
 intraocular, after diathermy, 41:569
 lens and, 36:560, 1165
 metabolism of, in aqueous, 53:1039
 in lens, 38:121; 39:440
 in senile cataract, 38:446
 reaction, in lens, 43:490
 synthetic action, of lens, 36:278
 See also Ascorbic acid
D, in glaucoma, 37:618
 in uveitis, 41:915
 intoxication, keratitis due to, 39:139
D₂, in ocular tuberculosis, 43:490
 deficiency, eye and, 51:212
 in cornea, 44:144
 of fat-soluble, eye signs of, 41:888
 signs of, 43:849
E: 37:603
 antihyaluronidase activity of, 36:278
 aqueous glucose and, 36:1641
 deficiency, in cataract, 42:181
 retrobulbar neuritis and, 40:940
 in diabetes, 51:1342
 influence on alloxan cataract, 36:1159
H₁, action on corneal wounds, 39:606
 in corneal transplantation, 36:575
 in herpetic infections, 38:595
T, effect on corneal wounds, 39:119
VITREOUS: 45:326, 594
 a review, 36:1491; 38:446; 40:300; 42:335; 44:449; 47:726;
 48:578; 50:534; 52:308; 54:501
 achromycin levels in, 48:120
 adhesions, 54:165

VITREOUS (continued)

- aging and, 54:897
 alterations, 40:917
 in aphakic eyes, 39:464
 with iridocyclitis, 37:623
 amino acids of, 33:583; 50:193
 analysis solutions of rabbit, 41:888
 and aqueous pressure, after vitreous puncture, 53:1038
 anterior, complication cataract extraction and, 50:1270
 in uveitis, 37:973
 membrane of, in aphakia, 53:1068
 anterior pituitary hormone distribution in, 38:117
 antibacterial effect of, 50:517; 51:206, 862; 54:513
 of human, 47:902
 antibiotics and, 39:442
 antigenic properties of, 54:728
 attachments, during eye movements, 39:434
 bicarbonate ions in, 43:811
 biomicroscopy of, 39:464; 47:289
 carbohydrates in, 50:517
 carbonic anhydrase in, 43:152
 cells of, 49:391
 cortical layer, 47:101
 cerebral covering by, 45:140
 cerebrospinal fluid into, in hemophthalmos, 51:1338
 changes in, after air injections, 45:592
 after saline injections, 45:592
 in iridocyclitis, 37:158
 in scurvy, 45:589, 954
 chemical composition, 42:137
 clinical studies of, 43:654
 color sense and, 36:1168
 complement fixation in, 53:160
 composition of, 50:519
 condensation, retinal detachment and, 53:1068
 congenital veil of, 50:537
 cortical cells of, hyalitis and, 54:505
 cortisone, concentration in, 37:134
 passage into, 37:134
 crystallography of, 47:880
 cysticercus in, 41:1123
 removal, 51:1350
 cysts of, 37:830
 retinitis pigmentosa with, 36:751
 degeneration, in emmetropes, 53:732
 detachment, 41:181; 44:151
 in aphakic glaucoma, 38:267
 in malignant glaucoma, 38:267
 in retinal detachment, 51:1353; 52:459
 deturgescence of, before cataract surgery, 50:1271
 development of, 45:748
 dynamics, during eye movements, 39:434
 effect trypsin on blood injections into, 47:906
 electric conductivity of, 49:393
 electron microscopy of, 37:130; 40:449; 41:560; 51:204; 54:503
 electrophoresis of, 46:918
 experimental membranes in, 37:301
 fetal, circulation disturbances in, 46:631
 fibrous network of, diameter meshes in, 53:734
 filaments of, 36:1157; 37:813
 ultrastructure of, 54:503
 filtrates of, 41:538
 fluorescein diffusion into, 42:517; 43:526
 foreign body extraction from, 48:579
 framework of, 50:194
 gelatinous proteins of, 38:584
 glucosamine in, 41:895; 42:166, 946; 43:493
 glucose content of, in ditiabone diabetes, 47:265
HEMORRHAGES: 51:335; 53:413
 diagnosis of, 49:1444
 hemianopia and, 50:1280
 in children, 43:841
 in premature infants, 41:588
 injection erythrocyte stroma in, 42:132
 oxygen insufflation in, 51:1360
 radiation therapy in, 40:601
 retinal detachment and, 49:188
 simulated, 45:954
 streptodornase in, 36:593, 736
 streptokinase in, 36:593, 736
 studies on, 47:264

VITREOUS (continued)**HEMORRHAGES** (continued)

- subarchnoid hemorrhage and, 50:351
- thromboangiitis obliterans and, 53:1079
- uveitis and, 46:267
- hyaluronic acid, as substitute, in retinal detachment, 52:457
 - content of human, 43:155
 - of rabbit, 48:280
- hyaluronidase and, 43:489
- hydrostatics of, in retinal detachment, 53:1067
- implantation, 38:758
- implants, 53:414
 - hyaluronic acid as, 51:564; 52:457
 - in retinal detachment, 45:177; 54:511
- in alloxan diabetes, 52:1014
- in retinal detachment, 41:701, 708
- influence alpha chymotrypsin on, 52:458
- injections into, effect on retina, 53:548
- in eye disease, 54:884
- interference microscopy to study, 47:881
- intravitreal, in retinal detachment, 47:291
- lactic acid in, 41:156
- lens luxation into, 42:663; 43:330, 840
 - extraction of, 47:287; 53:1064
- light sense and, 36:1168
- limiting membranes of, 51:860
- loss of, in cataract surgery, 51:753
- lyophilized, structural changes in, 52:435
 - transplantation of, 46:242
- membrane, after zonulolysis, 48:419
- neuraminic acid in, 52:459
- nicotinic acid in, in retrobulbar neuritis, 41:589
 - metabolism of, 44:436
- nitrogen in, 37:627
 - in retinal degeneration, 39:772
- normal and lyophilized, 48:579
- opacities, diagnostic implications, 36:155
 - diapupillary resection in, 41:586
 - in inflammations, 51:362
 - liptopic treatment in, 36:885
 - lyophilized vitreous in, 51:361
 - prognostic implications, 36:155
 - ultrasound to treat, 40:922
- vitreous replacement in, 46:431
- operations on, 37:305
- Orisul concentration in, 50:1256
- parasites in, 47:435; 48:433
- penicillin in, levels of, 53:398
 - of V and G, 53:1039
 - penetration of, 53:1038
- peptides of, 50:193
- persistent hyperplastic, 41:1107; 46:110; 50:681
 - lens capsule rupture and, 53:411
- phase-contrast study of, 37:452; 46:618
- of normal, 37:131
- phosphorus in, in retinal pigment degenerations, 41:155
 - polysaccharides of, in fibers, 41:563
- precipitates on, 41:1103
- preservation of, by lyophilization, 50:538
- pressure, relation to aqueous pressure, 44:438
- prolapse, in cataract surgery, 48:885
- prolapsed, anatomy of, 52:456
 - embryology of, 52:456
- proteins of, 40:282; 47:237
 - concentration in, 45:146
 - in retinal degenerations, 47:607
 - increase of, during growth, 43:999
 - reactions in filtrates of, 43:1001
 - residual, 41:869
 - studies of, 37:456
- puncture, aqueous pressure after, 53:1038
 - vitreous pressure after, 53:1038
- pyruvic acid in, 41:156
- radio-iodine studies of, 41:687
- removal copper splinters from, 46:925
- replacement of, 37:305
 - in intraocular infections, 44:434
 - in retinal detachment, 45:793
- resorption gaseous substances from, 49:655

VITREOUS (continued)

- retina pieces in, 36:156
- retinal vessels, hyaloid membrane and, 54:505
- role in, increased ocular tension, 45:956
- scintillation of, 36:595
- self-sterilizing property of, 47:263
- stability of, 51:188
- steroid hormone in, 42:160
- structure of, 51:1327
 - after dry-ice refrigeration, 47:603
 - studies on, 45:952
- temperature changes in, after ultrasound, 42:947
- thromboplastic activity of, 42:803
- transcleral division midmembrane of, 51:350
- transplantation, 39:124; 53:168
- transplants, lyophilic, 37:626
- ultrasonic liquefaction of, 40:301
- ultrasound, absorption in, 47:424
 - to study, 48:120
- use of, in corneal opacities, 43:324
- vascular loops of, 36:1648
- vascular veils of, 37:628; 40:935; 47:291
- vessels, persistence of, 37:626
- viscosity, changes with ultrasound, 54:503
 - effect hormones on, 47:730
- vitamin B₁₂ distribution in, 38:117
- withdrawal, as therapeutic measure, 36:593
 - in cataract extraction, 54:499
- X-ray diffraction of, 36:1479; 39:124
- Vogt, white limbus girdle of, 50:203
- Vogt-Koyanagi syndrome, 36:1007; 37:292; 38:265, 881; 48:285, 288
 - neurovegetative system in, 41:728
 - pathogenesis, 41:580
 - sympathetic ophthalmia, Harada's disease and, 44:716
 - treatment, 38:427
 - viral nature of, 36:745
- Vogt-Koyanagi-Harada disease, 40:148; 44:446; 47:144; 54:1169
 - Vomiting, postoperative, treatment of, 53:709
- Vortex veins, inflammation of, 36:881

W

- Waardenburg's syndrome, 48:428; 51:1363; 53:423
 - family with, 48:137
- Waardenburg-Klein syndrome, 47:446
- War injuries, geniculocalcarine, 36:1651
 - socket repair after, 37:634
- WATER**, content blood, ocular tension and, 51:752
 - drinking test, campimetry and, 44:846
 - in cornea, 45:953
 - metabolism, in glaucoma, 47:920
 - in ocular tissues, 53:165
 - of lens, 47:609; 48:279; 50:193
- Weather, anterior chamber hemorrhage and, 47:628
 - expulsive hemorrhage and, 40:917
 - influence and retinal periphlebitis, 51:859
- Wedl, Carl, eye histopathology and, 50:688
- Weeks bacillus, electron microscopy of, 52:738
- Wegener's granulomatosis, 52:591
 - perilimbal ulceration in, 50:835
- Weill-Marchesani syndrome, 50:360; 54:913
 - ocular tension in, 53:556
- Werlhof's disease, muscle insufficiency in, 40:611
- Werner's syndrome, 37:158
 - in three brothers, 47:627
- Wernicke syndrome, 43:164
 - ocular signs of, 38:447
- Wilson's disease, fundus changes in, 39:269
- Women, and medicine, 50:362
- Reiter's syndrome in, 48:433
- Wood's light, application of, 47:912
 - in ophthalmology, 43:822
- Word-blindness, congenital, 43:656
- Workmen's compensation: See Disability compensation
- WOUNDS**, closure of, in scleral resection, 45:767
 - U-sutures in, 51:568
 - dressing of, postoperative complications and, 48:284
 - "watch-glass", 48:411
 - healing of, 47:276

WOUNDS (continued)

- healing of (continued)
 - after cataract incisions, 43:178
 - after zonulolysis, 54:501
 - gastro-intestinal extract in, 48:128
 - histochemical study of, 36:1482
 - influence vitamin B₂ on, 36:147
 - management of disruption of, 51:568
 - of cornea, closure of, 44:708
 - effect vitamin T on, 39:119
 - See also under Cornea
 - of orbit, 36:163
 - of visual pathways, 36:418
 - penetrating, 44:568
 - rupture of, after cataract extraction, 38:887
 - sedimentation rate, and ocular, 44:708
 - stab, of orbit, 38:899
 - See also under area, organ, etc.

X

- Xanthelasma, vitamin B₁₂ in, 45:761
- Xanthogranuloma, juvenile, 48:138; 53:193
- XANTHOMA:** 39:273; 47:295
 - disseminated, 43:345
 - of eyelids, 46:779
- Xanthomatosis, biliary cirrhosis and, 36:164
- Coats' retinitis and, 42:958
- eye manifestations in, 47:145
- Xanthomatous tumors, 47:742
- Xanthopterin, in experimental corneal wounds, 49:171
- Xenosis, in virus diseases, 54:334
- Xeroderma pigmentosum, 41:739
 - eye changes in, 51:353
 - keratoplasty in, 43:516
 - melanoma and, 54:340
- Xerophthalmia, 38:756
 - keratomalacia and, 47:717
 - parotid duct transplantation in, 51:197, 365, 1358
 - surgery of, 45:329, 486
 - Tensen's duct transplanted in, 45:602; 46:770
- Xerosis, after pemphigus, 36:287
 - conjunctival cytology in, 41:1092
 - corneal, Steno's duct transplanted in, 37:818
 - distribution of, 50:835
 - parenchymatous, 53:190
 - tissue therapy in, 37:287
- X-potential, clinical recording of, 45:759
- X-RAYS**, aqueous changes induced by, 47:270
 - aspects, of orbital roof tumor, 44:724
 - cataract due to, 36:1186; 42:819; 51:858; 53:412
 - congenital anomalies due to, 51:1328
 - control, in removing nonmagnetic foreign bodies, 48:712
 - demonstration, of intraocular bone formation, 43:486
 - diagnosis, of eye calcification, 44:287
 - of foreign bodies, slit method, 41:1116
 - See also Foreign bodies
 - of lacrimal gland tumor, 41:359
 - of orbital tumors, 38:278
 - of skull lesions, 36:570; 37:834; 41:575
 - diffraction of vitreous, 36:1479; 39:124
 - direct visibility of, 48:121
 - effect on eye, of moderate doses, 41:862
 - effect on lens, 41:893
 - absorption of oxygen, 46:614
 - aldose and malic dehydrogenase, 52:742
 - epithelium, 41:568
 - shielded, 44:720
 - effect on refracting media, 53:741
 - evaluation of sinuses, in eye disease, 54:1163
 - examination, in retinoblastoma, 38:760
 - of nasolacrimal duct, 42:326
 - of optic canals, 42:176
 - of orbit, orientation in, 42:808
 - of orbital fractures, 41:736
 - of orbital lesions, 42:961
 - eye abnormalities due to, 52:598; 54:329
 - film holder for bone-free, 44:140
 - films, of sphenoid body, 43:822
 - findings, in nasal sinuses, in uveitis, 43:326
 - in skull tumors, 44:154
 - functional arrangement retina and, 50:824

X-RAYS (continued)

- high-intensity, effect on eye, 40:450
 - ocular effects of, 41:560
- in corneal vascularization, 39:141
- in diagnosis, 47:277
- in early glaucoma, 51:1347
- in retinoblastoma, 36:157, 751, 885
- lens fluorescence after, 49:172
- lens opacities due to, 36:1779
- localization of foreign bodies by, 40:286; 43:825; 44:140; 48:144; 53:1049
- low voltage, effect on corneal vascularization, 41:894
- of ciliary body, ocular hypertension and, 52:434
- patterns, ophthalmic artery, 45:474
- phosphenes, 41:565
- photography, to measure ocular axis, 47:612, 617
 - with air injection, 39:260
- pictures, of calcareous cataract, 44:150
 - of optic canals, 45:483
- radiation, repair fetal eye after, 42:134
 - to maintain filtering scar, 36:1184
- secondary irradiation lens by, 52:1012
- spectacles, red glass, 45:476
- stereoscopy, 36:1175
- studies, of chemical composition aqueous, 44:440
 - of lacrimal apparatus, 42:340
 - of lesions of zygoma, 37:139
 - of orbital borders, 40:145
- techniques, in treating eyeball, 45:478
- teratogenic effect of, 36:427
- THERAPY:** 37:285; 52:437
 - after thyroidectomy, 43:1021
 - for inflammations, 53:709
 - glutathione protection in, 44:709
 - in congenital lesions, 39:609
 - in corneal herpes, 41:1093
 - in Eales' disease, 46:108
 - in eyelid cancer, 51:365; 52:1021
 - in glioma, of optic chiasm, 49:671
 - of optic nerve, 49:671
 - in intraocular tumors, 48:428
 - in iridocyclitis, 45:168; 49:398
 - in iritis, 45:168
 - in lacrimal sac cellulitis, 54:909
 - in lymphoma of conjunctiva, 42:951
 - in malignant exophthalmos, 36:1770
 - in metastatic carcinoma of choroid, 53:740
 - in nonmalignant eye disease, 43:1004
 - in ocular tuberculosis, 36:1772
 - in optic neuritis, 44:153, 154
 - in orbital angiomas, 47:742
 - in pituitary tumors, 46:254
 - in proliferating diabetic retinopathy, 49:1077
 - in retinal vein occlusion, 50:210
 - in retinitis pigmentosa, 50:681
 - in sellar and juxtasellar tumors, 44:859
 - in uveal inflammations, 45:492
 - in uveitis, 37:615
 - in venous retinal thrombosis, 50:525
 - optic atrophy after, 47:735
 - solcoseryl protection in, 52:432, 434
 - to demonstrate optic canal, 45:157
 - to diagnose endobulbar foreign bodies, 49:197
 - to hypophysis, in malignant exophthalmos, 41:735
 - to measure axial length eye, 42:805
 - to study toxoplasmosis, 54:486
 - to treat retinoblastoma, 48:422
 - visibility of, 41:570
 - visualization, with air injections, 39:274
- X-wave, in human ERG, 43:497

Y

- Yale University, 41:329; 42:310, 491
- Yemen, eye and orbital tumors in, 50:353
- Yttrium⁹⁰, in edematous exophthalmos, 48:433
- Yxin, a vasoconstrictor drug, 50:834

Z

- Zakopane, ocular tuberculosis in, 47:713
- Zinc, as trace element in eye, 48:280
- eyes of rats deprived of, 46:613

Zinn, zonule of, effect alpha chymotrypsin on, 51:717

ZONULE, cataract extraction and, 36:154

development of, 45:748

disinsertion of, cataract extraction after, 47:128

effect alpha chymotrypsin on, 50:193; 51:717

fibers of, electron microscopy of, 41:884; 51:190

phase-contrast study of, 37:130

ligament of Wieger and, 47:260

opacity, in children, 45:962

rupture, in cataract surgery, 42:181

stripper for, 48:123

stripping of, 50:1270

ZONULOLYSIS, 47:627, 923; 48:131, 874; 49:173, 187, 401;

861, 871; 50:534, 1268, 1270; 51:1349; 52:446, 451, 452, 453,

580; 53:202, 558, 1065; 54:745

anatomy of, 52:456

cataract expression in, 53:1065

corneal thickness after, 53:717

corneal vascularization after, 48:695

effect on eye, 52:451

embryology of, 52:456

experiences with, 51:560

in 320 cataract extractions, 49:188

ZONULOLYSIS (continued)

ferments of, 51:346

follow-up after, 51:753

gonioscopy anterior chamber angle after, 54:1171

histology of, 47:876; 51:1349; 52:452

in cataract extraction, 47:129, 432, 433, 434; 48:576, 577,

578, 702, 885; 49:1453; 51:203; 53:728, 730; 54:1172

inhibition of, 50:1256; 51:346

late observations after, 53:708

late sequelae of, 50:1268, 1271

operative complications of, 50:535

postoperative complications with, 50:535

present status of, 53:1049

procedure for, and complications, 51:1349

to remove retained lens material, 53:411

vitreous membrane after, 48:419

wound healing after, 54:501

Zonulysin, in cataract extraction, 53:1067

Zonulytic ferments, action of, 50:1255

Zoonoses, in ophthalmology, 43:344

Zoster disease of eye, herpes and, 48:869

Zygoma, X-ray study lesions of, 37:139

TEN-YEAR CUMULATIVE INDEX

AUTHORS AND TITLES

of

ORIGINAL ARTICLES AND NOTES, CASES, INSTRUMENTS

(1953—Volume 36 to 1962—Volume 54)

A

- ABRAHAM, Samuel V.: The use of several new drugs as substitutes for homatropine, 36:69; Special reactions to the miotic, Florypryl, 36:1122; Intra-epithelial cysts of the iris: Their production in young persons and possible significance, 37:327; Miotic iridocyclitis: Its role in the surgical treatment of glaucoma, 48:634; Present status of miotic therapy in nonparalytic convergent strabismus, 51:1249; Accommodation in the amblyopic eye, 52:197. See SAND, Bruce J.
- ABRAHAM, I. Willard: Avian lymphomatosis and uveitis, 51:424. See WOODS, Alan C.
- ABRAHAMSON, Ira A., Jr.: Photography of the external eye: A simple, inexpensive technique, 36:386; Anterior segment photography: A simple inexpensive technique: Additional report, 39:228.
- ABRAHAMSON, Ira A., Sr.: See ABRAHAMSON, Ira A., Jr.
- ABRAHAMSON, Ira A., Jr., and ABRAHAMSON, Ira A., Sr.: Metimyd: A clinical study, 42:482; Use of Iodo-Niacin: For retinal or vitreous hemorrhages and vitreous floaters, 42:771; Metretone: A clinical study, 45:27; Applanation and Schiotz tonometry: A comparative study, 48:389; Dacryocystorhinostomy with wire fistulization: An additional report, 48:769; Anterior segment photography: An additional report, 53:1012.
- ABRAHAMSON, Ira A., Jr., and BELL, L. Barclay, Jr.: Carotid cavernous fistula syndrome, 39:521.
- ABRAHAMSON, Ira A., Jr., BRUMM, Lewis P., and ABRAHAMSON, Ira A., Sr.: A simplified technique for corneal transplantation: Employing a contact lens splint, 41:79.
- ABRAHAMSON, Ira A., Jr., and COHIEN, Donald M.: Arrow in orbit: A case report, 36:1129.
- ABRAHAMSON, Ira A., Jr., and HORWITZ, Irving D.: Acute ophthalmoplegia: A differential diagnosis, 38:781.
- ABRAHAMSON, Ira A., Jr., LIEBERMAN, Howard L., SIDRYS, Rimvydas, and ZEKMAN, Theodore N.: Perforating corneoscleral injuries, 42:588.
- ABRAHAMSON, Ira A., Jr., and STICHEL, Frederick L.: Dacryocystorhinostomy: Report of a case with wire fistulization, 36:710.
- ABU-JAUDEH, Caesar N.: The occurrence of inclusion bodies in the epithelium of the nasal and urethral mucous membranes of trachomatous patients: A preliminary report, 36:947.
- ACKERMAN, Albert L.: The action of urea in acute glaucoma, 52:875.
- ADAMS, Elliot Q.: See PURNELL, Edward W.
- ADHULIA, H. N.: See AGARWAL, Lalit P.
- ADLER, Francis Heed: The use of Tenon's capsule in strabismus surgery, 45:15. See ZIMMERMAN, Lorenz E.
- ADLER, S.: Forceps irrigator: For cataract surgery and other operations in the anterior chamber, 48:673.
- ADRIAN, J.: See QUILLIGAN, J. J., Jr.
- AFEMAN, Charles: See BARBER, Aleta Nichols
- AGARWAL, Lalit P., and ADHULIA, H. N.: Unilateral anophthalmos: Report of a case showing undifferentiated paraxial mesoderm, 36:1123; Role of vitamin A in healing corneal ulcers, 38:810.
- AGARWAL, Lalit P., and DATT, Krishna: Role of nicotinic acid in healing corneal ulcers, 37:764.
- AGARWAL, Lalit P., and MALIK, S. R. K.: Streptokinase-streptodornase: In the treatment of sloughing hypopyon corneal ulcers, 41:847.
- AGARWAL, L. P., SAXENA, R. P., and GUPTA, B. M. L.: Antibiotic and chemotherapeutic agents in treatment of trachoma, 40:553.
- AGARWAL, Mohan Lal: Dacryocystography in chronic dacryocystitis, 52:245.
- AGARWALA, H. S.: Superficial punctate keratitis: In association with oculomotor and trochlear nerve palsy, 48:97.
- AGATSTON, Howard, BARNERT, Alan H., and FELDSTEIN, Morris: Corneal lenses in ophthalmic practice, 49:277.
- AIELLO, John S., and MASTERS, Stanley: Fuchs' spot in the macula: A rare lesion in myopic patients, 36:1126.
- AIJIAN, Karl H.: Optical iridectomy: Results in nine eyes, 39:866.
- AIZAWA, Futaba: See GALIN, Miles A.
- AKIYA, Shinobu: See UEMURA, Misao
- AKIYAMA, Koichiro: See SATO, Tutomu
- AKSU, Yavuz: See ERBAKAN, Selahattin
- ALBERS, Edward C., and KLIEN, Bertha A.: Iridoschisis: A clinical and histopathologic study, 46:794.
- ALBERS, Edward C., and TOKAR, V. Raymond: Hemangioma of the orbit: Report of two cases, 36:970.
- ALENA, B.: See QUILLIGAN, J. J., Jr.
- ALEXANDER, Charles M., and NEWELL, Frank W.: Delay of corneal epithelization in explanted eyes with elevated intraocular pressure, 48:22; The effect of various agents on corneal epithelization: Versenate, methylcellulose, Varidase, cortisone, cholesterol and methylcholanthrene, 48:210.
- ALEXANDER, R. C.: See BRALEY, Alson E.
- ALEXANDER, Robert L., and BALEN, Peter H.: Orbital retractor, 38:91.
- ALEXANDER, Robert L., and ROBINSON, Benjamin, E.: Leontiasis ossea involving the orbit, 36:1131.
- ALEXANDRU, Ursu: See BLATT, Nicolas
- ALFANO, Joseph E.: Spasm of fixation, 40:724; Myopia of prematurity, 46:45; Ocular manifestations of the Fuller-Albright syndrome, 44:77.
- ALFANO, Paul A.: See ALFANO, Joseph E.
- ALFANO, Joseph E., and ALFANO, Paul A.: Glaucoma and the superior vena cava obstruction syndrome, 42:685.
- ALFANO, Joseph E., and BERGER, Joseph P.: Retinitis pigmentosa, ophthalmoplegia and spastic quadruplegia, 43:231.
- ALFANO, Joseph E., and CLAMPIT, James: Injection of hyaluronidase into the anterior chamber of the rabbit eye, 39:198.
- ALFANO, Joseph E., FABRITIUS, Ruth E., and GARLAND, Marvin A.: Visual loss following mitral commissurotomy for mitral stenosis, 44:213.
- ALFANO, Joseph E., and REESE, Donald R.: Cerebral arteriovenous angioma: An unusual cause of unilateral exophthalmos, 43:589.
- ALFANO, Joseph E., and ROPER, Kenneth L.: Visual disturbances following acute blood loss, 38:817.
- ALFANO, Joseph E., and SIDRYS, Rimvydas: Aqueous-carrying veins on surface of lens capsule, 43:972.
- ALGER, L. J.: Denuding the cornea in cataract surgery, 47:230.
- ALLEN, Donald G.: Accommodation after the age of 40 years, 52:702.
- ALLEN, Henry F.: A new picture series for preschool vision testing, 44:38; Lorgnette occluder for preschool vision testing, 44:262; A near-vision test for preschool children, 52:712.
- ALLEN, James H.: The use of peritoneum as a substitute for conjunctiva in plastic surgery: A preliminary report,

- 36:1249. See BAHN, Gustav C. See BYERS, J. L. See FISHER, Earl, Jr. See GUIDRY, M. A.
- ALLEN, Lee: See von NOORDEN, Gunter K.
- ALLEN, Lee, and BURIAN, Hermann M.: Trabeculectomy ab externo: Technique and results of experimental surgery, 53:19
- ALLEN, Ruth: See BECKER, Bernard
- ALMEDA, Ernesto M.: Metastatic pneumococcal endophthalmitis: Secondary to pneumococcal meningitis, 49:353. See DOCTOR, Daniel W. See THEODORE, Frederick H.
- ALPERN, Mathew: See BIGGS, Robert D. See HOGG, Raymond E.
- ALPERN, Mathew, and ELLEN, Paul: A quantitative analysis of the horizontal movements of the eye in the experiment of Johannes Mueller: I. Method and results, 42:289; II. Effect of variation in target separation, 42:296
- ALPERN, Mathew, FALLS, Harold F., and LEE, Gilbert R.: The enigma of typical total monochromacy, 50:996/326
- ALPERN, Mathew, FLITMAN, Doanld B., and JOSEPH, Robert H.: Centrally fixed flicker thresholds in amblyopia, 49:1194/108
- ALPERN, Mathew, and JAMPEL, Robert S.: The effect of autonomic drugs on human flicker discrimination, 47:464
- ALPERN, Mathew, KINCAID, Wilfred M., and LUBECK, Marvin J.: Vergence and accommodation: III. Proposed definitions of the AC/A ratios, 48:141
- ALPERN, Mathew, KITAI, Stephan, and ISAACSON, J. D.: The dark-adaptation process of the pupilomotor photoreceptors, 48:583
- ALPERN, Mathew, and LARSON, Bertil F.: Vergence and accommodation: IV. Effect of luminance quantity on the AC/A, 49:1140/54
- ALPERN, Mathew, MASON, Gordon L., and JARDINICO, Robert E.: Vergence and accommodation: V. Pupil size changes associated with changes in accommodative vergence, 52:762/330
- ALVAREZ, Walter C.: The migrainous scotoma as studied in 618 persons, 49:489
- ALVARO, Moacyr E.: Senile changes in the crystalline lens: What is the proportion of real senile cataracts in old patients on whom a lens-extraction operation is performed? 36:1241; The etiologic diagnosis of uveitis: According to clinical findings over a 10-year period, 45:20
- ALVIS, Bennett Y.: Cyclodialysis with scleral shrinkage for open-angle glaucoma, 47:795
- AMBROSE, Anthony: Forceps for cornoscleral sutures, 41:681
- AMERICAN Committee on Optics and Visual Physiology: The history of the American Committee on Optics and Visual Physiology: An official history approved by the committee, 44:183
- AMDUR, Joseph: A method of indirect ophthalmoscopy, 48:257; Construction of the upper lid fold, 51:612; A lid fixation forceps, 52:407. See HUGHES, Wendell L.
- AMDUR, Joseph, and LEOPOLD, Irving H.: Metastatic hypernephroma to the orbit: Report of a case with review of the literature, 48:386
- AMMERMAN, Ernst O.: See PRICKMAN, Louis E.
- ANDERSON, Banks, MARGOLIS, George, and LYNN, W. S.: Ocular lesions related to disturbances in fat metabolism, 45:23
- ANDERSON, Banks, and ROBERTS, Shaler: An unusual case of human porocephalasis, 54:138
- ANDERSON, D. L., and SHEA, M.: Tissue response to polyvinyl alcohol implants in rabbits, 51:1200
- ANDERSON, Ralph: See FISHMAN, Gordon, R. A.
- ANDERSON, W. Banks, Jr.: See CAMPELL, Henry S.
- ANDERSON, William H., Jr.: Technique of cataract section and suture without trained assistant, 47:686
- ANHALT, Edward F.: See ZAVELL, Saul
- ANHALT, Edward F., ZAVELL, Saul, CHANG, Gilbert, and BYRON, Herve M.: Conjunctival tuberculosis, 50:265
- ANNEBERG, A. Reas: See SULLIVAN, John V.
- ANSELM, A.: See RHODE, Jesus
- APPLE, Carl: Retrolental fibroplasia (With a discussion by Kenneth L. Roper), 37:68
- APPLETON, Budd, and LOWREY, Austin, Jr.: Phacogenic glaucoma, 47:682
- APT, Leonard: See LEOPOLD, Irving H.
- APTER, Julia T.: The significance of the unilateral Argyll Robertson pupil: Part I. A report of 13 cases, 38:34; Part II. A critical review of the theories of its pathogenesis, 38:209; Studies on the autonomic innervation of the iris, 42:122; Changes in spontaneous and evoked potentials in the eyes of cats induced by drugs, 46:238; Distribution of radial contractile forces in the iris of cats, 48:316; Responses and distribution of the human intraocular muscles, 49:1178/92; Some membrane properties of nonpigmented ciliary epithelium of poikylthermic vertebrates, 51:1118/246; Thermodynamics of the intraocular and extraocular muscles, 51:1141/269
- APTER, Julia T., and PFEIFFER, Carl C.: Effects of hallucinogenic drugs on the electroretinogram, 42:206
- ARAKAWA, Yasuhiro: Quantitative measurements of visual fields for colors: With a direct-current method, 36:1594
- ARATA, Alberto Ferrer: See MORALES, Adolfo Gómez
- ARBOGAST, J. L.: See SCHAEGL, T. F., Jr.
- ARENAS, Francisco: See SOLANES, M. Puig
- ARENS, H. P.: See MUELLER, H. K.
- ARMALY, Mansour F.: The consistency of the 1955 calibration for various tonometer weights, 48:602; Regulatory changes in the dynamics of intraocular pressure: Evoked by tonometry and tonography, 52:821/389. See NEWELL, Darrell E.
- ARMINGTON, John C., and CRAMPTON, George H.: Comparison of spectral sensitivity at the eye and the optic tectum of the chicken, 46:472
- ARMSTRONG, James R.: See BENNETT, James E.
- ARMSTRONG, John R., DAILY, Ray K., DOBSON, Harold L., and GIRARD, Louis J.: The incidence of glaucoma in diabetes mellitus: A comparison with the incidence of glaucoma in the general population, 50:55
- ARNOTT, G. Peter: See DAVIS, Robert J.
- ARRINGTON, George E., Jr.: A suture-loop retractor, 51:520. See RIESE, Walther
- ARRINGTON, George E., Jr., and GUERRY, DuPont, III: Serial level photomicrography of the eye, 39:881
- ARRINGTON, J. H.: See NEWTON, F. H.
- ARRUGA, Alfredo: Spontaneous forward dislocation of Soemmerring's ring, 36:1727
- ARRUGA, Alfredo, and DOWNEY, Rachel: Simple modification of synoptophore: Useful in pleo-orthoptic treatment, 50:156
- ARRUGA, H.: Improved orbital implant, 38:93
- ASBURY, Taylor: See TOUR, Robert L. See WINTERS, David M.
- ASBURY, Taylor, and VAUGHAN, Daniel G., Jr.: Experimental scleral surgery of the monkey, 42:36
- ASCHER, K. W.: Graefe knife incision with M-shaped conjunctival flap and preplaced corneoscleral-conjunctival suture, 37:905; Study of 22 malnourished patients with Bitot's spots, 38:367; Some details of the technique of cyclodialysis, 50:1207; Ophthalmologic experiences with a new vasoconstrictor and a new anti-inflammatory agent, 51:824. See BOLES-CARENINI, H.
- ASHODIAN, Mila J.: See McDONALD, P. Robb
- ASHTON, Norman: Retrolental fibroplasia, 39:1153; Retinal vascularization in health and disease: Proctor Award Lecture, 44:7; After-dinner speech, 44:20; Histochemical studies on the normal and swollen cornea, 47:1229
- ASKOVITZ, S. I.: Portable transformers for diagnostic instruments, 33:563; An improved electrolysis-iontophoresis unit, 38:719; Electrical control assembly for slitlamp biomicroscope, 39:571; A new surgical galvanic unit, 40:423; A voltage control for the electric tonometer, 42:777; A timing unit for tonography, 42:919; A versatile flashlight without batteries, 43:120; A device for the demonstration and analysis of ocular

- rotations, 43:765; On the solution of the differential equations pertaining to aqueous humor dynamics, 44:125
- ASSAAD, Fakhry: See GRAYSTON, J. Thomas
- ATHANASIU, Mircea: See BLATT, Nicolas
- ATKINSON, Donald T.: Restored vision by means of the artificial pupil, 37:403
- ATKINSON, Walter S.: Akinesia of the orbicularis, 36:1255; Half glasses for aphakia, 39:238; A safe section for cataract extraction, 41:272; Peripheral iridotomies: For round-pupil cataract extractions, 45:41; Correction of up-drawn, or "tear-drop" pupils, 47:1227; A practice method for the Wheeler discission and iridotomy, 50:304; The development of ophthalmic anesthesia: The Sanford R. Gifford Lecture, 51:1
- AUERBACH, Edgar, and BURIAN, Hermann M.: Studies on the photopic-scotopic relationships in the human electroretinogram, 40:42
- AUERBACH, Edgar, and WALD, George: The participation of different types of cones in human light and dark adaptation, 39:24
- AUERBACH, T. P.: See MANSKI, W.
- AVELLO, J. Junceda: Technique of preplaced sutures in keratoplasty, 37:111
- AVELLO, J. Junceda, and NORIEGA, M. Roiz: Radiologic-slit method for foreign body localization: A preliminary report, 41:302
- B**
- BABA, Kenichi: See NOYORI, Kimiharu. See SATO, Tikasi
- BACHEM, A.: Ophthalmic ultraviolet action spectra, 41:969
- BAGLEY, Cecil H.: Endogenous cartilage implant in Tenon's capsule: Thirty years after operation, 43:118
- BAHN, Gustav, SONNIER, Earl, and ALLEN, James H.: Therapeutic studies in experimental chemical injury of the cornea: III. Corticosteroid studies, 48:253; II. Phosphate buffer (neutralize) studies, 49:1331
- BAHR, Gunnar von: Corneal thickness: Its measurement and changes, 42:251
- BAILEY, Joseph C., and FULMER, John M.: Aspergillosis of orbit: Report of a case treated by the newer antifungal antibiotic agents, 51:670
- BAISINGER, L. F.: Visual field testing with binocular fixation, 39:566
- BAJARES, Abelardo Cruz: See RHODE, Jesus
- BALAZS, Endre A.: Studies on the structure of the vitreous body: Part I. The absorption of ultraviolet light, 38:21. See VARGA, Laszlo
- BALDUCCI, Diego: See VOZZA, Riccardo
- BALIK, Joseph: Secretion of inorganic phosphorus in tears, 49:941
- BALISTOCKY, Marvin H., and GETTES, Bernard C.: Report of a new carbonic anhydrase inhibitor (Squibb-MC-9367), 43:730
- BALLEN, Peter H., and BUCKLEY, Eugene T.: Removal of a large retrobulbar foreign body, 52:715
- BALLEN, Peter H., and HUGHES, Wendell L.: Spontaneous rupture of lens capsule: In hypermature (morgagnian type) cataract, 39:403
- BALLINTINE, Elmer J.: See WAITZMAN, Morton B.
- BALLINTINE, Elmer J., and MAREN, Thomas H.: Carbonic anhydrase activity and the distribution of Diamox in the rabbit eye, 40:148
- BALLINTINE, Elmer J., and PETERS, Lawrence: Effects of intracarotid injection of a basic dye on the ciliary body, 38:153
- BALLINTINE, Elmer J., and WAITZMAN, Morton B.: Oxidative phosphorylation of ciliary processes, 42:349
- BALSTAD, P.: See SUIE, T.
- BAQUEIRO, Adolfo, and HEIN, Paul A., Jr.: Familial congenital leukoma, 50:810
- BARAS, Irving: See FINK, Austin I. See GALIN, Miles A. See McLEAN, John M.
- BARBER, Richard F., and SMITH, William O., Jr.: A comparative study of mydriatic and cycloplegic agents: In human subjects without eye disease, 44:617
- BARBER, Aeleta Nichols: The effects of maternal hypoxia on inheritance of recessive blindness in mice, 44:94
- BARBER, Aeleta Nichols, AFEMAN, Charles, and WILLIS, James: Inheritance of congenital anophthalmia in mice: II. Effects of cortisone and maternal immunization with brain, 48:763
- BARBER, Aeleta N., WILLIS, James, and AFEMAN, Charles: Changes in the lens induced by maternal hypersensitivity in mice, 51:949/77
- BARKAN, Otto: A hammer lamp, 36:386; Present status of goniotomy, 36:445; Etiology of narrow-angle glaucoma: Report of a case of glaucoma secondary to anterior displacement of the lens-iris diaphragm, 36:901; Narrow-angle glaucoma: Effect of miosis on the narrow-angle mechanism and intraocular pressure, 36:1387; Surgery of congenital glaucoma: Review of 196 eyes operated by goniotomy, 36:1523; Narrow-angle glaucoma: Pupillary block and the narrow-angle mechanism, 37:332; Iridectomy in narrow-angle glaucoma, 37:504; Primary glaucoma: Pathogenesis and classification, 37:719; Peripheral iridectomy: Technique, mechanism and the cause of hemorrhage, 37:889; Pathogenesis of congenital glaucoma: Gonioscopic and anatomic observations of the angle of the anterior chamber in the normal eye and in congenital glaucoma, 40:1; Peripheral iridectomy: With retention of the anterior chamber, 41:964; Cyclogoniotomy: A new operation for chronic glaucoma: A preliminary report, 42:63; Goniotomy for glaucoma associated with nevus flammeus: Successful operation in two cases, 43:545
- BARLOW, Fred D.: See KEENEY, Arthur H.
- BARNERT, Alan H.: See AGATSTON, Howard
- BARNES, Lewis A.: See SCHEIE, Harold G.
- BARRAQUER, Joaquin: See HILL, Howard F.
- BARRAQUER, Joaquin, and CANADELL, José M.: Enhancing effect of corticotrophin: Upon exophthalmos produced by thyrotrophic hormone, 48:803
- BARRAQUER, Joaquin Moner: Suturing corneoscleral-conjunctival flap: In cataract extraction, 41:856
- BARRAQUER, Joaquin Moner, and MUISOS, Alfredo Simon: Lamellar scleral resection: Indications and technique, 41:92
- BARRAQUER, José I.: The microscope in ocular surgery, 42:916
- BARRETT, Charles V.: Modified Snellen sutures: For persistent prolapsed chemosed conjunctiva: A case report, 42:774; Cicatricial ectropion: Report of the plastic repair of a bilateral case, 42:922; Ether screen as an aid in draping, 53:864
- BARRIENTOS, G. Gonzalez: See SOLANES, M. Puig
- BARTLETT, Robert E.: Generalized argyrosis with lens involvement, 38:402; Value of conjunctival flap in cataract extraction, 39:81; Atopic keratoconjunctivitis, 43:766; Cross-action needle holder, 50:166
- BARTON, Betty: See PATZ, Arnall
- BARTON, G. D.: See DREWS, L. C.
- BASAR, Demir: See JACOBSON, Jerry Hart
- BASU, P. K.: See COCKERAM, Anne M. See FIELDING, I. L. See MORTON, P. L. See ORMSBY, Hugh L.
- BASU, P. K., MILLER, Irene, and ORMSBY, Hugh L.: Viability of stored cornea of the rabbit: On the chorioallantoic membrane of the chick, 44:209; Studies on the antigenicity of corneal heterografts, 49:511; Sex chromatin as a biologic cell marker: In the study of the fate of corneal transplants, 49:513
- BASU, P. K., and ORMSBY, Hugh L.: Interlamellar frozen-stored homografts in rabbits, 42:71; Corneal heterografts in rabbits, 44:477; Studies of immunity with interlamellar corneal homografts in rabbits, 44:698; In vivo storage of corneal grafts, 47:191; An instrument for holding excised full-thickness donor cornea, 47:578; Modification of Tudor Thomas metal stand, 47:870
- BASU, P. K., SIBAY, T. M., and CHANG, S. C.: The behavior of tumor cells from the Walder carcinosarcoma 256 in the ocular tissues of rats, 52:816/384
- BATUNGBASAL, Ramon T.: See COVELL, Lester L.
- BAUM, Gilbert: The effect of ultrasonic radiation: Upon the eye and ocular adnexa, 42:696; The effect of ultrasonic radiation upon the rate of absorption of blood from the vitreous, 44:150
- BAUM, Gilbert, and GREENWOOD, Ivan: The application of ultrasonics locating techniques to ophthalmology, 44:150

- ology: Theoretic considerations and acoustic properties of ocular media: Part I. Reflective properties, 46:319; Ultrasound in ophthalmology, 49:249
- BAUSOR, Sydney C.: See ELLIS, Philip P.
- BAYADI, George E.: Adaptation of slitlamp to indirect ophthalmoscopy, 51:837
- BAYARD, Walter L.: Permanent esotropia by cycloplegia: A case report, 43:119; A modified keratome, 50:168
- BAYES, Truman L., and RALPH, Fenn T.: Carotid-cavernous fistula, 37:262
- BEALE, A. J., DOANE, Frances, and ORMSBY, Hugh L.: Studies on adenovirus infections of the eye in Toronto, 43:726
- BEALLO, Allen: See SCHIMEK, Robert A.
- BEAMAN, Thomas C.: See NEWELL, Frank W.
- BEAN, William: See HOLLAND, Monte G.
- BEARD, Crowell: See CUTLER, Norman L.
- BEASLEY, Harold: Lymphosarcoma of the choroid, 51:1294; Lamellar infolding of the sclera in retinal detachment, 54:1030
- BECHTEL, Edward J.: See JUNGSCHAFFER, Otto H.
- BECKER, Bernard: Decrease in intraocular pressure in man by a carbonic anhydrase inhibitor, Diamox, 37:13; The mechanism of the fall in intraocular pressure induced by the carbonic anhydrase inhibitor, Diamox, 39:177; The effects of the carbonic anhydrase inhibitor, acetazolamide, on the composition of the aqueous humor, 40:129; The effects of acetazolamide on ascorbic-acid turnover: An application of the theory of aqueous humor dynamics, 41:522; The Zeiss operating microscope, 42:302; The bicarbonate concentration of guinea pig aqueous humor: Effect of scurvy and acetazolamide, 44:402; The prognostic value of tonography in the miotic therapy of chronic simple glaucoma, 46:11; The decline in aqueous secretion and outflow facility with age, 46:731; Remarks on acceptance of Friedenwald Memorial Plaque, 47:337; Carbonic anhydrase and the formation of aqueous humor: The Friedenwald Memorial Lecture, 47:342; Use of methazolamide (Neptazane) in the therapy of glaucoma: Comparison with acetazolamide (Diamox), 49:1307; The transport of organic anions by the rabbit eye: I. In vitro iodopyracet (Diodrast) accumulation by ciliary body-iris preparations, 50:862/192; The effect of hypothermia on aqueous humor dynamics: III. Turnover of ascorbate and sodium, 51:1032/160. See CONSTANT, Marguerite A. See FORBES, Max. See FRIEDENWALD, Jonas S. See HILDRETH, H. Rommel. See HOLMBERG, Ake. See MEHRI, Parviz. See MOSES, Robert A. See POLLACK, Irvin P. See TARKKANEN, Ahti H. A. See WOOD, Ronald M. See WORTMAN, Bernard. See YAMASHITA, Tsuyoshi
- BECKER, Bernard, ALLEN, Ruth, WINTER, Frank C., MAEGWYN-DAVIES, Gertrude, and FRIEDENWALD, Jonas S.: The role of the adrenal cortex and vitamin B₁₂ in diabetic retinopathy, 38:53
- BECKER, Bernard, and CONSTANT, Marguerite A.: The alterations in aqueous humor lactate concentration: Following systemic carbonic anhydrase inhibition, 42:406; Species variation in facility of aqueous outflow, 42:189
- BECKER, Bernard, CONSTANT, Marguerite A., CIBIS, Paul A., and TER-POGOSSIAN, Michel: The effect of moderate doses of X-ray irradiation on the ocular tissue, 42:51
- BECKER, Bernard, GAGE, Tracy, KOLKER, Allan E., and GAY, Andrew J.: The effect of phenylephrine hydrochloride on the miotic-treated eye, 48:313
- BECKER, Bernard, KOLKER, Allan E., and ROTH, F. Dale: Glaucoma family study, 50:557
- BECKER, Bernard, and LEY, Albert P.: Epinephrine and acetazolamide: In the therapy of the chronic glaucomas, 45:639
- BECKER, Bernard, PYLE, Gilbert C., and DREWS, Robert C.: The tonographic effects of echothiophate (Phospholine Iodide): Reversal by pyridine-2-aldoxime methiodide (PAM), 47:635
- BECKER, Bernard, and THOMPSON, Hardy E.: Tonography and angle-closure glaucoma: Diagnosis and therapy, 46:305
- BEDELL, Arthur J.: Ophthalmology in the Union of South Africa: The report of a recent visit, 37:411; The stellate figure in the macular region, 38:505; A new interpretation of the fundus reflexes, 40:8; Proliferations in the vitreous: A clinical study with Kodachrome fundus photographs, 44:609; Ophthalmoscopically visible small spots in the ocular fundus, 49:474; Progressive bilateral chorioretinitis: Kodachrome record for 18 years, 52:343
- BEDFORD, P. D., and DANIEL, P. M.: Discrete carcinomatous metastases in the extrinsic ocular muscles: A case of carcinoma of the breast with exophthalmic ophthalmoplegia, 49:723
- BEDROSSIAN, E. Howard: Sixth-nerve palsy: With past-pointing to the opposite side, 40:899; Bilateral sixth-nerve paresis simulating divergence paralysis: And its surgical correction, 45:417; Surgical results following the recession-resection operation for intermittent exotropia, 53:351
- BEDROSSIAN, E. Howard, and LACHMAN, Bernard E.: Congenital paralysis of sixth and seventh nerves: Congenital facial diplegia, congenital oculofacial palsy, Moebius syndrome, 41:304
- BEDROSSIAN, Robert H.: Sedimentation rate in uveitis, 44:393; Diagnosis of diabetes by the ophthalmologist, 48:843
- BEDROSSIAN, Robert H., CARMICHAEL, Paul, and RITTER, Joseph: Retinopathy of prematurity (retrolental fibroplasia) and oxygen: Part I. Clinical study, Part II. Further observations on the disease, 37:78
- BEHRENDT, Thomas: Experimental study of corneal lesions produced by topical anesthesia, 41:99; Experimental secondary effects of topical anesthesia of the cornea, 44:74; A retinographic survey of fundus changes: The arteriovenous crossing phenomena, 50:314
- BEIL, Herbert: See HAVENER, William H.
- BELL, Joseph A.: Clinical manifestations of pharyngoconjunctival fever, 43:11; Epidemiology of pharyngoconjunctival fever, 43:36
- BELL, L. Barclay, Jr.: See ABRAHAMSON, Ira A., Jr.
- BELL, S. D.: See MURRAY, E. S. See SNYDER, J. C.
- BELLESTRI, Joseph: See HOLLAND, Monte G.
- BELLOC, Nedra B.: See LEVATIN, Paul
- BENDER, Morris B.: The oculomotor decussation, 54:591. See NATHANSON, Morton
- BENEDICT, Walter H.: Progressive lamellar radiation cataracts in the newborn mouse: A preliminary report, 45:822
- BENEDICT, Walter H., CHRISTENBERRY, K. W., and UPTON, A. C.: Spontaneous and radiation-induced iris atrophy in mice, 40:163
- BENEDICT, Walter H., and HOLLENHORST, Robert W.: The influence of cortisone on the rate of blood absorption from the eye, 36:247
- BENEDICT, William L.: Angioneurotic edema of the orbit, 45:743
- BENITO-ARRANZ, S.: See TALAMÁS, J. Lorente
- BENNETT, Donald R.: See BIGGS, Robert D.
- BENNETT, James E., ARMSTRONG, James R., and SCHRAFF, Albert G.: Conjunctivostomy: A surgical treatment of epiphora: A preliminary report, 49:246
- BENNETT, James E., and ARMSTRONG, James R.: Repair of defects of bony orbit with methyl methacrylate, 53:285
- BENNETT, Wayne: See HOLM, Arvid G.
- BENTLEY, Maxwell D.: See WOLTER, J. Reimer
- BENTON, Curtis D., Jr.: Analysis of results with the Massachusetts vision tests: With recommendations for improving its accuracy, 36:363
- BENTON, Curtis D., Jr., and CALHOUN, F. Phinzy, Jr.: The ocular effects of methyl alcohol poisoning: Report of a catastrophe involving 320 persons, 36:1677
- BERENS, Conrad: Blank for sketching lesions of the fundus, 40:108; Grooved marking calipers for ocular surgery, 41:682; A modified Reese knife for ptosis and similar surgery, 42:927; The retina: Its role in the speed of perception, 45:675; A four-pronged hook: For use in lamellar keratoplasty, 45:918; Visual acuity and color recognition test for children, 46:219; A new

- multipronged scleral retractor: For broad traction on the eyeball during surgery, 47:408. See EMMERICH, Richard. See HALBERG, G. Peter. See TULEVECH, Charles B.
- BERENS, Conrad, and BLAKE, Eugene M.: History of the Association for Research in Ophthalmology, 44:230
- BERENS, Conrad, BRACKETT, Vivian, and TAYLOR, B. Evelyn: Duochrome television eye exerciser, 43:771
- BERENS, Conrad, and BREAKEY, Arnold S.: A confirmation test: For refraction and muscle balance, 48:532; Iridocorneosclerectomy for glaucoma, 50:45
- BERENS, Conrad, CARTER, George Z., and BREAKEY, Arnold S.: A pocket flashlight with interchangeable tips: Designed especially for eye examinations, 42:488; Braided white nylon sutures: For muscle operations, scleral resections, eviscerations and plastic surgery, 42:611; Glaucoma records in practice, 43:253; Evisceration: Utilizing a steel-mesh capped hollow plastic intrascleral implant, 44:644
- BERENS, Conrad, and CROUCH, C. L.: Is fluorescent lighting injurious to the eyes? 45:47
- BERENS, Conrad, and FONDA, Gerald: An accommodation card and rule, 44:533
- BERENS, Conrad, GIRARD, Louis J., FONDA, Gerald, and SELLS, S. B.: Effects of tachistoscopic training: On visual functions in myopic patients, 44:725
- BERENS, Conrad, and ROSA, Francisco A.: Evisceration with plastic intrascleral implants, 36:356
- BERENS, Conrad, and SHEPPARD, L. Benjamin: Clinical and experimental consideration of cycloelectrolysis and cyclodiathermy, 50:599
- BERENS, Conrad, and TAYLOR, B. Evelyn: Plastic spheres in clip-on frames, 44:415
- BERENS, Conrad, and TOLMAN, Charles P.: Bulbar compressors: Bilateral bulbar compression in the diagnosis and management of glaucoma, 47:187
- BERENS, Conrad, and ZERBE, Jean: A new pinhole test and eye-dominance tester, 36:980
- BERG, Margaret: See ERICKSON, Olive Fedde
- BERG, Seymour: See LINCOFF, Harvey A.
- BERGER, Joseph: See ALFANO, Joseph E.
- BERGER, Robert: See GALIN, Miles A.
- BERGER, Stanislaw: See SEGAL, Pawel
- BERGGREN, Lennart: On the appearance of fluorescent dyes in the aqueous humor after intravenous injection, 42:595
- BERGGREN, Lennart, and VRABEC, František: Demonstration of a coating substance in the trabecular meshwork of the eye: And its decrease after perfusion experiments with different kinds of hyaluronidase, 44:200
- BERGMAN, Philip S.: See NATHANSON, Morton
- BERK, Myles M.: A lighting system for a two-meter tangent screen, 42:486
- BERKE, Raymond N.: Surgical correction of blepharoptosis, 36:765
- BERNICK, Sol: See PATEK, Paul R.
- BERNSTEIN, Martin, and UNGER, Sol M.: Experiences with surgery and strontium-90 in the treatment of pterygium, 49:1024
- BERQUO, Elza: See CARVALHO, Celso A. de
- BESWICK, A. J., LANGLEY, R., and McCULLOCH, Clement: Factors influencing the movement of fluorescein in the cornea, 46:73
- BETTMAN, Jerome W., and FELLOWS, Victor: A scintillation counter for the diagnosis of intraocular melanomas, 39:170; The differential diagnosis of dark lesions of the posterior fundus, 41:975; A technique for the determination of blood-volume changes: In the choroid and retina by the use of radioactive phosphorus, 42:161; Factors influencing the blood volume of the choroid and retina, 46:1
- BEUERMAN, V. A.: See BURNHAM, Charles J.
- BEUERMAN, Virgil A., and TABOR, George L., Jr.: Primary tumors of the orbit: With case reports, 46:501
- BIANCO, Alfonso: Cicatricial ocular pemphigus, 46:882
- BICK, Malcolm W.: A simple preplaced sclerocorneal suture: With analysis of results, 39:843; Sex differences in pigmentary glaucoma, 54:831
- BIEGEL, Albert C.: Oguchi's disease: A case report, 39:405
- BIERMAN, Edward O.: Malingering test, 36:985; Anterior and posterior communication: Report of a case, 36:1453; A study of subluxated lenses during accommodation, 39:551; Occlusion therapy, 44:537; Retinal tears associated with tumors, 46:74; Therapy of senile macular degeneration, 47:405; Trauma following ejection from jet aircraft: A case report, 48:399
- BIETTI, Giamnattista B.: Some contributions to the problems of trachoma, 39:1112; Repository drugs in the treatment of trachoma, 47:1220
- BIETTI, G. B., and BRUNA, F.: Epidemic keratoconjunctivitis in Italy: Some contributions to its clinical aspects, epidemiology and etiology, 43:750
- BIGGS, Robert D., ALPERN, Mathew, and BENNETT, Donald R.: The effect of sympathomimetic drugs upon the amplitude of accommodation, 48:169
- BILLET, Edwin: See GARTNER, Samuel
- BINDER, Hertha F., and BINDER, Rudolf F.: Experiments on plexiglass corneal implants, 41:793
- BINDER, Hertha F., BINDER, Rudolf F., WELLS, August H., and KATZ, Robert L.: Experiments on lens regeneration in rabbits: I. Lens regrowth after extracapsular extraction with keyhole iridectomy, 52:919
- BINDER, Rudolf F.: See BINDER, Hertha F. See SKELLY, James R.
- BINDER, Rudolf F., and SKELLY, James R.: Device for use in teaching refraction, 45:921
- BINKHORST, C. D.: Results of implantation of intraocular lenses in unilateral aphakia: With special reference to the pupillary or iris clip lens: A new method of fixation, 49:703; Method to facilitate restoration of the anterior chamber, 54:457
- BINKHORST, Richard D.: See FINK, Austin I.
- BIRCH, Carroll L.: See HARRIS, Dennis
- BIRGE, Henry L.: The treatment of cataract with glaucoma: A consideration of the single as well as the multiple operative technique, 36:925; New theories of vascular disease: With special reference to the syndrome of polycythemia in ocular pathology, 39:362; Meningiomas: An ophthalmic problem; Diagnosis and results of treatment, 39:828; Myopia caused by prematurity, 41:292; Malignant glaucoma, 43:388; Impending cerebrovascular lesions: Ophthalmic diagnosis and management, 50:395; Pleoptics: A survey of its origin and present European use, with comments on Bangerter vs. Cüppers and suggestions for American ophthalmologists, 51:654; Reclassification of mycotic disease in clinical ophthalmology, 53:630
- BIRREN, Faber: Safety on the highway: A problem in vision, visibility and color, 43:265
- BJORNSSON, Guðmundur: Prevalence and causes of blindness in Iceland: With special reference to glaucoma simplex, 39:202
- BLAKE, Eugene M.: The surgical treatment of glaucoma complicating congenital aniridia, 36:907. See BERENS, Conrad
- BLAKE, Eugene M., and FASANELLA, Rocko M.: Long-standing melanoma of the bulbar conjunctiva, 44:408
- BLANDFORD, Sidney E.: See LONG, John C.
- BLATT, Irving M.: See CUTLER, William M.
- BLATT, M. M.: See SUITE, T.
- BLATT, Nicolas, ALEXANDRU, Ursu, ATHANASIU, Mircea, MURESAN, I., and POPOVICI, V.: Orbital bone involvement; In Besnier-Boeck-Schaumann sarcoid, 45:407
- BLAYDES, J. Elliott, Jr.: See SIMONTON, John T. See ZAVELL, Saul
- BLODGET, Rush M., Jr.: See FRIEDMAN, M. Wallace
- BLODI, Frederick C.: Delayed mustard-gas keratopathy, 36:1575; Management (symposium RLF), 40:183; The effect of some newer ganglionic blocking agents on accommodation, 42:747. See REESE, Algernon B. See SWANLJUNG, Helvi. See VAN ALLEN, Maurice W.
- BLODI, Frederick C., and VAN ALLEN, Maurice W.: Electromyography of extraocular muscles in fusional movements: L. Electric phenomena at the breakpoint of fusion, 44:136; The effect of paralysis of the cervi-

- cal sympathetic system on the electromyogram of extraocular muscles in the human: With particular reference to the striated levator in Horner's syndrome, 49:679
- BLOOMFIELD, Sylvan: The results of surgery for low-tension glaucoma, 36:1067
- BLUM, Fred: See SMILLIE, John W.
- BLUMENKRANTZ, N.: See NEUMANN, E.
- BLUMENTHAL, G.: See LASKY, M. A.
- BOBB, Arthur A., Jr.: Elephantiasis nostras: Report of a case, 40:730
- BOCHER, Carol A.: See GREEN, Harry
- BOCK, Rudolph H.: Corneal graft table, 46:591; Occluder for vision screening of school children, 48:847
- BODIAN, Martin: Sympathetic ophthalmia following cyclodiathermy, 36:217; A simple operation for senile spastic entropion, 44:67; A new suture for cataract surgery, 51:1243. See GRIFFIN, Agnes O.
- BOECK, Josef: Ocular changes in periarteritis nodosa, 42:567
- BOECK, J., and HUECKEL, H.: The influence of some inhibitors of carbonic anhydrase: On the potassium content of the aqueous humor, 47:1214
- BOECK, Josef, and SCHWARZ-KARSTEN, H.: Further investigations on the anatomy of the origin of the ophthalmic artery, 39:1160
- BOEDER, Paul: The co-operation of extraocular muscles, 51:469
- BOLES-CARENINI, Bruno: Diurnal variations of systemic venous pressure: Compared with variations of tonographic readings and of biomicroscopic aspect of aqueous veins, 39:793. See SPURGEON, W. M.
- BOLES-CARENINI, B., BUTEN, R. E., SPURGEON, W. M., and ASCHER, K. W.: Comparative tonographic study of normotensive eyes of white and Negro persons, 40:224
- BOLES-CARENINI, Bruno, and CAMBIAGGI, Amerigo: Are aqueous humor dynamics influenced by aging? 44:395
- BOLES-CARENINI, B., SPURGEON, W. M., BUTEN, R. E., and ASCHER, K. W.: Comparative tonographic study of right and left normotensive eyes, 40:224
- BONACCOLTO, G.: The ideal iris forceps for peripheral iridectomies, 43:110
- BONIUK, Milton, and SCHLENZINGER, Nathan S.: Reader's paratrigeminal syndromes, 54:1074
- BONIUK, Milton, and ZIMMERMAN, Lorenz E.: Epibulbar osteoma (episcleral osseous choristoma), 53:290
- BOOK, Noel A.: See NEWELL, Frank W.
- BOOMER, Robert B.: See WINTER, Frank C.
- BOOZAN, Charles, W., and COHEN, Irwin J.: Ophthalmic: A new topical anesthetic for the eye, 36:1619
- BORENFREUND, Ellen: See DISCHE, Zacharias
- BORGES, Albert F.: Blepharoptosis: A simple improved surgical technique for its correction, 40:893
- BORNSCHEIN, Hans, and GUNKEL, Ralph D.: The effect of rate of rise of photic stimuli on the human electroretinogram, 42:239
- BORRAS, Antonio: Inclusion of absorbable gelatin film between scleral lamellae: In the treatment of retinal detachment, 52:561
- BORUSCHOFF, S. Arthur: See SCHLOSSMAN, Abraham
- BOSCH, Ch. van der: See HAGEDOORN, A.
- BOSE, J.: Congenital "angle band": A case report, 36:1734; Pterygium palpebrae, 39:211
- BOTTERELL, E. H., LLOYD, L. A., and HOFFMAN, H. J.: Oculomotor palsy due to supraclinoid internal carotid artery aneurysm: A long-term study of the results of surgical treatment on the recovery of third-nerve function, 54:609
- BOUNDS, G. W., Jr., and JOHNSTON, T. L.: The electroretinogram in choroideremia, 39:166
- BOUZAS, Andreas: Leprous iritis with hypopyon, 44:401
- BOWERS, Dorrance: Williams' prior description of Marfan's syndrome, 50:154
- BOYES, Truman L.: See CURTIN, Brian J. See QUIROZ, Carlos. See SACKS-WILNER, Arthur
- BOZSOKY, S.: See LAFFERS, Z.
- BRACKETT, Vivian: See BERENS, Conrad
- BRACONIER, Harry E.: See CHANDLER, Paul A.
- BRADLEY, Robert: See O'ROURKE, James F.
- BRALEY, Alton E.: Malignant exophthalmos, 36:1286; Acute herpetic heratoconjunctivitis, 43:105. See SCHULTZ, Richard O. See THYGESON, Phillips
- BRALEY, Alton E., and ALEXANDER, R. C.: Metabolism of fluid tissue cultures used for virus studies, 36:162
- BRANDON, Sylvan: See FLETCHER, Mary C.
- BRAUDO, J. L.: See SENIOR, B.
- BRAUNSTEIN, Richard: See COLES, Robert S.
- BREAKEY, Arnold S.: See BERENS, Conrad
- BRECHER, Gerhard A.: Quantitative studies of binocular fusion, 38:134. See MELTON, Carlton E.
- BRECHER, Gerhard A., HARTMAN, A. AP., and LEONARD, D. D.: Effect of alcohol on binocular vision, 39:44
- BRECHER, Gerhard A., LEWIS, Donald, and EASTMAN, Arthur A.: Test comparing a new with a conventional astigmatic chart, 48:118
- BRECHER, Gerhard A., and MITCHELL, Walter G.: Studies on the role of sympathetic nervous stimulation in extraocular muscle movements, 44:144
- BRECHER, Gerhard A., WINTER, David M., and TOWNSEND, Clark A.: Image alteration for aniseikonia determination, 45:253
- BREEBAART, A. C., and JAMES-WITTE, J.: Studies on experimental corneal allergy, 48:37
- BREININ, Goodwin M.: Analytic studies of the electromyogram of human extraocular muscle, 46:1121. See LINCOFF, Harvey A.
- BRESLIN, Harvey J.: Behcet's disease: Report of a case history of 17 years' duration, 53:132. See COLES, Robert S.
- BRICKLEY, Paul M., and OGLE, Kenneth N.: Residual accommodation under homatropine-cocaine cycloplegia, 36:649
- BRIZEL, Herbert E.: See GOREN, Seymour B.
- BROCK, Frederick W.: Investigation of the fovea centralis in amblyopia, 54:821
- BROCKHURST, Robert J.: The intraocular pressure of premature infants, 39:808; Additional uses for the binocular indirect ophthalmoscope, 40:251; Modern indirect ophthalmoscopy, 41:265
- BROCKHURST, Robert J., SCHEPENS, Charles L., and OKAMURO, Ichiro D.: Uveitis: I. Gonioscopy, 42:545; Uveitis: Peripheral uveitis: Clinical description, complications and differential diagnosis, 49:1257; Uveitis: III. Peripheral uveitis: Pathogenesis, etiology and treatment, 51:19
- BROCKMAN, John L.: See SMITH, Albert G.
- BROGGI, Richard J.: Repair of severed lacrimal canaliculi: With hypodermic needle stylet wires used as in-dwelling conformers, 37:936; Refinement for the hand ophthalmoscope, 46:750; New dual-end instrument: For basal peripheral iridectomy on the dilated pupil, 50:325
- BROMBERG, Y. M.: See LANDAU, I.
- BROOSER, G.: See WEINSTEIN, Paul
- BROSNAN, D. W., III: Occlusion of a cilioretinal artery: With permanent central scotoma, 53:687
- BROWN, Darlene J.: See SLOAN, Louise L.
- BROWN, David V. L.: See CIBIS, Paul A.
- BROWN, Dor W., Jr., and GUILBERT, G. D.: Acute glaucoma in a patient with peptic ulcer: Case report on use of a new antispasmodic, Bentyl hydrochloride, 36:1735
- BROWN, Elmer B.: See CIBIS, Paul A.
- BROWN, John L., HILLS, J. H., and BURKE, Richard E.: The effect of hypoxia on the human electroretinogram, 44:57
- BROWN, Kenneth T., and WIESEL, Torsten, N.: Intraretinal recording in the unopened cat eye, 46:191
- BROWN, O. A.: Tumor of the lacrimal sac, 49:1420; Technique of tubular dacryocystorhinotomy, 54:856
- BROWN, William C., HUDSON, Kenneth E., and NISBET, Alfred A.: Pulmonary coccidioidomycosis: Associated with Jensen's disease, 43:965
- BROWN, William C., KELLENBERGER, Robert E., HUDSON, Kenneth E., and MATTHEWS, John L.: Leiomyoma of the iris: Report of a case, 43:457

- BROWN, William C., KELLENBERGER, Robert E., and HUDSON, Kenneth E.: Granulomatous uveitis: Associated with disseminated coccidioidomycosis, 45:102
- BROWN, William T.: Management of convergence insufficiency and diplopia: In a patient with intracranial aneurysm, 40:110
- BROWNELL, Robert D.: Bulbar subconjunctival epithelial cyst, 49:151
- BROWNING, Carroll W.: See SMITH, Glandon G.
- BROWNING, Carroll W., and CRASILNECK, Harold B.: The experimental use of hypnosis in suppression amblyopia: A preliminary report, 44:468
- BROWNING, Carroll W., QUINN, Lester H., and CRASILNECK, Harold B.: The use of hypnosis in suppression amblyopia of children, 46:53
- BROWNING, Carroll W., and WALKER, Robert V.: Polyethylene in posttraumatic orbital floor reconstruction, 52:672
- BRUCE, Gordon M.: Helmholtz the musician, 50:1097
- BRUCE, R. Grady: See NEWTON, F. H.
- BRUELL, Jan H.: Retinal local signs in homonymous hemianopia, strabismus and normal vision, 45:662. See VOLK, David
- BRUMM, Lewis P.: See ABRAHAMSON, Ira A., Jr.
- BRUNA, F.: See BIETTI, G. B.
- BRUNISH, Robert: Biochemical studies of vitreous stability, 41:1024. See IRVINE, S. Rodman
- BUCKLEY, Eugene T.: See BALLEEN, Peter H.
- BUCKLEY, Eugene T., GREEN, F. M., and NAUHEIM, J. S.: Bilateral ciliary staphyloma: Following cataract extraction: A case report, 45:906
- BUEEN, Sadi De: Retinoblastoma: With spread by direct continuity to the contralateral optic nerve: Report of a case, 49:815
- BUEEN, Sadi De, and GONZALEZ-ANGULO, Amador: Diktyoma (embryonal medullo-epithelioma): Review of the literature and report of a case, 49:606
- BUEEN, Sadi, and VELAZQUEZ, Tomás: Pathologic findings in the eyes of one hundred routine autopsy cases, 53:315
- BULNES, Luis Sánchez, GUTIÉRREZ, Sergio Diez, and HINTZ, Andrés Flores: The present status of surgery for retinal detachment: A new operative technique, 50:441
- BURCH, Edward P.: Anesthesia techniques in cataract surgery, 41:424
- BURDA, Christopher D., and FISHER, Earl, Jr.: The use of cortisone in establishing experimental fungal keratitis in rats: A preliminary report, 48:330; Corneal destruction by extracts of *Cephalosporium mycelium*, 50:926/256
- BURGESS, Lurline: See WOOD, Don C.
- BURIAN, Hermann M.: Biographical note: Prof. Hans Goldmann, 48:204; A case of Marfan's syndrome with bilateral glaucoma: With description of a new type of operation for developmental glaucoma (trabeculotomy ab externo), 50:1187. See ALLEN, Lee. See AUERBACH, Edgar: See von NOORDEN, Gunter K. See STUART, James A.
- BURIAN, Hermann M., and MILLER, James E.: Comitant convergent strabismus with acute onset, 45:55
- BURIAN, Hermann M., and SPIVEY, Bruce E.: The effect of twin flashes and of repetitive light stimuli on the human electroretinogram, 48:274
- BURKE, Grafton E.: See GORDON, Dan M.
- BURNHAM, Charles J., and BEUERMAN, C. A.: Toxicoplasmic uveitis: Treatment with pyrimethamine and sulfadiazine, 42:217
- BURNS, Robert P.: Postoperative infections in an ophthalmologic hospital: With comments upon bacteriophage typing of staphylococci as a preventive tool, 48:519; Chemotherapy and autologous marrow transplantation in palliation of malignant ocular tumors, 51:785
- BURNS, Robert P., and FLOREY, Mary Jo: A plasmamannitol-brom cresal purple agar for rapid identification of staphylococci, 52:783/351
- BURNS, Robert P., and FRAUNFELDER, Frederick T.: Experimental intraocular melanoma in the Syrian golden hamster, 51:977/105
- BURNS, Thomas A.: See GROSSMAN, Erwin E.
- BURNSIDE, Ronald M.: Treatment of senile macular degeneration: By advancing the inferior oblique muscle, 42:911; Surgery for senile macular degeneration, 46:584. See THOMAS, Maxwell
- BURNSIDE, Ronald M., and LANGLEY, Charlotte: Screening test for aniseikonia, 43:620
- BURNSIDE, Ronald M., MILLS, Charles K., QUINN, Lester H., and DAVIDSON, G. A.: Ten-year cure of retinoblastoma: A case report, 53:1010
- BUSACCA, Archimede: Gonioscopic observations after iridencleisis, 50:439
- BUTEN, R. E.: See BOLES-CARENINI, B.
- BUTTON, Richard R.: Treatment of trachoma with erythromycin: A preliminary report of 21 cases, 39:223; A buried type of integrated orbital implant, 41:313. See LYLE, Donald J.
- BUTTON, Richard, and KADER, M. Zaki Abdul: Trichiasis surgery in trachoma, 40:383
- BUXEDA, Roberto: Modified McLean suture, 44:538
- BUYS, Norman S., and KERNS, Thomas C., Jr.: Irradiation damage to the chiasm, 44:483
- BYERS, Jerome L.: See MacDONALD, Roderick, Jr.
- BYERS, J. L., HOLLAND, M. G., and ALLEN, J. H.: Cephalosporium keratitis, 49:267
- BYRON, Herve M.: Differential diagnosis of the shortened angle, 52:492. See ANHALT, Edward F. See PRIESTLEY, Bruno S.
- BYRON, Herve M., and WESELEY, Alan C.: Clinical investigation of corneal contact lenses, 51:675

C

- CACCAMISE, William Charles: Situs inversus of the optic disc: With inferior conus and variable myopia: A case report, 38:854; The morgagnian cataract: Its characteristics and surgery, 40:102; Phthiriasis palpebrarum: A case report, 42:305; Temporal arteritis syndrome: A case report, 42:779
- CACCAMISE, William Charles, and OKUDA, Kunio: Takayasu's or pulseless disease: An unusual syndrome with ocular manifestations, 37:784
- CADIGAN, John B.: See DUNPHY, Edwin B.
- CADY, Lee D., Jr.: A study of trachoma dubium, 45:41
- CAHAN, R.: See WAGMAN, Irving H.
- CAHN, Peter: See HAVENER, William H.
- CALDEIRA, Jorge Alberto F.: See CARVALHO, Celso A. de
- CALHOUN, F. Phinizy, Jr.: Pigmentary glaucoma and its relation to Krusen's spindles, 36:1398. See BENTON, Curtis D., Jr.
- CALHOUN, F. Phinizy, Jr., and HAGLER, William S.: Experience with the Jose Barraquer method of extracting a dislocated lens, 50:701
- CALLAHAN, Alston: Loss of the lower fornix of the anophthalmic socket, 38:75; Coupling for cataract knife and diathermy current, 38:403; Senile ectropion: Analysis of types and surgical correction, 38:787; Results with motility implants: The fate of 199 motility implants six months to six years after emplacement, 39:347; Multiple abnormalities of the iris: (Mesodermal tissue, atrophy and holes): With secondary glaucoma and deafness (histologic examination of one eye), 41:745; Use of di-isopropyl fluorophosphate: In 0.01-percent and 0.025-percent concentrations, 43:281; Prevention of retinal detachment in cataractous eyes, 47:576; Technical features of lid reconstruction, 53:1. See McKENZIE, Thomas B. See ZUBERO, Jose.
- CALLAHAN, Alston, and McKERRICHER, Donald E.: Molten metal burns of the inferior fornix, 44:178
- CALLAHAN, Alston, and ZUBERO, Jose: Hyphema surgery, 53:522
- CAMACHO, Enriqueta: See KINSEY, V. Everett
- CAMBIAGGI, Amerigo: See BOLES-CARENINI, Bruno. See SPURGEON, W. M.
- CAMBIAGGI, Amerigo, and SPURGEON, W. M.: The influence of tonography of one eye on the tonographic readings of the fellow eye, 48:130
- CAMP, Richard N.: See GIRARD, Louis J.
- CAMPAGNA, Francis N.: See HOPEN, Joseph M.
- CAMPBELL, E. Malcolm: See WILSON, John M.
- CAMPBELL, William L.: See NEWELL, Frank W.

- CAMPELL, Henry S.: See SMITH, J. Lawton
- CAMPELL, Henry S., SMITH, J. Lawton, RICHMAN, Donald W., and ANDERSON, W. Banks, Jr.: A simple test for lacrimal obstruction, 53:611
- CAMPION, George S.: Unilateral exophthalmos from intracranial lesions, 47:206
- CASADELL, José M.: See BARRAQUER, Joaquín
- CANCILLA, Michael L.: See STRAATSMAN, Bradley R.
- CAPRILES, Miguel A.: See RHODE, Jesus
- CAPRIOTTI, O. A.: Tube for corneal baths, 42:918. See FRY, W. E.
- CARABELLE, R. W.: Chloral hydrate: A useful pediatric sedative, 51:834
- CARAVAGGIO, Leo: See von SALLMANN, Ludwig
- CARBAJAL, Ulysses M.: Plotting the blindspot, 44:379; Observations of retinoblastoma, 45:391; An analysis of 142 cases of ptosis, 45:692; Surgery of ptosis associated with jaw-winking, 47:352; Metastasis in retinoblastoma, 48:47; Cyclodiathermy-dialysis: A tunnelizing procedure for glaucoma, 48:341; Combined internal and external approach in levator resection, 52:200; A safe approach in surgery of congenital cataracts, 52:361
- CARBO, Ralph J.: Eye-dressing tray, 37:943; Combination unit for refractors: Muscle light, multiple reading and color cards, 46:747
- CARBO, Richard J., Jr.: Ophthalmic diagnostic kit, 37:117; Office treatment tray, 38:95
- CARBONE, Donato J.: See MIETUS, Conrad A.
- CARDONA, Hernando: Keratoprosthesis: Acrylic optical cylinder with supporting intralamellar plate, 54:284
- CARLSON, A. Eugene: See HARRIS, John E.
- CARMICHAEL, Paul: See BEDROSSIAN, Robert H.
- CARMICHAEL, Robert D.
- CARMICHAEL, Paul L., and LEOPOLD, Irving H.: The radioactive phosphorus test in ophthalmology, 49:484
- CARR, F.: See DRANCE, S. M.
- CARRIKER, Frederick R.: See HOPKINS, Robert E.
- CARROLL, Frank D.: See REESE, Algernon B.
- CARTER, George S.: See BERENS, Conrad. See EM-MERICH, Richard. See TAFFET, Simeon
- CARTER, Leland F.: Progressive senile fibrillar atrophy of the iris stroma (iridoschisis), 36:967; Multiple-purpose utility instrument, 49:1420
- CARTER, Robert C.: Intraocular nematodiasis: With special reference to *Toxocara canis*, the dog ascarid, as a causative agent in nematode endophthalmitis, 45:853
- CARTER, W. E., CRAWFORD, Joseph W., SAUNDERS, J. B. DeC., SPROULE, Robert G.: Frederick C. Cordes-True physician: Salutations, 47:76
- CARVALHO, Celso A. de, CALDEIRA, Jorge Alberto F., BERQUÓ, Elza, and MELARAGNO, Roberto Filho: Changes of central retinal artery pressure: Induced by common carotid artery compression, 50:259
- CASSADY, J. Vernal: Central retinal vein thrombosis, 36:331; Pseudomonas corneal ulceration, 48:741
- CASTROVIEJO, Ramón: New caliper for ophthalmic surgery, 40:737; Electro-keratotome: For the dissection of lamellar grafts, 47:226; New scissors for enlarging cataract incisions, 47:388; New instrument for muscle surgery, 47:581; New suturing forceps for cornea and cataract work, 47:689; New instrument combining two sets of scissors, 48:105; Suture marker for keratoplasty, 48:255; Handling of eyes with vitreous prolapse: Following cataract extraction, 48:397
- CAVANAUGH, Gerard A.: See KINSEY, V. Everett
- CAVKA, Vladimir: Ophthalmoneurologic symptoms caused by lesions of the frontal lobes: A clinical and experimental study, 45:883; Further results with nonperforating cyclodiathermy combined with limited cyclodialysis, 47:802; Pigmentary glaucoma, 52:880
- CERNOCK, M.: See DOLENEK, A.
- CHADDAH, M. R.: See DAS, Tulsi. See NIRANKARI, M. S.
- CHADHA, A. C.: Subconjunctival cysticercus cellosae, 53:529
- CHAMBERLAIN, Webb P., Jr.: Management of traumatic lateral rectus paralysis, 47:539
- CHAMBERS, John W.: See WALSH, Frank B.
- CHAMBERS, Robert G.: See MARR, William G.
- CHAMLIN, Max: See COHEN, M. Harry
- CHAMLIN, Max, DAVIDOFF, Leo M., and FEIRING, Emanuel H.: Ophthalmologic changes produced by pituitary tumors, 40:353
- CHAN, Guy: See GEERAETS, Walter J.
- CHANCE, Burton: Baron Wenzel's operation: For the extraction of cataract: With an exhibition of such instruments as were used, 38:518
- CHANDLER, Paul A.: Iridectomy for drawn-up pupil, 36:1253; Atrophy of the stroma of the iris: Endothelial dystrophy, corneal edema and glaucoma, 41:607; Long-term results in glaucoma therapy: The Sanford R. Gifford Lecture, 49:221. See VERHOEFF, Frederick H.
- CHANDLER, Paul A., and BRACONIER, Harry E.: Spontaneous intraepithelial cysts of iris and ciliary body with glaucoma, 45:64
- CHANDLER, Paul A., and MAUMENE, A. Edward: A major cause of hypotony, 52:609
- CHANG, Gilbert: See ANHALL, Edward F.
- CHANG, R. S.: See MURRAY, E. S.
- CHANG, S. C.: See BASU, P. K.
- CHAO, Peter: Carrier for cataract-mask string, 42:487. See FLOCKS, Milton
- CHAO, Peter, and FLOCKS, Milton: The retinal circulation time, 46:78
- CHAPIN, H. Beecher, DOCTOR, Daniel, and WONG, Sam: Peculiar deficiency of antibody production: In a patient with keratitis receiving herpes-simplex virus vaccine, 52:569
- CHAPIN, H. Beecher, WONG, Sam C., and REAPSOME, Jane: The value of tissue culture vaccine: In the prophylaxis of recurrent attacks of herpetic keratitis, 54:255
- CHAPMAN, A. Zerne: See HENRY, Marvin D.
- CHAPMAN, Richard B.: See KAUFMAN, Herbert E.
- See ZACHARIAS, Leona
- CHARAMIS, John, and TOPALIS, C.: Experience in 812 cataract operations with enzymatic zonulolysis, 52:195
- CHAREN, Thelma G.: Blind and blindness: An etymological note, 36:839; Eye: An etymological note, 44:251
- CHATTERJEE, B. M.: Horner's syndrome: Following phrenic crush, 42:920; Osteoma of the orbit, 46:392; Pigmented papilloma of the limbus: Undergoing malignant change, 51:154; Essential xanthomatosis, 54:310
- CHATZINOFF, Albert, MILLMAN, Nathan, OROSHNIK, William, and ROSEN, Fred: 11-cis vitamin A in the prevention of retinal rod degeneration: An animal study, 46:205
- CHAVAN, Shankar B.: See KING, John Harry, Jr.
- CHAVAN, Shankar B., and CUMMINGS, Edward J.: An initial evaluation of triamcinolone (Aristocort) in the therapy of ocular inflammation: Part I. Experimental studies, 49:55; Part II. Clinical studies, 49:516
- CHAVAN, Shankar B., and KING, John Harry, Jr.: Experimental lamellar heterografts: Comparison of fresh and preserved donor corneas, 49:1387
- CHEEVER, F. S.: The relationship of the epidemic keratoconjunctivitis virus of Sanders to the St. Louis encephalitis virus, 43:71. See COCKBURN, T. Aidan
- CHEN, Chen-wu: See GRAYSTON, J. Thomas
- CHI, H. H.: See TENG, C. C.
- CHI, H. H., KATZIN, Herbert M., and TENG, C. C.: Histopathology of keratoconus, 42:847
- CHI, H. H., TENG, C. C. and KATZIN, H. M.: Histopathology of primary endothelial-epithelial dystrophy of the cornea, 45:518; Experimental implants of sclera into the anterior chamber, 46:534; Healing process in the mechanical denudation of the corneal endothelium, 49:693; Histopathology of corneal endothelium: A study of 176 pathologic discs removed at keratoplasty, 53:215
- CHICKERING, Donald: See POTTS, Albert M.
- CHILARIS, George A.: Recovery time after macular illumination: As a diagnostic and prognostic test, 53:311
- CHISHOLM, Julian F., Jr.: A long-term follow-up of malignant melanomas of the choroid based on the

- Terry and Johns series, 36:61; The progressive changes in the pathology of early retrolental fibroplasia, 49:1155/69. See ZACHARIAS, Leona
- CHOI, Ouk: See NEWELL, Frank W.
- CHOYCE, D. P.: The correction of unioocular aphakia by means of all-acrylic anterior chamber implants, 49:417
- CHRISTENBERRY, K. W.: See BENEDICT, W. H.
- CHRISTENSEN, Robert E.: The use of an aspheric lens for indirect ophthalmoscopy, 48:256
- CHRISTY, Norval E.: A study of 1,000 cataract extractions, 44:649; Chemically caused striate keratitis: Due to the introduction of a wetting agent into the anterior chamber during cataract surgery, 45:712; Effect of early ambulation: On the incidence of postoperative complications of cataract surgery, 49:293
- CHUNG, Stanley, M. K., and WONG, Andrew S.: Proteolytic enzyme treatment of herpes simplex lesions of the rabbit cornea, 53:75
- CHYATTE, Conrad: Perceptual set and critical flicker frequency, 48:352
- CIBIS, Paul A.: Microscopy with a new illumination technique 42:278. See BECKER, Bernard. See FANKHAUSER, F. See YAMASHITA, Tsuyoshi
- CIBIS, Paul A., and BROWN, David V. L.: Retinal changes following ionizing radiation, 40:84
- CIBIS, Paul A., BROWN, Elmer B., and HONG, Syng-Min: Ocular effects of systemic siderosis, 44:158
- CIBIS, Paul A., and NOELL, Werner K.: Cataract induced by iodoacetic acid: A preliminary report, 40:379
- CIBIS, Paul A., and YAMASHITA, Tsuyoshi: Experimental aspects of ocular siderosis and hemosiderosis, 48:465
- CINOTTI, A. A., and JACOBSON, Jerry Hart: Complications following cataract extractions: An analysis of 1,001 cataract operations, 36:929
- CLAMPIT, James: See ALFANO, Joseph E.
- CLARKE, David B.: See DUKES, James R.
- CLARKE, Samuel Tracy: Essential atrophy of the iris: With the report of an unsuccessful attempt to prevent glaucoma by early iridectomy, 49:147
- CLEASBY, Gilbert W.: Long-term cure of retinoblastoma with X-rays, 44:411. See JONES, Ira S. See REESE, Algernon B.
- CLEVELAND, Albert F.: See LEOPOLD, Irving H. See SPAETH, Edmund B.
- CLIFFORD, George O.: See ISBEY, Edward K., Jr.
- COCKBURN, T. Aidan: An epidemic of conjunctivitis in Colorado: Associated with pharyngitis, muscle pain and pyrexia, 36:1534; The present status of epidemic keratoconjunctivitis, 38:476; A theory on the epidemiology of epidemic keratoconjunctivitis, 43:102
- COCKBURN, T. Aidan, and DANIELSON, Ralph W.: Epidemic keratoconjunctivitis: Observations on four cases, 38:486
- COCKBURN, T. Aidan, NITOWSKY, H., ROBINSON, H., and CHEEVER, F. S.: Epidemic keratoconjunctivitis: A study of a small epidemic, 36:1367
- COCKERAM, Anne: See FOWLE, Ann M. C.
- COCKERAM, Anne M., BASU, P. K., and ORMSBY, Hugh L.: Viability of corneal epithelium and fibroblasts after long-term storage, 43:380; The effect of glycerine, dehydration, merthiolate and Zephiran on the viability of cornea, 47:308
- COE, Richard E.: See DAILY, Louis
- COGAN, DAVID, G.: A type of congenital ocular motor apraxia presenting jerky head movements: The Jackson Memorial Lecture, 36:433; Experimental implants of conjunctiva into the anterior chamber, 39:1165; Some objective and subjective observations on the vestibulo-ocular system, 45:74; Hemianopia and associated symptoms due to parietotemporal lobe lesions, 50:1056; Retinal architecture and pathophysiology: The Sanford R. Gifford Lecture, 54:347. See HILL, Kevin. See KNOX, David L. See SMITH, J. Lawton
- COHAN, Bruce E.: Epiphora: As an initial manifestation of a malignant nasopharyngeal tumor, 50:644
- COHEN, Beatrice: See POTTS, Albert M.
- COHEN, Bernard L.: See HARRIS, Charles
- COHEN, IRWIN J.: Foreign-body abrasions of the cornea: Acting as a concave lens, 36:981. See BOOZAN, Charles W.
- COHEN, Louis B.: Use of Selsun in blepharitis marginalis, 38:560
- COHEN, Louis B., GRAHAM, T. F., and FRY, W. E.: Beta radiation: As an adjunct to glaucoma surgery in the Negro, 47:54
- COHEN, M. Harry, and CHAMLIN, Max: Uveitis with glaucoma and retrobulbar neuritis, 38:615
- COHEN, Martin: Kimmelsteil-Wilson syndrome: Review of the literature and report of a case with ophthalmoscopic findings, 36:243
- COHEN, Samuel W.: Choroidoscopy: A supplementary technique to ophthalmoscopy, 51:833; A pocket tester: For determining distance visual acuity, 53:860
- COHIEN, Donald M.: See ABRAHAMSON, Ira A., Jr.
- COLE, Helen Grady: See COLE, J. Gordon
- COLE, Helen Grady, and HUGHES, Wendell L.: The treatment of abraded corneas of rabbits with chlor-sium ointment and tentalum-oxide powder, 36:1508
- COLE, J. Gordon: Repair of severe entropion of the upper lid: A case report, 38:54
- COLE, J. Gordon, and COLE, Helen Grady: Incontinencia pigmenti: Associated with changes in the posterior chamber of the eye, 47:321; Recession of the conjunctiva: In complicated eye muscle operations, 53:618
- COLE, J. Gordon, COLE, Helen Grady, and JANOFF, Lawrence A.: A toxic ocular manifestation of chlor-ampenicil therapy: Report of a case of optic neuritis, 44:18
- COLEMAN, Stan L.: The experimental production of pine-pollen granulomas of the iris in hypersensitized guinea pigs, 51:941/69
- COLEMAN, V. R.: See HANNA, L. See JAWETZ, E.
- COLENBRANDER, M. C.: A prism for gonioscopy, 37:115
- COLES, Robert S., KROHN, David L., BRESLIN, Harvey, and BRAUNSTEIN, Richard: Depo-Medrol in treatment of inflammatory diseases: Of the anterior segment of the eye, 54:407
- COLLETTE, J. M.: See FRANCOIS, J.
- COLLIER, Robert, Jr.: See LAVAL, Joseph
- COLLINS, Eleanor, M.: See HOLLAND, Monte G. See OKUN, Edward. See von SALLMANN, Ludwig
- COLLINS, Raymond C.: Further experimental studies on sympathetic ophthalmia, 36:7150
- COLLINS, R. Douglas: Bilateral nuclear ophthalmoplegia: Report of a case with cerebellar symptomatology, 51:152
- COLLINS, Wayne, HOLT, L. Byerly, and ROBESON, Kathryn: Tubocurarine and Nembutal anesthesia: In rabbit eye surgery, 46:596
- COLYEAR, Bayard H., Jr.: See PISCHEL, Dohrmann K.
- COLYEAR, Bayard H., Jr., and PISCHEL, Dohrmann K.: Clinical tears in the retina without detachment, 41:773; Photocoagulation as an adjunct in retinal detachment surgery, 52:474
- COMMITTEE on Keratitis superficialis tropica: Keratitis superficialis tropica: A disease of southeast Asia closely resembling epidemic keratoconjunctivitis, 43:764
- CONEJO, Fernando Rodriguez: The League Against Blindness, 49:1021
- CONSTANT, Marguerite A.: In vitro lens studies: II. Production of cataractous changes, 44:307; In vitro lens studies: I. Technique and preliminary results of maintenance of lens culture for 24 hours, 45:372; In vitro lens studies: III. Lens potential, 47:410; The distribution of 5,5-dimethyl-2,4-oxazolidinedione (DMO) in ocular and cerebrospinal fluids, 51:969/97. See BECKER, Bernard. See KINSEY, V. Everett. See MILLER, James E. See POLLACK, Irvin P.
- CONSTANT, Marguerite A., and BECKER, Bernard: The effect of carbonic anhydrase inhibitors on urinary excretion of citrate by humans, 49:929
- CONSTANT, Marguerite A., and ENOCH, Jay: A simple optical aid: For obtaining calibration curves in tonography, 49:1030
- CONTRERAS, Joel S.: Refinement in cataract surgery, 54:273

- COOK, M. K.: See WOODS, Alan C.
- COOPER, Edmond L.: Muscle surgery and orthoptics: In the treatment of comitant nonaccommodative strabismus, 40:883
- COOPER, Irving S.: See MORELLO, Aldo
- COOPER, Jack C.: Eye movements associated with myoclonus, 46:205
- COOPERSTEIN, S. J.: See FARKAS, T. G.
- CORDES, Frederick C.: Subhyaloid hemorrhage following subarachnoid hemorrhage: Report of two cases, 36:1192; Endocrine exophthalmos: An evaluation of present knowledge: The fourth Estelle Doheny Eye Lecture, 38:1; Temporal arteritis syndrome with ocular involvement: A report of two cases, 38:495; Harada's disease treated with cortisone: Report of a typical case, 39:499; Failure in congenital cataract surgery: A study of 56 enucleated eyes: The XII Edward Jackson Memorial Lecture, 43:1; Address of welcome, 43:72; Retinal ischemia with visual loss: Report of five cases, 45:79; Retinal detachment following congenital cataract surgery: A study of 112 enucleated eyes, 50:716; Galactosemia cataract: A review and report of a case, 50:1151; Linear extraction in congenital cataract surgery, 52:355
- CORDES, Frederick C., and RUCKER, C. Wilbur: History of the American Board of Ophthalmology, 53:243
- CORDES, Frederick C., and SCHWARTZ, Ariah: Angiomas of retinae (von Hippel's disease) 11 years after irradiation, 36:1362
- COSTENBADER, Frank D.: See KWITKO, Marvin L.
- COUCH, J. R.: See FELDMAN, Gerald L. See FERGUSON, T. M.
- COULOMBRE, Alfred J., and COULOMBRE, Jane L.: The role of intraocular pressure in the development of the chick eye: III. Ciliary body, 44:785; Corneal development: II. Transparency changes during rapid hydration, 46:276
- COULOMBRE, Jane L.: See COULOMBRE, Alfred J.
- COVELL, Lester L.: Glaucoma induced by systemic steroid therapy, 45:108; Moist chamber, 46:589
- COVELL, Lester L., and BATUNGBACAL, Ramon T.: Cyclodiathermy in glaucoma, 40:77
- COVELL, Lester L., and MARKIEWITZ, Harri H.: The choroid: As site of prime manifestation of systemic involvement in skin melanoma, 51:1296
- COWAN, Alfred: The role of the pupil in ametropia, 40:481
- COWAN, R. F.: See McCULLOCH, Clement
- COWEN, Jack P.: Pool gonioscopy: Office technique of simplified anterior chamber visualization, 43:619
- COYLE, J. Terrence: Occlusion of superior temporal artery: Report of a case producing papilledema, 54:1147. See FRANK, Paul E. See WEINER, Alvin
- COYLE, J. Terrence, WEINER, Alvin, FRANK, Paul, and LEONARD, Arthur: The management of glaucoma in the indigent glaucoma patient: With echthiophate iodide, 52:867
- CRABB, A. M., FIELDING, I. L., and ORMSBY, Hugh L.: Bacillus proteus endophthalmitis, 43:86
- CRAMPTON, George H.: See ARMINGTON, John C.
- CRASILNECK, Harold B.: See BROWNING, Carroll W. See SMITH, Glendon G.
- CRAWFORD, John S.: Sympathetic ophthalmia: Controlled by continuous cortisone therapy over a four-year period, 44:412; Papilloma of the lacrimal sac, 51:1303
- CRAWFORD, Joseph W.: See CARTER, W. E.
- CROCKER, T. T.: See THYGESON, Phillips
- CROFFEAD, George W., and HARRISON, Stratton W.: Vaccinia conjunctivitis, 53:531
- CROLL, Leo J.: See CROLL, Maurice
- CROLL, Maurice, and CROLL, Leo J.: Surgical approach to intraocular foreign bodies, 44:745; Emotional glaucoma, 49:297
- CRONE, R. A.: Spectral sensitivity in color-defective subjects and heterozygous carriers, 48:231; Quantitative diagnosis of color vision: A comparative evaluation of the Ishihara test, the Farnsworth dichotomous test, and the Hardy-Rand-Rittler polychromatic plates, 51:298
- CROSS, Junius Bracy: Atypical tumor of iris: Report of a case, 44:685
- CROTTY, J. M., MANN, Ida, and McLEAN, D. M.: Trachoma in Northern Australia: Bacteriologic and virologic aspects, 47:503
- CROUCH, C. L.: See BERENS, Conrad
- CULLEN, J. F.: See LASSMAN, L. P.
- CULVER, James: See CUSHMAN, Beulah
- CUMMINGS, Edward J.: See CHAVAN, Shankar B.
- CURLEY, Francis J.: See HABEGGER, Hedwige
- CURTIN, Brian J.: Surgical support of the posterior sclera: Part I. Experimental results, 49:1341; Scleral support of the posterior sclera: Part II. Clinical results, 52:853
- CURTIN, Brian J., and BOYES, Truman L.: The removal of sclerocorneal sutures, 42:421
- CURTIN, Brian J., LINKSZ, Arthur, and SHAFER, Donald M.: Aniseikonia following retinal detachment, 47:468
- CURTIN, Brian J., and THEODORE, Frederick H.: Ocular molluscum contagiosum, 39:302
- CURY, Dahar: Metastatic carcinoma of the iris, 45:221
- CURY, Dahar, LUCIC, Hugo, and IRVINE, A. Ray, Jr.: Prepubertal intraocular malignant melanoma, 47:1202
- CUSHMAN, Beulah: Hyperphoria and some of its problems: The Etta Jeancon Memorial Lecture, 40:332
- CUSHMAN, Beulah, and CULVER, James: Prolonged occlusion, 36:76
- CUSHMAN, Beulah, and WILLARD, Robert L.: Maximum and minimum resection or recession: Results of a five-year study, 38:547
- CUSICK, Paul L.: Cyclodialysis with goniotomy in congenital glaucoma, 38:712. See SCHIMEK, Robert A.
- CUTLER, Norman L., and BEARD, Crowell: A method for partial and total upper lid reconstruction, 39:1
- CUTLER, William M.: See WOLTER, J. Reimer
- CUTLER, William M., and BLATT, Irving M.: Ocular manifestations of lethal midline granuloma (Wege-ner's granulomatosis), 42:21

D

- DAGGY, R. H.: See SNYDER, J. C.
- DAHLENE, Oscar, Jr.: Rubber-base cement for fixation of eye sheets for surgery, 36:119
- DAHLENE, Oscar, and McKINLEY, J. Wesley: Simplified method of curare administration in cataract surgery, 39:697
- DAILEY, Edward G., and LUBOWITZ, Richard M.: Dermoids of the limbus and cornea, 53:661
- DAILY, Louis, and COE, Richard E.: Lack of effect of anesthetic and mydriatic solutions on the curvature of the cornea, 53:49
- DAILY, Louis, Jr., and DAILY, Ray K.: Transparent transplant and good vision: After loss of lens in keratoplasty, 36:513; Technique of corneal transplantation, 36:813; Iridectomy for early essential atrophy of the iris: A case controlled for 42 months, with a pathologic examination of the iris, 44:487
- DAILY, Ray K.: See DAILY, Louis, Jr. See ARMSTRONG, John R.
- DALY, David D.: See KEEFE, William P.
- DALY, Timothy: See REED, Howard
- DAMASKUS, Charles W.: Various laboratory aspects of alpha chymotrypsin, 49:1117/31
- DANCIS, Joseph: See GUY, Loren P.
- DANES, Betty: See SCHWARTZ, Bernard
- DANIEL, P. M.: See BEDFORD, P. D.
- DANIELSON, Ralph W.: The relationship of fields of vision to safety in driving: With a report of 680 drivers examined by various screening methods, 44:657. See COCKBURN, T. Aidan. See LONG, John C.
- DARDENNE, U.: See MULLER, H. K.
- DAS, Tuls, NIRANKARI, M. S., and CHADDAH, M. R.: Solar chorioretinal burn, 41:1048
- DAS, Tuls, NIRANKARI, M. S., and MAUDGAL, M. C.: An operation for entropion, 44:525
- DATT, Krishna: See AGARWAL, Lalit P.
- DAVIDOFF, Leo M.: See CHAMLIN, Max
- DAVIDSON, G. A.: See BURNSIDE, Ronald M.
- DAVIDSON, M.: Compensation of ocular injuries in the United States: Review of progress, 39:821

- DAVIS, C. Truman: Procedure for removing foreign material: From the posterior layers of the cornea: With an illustrative case report, 45:569
- DAVIS, C. Truman, and HOLLENHORST, Robert W.: Hereditary degeneration of the macula: Occurring in five generations, 39:637
- DAVIS, Courtland H., Jr.: See WEAVER, Richard G.
- DAVIS, F. Sterling, Jr.: See KURLAND, Leonard T.
- DAVIS, Robert J., and ARNOTT, G. Peter: An experimental study of the electroretinograph, 40:71
- DAVSON, Hugh, and LUCK, C. P.: A note on the distribution of sodium between plasma and aqueous humor: With special reference to the monkey, 41:809
- DAWSON, Chandler R.: Epidemic of Koch-Weeks conjunctivitis and trachoma: In the Coachella Valley of California, 49:801. See HANNA, L. See THYGESON, Phillips
- DAY, Robert M., and NELSON, Robert: Exophthalmos-inhibiting factor in normal human serum, 50:1193
- DAYAL, Y.: Glaucoma with Krukenberg's spindles, 51:324; External dacryocystorhinostomy: Clinical review of 56 cases, 51:514. See MEHRA, K. S.
- DAYAL, Y., and HAMEED, S.: Periosteal dermatitis, 53:1013
- DAYAL, Y., and MEHRA, K. S.: Spherophakia, 50:333
- DAYTON, Glenn O., Jr.: The ocular changes in thyrotoxic exophthalmos, 36:1049
- DeBEER, E. J.: See LINCOFF, Harvey A.
- DECOCK, G.: See FRANÇOIS, J.
- DELANEY, J. H.: See SHIPMAN, James S.
- DELANEY, William V., Jr.: See KISSEN, Abbott T.
- DELLAPORTA, Angelos: Endodiathermy: A method for sealing macular holes by transbulbar coagulation, 37:649; Fundus changes in postoperative hypotony, 40:781; Experimental studies on a scleral buckling operation, 42:189; The mode of action of cyclodiathermy: Experimental studies on diathermic scars on the sclera, 44:461; Scleral buckling operation with insertion of chromic catgut, 44:773; The surgical separation of the corneoscleral trabecula from its bed: I. Anterior trabeculodialysis, 47:783; The surgical separation of the corneoscleral trabecula from its bed: Posterior trabeculodialysis, 48:15; The evaluation of anterior and posterior trabeculodialysis, 48:294; Experiments in scleral buckling: Part I. Temporary scleral buckling with inclusion of plain surgical gut, 53:593; Part II. Temporary scleral buckling with inclusion of plain surgical gut, 53:795; Part III. Scleral buckling with inclusion of chromic surgical gut, 53:891; Part IV. Scleral buckling with inclusion of chromic surgical gut, 54:226; Scleral encircling operation with Mersilene thread, 54:961
- DELMARCELLE, Y.: See WEEKERS, R.
- DeLONG, Perce: See MULLEN, Carroll R.
- DEMOREST, Byron: See WESTSMITH, Richard
- DEPUE, Ray V., Jr.: See PATTERSON, Reese W., Jr.
- DEUTCH, Sydney S.: Vitreous aspiration: And replacement with cerebrospinal fluid, 37:234
- DEUTSCH, Alice R., and HORSLEY, Margaret E.: Congenital toxoplasmosis (with a discussion by Colvin L. Gibson), 43:444
- DEVI, Anima: Characterization of the intracellular proteolytic enzyme in the lens, 48:29; The occurrence of proteases in bovine lens, 51:1004/132. See DISCHE, Zacharias. See LERMAN, Sidney. See ZELLER, E. Albert
- DeVILLE, William B.: See MELTON, Carlton E.
- DeVOE, Arthur Gerard: Observations on reconstructive and therapeutic corneal grafting, 50:1124. See LINCOFF, Harvey A.
- DEWEESE, Melvin W.: A survey of the surgical treatment of congenital cataracts, 53:853
- DIAB, Alfred, and MATTA, Camil: Surgical correction of cicatricial entropion and trichiasis: A report of 244 cases, 39:555
- DIAMOND, Marshall A., and KIRK, Harold Q.: Postoperative intraocular aspergillosis, 54:1124
- DIAMOND, Stanley: Ocular evaluation of the cerebral palsied child, 48:721
- DIAZ-BONNET, Victor: See KIMURA, Samuel J.
- DI CHIRO, Giovanni: Angiographic topography of the choroid, 54:232
- DICKINSON, Ralph H.: Ophthalmic use of terramycin and hydrocortisone, 39:839
- DICKSON, Robert J.: Choroidal metastases from carcinoma of the breast, 46:14
- DIETZ, Albert A.: See SCHMERL, Ernst
- DI FIORE, John A.: Diabetic oculomotor neuropathy: Report of a case, 50:808
- DINOLT, Robert, and McADAMS, George: Intra-epithelial carcinoma of the limbus, 42:630
- DISCHE, Zacharias, and BORENFREUND, Ellen: Composition of the polysaccharide of the lens capsule and its topical distribution, 38:165
- DISCHE, Zacharias, DEVI, Anima, and ZELMENIS, Ginevra: Influence of age and cataract formation on the ribonucleic acid of the lens: I. Changes in various fractions of ribonucleic acid of rat lenses during aging, 51:993/121
- DISCHE, Zacharias, ELLIOTT, Joy, PEARSON, Elly, and MERRIAM, George R., Jr.: Changes in proteins and protein synthesis: In tryptophan deficiency and radiation cataracts of rats, 47:368
- DISCHE, Zacharias, and ERLICH, G.: The breakdown of glucose and its phosphoric esters in the bovine lens capsule, 39:99
- DISCHE, Zacharias, ERLICH, G., MUNÓZ, C., and von SALLMANN, L.: The content in glutathione and nucleotides of the lens capsule and its relation to lens permeability, 36:54
- DISCHE, Zacharias, ZELMENIS, Ginevra, and YOUSSEF, Joshua: Studies on protein and protein synthesis: During the development of galactose cataract, 44:332; Nutritional and endocrine influences on the synthesis of albuminoid in rat lenses: I. The effect of restricted diet and L-thyroxine on the albuminoid formation, 48:500
- DISKAN, Samuel M.: A new visual screening test for school children: A preliminary test of 799 school children, 39:369
- DIXON, Joseph M.: Removal of nonmagnetic foreign bodies: From the vitreous by direct visualization, 42:301. See RAIKORD, Morgan
- DIXON, Joseph M., and LAWACZEK, Elmar: Corneal dimples and bubbles: Under corneal contact lenses, 54:827; A mechanism of glare due to corneal lenses, 54:1135
- DIXON, Joseph M., LAWACZEK, Elmar, and WINKLER, Charles H.: Pseudomonas contamination of contact lens containers: A preliminary report, 54:461
- DOANE, Frances: See BEALE, A. J. See ORMSBY, Hugh L.
- DOANE, Frances, RHODES, A. J., and ORMSBY, Hugh L.: Tissue culture techniques: In the study of herpetic infections of the eye, 40:189
- DOBSON, Harold L.: See ARMSTRONG, John R.
- DOCTOR, Daniel W.: Air injection to prevent synchias in keratoplasty, 51:320. See CHAPIN, H. Beecher
- DOCTOR, Daniel W., and ALMEDA, Ernesto M.: The effects of beta radiation on the angle of the anterior chamber of the rabbit eye, 50:469
- DOCTOR, Daniel W., and HUGHES, Irene: Prophylactic use of Neosporin for donor eyes, 46:351
- DOCTOR, Daniel W., and TRAYNOR, Edwin M.: Penetrating keratoplasty: In Fuchs' corneal dystrophy, 54:812
- DODD, Matt C.: See SUIE, Ted
- DODDS, Ricardo: See MALBRAN, Enrique
- DODGE, Philip R.: See HILL, Kevin
- DODT, Eberhard: Physical factors in the correlation of electroretinogram spectral sensitivity curves with visual pigments, 46:787
- DOGGART, J. H.: Retrospective diagnosis, 42:712
- DOHERTY, William Brown: Perforated prosthesis, 40:110
- DOLENEK, A., and CERNOCH, M.: The effect of light on the level of reduced glutathione in retinal homogenates, 47:207
- DOMERY, Richard G., and McFARLAND, Ross A.: Dark adaptation as a function of age: Individual prediction, 51:1262

- DONAHUE, Hugh C.: Unusual type of degenerative retinopathy, 36:921; An unusual case of an intraocular foreign body, 42:642; Head pain: Report of an interesting case, 50:654
- DONNELLY, Edward J.: Ocular complications of multiple myelomatosis, 47:211
- DOWLING, John E.: Night blindness, dark adaptation and the ERG, 50:875/205
- DOWNEY, Rachael: See ARRUGA, Alfredo
- DRAHEIM, Jerry W.: See McPHERSON, Samuel D., Jr.
- DRAHEIM, Jerry, McPHERSON, Samuel D., Jr., EVANS, Virginia J., and EARLE, Wilton R.: Further studies on the viability of frozen cornea: As determined in tissue culture, 44:182
- DRANCE, S. M.: Phospholine Iodide (217MI) and demecarium bromide (BC48) in the management of glaucoma, 50:270
- DRANCE, S. M., and CARR, F.: Effects of Phospholine Iodide (217MI) on intraocular pressure in man, 49:470
- DRANCE, S. M., MURRAY, R. G., and SMITH, T. R.: The effect of alpha chymotrypsin on suture materials, 49:64
- DREISLER, Knud K.: See DUNPHY, Edwin B.
- DREWS, Leslie C.: Exophthalmometry, 43:37
- DREWS, Leslie C., BARTON, G. D., and MIKKELSEN, W. M.: The treatment of acute syphilitic interstitial keratitis with topical cortisone, 36:90
- DREWS, Robert C.: Fundus photography by electronic flash: Part I. The successful adaptation of electronic flash to the Nordenson fundus camera, 44:170; Part II. High resolution fundus photography, 44:356; Part III. A new fundus-anterior segment camera, 44:522; Part IV. Single exposure stereophotography of the fundus, 44:633. Use of millipore filters in ophthalmic surgery, 50:159; Polaroid fundus photography: A simple inexpensive method for black and white fundus photography, 54:452; The Gunn pupil sign, 54:1109. See BECKER, Bernard. See YAMASHITA, Tsuyoshi
- DREWS, Robert C., and EDELMANN, Chester M., Jr.: The disinfectant action of concentrated acetone, 42:726
- DRUNGIS, A.: See von SALLMANN, Ludwig
- DRYDEN, J. Spencer, PERRAUT, L. Edward, and SEWARD, William H.: Sclerocorneal transfixation method: For the removal of posteriorly dislocated lenses, 52:468
- DUEHR, Peter A.: Herpes zoster as a cause of congenital cataract, 39:157
- DUERSON, H. Lyle, Jr.: See KEENEY, Arthur H.
- DUGGAN, J. Winston, and HATFIELD, R. E.: Phlyctenular keratoconjunctivitis: Among Canadian Eskimos and Indians, 46:210
- DUKE, James R.: Ocular effects of systemic siderosis in the human, 48:628. See WELCH, Robert B.
- DUKE, James R., and CLARK, David B.: Infantile amaurotic familial idiocy (Tay-Sachs disease) in the Negro race, 53:800
- DUKE, James R., and MAUMENE, A. Edward: An unusual tumor of the retinal epithelium: In an eye with early open-angle glaucoma, 47:311
- DUKE, James R., and SCHIMEK, Robert A.: Perforating injuries of the globe, 36:375
- DUKE, James R., and WALSH, Frank B.: Metastatic carcinoma to the retina, 47:44
- DUKE-ELDER, Sir Stewart: Ophthalmologic research in Britain, 39:743; Presentation of the portrait to, 42:215; Biographical data: Norman Ashton, M.R.C.P., M.R.C.S., 44:17; The emergence of vision in the animal world: The Lister Oration, 46:447; Comments on acceptance of the Proctor Medal, 50:847/177; Gaudeamus igitur dum iuvenes sumus, 50:848/178
- DUMAS, J., FIELDING, I. L., and ORMSBY, Hugh L.: Oleoandomycin, 46:10
- DUNBAR, John C.: Leiomyoma of the ciliary body: Report of a case exhibiting a significant uptake of radioactive phosphorus, 42:204
- DUNLAP, Edward A.: Present status of the A and V syndromes, 52:396
- DUNN, James Philip: See VAN HEUVEN, J. Alexander
- DUNNINGTON, John H.: Tissue responses in ocular wounds: The XI. Francis I. Proctor Lecture, 43:667; The contributions of Frederick Carl Cordes, M.D., to American ophthalmology, 47:15; Francis Heed Adler, M.D.: Salutations, 50:1026
- DUNNINGTON, John H., and WEIMAR, Virginia: Influence of the epithelium on the healing of corneal incisions, 45:186
- DUNPHY, Edwin B.: Radioactive isotopes in ophthalmology: The Charles H. May Memorial Lecture, 43:857; Management of intraocular malignancy: The Gifford Memorial Lecture, 44:313; Report on the diathermy treatment of retinoblastoma, 45:195; Fred Cordes: Gentleman and scholar, 47:111; Unilateral papilledema, 50:1084. See SLOANE, Albert E.
- DUNPHY, Edwin B., DREISLER, Knud K., CADIGAN, John B., and SWEET, William: The uptake of radioactive phosphorus by intraocular neoplasms, 37:45
- DUNPHY, Edwin B., LEAHEY, Brendan D., REGAN, James J., SLOANE, Albert E., YASUNA, Elton R., STUART, Harold C., GALLAGHER, J. Roswell, and SCHMIDT, William: Standards for referral of school children for an eye examination, 37:710
- DUNPHY, Edwin B., and SILVERSTONE, Bertram: Uptake of radioactive phosphorus by normal and neoplastic tissues, 36:774
- DURKIN, Lloyd S.: See JAFFE, Norman S.
- DUSZYNSKI, Leonard R.: Cytology of the conjunctival sac: A quantitative and qualitative study, 37:576; Hemianopia dichroic mirror devise, 39:876
- DYER, John A.: See RUCKER, C. Wilbur
- DYER, John A., and HENDERSON, John W.: Orbitometry in unilateral exophthalmos, 45:208
- DYER, John A., and MARTENS, Theodore G.: Surgical treatment of divergence excess, 50:297
- DYER, John A., and OGLE, Kenneth N.: Correction of unilateral aphakia with contact lenses: Report of seven cases, 50:11

E

- EADIE, Stella: Bacteriology of traumatic corneal ulcers, 43:89
- EAMES, Thomas H.: Eye and other handicaps: Their relation to performances on the visual motor gestalt test, 36:112; Correlation between birth weight and visual acuity: From the age of five through 12 years, 38:850; The influence of hypermetropia and myopia on reading achievement, 39:375; The relationship of the central visual fields to speed of visual perception, 43:279; Reading failures and nonfailures: In children with brain damage, 47:74; Accommodation in school children: Aged five, six, seven and eight years, 51:1255
- EARLE, Wilton R.: See DRAHEIM, Jerry. See McPHERSON, Samuel D., Jr.
- EARECKSON, Vincent O.: See RANDOLPH, M. Elliott
- EASTHAM, Ann B.: See PATZ, Arnall. See ZIMMERMAN, Lorenz E.
- EASTMAN, Arthur A.: See BREECHER, Gerhard A.
- EDELMANN, Chester M., Jr.: See DREWS, Robert C.
- EDWARDS, G. Keith, and LOCKE, John C.: The collection, storage and selection of human vitreous: For use in retinal detachment surgery, 50:108; Viscosity studies of aspirated human vitreous: With special reference to its use in retinal detachment surgery, 52:374
- EDWARDS, Thomas S.: Changes in bacterial drug sensitivities, 48:19
- EDWARDS, Thomas S., and FINLAY, John R.: Meningioma of the optic nerve: Of one month's clinical duration, 46:745
- EGAN, John A.: Acute conjunctivitis with lymph gland suppuration, 36:260; A new test for accommodation, 37:429; Shock glaucoma, 40:227
- EGLESTON, DuBose: See McPHERSON, Samuel D., Jr.
- EGLESTON, DuBose, McPHERSON, Samuel D., Jr., and PERRY, Robert: Retinoblastoma: With intracranial extension masked by trauma and anterior chamber hemorrhage: Report of a case, 46:201
- EHRENBERG, Melvin H.: See GORDON, Dan M.
- EHRLICH, G.: See DISCHE, Zacharias. See REESE, Algernon B.
- EIRING, A.: See STOCKER, F. W.

- EISSLER, Rolf, and LONGENECKER, L. Pauline: The common eye findings in mongolism, 54:398.
 ELKIN, Eugene: Single-dose sterile unit for office use, 43:621.
 ELLEN, Paul: See ALPERN, Mathew.
 ELLENBERGER, Carl: Homemade apparatus for testing retinal correspondence, 36:1121.
 ELLES, Norma B.: Hôpital Albert Schweitzer, Haiti, West Indies, 45:849.
 ELLIOT, A. J.: See NEVEU, M.
 ELLIOTT, Joy: See DISCHE, Zacharias.
 ELLIS, C. H.: See LINCOFF, Harvey A.
 ELLIS, George: See HAIK, George M.
 ELLIS, Orwyn H.: Cilia of the anterior chamber: Report of two cases, 42:773.
 ELLIS, Philip P.: Regression of rubeosis iridis following cyclodiathermy, 40:253; Ectopia of the macula, 44:262. See HAMMEKE, John C.
 ELLIS, Philip P., BAUSOR, Sydney C., and FULMER, John M.: Streptothrix canaliculitis, 52:36.
 ELLIS, Philip P., and HAMILTON, Henry: Retrobulbar neuritis in pernicious anemia, 48:95.
 ELLIS, Philip P., and JACKSON, William E.: Osteopetrosis: A clinical study of optic-nerve involvement, 53:943.
 ELLIS, Philip P., THOMPSON, Rollin L., and TYNER, George S.: A modified filtering operation for hemorrhagic glaucoma: A preliminary report, 54:954.
 ELLIS, Richard A.: Ophthalmic surgery in India, 44:759; Reduction of intraocular pressure using plastics in surgery, 50:733; Cataract extraction with the modified Smith technique, 51:26.
 EMERSON, Eugene: Retinitis: Pigmentosa or rubella? 45:93; A method of peripheral fundus examination, 48:100.
 EMMERICH, Richard, CARTER, George Z., and BERENS, Conrad: An experimental clinical evaluation of dorsacaine hydrochloride (Benoxinate Novesine): Report on the instillation of 0.4-percent solution, 40:841.
 EMMONS, William V.: See SLOANE, Albert E.
 ENNIS, Jerome: See LINCOFF, Harvey A.
 ENOCH, Jay M.: Receptor amblyopia, 48:262; Visualization of wave-guide modes in retinal receptors, 51:1107/235. See CONSTANT, Marguerite A. See FANKHAUSER, F.
 EPSTEIN, E.: See FRIEDMANN, A. I.
 ERBAKAN, Selahattin: Groenblad-Strandberg syndrome: Report of two cases in which macular degeneration occurred before angioid streaks, 51:704; Plastic repair of eyelid margin, 51:835; Intraocular lymphosarcoma: Report of a case, showing extraocular extension along the perforating scleral canals, 52:412; Harada's disease: The first case reported in Turkey, 53:368.
 ERBAKAN, Selahattin, and KSU, Yavuz: Symmetrical lymphosarcoma of both superior tarsi: Report of a case, 53:527.
 ERDBRINK, W. L.: Blow-out fracture of the orbit, 49:1037. See Wuest, Frederick C.
 ERICKSON, Olive Fedde, HATLEN, Rachel, and BERG, Margaret: Lacrimal proteins in correlation with the Schirmer test: Filter-paper electrophoresis of tears, technique and calculations for rate, percentage of components and proteins, 46:12; Industrial tear study: Filter-paper electrophoresis of tears, with results of an industrial study of 1,000 specimens sent by mail, 47:499.
 ERIKSEN, Niles: See LYDA, Wood.
 ESCAPINI, Humberto: Pterygium excision, 45:879; Sclerolimectomy: A procedure for the filtering operation, 54:960.
 ESKER, Arthur: See JOY, Harold H.
 ESPIRITU, Romeo B.: See de OCAMPO, Geminiano.
 ESPIRITU, Romeo B., KARA, Gerald B., and TABOWITZ, David: Studies on the healing of corneal grafts: I. The fate of mucopolysaccharides as determined by S^{35} incorporation and autoradiography, 51:1281; Studies on the healing of corneal grafts: I. The fate of the endothelial cells of the graft as determined by sex chromatin studies, 52:91.
 ESPOSITO, Albert C.: Malignant melanoma of the iris, 36:115; A nylon bridge suture in cataract surgery, 40:251; Treatment of traumatic implantation cyst of the iris, 41:115; DeWecker scissors: In removing corneal-scleral sutures, 46:587.
 ESTELA, L. A.: See SCHLAEGEL, T. F., Jr.
 EVANS, Harry D., Jr.: See PATTERSON, Harold C.
 EVANS, Thomas Horace: Unlisted nerve branches: Of the maxillary division of the trigeminal nerve (fifth cranial) which are related to nerve association of the lacrimal and salivary systems, 47:225.
 EVANS, Virginia J.: See DRAHEIM, Jerry. See McPHERSON, Samuel D., Jr.
 EVELYN, Kenneth A., NICHOLLS, John V. V., and TURNBULL, W.: A method of grading and recording: The retinal changes in essential hypertension, 45:165.
 EVELYN, Lyndon: The cataract operation as an office procedure, 39:715.
 EVERETT, William G.: Experimental studies of modifications of the scleral fold operation, 42:95. See GEERAETS, Walter J. See VEY, E. Kenneth.
 EVERETT, William G., and HOOVLER, M. R.: Changing trends in the hospital management of retinal detachment, 52:548.
 F
 von FAASSEN, F.: See LANGMAN, J.
 FABRITIUS, Ruth E.: See ALFANO, Joseph E.
 FAINSTEIN, Saul: See SUGAR, Saul.
 FAIR, John R.: Eye armor, 43:258; Tumors of the retinal pigment epithelium, 45:495; Congenital toxoplasmosis: Chorioretinitis as the only manifestation of the disease, 46:135; III. Ocular signs of the disease in state schools for the blind, 48:165; IV. Case finding, using the skin test and ophthalmoscope in state schools for mentally retarded children, 48:813; Stimulation of dye-test antibodies in human volunteers, using heat-killed *Toxoplasma*, 48:322. See KING, John H., Jr.
 FAIR, John R., and LEVI, George A.: Keratitis and deafness, 49:1017.
 FAJARDO, Romeo V.: See KRISHNA, Narendra.
 FAJARDO, Romeo V., HAMILTON, Ralph, and LEOPOLD, Irving H.: The effect of hydrochlorothiazide (Esidrex) on intraocular pressure in man, 49:1321.
 FAJARDO, Romeo V., PRYOR, James, and LEOPOLD, Irving H.: Furaltadone in ophthalmology, 54:114.
 FALLS, Harold F.: Clinical detection of the genetic carrier state in ophthalmic pathology: The Jackson Memorial Lecture, 37:841. See ALPERN, Mathew. See GIESER, E. Paul. See GILES, Conrad L. See HANEY, William P. See STRETEN, Barbara Wiard.
 FALLS, Harold F., and GILES, Conrad L.: The use of amphotericin B in selected cases of chorioretinitis, 49:1288.
 FANKHAUSER, F., ENOCH, J., and CIBIS, Paul: Receptor orientation in retinal pathology: A first study, 52:767/335.
 FARKAS, Irene A.: See GILGER, Anita Peek. See POTTS, Albert M.
 FARKAS, T. G., IVORY, R. F., COOPERSTEIN, S. J., and PATTERSON, J. W.: The role of insulin in lens metabolism, 48:394; The effect of plasma on glucose uptake of isolated rat lenses, 50:991/321.
 FARKAS, Tibor G., and PATTERSON, John W.: Insulin and the lens, 44:341.
 FARPOUR, Mohamed: See LAZARUS, Alfred S.
 FARSON, Clyde: Phlyctenular keratoconjunctivitis at Port Barrow, Alaska, 51:585.
 FASANELLA, Rocko M.: New light-weight gloves, 40:107; Problems related to nasal-lacrimal surgery, 46:668. See BLAKE, Eugene M.
 FAULKNER, Robert F.: Ocular coccidioidomycosis: Report of a case of coccidioidal granuloma of the conjunctiva associated with cutaneous coccidioidomycosis, 53:822.
 FAVOUR, Cutting B.: Manifestation of bacterial allergy of the eye: A study of 35 cases referred to the internist for a search for foci of infection, 40:705.
 FECHNER, Paul U.: Methods for the separation of lids in cataract surgery, 51:35. See WOLTER, J. Reimer.

- FEDUKOWICZ, Helena, WISE, George N., and ZARET, Milton M.: Conjunctivitis due to antibiotics, 40:849.
- FEENEY, Lynette: See GARRON, L. K. See HOGAN, Michael J. See McEwen, W. K.
- FEENEY, Lynette, and HOGAN, Michael J.: Electron microscopy of the human choroid: I. Cells and supporting structures, 51:1057/185; II. The choroidal nerves, 51:1072/200.
- FEIGENBAUM, Aryeh: Early history of cataract and the ancient operation for cataract, 49:305.
- FEINBERG, Irwin: Critical flicker frequency in amblyopia ex anopsia, 42:473.
- FEIRING, Emanuel W.: See CHAMLIN, Max.
- FEINSCHIL, L. B.: See WAGMAN, Irving H.
- FELDMAN, G. L.: See FERGUSON, T. M.
- FELDMAN, Gerald L., FERGUSON, T. M., and COUCH, J. R.: Dinitrophenol-induced cataracts in the avian embryo, 49:1168/82.
- FELDMAN, J. B.: See KASSER, M.D.
- FELDSTEIN, Morris: See AGATSTON, Howard. See KORNZWEIG, Abraham L. See SCHNEIDER, Julius.
- FELDSTEIN, Murray: See SCHNEIDER, Julius.
- FELLOWS, Victor: See BETTMAN, Jerome W.
- FENN, Ralph T.: Symprocaine: A new local anesthetic, 42:637.
- FERCHO, C. K.: See LARSON, G. A.
- FERIA, Q. A.: See WOLKOWICZ, M. I.
- FERGUSON, T. M.: See FELDMAN, Gerald L.
- FERGUSON, T. M., SWANSON, A. A., COUCH, J. R., FELDMAN, G. L., and RIDGON, R. H.: Experimental studies on cataract formation, 49:1165/79.
- FERNANDEZ, Antonio: See GOMEZ RUIS, Othon R.
- FERREIRA, L. Botelho: Noncicatrical entropion of lower lid: Treated by the Paiva Gonçalves Filho suture, 51:1312.
- FESSEL, W. J.: Serum protein disturbance in retinitis pigmentosa: And the association of retinitis pigmentosa with psychosis, 53:640.
- FIELDING, I. L.: See CRABB, A. M. See DUMAS, J. See WITZEL, S. H.
- FIELDING, I. L., BASU, P. K., and ORMSBY, Hugh L.: Electrophoretic study of mammalian and avian corneal proteins, 48:77; Electrophoretic studies on stored cornea, 44:385; Antigenic properties of fresh and stored corneal proteins, 49:504.
- FILE, Thomas Mitchell: Studies on the use of antihistamines in cataract surgery, 51:1240.
- FINE, Ben S.: See TOUSIMIS, A. J.
- FINE, Ben S., and GILLIGAN, John H.: The Vogt-Koyanagi syndrome: A variant of sympathetic ophthalmia: Report of two cases, 43:433.
- FINE, Ben S., and ZIMMERMAN, Lorenz E.: Exogenous intraocular fungus infections: With particular reference to complications of intraocular surgery, 48:151.
- FINE, Max: Treatment of herpetic keratitis by corneal transplantation, 46:671.
- FINK, Austin I., and BARAS, Irving: Effect of steroids on tensile strength of corneal wounds, 42:759.
- FINK, Austin I., BINKHORST, Richard D., and FUNAHASHI, Tomoya: Intravenous urea in angle-closure glaucoma, 52:872.
- FINK, Walter H.: The development of the extrinsic muscles of the eye, 36:16; Etiologic considerations of vertical muscle defects: Part I: General considerations: Classification: Supranuclear vertical defects, 36:1427; Part II. Infranuclear vertical defects: Conclusion, 36:1551; Present concept of superior oblique surgery, 37:548; Instrument designed to test diplopia fields, 40:424; The role of developmental anomalies in vertical muscles defects, 40:529; The development of the orbital fascia, 42:269; An anatomic study of the check mechanism of the vertical muscles of the eyes, 44:800.
- FINLAY, James: See VEY, E. Kenneth.
- FINLAY, John R.: See EDWARDS, Thomas S.
- FINLEY, John K., and WEAVER, Harry S., Jr.: The use of heparin in the treatment of diabetic retinopathy: A preliminary report, 50:483.
- FISHER, Earl, Jr.: See BURDA, Christopher, D.
- FISHER, Earl, Jr., and ALLEN, James H.: Corneal ulcers produced by cell-free extracts of *Pseudomonas aeruginosa*, 46:21; Mechanism of corneal destruction by *Pseudomonas* proteases, 46:249.
- FISHER, Julian J.: See SPENCER, William H.
- FISHMAN, Gordon R. A., and ANDERSON, Ralph: Nevus of Ota: Report of two cases, one with open-angle glaucoma, 54:453.
- FISHOF, Frank E.: Bronchogenic carcinoma: With metastasis to aphakic eye, 49:96; Meperidine in cataract surgery, 53:672.
- FITZGERALD, J. Robert, KAPUSTIAK, Wendell, and MCCARTHY, James L.: Contact lens corneal ulcer, 54:307.
- FITZGERALD, Patricia: See HALBERT, Seymour P.
- FIXOTT, Richard S.: See SELLS, S. B.
- FLAHERTY, N. W.: See WOLTER, J. Reimer.
- FLEMING, David G., and HALL, James L.: Autonomic innervation of the ciliary body: A modified theory of accommodation, 48:287.
- FLEMING, T. C.: See MERRILL, D. L.
- FLEMING, T. C., and RIDDEL, G. H.: Studies of the antigenic properties of alpha chymotrypsin, 51:1104/232.
- FLETCHER, Mary C.: See GOAR, Everett L.
- FLETCHER, Mary C., and BRANDON, Sylvan: Myopia of prematurity, 40:474.
- FLIERINGA, H. J.: Procedure to prevent vitreous loss, 36:1618.
- FLITMAN, Donald B.: See ALPERN, Mathew.
- FLOCKS, Milton: The pathology of the trabecular meshwork in primary open-angle glaucoma, 47:519; The nature of contrast phenomena, 51:1098/226. See CHAO, Peter. See HARRINGTON, David O. See WESTSMITH, Richard. See ZWENG, H. Christian.
- FLOCKS, Milton, MILLER, John, and CHAO, Peter: Retinal circulation time with the aid of fundus cinematography, 48:73.
- FLOCKS, Milton, TSUKAHARA, Isamu, and MILLER, John: Mechanically induced glaucoma in animals: Preliminary perfusion and histologic studies, 48:11.
- FLOCKS, Milton, and ZWENG, H. Christian: Studies on the mode of action of pilocarpine on aqueous outflow, 44:380.
- FLOM, Bernise: See JAMPOLSKY, Arthur.
- FLOM, Leonard: Alpha chymotrypsin and ruptured hyaloid, 49:357.
- FLORESTANO, H. J.: Solution Dyclone: A self-sterilizing topical anesthesia for ophthalmic use, 45:671.
- FLOREY, Mary Jo: See BURNS, Robert P.
- FLOYD, Glen: See THEOBALD, Georgiana D.
- FLYNN, Gregory, and RAIFORD, Morgan: Magnetic foreign body: Report of an intraocular case in which removal was successful after 24 years, 38:90.
- FOJAS, Marcos R.: See de OCAMPO, Geminiano.
- FOLK, Eugene R., and WHELCHER, Merritt C.: The effect of the correction of refractive errors on nonparalytic esotropia, 40:232.
- FOLK, Martha Rubin: Band keratopathy associated with renal disease, 39:878. See KRILL, Alex E.
- FONDA, Gerald: Strong reading additions for subnormal vision, 38:362; Binocular corrections for low vision: Rationale for rule of thumb decentration, 45:23; Evaluation of telescopic spectacles: Thirty-nine cases changed to simpler lenses, 51:433. See BERENS, C.
- FORBES, Max, and BECKER, Bernard: The transport of organic anions by the rabbit eye: II. In vivo transport of iodopyracet (Diodrast), 50:867/197; The transport of organic anions by the rabbit ciliary body: IV. Acetazolamide and rate of aqueous flow, 51:1047/175.
- FORBES, Sherman B.: Cyclodiathermy: Results in various types of glaucoma, 40:650; Ocular toxoplasmosis: Report of cases, 44:41; Muscle transplantation: For external rectus paralysis: Report of a case with unusual complications, 48:248; New pigment for corneal tattooing, 50:325; A mobile eye chart, 53:1009.
- FORCHHEIMER, L. L.: Topical use of cortisone in sympathetic ophthalmia: Four-year observation of a successfully treated case, 40:248.
- FORGACS, J.: See WEINSTEIN, Paul.
- FORGACS, J., and FRANCESCHETTI, A.: Histologic

- aspect of corneal changes: Due to hereditary, metabolic and cutaneous affections, 47:191
- FORREST, Arnold W.: See REESE, Algernon B.
- FORSTER, H. Walter, Jr.: The clinical use of Haidinger's brushes phenomenon, 38:661; Choroidal detachment following cataract extraction: A case report, 49:1408
- FORTIER, Edward G.: The therapeutic possibilities of carbon dioxide in the prevention of retrolental fibroplasia, 38:342; Use of intramuscular chymotrypsin in controlling tissue reaction following strabismus surgery: A preliminary report, 51:106; Infantile comitant esotropia: A new diagnostic test and results of early surgery, 54:804
- FOSS, Robert H.: Local application of Diamox: An experimental study of its effect on the intraocular pressure, 39:336
- FOWLE, Ann M. C.: See ORMSBY, Hugh L.
- FOWLE, Ann M. C., COCKERAM, Anne, and ORMSBY, Hugh L.: Virus isolations from patients with keratoconjunctivitis, 40:180
- FOWLE, Ann M. C., and ORMSBY, Hugh L.: Growth of cornea in tissue culture, 39:242
- FOWLE, Ann M. C., SIMMONS, Violet, and ORMSBY, Hugh L.: Adenoviruses from Canadian cases of keratoconjunctivitis, 43:32
- FOWLKS, W. L.: Photosensitization of proteins by methylene blue: I. Dehydrogenase activity in rabbit lenses and ciliary body after irradiation in presence of methylene blue, 48:550
- FOX, Sidney A.: Hemangiopericytoma of the orbit, 40:786; The etiology of senile entropion, 48:607; Basic techniques of lid surgery: Their origins and their apocrypha, 50:384; Use and misuse of irradiation in lid malignancies, 52:1; Distichiasis, 53:14
- FRANCESCHETTI, A.: The different techniques of corneal grafting and their indications, 39:61; New operations and some special indications and techniques in ophthalmic surgery: (Corepraxy; Congenital ectopia of the lens; Prophylactic operations for detachment; Diathermy in recurrent hemorrhages in young people—Eales' disease), 39:189; Heterochromic cyclitis: Fuchs' syndrome, 39:150. See FORGACS, J.
- FRANÇOIS, Jules: Syndromes with congenital cataract: XVI Jackson Memorial Lecture, 52:207
- FRANÇOIS, J., and DECOCK, G.: Tapetoretinal degeneration of late onset, 39:633
- FRANÇOIS, J., and DE ROUCK, A.: The use of twin flashes in electroretinography: Characteristics of the electroretinogram in normal cases and in choroidoretinal heretodegenerations, 54:54
- FRANÇOIS, J., NEETENS, A., and COLLETTE, J. M.: Microradiographic study of the inner wall of Schlemm's canal, 40:491; Microradiographic study of the influence of hyaluronidase on the permeability of the inner wall of Schlemm's canal, 41:651; An unknown canalicular network of the iris revealed by microradiography, 49:1267
- FRANÇOIS, J., and RABAEY, M.: Examination of the cornea with the phase-contrast microscope, 36:799; The protein composition of the human lens, 44:347; Agar micro-electrophoresis of human tears, 50:793; Corneal dystrophy and paraproteinemia, 52:895
- FRANÇOIS, J., RABAEY, M., WIEME, R. J., and KAMINSKI, M.: Study of the antigens of the crystalline lens: By immunochemical methods of protein fractionation, 42:577
- FRANÇOIS, J., and VERRIEST, G.: A universal photostimulator, 50:149
- FRANK, Paul: See COYLE, J. Terrence
- FRANK, Paul and COYLE, J. Terrence: Trufluoromazine (Vesprin): For control of emesis incidental to ophthalmic surgery, 53:683
- FRANKEL, Jerome: Ophthalmodynamometry: A pilot study, 52:85
- FRAUNFELDER, Frederick T.: See BURNS, Robert P.
- FRAYER, William C.: See YASUNA, Jules M.
- FREEMAN, Hal M.: See KRONFELD, Peter C.
- FREEMAN, John M.: See PEMBERTON, John W.
- FREID, Allan N.: See JAMPOLSKY, Arthur
- FRENKEL, J. K.: Ocular lesions in hamsters: With chronic Toxoplasma and Besnoitia infections, 39:203
- FREUDENBERGER, Herbert J., and ROBBINS, Irving: Characteristics of acceptance and rejection: Of optical aids in a low-vision population, 47:582
- FRIEDEL, Hymer L.: See THOMAS, Charles I.
- FRIEDENWALD, Jonas S.: Carbonic anhydrase inhibition and aqueous flow, 39:159; Current studies of acetazolamide (Diamox) and aqueous humor flow, 40:139; Pathology, 40:162 See BECKER, Bernard. See de GROOT, Volckherdt, M. See LINNÉR, Erik. See WOODS, Alan C.
- FRIEDENWALD, Jonas S., and BECKER, Bernard: Aqueous humor dynamics: Theoretical considerations, 41:383
- FRIEDMAN, Beatrice C.: See POTTS, Albert M.
- FRIEDMAN, Joseph Jay: Adhesion of the superior oblique muscle fascial sheath: To the medial rectus muscle fascial sheath, 43:115
- FRIEDMAN, M. Wallace: Congenital symblepharon, 39:236; Occlusion of the cilioretinal artery, 47:684
- FRIEDMAN, M. Wallace, and BLODGET, Rush M., Jr.: Voluntary ocular fibrillation, 39:78
- FRIEDMAN, M. Wallace, and GOOD, Malcolm: A new device for rotating the slitbeam: For use in slitlamp gonioscopy of the horizontal meridians, 45:920
- FRIEDMAN, M. Wallace, and WRIGHT, Edwin S.: The surgical treatment of ocular pemphigus, 36:237
- FRIEDMAN, Max, NEWELL, Frank W., LeROY, George V., and OKITA, George T.: The steady-state turnover of tritiated water: In the anterior chamber of rabbits, 44:375
- FRIEDMANN, A. I.: See SENIOR, B.
- FRIEDMANN, A. I., and EPSTEIN, E.: Familial retinal detachment, 51:33
- FRINK, Berton F.: Astigmatic dials: Simplified and manually operated, 39:84
- FRISCH, Frederick, and LEOPOLD, Irving H.: Evaluation of the urethane of beta methyleholine in chronic glaucoma, 36:442
- FRITZ, Milo H.: Blindness from multiple pterygia in an Alaskan native, 39:572
- FROMM, Gerhard Hermann: An unusual case of hemianopia: From cerebral anoxia at high altitudes, 50:658
- FRY, Glenn A.: See PRINCE, Jack H.
- FRY, Wilfred E.: See COHEN, Louis B. See PAUL, Satya Dev
- FRY, W. E., and CAPRIOTTI, O. A.: Penetrating keratoplasty: For excision of a limbal tumors, 53:670
- FUCHS, Adalbert: Drusen of the lamina vitrea: A discussion of their difference in Europe, the United States and China, 41:840; Spontaneous internal scleral ruptures: And the splitting of the cornea-sclera, 46:855; White spots of the fundus: Combined with night blindness and xerosis (Uyemura's syndrome), 48:101; Geographic distribution of senile cataract, 49:1039; Frequency of myopia gravis, 49:1418; Frequency of sympathetic ophthalmia: In different parts of the world, 51:156
- FUCHS, R.: See MULLER, R. K.
- FUJINAGA, Yutaka: See KANDORI, Fumio
- FUJISHIGE, I.: See OGINO, S.
- FULMER, John M.: See BAILEY, Joseph C. See ELLIS, Philip P.
- FUNAHASHI, Tomoya: See FINK, Austin I.
- FUORTES, M. G. F.: Electric activity of cells in the eye of Limulus, 46:210. See von SALLMANN, Ludwig
- FURGUELE, Francis P.: See SERY, Theodore W.
- FURGUELE, F. P., SERY, T. W., and LEOPOLD, Irving H.: Newer antibiotics: Their intraocular penetration, 50:614

G

- GABBY, Anwar: See KORNBLUETH, Walter
- GAGE, Tracy: See BECKER, Bernard
- GAGER, John J., and GRAYSON, Merrill: Bilateral intraocular foreign bodies: Report of a case, 42:646
- GAHAGAN, Lawrence O.: A drape retainer and inhalator, 54:295
- GAINES, Shelley R.: Ocular changes in pheochromo-

- cytoma: With a note on its mimicry of optic neuritis, 47:471
- GAITAN-NIETO, Alfonso, and TRIBIN-PIEDIAHITA, Alfonso: Cysticercus in vitreous cavity, 44:819
- GALIN, Miles A.: Nervous mechanisms for the control of intraocular pressure, 49:985; See McLEAN, John M.
- GALIN, Miles A., and BERGER, Robert: Atopy and keratoconus, 45:904
- GALIN, Miles A., and AIZAWA, Futaba, and BARAS, Irving: Studies on the mechanism of the water drinking test, 51:601
- GALIN, Miles A., AIZAWA, Futaba, and McLEAN, John M.: Intravenous urea in the treatment of acute angle-closure glaucoma, 50:379; Evaluation of the water provocative test, 51:451; The water provocative test in glaucomatous patients, 52:15
- GALIN, Miles A., BARAS, Irving, and NANO, Hugo D.: The significance of intraocular pressure decay: Following the use of the perilimbal suction cup, 53:927
- GALIN, Miles A., BARAS, Irving, and ZWEIFACH, Philip: Diamox-induced myopia, 54:237
- GALLAGHER, J. Roswell: See DUNPHY, Edwin B. See SLOANE, Albert E.
- GALLARDO, Edward, and WEIDENHEIM, C. W.: Epithelial membrane in anterior chamber after cataract surgery: Case report and comments on X-ray treatment, 39:868
- GAMBACORTA, H.: See STERN, R. U.
- GANS, M. E.: See ROSNER, Robert S.
- GARLAND, Marvin A.: See ALFANO, Joseph E.
- GARNER, Lawrence L., and GROSSMANN, Erwin E.: Hereditary hemorrhagic telangiectasis: With beta irradiation of conjunctival lesions, 41:672
- GARRETT, Frank E.: Herpes zoster ophthalmicus: Report of a case in a three and one-half year-old child, 46:741
- GARRON, L. K., FEENEY, M. L., HOGAN, M. J., and McEWEN, W. K.: Electron microscope studies of the human eye: I. Preliminary investigations of the trabeculas, 46:27
- GARTNER, Samuel, and BILLET, Edwin: Mydriatic glaucoma, 43:975; Acute glaucoma as a complication of general surgery, 45:668; A study of mortality rates: During general anesthesia for ophthalmic surgery, 45:847
- GARTNER, Samuel, and RUBNER, Karl: Calcified scleral nodules in hypervitaminosis D, 39:658
- GASS, John Donald McIntyre: The syndrome of keratoconjunctivitis, superficial moniliasis, idiopathic hypoparathyroidism and Addison's disease, 54:660. See WALSH, Frank B.
- GATES, L. Keith: See SMILLIE, John W. See WOLTER, J. Reimer
- GAVARINI, O.: See NANO, Hector M.
- GAVIN, Mary Ann: See RESNIK, Robert A.
- GAY, Andrew J.: See BECKER, Bernard
- GAYNON, Irwin E.: Lid retraction: Secondary to seborrhoeic meibomitis: A case report, 41:859; Lacrimal insufficiency, keratoconjunctivitis sicca and malfunction of the inferior turbinate: In the wide nose or open nasal space syndrome (Cottle), 53:614
- GAZALA, Joseph R.: Ocular pemphigus, 48:355; Progressive essential iris atrophy, 49:713
- GEERAETS, Walter J.: See GUERRY, DuPont, III
- GEERAETS, Walter J., EVERETT, William G., and GUERRY, DuPont, III: Light coagulation in pigment atrophy following scleral buckling, 54:393
- GEERAETS, Walter J., GHOSH, Mrinmay, and GUERRY, DuPont, III: The effect of high intensity light on choroidal circulation, 54:277
- GEERAETS, Walter, and GUERRY, DuPont, III: Angioid streaks and sickle-cell disease, 49:450; Elastic tissue degeneration in sickle-cell disease, 50:213
- GEERAETS, Walter J., LIEB, Wolfgang A., CHAN, Guy, and GUERRY, DuPont, III: Immunohistochemical analysis of experimental corneal transplants, 49:740
- GEHRITSZ, Leta B.: See HARRIS, John E.
- GELLER, Hildegard Odenheimer: See KIMURA, S. J.
- GENTILE, James F., and JOHNSTON, Philip W.: A comparison of two school vision screening tests, 52:511
- GEORGARIOU, Vasilios M.: Melanosarcoma of the iris: Report of a case, 37:781
- GEORGE, Craig W., and SLACK, William J.: Corneal and scleral lacerations: A five-year review, 54:119
- GEORGIADIS, N.: See STOCKER, F. W.
- GEORGIADIS, R.: See STOCKER, F. W.
- GERBER, Margaret: Ocular reactions following iodine therapy, 43:879
- GERMUTH, F. G., MAUMENESE, A. Edward, PRATT-JOHN, J., SENTERFIT, L. B., VAN ARNAM, C. E., and POLLACK, A. D.: Observations on the site and mechanism of antigen-antibody interaction in anaphylactic hypersensitivity, 46:282
- GESTRING, Gideon F.: See JACOBSON, Jerry Hart
- GETTES, Bernard C.: See BALISTOCKY, Marvin H.
- GHOSH, Mrinmay: See GEERAETS, Walter J.
- GIBSON, Colvin L.: See DEUTSCH, Alice R.
- GIBSON, Glen G.: See ZIMMERMAN, Lorenz E.
- GIESER, E. Paul, and FALLS, Harold F.: Hereditary retinoschisis, 51:1193
- GIFFORD, Edward S., Jr.: Horizontal excision of the tarsus: In the correction of ectropion luxurians, 38:226; Patron gods of vision, 42:903; The evil eye in medical history, 44:237
- GIFFORD, Harold, Jr.: A clinical and pathologic study of exfoliation of the lens capsule, 46:508
- GILBERT, Harold N.: Myxedema with epiphora, 36:712
- GILES, Conrad L.: Retinal hemorrhage in the newborn, 49:1005. See FALLS, Harold F.
- GILES, Conrad L., and FALLS, Harold F.: Further evaluation of amphotericin-B therapy in presumptive histoplasmosis chorioretinitis, 51:588
- GILES, Conrad L., and HENDERSON, John Woodworth: Horner's syndrome: An analysis of 216 cases, 46:289
- GILES, Conrad L., and WESTERBERG, Martha R.: Clinical evaluation of local ocular anticholinesterase agents in myasthenia gravis, 52:331
- GILES, Kenneth M., and HARRIS, John E.: Radio-electrophoretic patterns of aqueous and plasma: After intravenous injection of 125 I-labeled insulin into rabbits, 46:196; The accumulation of C^{14} from uniformly labeled glucose by the normal and diabetic rabbit lens, 48:508
- GILGER, Anita peek, FARKAS, Irene S., and POTTS, Albert M.: Studies on the visual toxicity of methanol: X. Further observations on the ethanol therapy of acute methanol poisoning in monkeys, 48:153
- GILGER, Anita Peek, and POTTS, Albert M.: Studies on the visual toxicity of methanol: V. The role of acidosis in experimental methanol poisoning, 39:63
- GILGER, Anita Peek, POTTS, Albert M., and FARKAS, Irene S.: Studies on the visual toxicity of methanol: IX. The effect of ethanol on methanol poisoning in the Rhesus monkey 42:244
- GILL, Elbyrne G., and HARRIS, Ronald B.: Bowen's disease (intra-epithelial epithelioma): A case report, 43:111
- GILL, E. G., and JONES, R. B., Jr.: Malignant tumors of the conjunctiva: Report of two cases, 40:252
- GILLIGAN, John H.: See FINE, Ben S.
- GILMORE, John E.: See SORENSON, E. John
- GILSON, M.: See WEEKERS, R.
- GIRARD, Louis J.: Corneal forceps, 49:616. See ARMSTRONG, John R. See BERENS, Conrad. See MERRILL, D. L. See SAMPSON, Whitney G. See SYKES, John H. J.
- GIRARD, Louis J., CAMP, Richard N., LAMB, Vernon R., RICHARDSON, Charles B., and SOPER, Joseph W.: Iris corneal contact lens, 52:264
- GIRARD, Louis J., NEELY, Wanda, and SAMPSON, Whitney G.: The use of alpha chymotrypsin in infants and children, 54:95; Problems of intracapsular cataract extraction in infants and children, 54:1064
- GIRARD, Louis J., SOPER, Joseph, and CAMP, Richard: The contact lens problem, 52:706
- GISPEN, R.: Immunization against herpes keratitis in rabbits, 44:88
- GIVNER, Isadore: Observations on blood sludging, 36:1063; Coats' disease (retinitis exudativa): A clinical

- copathologic study, 38:852; Malignant lymphoma with ocular involvement: A clinicopathologic report, 39:29; Ocular observations on the diabetic patient, 41:285; Electrical burn of the right globe and adnexa, 42:126; Juvenile diabetes, 49:358
- GIVNER, Isadore, KALLOS, Andrew, MEDINE, Myer, and ORFUS, A. J.: Kerato-acanthoma: Report of two cases, 49:822
- GLASER, Benjamin: Prophylaxis in traumatic hyphema 50:747
- GLIEDMAN, Marvin L., and KARLSON, Karl E.: Wound healing and wound strength of sutured limbal wounds, 39:859
- GLIKSON, J.: Tarsectomy, 42:104
- GOAR, Everett L.: Observations concerning cataract surgery, 36:1245; Postoperative hyaloid adhesions to the cornea, 45:99
- GOAR, Everett L., and FLETCHER, Mary C.: Toxic chorioretinopathy following the use of NP 207, 44:603
- GODWIN, M. C.: See PENN, R. F.
- GOHD, Robert S.: See ZEAVIN, Bernard H.
- GOLDBERG, Bernard: See GOLDBERG, Harry
- GOLDBERG, Bernard, ZAVELL, Saul, and KARA, Gerald B.: A new solution for topical application in external eye infections, 49:726
- GOLDBERG, Harry, and GOLDBERG, Bernard: Corneoscleral suturing forceps, 42:306
- GOLDBERG, Herman Krieger: The ophthalmologist looks at the reading problem, 47:67
- GOLDBERG, Herman Krieger, MARSHALL, Curtis, and SIMS, Edith: The role of brain damage in congenital dyslexia, 50:586
- GOLDMANN, Hans: Slitlamp microscopy of the vitreous and fundus, 42:887; Comments on acceptance of the Proctor Medal, 48:203; Some basic problems of simple glaucoma: The Proctor Medal Lecture, 48:213
- GOLDSMITH, A. J. B.: Bibliography of Sir Stewart Duke-Elder, 45:10
- GOLDSMITH, Maximilian O.: Intraocular foreign body, siderosis bulbi and phacoanaphylactic endophthalmitis, 54:385
- GOLDSTROHM, Robert: See TERNER, Irwin S.
- GOMBOS, Georg: See KORNBLUTH, Walter
- GOMEZ RUIZ, Othon R., and FERNANDEZ, Antonio: Hypnosis as an anesthetic in ophthalmology, 50:163
- GONZALEZ, Cesar A.: Topical fluorocortisone (9-alpha fluorohydrocortisone) in ophthalmology, 49:619. See PINE, Leo
- GONZALEZ-ANGULO, Amador: See BUEN, Sadi De
- GONZALES-SIRIT, Rafael: See WOLTER, J. Reimer
- GOOD, Malcolm: See FRIEDMAN, M. Wallace
- GOODMAN, Doris: See POTTS, Albert M.
- GOODMAN, George: See ISER, Gilbert
- GOODMAN, George, and GUNKEL, Ralph D.: Familial electoretinographic and adaptometric studies in retinitis pigmentosa, 46:1142
- GOODMAN, George, and ISER, Gilbert: Physiologic studies with flicker electoretinography, 42:212
- GOODMAN, Joseph L.: The specific vascular lesions of diabetes mellitus: II. Retinopathy and intercapillary glomerulosclerosis, 36:957
- GOODMAN, Sanders A.: Hemangiopericytoma of the orbit, 40:237
- GOODSIDE, Victor: Ocular findings in hypercalcemia, 38:856; The anterior limiting membrane and the retinal light reflexes, 41:288; Posterior crocodile shagreen: A corneal dystrophy, 46:748; Developmental abnormality of posterior aspect of the cornea, 51:525
- GORDON, Dan M.: Hydrocortisone in ophthalmology, 37:533; Prednisone and prednisolone in ocular disease, 41:593; Ethoxzolamide: A new carbonic anhydrase inhibitor, 46:41; Prednisolone-21 phosphate-neomycin sulfate solution in ophthalmology, 46:736; Two new corticosteroid preparations: Used in the treatment of ocular disorders, 47:536; Ocular decongestant, 48:395; Dexamethasone in ophthalmology, 48:656; Modern therapy of uveitis, 50:236
- GORDON, Dan M., and BURKE, Grafton E.: Dicumarol in retinitis pigmentosa, 45:666
- GORDON, Dan M., and EHRENBERG, Melvin H.: Cyclopentolate hydrochloride: A new mydriatic and cycloplegic agent: A pharmacologic and clinical evaluation, 38:831
- GORDON, Dan M., and McLEAN, John M.: Colistin in *Pseudomonas* infection: Report of a successfully treated case, 50:33
- GORDON, Dan M., ZEIDNER, J., ZAGORSKI, H. J., and UHLANER, J. E.: A psychometric evaluation of Ortho-Rater and wall-chart tests, 37:699
- GOREN, Seymour B.: See KRAUSE, Arlington C. See NEWELL, Frank W.
- GOREN, Seymour B., and NEWELL, Frank W.: The autoradiographic localization of urea-C-14 in the rabbit eye, 54:63
- GOREN, Seymour B., NEWELL, Frank W., BRIZEL, Herbert E., and HARPER, Paul V.: The use of I-125 labelled di-iodofluorescein: In the detection of human intraocular neoplasms, 54:191
- GOREN, Seymour B., NEWELL, Frank W., and O'TOOLE, John J.: The localization of Diamox-S³⁵ in the rabbit eye, 51:87
- GORIN, George: Hemorrhagic glaucoma, 47:392; Treatment of endothelial and epithelial dystrophy of the cornea, 48:70; Shortening of the angle of the anterior chamber in angle-closure glaucoma, 49:141; Action of di-isopropylfluorophosphate on cyclodialysis clefts, 50:789
- GORMAN, Warren F.: See KUPPERMAN, Moses
- GORMAZ, Alberto: Ocular tension after cataract surgery: With special reference to the phenomenon of late hypotony, 53:832
- GÖRTZ, Heinz: The corrective treatment of amblyopia with eccentric fixation, 49:1315
- GOULD, Herbert L., and KAUFMAN, Herbert E.: Boeck's sarcoid of the ocular fundus: Historical review and report of a case, 52:633
- GOURAS, Peter: Electric activity of toad retina, 46:159
- GRAHAM, T. F.: See COHEN, Louis B.
- GRANDI, Joseph: See JACOBUS, Henry F.
- GRANIT, Ragner, and MARG, Elwin: Conduction velocities in rabbit's optic nerve: And some observations on antidromic retinal spikes, 46:223
- GRANT, Morton W.: Remarks on the acceptance of the Proctor Medal Award, 42:5; Biographical data, 42:7; Publications, 42:8
- GRANT, Morton W., and KERN, Harold L.: Cations and the cornea: Toxicity of metals to the stroma, 42:167
- GRATZ, N. G.: See NEUMANN, E.
- GRAY, Leon Fowler, and ROBINSON, John P.: The clinical evaluation of echthiophate (Phospholine Iodide) in the treatment of glaucoma, 49:1162/76
- GRAYBIEL, Ashton, and WOELLNER, Richard C.: A new and objective method for measuring ocular torsion, 47:349
- GRAYSON, Merrill: Lamellar keratoplasty: For traumatic necrotizing corneal perforation, 48:252. See GAGER, John J.
- GRAYSTON, J. Thomas, WOOLRIDGE, Robert L., CHEN, Chen-wu, ASSAAD, Fakhry A., MAFFEI, Sigismondo, YEN, Chun-hui and YANG, Chung-yan: Bacterial conjunctivitis: Caused by an eye ointment base used as a placebo in therapeutic trials, 52:251
- GREEN, F. M.: See BUCKLEY, Eugene T.
- GREEN, Harry: See KASS, Miryam Z.
- GREEN, Harry, BOCHER, Carol A., and LEOPOLD, Irving H.: Anaerobic carbohydrate metabolism of the crystalline lens: I. Glucose and glucose-6-phosphate, 39:106; II. Fructose diphosphate, 39:113; III. Triose-phosphate, phosphoglycerate and phosphoenolpyruvate, 40:237
- GREEN, Harry, KROMAN, Henry S., and LEOPOLD, Irving H.: Corticosteroids in the aqueous humor of the rabbit eye: Further studies with paper chromatography, 44:91
- GREEN, Harry, and LEOPOLD, Irving H.: Investigation of corticosteroids in the aqueous humor of normal animal eyes, 38:101; Effects of locally administered Diamox, 40:137
- GREEN, Harry, and MANN, Mayer J.: The bicarbonate-ion concentration of rabbit vitreous: Before and after death of the animal, 44:480
- GREEN, Harry, MANN, Mayer J., and KROMAN,

- Henry S.: Elaboration of bicarbonate ion in intraocular fluids: IV. Dynamic effects of acetazolamide (Diamox), 44:388
- GREEN, Harry, MANN, M. J., and SAWYER, J. L.: Elaboration of the bicarbonate ion in intraocular fluids: III. Vitreous humor following intravenous infusion of 1.3-percent NaHCO_3 , 42:195
- GREEN, Harry, and SAWYER, John L.: Elaboration of bicarbonate ion in intraocular fluids: VI. Rabbit aqueous humor studies with NaHCO_3 , 47:530; VII. Studies with NaHCO_3 on the effect of Diamox on rabbit aqueous humor, 43:71
- GREEN, Harry, SAWYER, John L., and LEOPOLD, Irving H.: Investigation of corticosteroids in the aqueous humor of normal animal eyes: II. Further observations, 39:871
- GREEN, Harry, and SOLOMON, Shirley A.: Effect of age upon lens metabolism: I. Preliminary observations, 42:346
- GREENWOOD, Ivan: See BAUM, Gilbert
- GRIEVES, Martha: See MARR, William G.
- GRIFFIN, Agnes O., and BODIAN, Martin: Segmental retinal periarthritis: A report of three cases, 47:544
- GRIMES, Patricia A.: See MACRI, Frank J. See von SALLMANN, Ludwig
- GRINDLAY, John H.: See JOHNSON, Wendell A.
- GROM, Edward: Forceps-loop: For extracapsular lens extraction, 36:843; A keratome of new design, 47:408. See RHODE, Jesus
- de GROOT, Volckherdt, M., and FRIEDENWALD, Jonas S.: Thrombi in the ciliary veins of eyes from newborn infants, 43:93
- GROSSMANN, Erwin E.: Cross-action cilia forceps, 52:571. See GARNER, Lawrence L.
- GROSSMANN, Erwin E., and BURNS, Thomas A.: Clinical use of orbitonometry, 37:520
- GROSSMANN, Erwin E., and LEHMAN, Roger H.: Ophthalmic use of Tyzine: A clinical study of this new vasoconstrictor, 42:121
- GROVER, A. D.: Congenital anterior staphyloma with hydrocephalus, 46:395; Infantile amaurotic family idiocy: In an Indian child, 52:410. See RODGER, F. C. See SINGH, Satnam
- GRUBER, Ellis: Crystals in the anterior chamber, 40:817; Complete avulsion of the optic nerve: Associated with severe concussion injuries to the eyes, 48:528
- GRUBER, Louise: See HARRIS, John E.
- GUERRY, DuPont, III: Recession forceps, 50:167; Present status of the anterior chamber lens, 50:250. See ARINGTON, George E., Jr. See GEERAETS, Walter J. See HAM, W. T., Jr. See HIATT, Roger. See LIEB, Wolfgang A. See WIESINGER, Herbert. See WILLIAMS, Richard Kennon
- GUERRY, DuPont, III, and GEERAETS, Walter J.: Complications of anterior chamber lenses, 54:229
- GUERRY, DuPont, III, and WIESINGER, Herbert: Spontaneous cyst of the iris stroma, 44:106; Light coagulation, 49:87; Amyloid disease of conjunctiva and tarsus: A case report, 49:1413
- GUERRY, DuPont, III, WIESINGER, Herbert, and HAM, W. T., Jr.: Photocoagulation of the retina: Report of a successfully treated case of angiomatosis retinae, 46:463
- GUIBOR, George: Spasmus fixus with cerebral palsy: A case report, 36:1719
- GUIDRY, Marion A., ALLEN, James H., and KELLEY, J. B.: Some biochemical characteristics of acid injury of the cornea: I. Ascorbic acid studies, 40:1111; II. Carbohydrate metabolism, 44:243
- GUILBERT, G. D.: See BROWN, Dor W., Jr.
- GUILLETTE, James L., and MAYER, Walter: Thrombosis of the central retinal artery: Report of a successfully treated case, 37:578
- GULATI, G. C.: See NIRANKARI, M. S.
- GUNDZIK, John D., KENNEDY, Roscoe J., and MAYER, James H.: Cataract extraction: In a case of buphthalmos, 54:848
- GUNKEL, Ralph D.: See BORNSCHNEIN, Hans. See GOODMAN, George
- GUNKEL, Ralph D., and RYAN, Ralph W.: A self-recording, remote-control tangent screen, 40:897
- GUNN, Marvin R.: See HATCH, Joseph L.
- GUPTA, B. M. L.: See AGARWAL, L. P.
- GUREVITCH, J.: See NELKEN, E.
- GUSTIN, J.: See WEEKERS, R.
- GUTIERREZ, Elizabeth: See LOCATCHER-KHORAZO, Deborah
- GUTIERREZ, Sergio Diez: See BULNES, Luis Sánchez
- GUTMANN, M. J.: See NEUMANN, E.
- GUY, Loren P.: Postnatal cataracts in premature infants, 38:65
- GUY, Loren P., DANCIS, Joseph, and LANMAN, Jonathan T.: Retrolental fibroplasia: Ophthalmoscopic findings during the first two weeks of life, 36:85
- GUYTON, Jack S.: See RUSSELL, Dan A., Jr.
- GUYTON, Jack S., and KIRKMAN, Neil: Ocular movement: I. Mechanisms, pathogenesis and surgical treatment of alternating hypertropia (dissociated vertical divergence, double hypertropia) and some related phenomena, 41:438
- GWATHMEY, Tayloe: Incomplete peripheral iridectomy: Two instructive cases, 41:1043
- GWATHMEY, Tayloe, and HAVENER, William H.: Diplopia technique for obtaining balanced refraction, 38:562
- GYLLENSTEN, Lars J., and HELLSTRÖM, Bo E.: Experimental approach to the pathogenesis of retrolental fibroplasia: The influence of the developmental maturity on oxygen-induced changes in the mouse eye, 39:475; The effects of gradual and of rapid transfer from concentrated oxygen to normal air on the oxygen-induced changes in the eyes of young mice, 41:619

H

- HAAG, H. B.: See SILVETTE, H.
- de HAAN, A. B.: Giant cells: In resorption of lens fibers in secondary cataract, 51:1306
- HAAS, Joseph S.: See ILIFF, Charles E.
- HAAS, Joseph S., and MERRILL, David L.: The effect of methylcellulose on responses to solutions of pilocarpine, 54:21
- HABEGGER, Hedwige, PHILBROOK, F. Randolph, CURLEY, Francis J., and INGALLS, Theodore H.: Retinopathy of immaturity: In the newborn mouse after exposure to oxygen imbalances, 42:377
- HABEL, Adelaide: See SLOAN, Louise L.
- HADDAD, N. A.: See SNYDER, J. C.
- HADEYAMA, Akira: See NAKAJIMA, Akira
- HAGEDOORN, A.: Subretinal cellular deposits: In melanoblastoma of the choroid, 45:705. See KOK-VAN ALPHEN, C.
- HAGEDOORN, A., and van den BOSCH, Ch.: A double-projection campimeter, 40:891
- HAGEDOORN, A., and MAAS, E. R.: Potential antibacterial properties of the human vitreous, 51:326
- HAGEDOORN, A., and SALIM, I.: Disseminated pigmentary deposits: In melanoblastoma of the choroid, 45:51; Iridoma irides and nevi of the iris and anterior border layer, 48:825
- HAGEDOORN, A., and SIEGER, D. H.: Idiopathic retinal detachment, 41:660
- HAGEDOORN, A., and VELZEBOER, C. M. J.: Shortening of the eyeball for retinal detachment, 51:1211; A modified erisophake: Extraction of a hypermature (morgagnic) cataract, 53:862
- HAGEDOORN, W. G., and MAAS, Elizabeth R.: The effect of histamine on the rabbit's cornea, 42:89
- HAGLER, William S.: See CALHOUN, F. Phinizy, Jr.
- HAGUE, Elliott B.: Fluorescing illumination in cataract surgery, 47:663. See MIETUS, Conrad A.
- HAHN, Kurt: See TASSMAN, William S.
- HAIK, George M. LYDA, Wood, WAUGH, Richey L. Jr., and ELLIS, George: Cataract formation following beta-ray radium therapy: Report of four cases, 38:465
- HAINES, Samuel F.: See KEARNS, Thomas P.
- HALBERG, G. Peter: Portable refractor unit, 46:218; Monocular trial frame, 47:692. See JACOBSON, Jerry Hart
- HALBERG, G. Peter, and BERENS, Conrad: Standardized Schirmer tear test kit, 51:840
- HALBERT, Seymour: See MANSKI, W.

- HALBERT, Seymour P., and FITZGERALD, Patricia L.: Studies on the immunologic organ specificity of ocular lens, 46:187
- HALL, James L.: See FLEMING, David G.
- HALLE, Raymond L., MacKNESE, Ruth G., and ORMSBY, Hugh L.: Studies of immunity in experimental herpetic keratitis in rabbits, 39:226
- HALLETT, Joseph W.: See LIPSUS, Edward I. See NAIB, Khalida. See WOLKOWICZ, Michael I.
- HALLETT, Joseph W., and LEOPOLD, Irving H.: Clinical trial of erythromycin ophthalmic ointment, 44:519
- HALLETT, J. W., NAIB, Khalida, and LEOPOLD, Irving H.: Laboratory observations on the ocular use of tetracycline, 39:691
- HALLETT, Joseph W., WOLKOWICZ, Michael I., and LEOPOLD, Irving H.: Ophthalmic use of Neosporin, 41:850
- HALLIDAY, J. A., and ORMSBY, H. L.: Carbomycin in ocular infections, 39:51
- HALPERN, Arthur E., and KULVIN, Max M.: Transient myopia: During treatment with carbonic anhydrase inhibitors, 48:534
- HAM, W. T., Jr.: See GUERRY, DuPont, III. See WIESINGER, Herbert
- HAM, W. T., Jr., WIESINGER, H., GUERRY, DuPont III, SCHMIDT, F. H., WILLIAMS, R. C. and SHAFER, M. C.: Experimental production of flash burns in the rabbit retina, 43:711
- HAM, William T., Jr., WIESINGER, H., SCHMIDT, F. H., WILLIAMS, R. C., RUFFIN, R. S., SHAFFER, M. C., and GUERRY, DuPont, III: Flash burns in the rabbit retina: As a means of evaluating the retinal hazard from nuclear weapons, 46:700
- HAMASHIGE, Shinichi, and POTTS, Albert M.: The penetration of cortisone and hydrocortisone into the ocular structures, 40:211
- HAMBRICK, George W., Jr.: See SCHEIE, Harold G.
- HAMEED, Sami: See DAYAL, Y.
- HAMEED, Sami, and NATH, Kailash: Bone formation in the tarsal plate: Associated with amyloidosis following trachoma, 49:814
- HAMID, S.: See MEHRA, K. S.
- HAMILTON, Henry E.: See ELLIS, Philip P. See SCHULTZ, Richard O.
- HAMILTON, J. Bruce: The Ophthalmic Research Institute of Australia: And its possible impact on ophthalmic surgery and medicine, 46:690
- HAMILTON, Ralph S.: Blepharoptosis, congenital and acquired: Relationship of anatomy and pathologic physiology to surgical correction, 49:337. See FAJARDO, Romeo V.
- HAMILTON, Ralph S., and LEOPOLD, Irving H.: Lymphosarcoma of lacrimal and salivary glands, 47:859
- HAMILTON, Robert Houston: See SUTLIFF, Frederick P.
- HAMLIN, H.: See HIRSCH, O.
- HAMMEKE, John C., and ELLIS, Philip P.: Mycotic flora of the conjunctiva, 49:1174/88
- HANABUSA, Jun: See MITSUI, Yukihiko
- HANEY, William P., and FALLS, Harold F.: The occurrence of congenital keratoconus posticus circumscriptus: In two siblings presenting a previously unrecognized syndrome, 52:53
- HANNA, A. T.: See SNYDER, J. C.
- HANNA, L.: See JAWETZ, E. See KIMURA, S. J. See THYGESON, P.
- HANNA, L., JAWETZ, E., and COLEMAN, V. R.: Studies on herpes simplex: VIII. The significance of isolating herpes simplex virus from the eye, 43:126
- HANNA, L., JAWETZ, E., MITSUI, Y., THYGESON, Phillips, KIMURA, S. J. and NICHOLAS, A.: Continuing studies on the association of adenovirus type 8 with epidemic keratoconjunctivitis, 44:66
- HANNA, L., ZICHOSCH, J., DAWSON, C., THYGESON, P., and JAWETZ, E.: Isolation of viruses from inclusion conjunctivitis in the newborn 53:774
- HANNO, Harold A., and SPAETH, Philip G.: An evaluation of the tuberculin reaction in endogenous uveitis, 40:647
- HANNON, John F.: Vitreous hemorrhages: Associated with sickle-cell hemoglobin C disease, 42:707
- HARDESTY, Hiram H.: Further refinement of the after-image test, 52:713
- HARDIN, Hilliard: See PINE, Leo
- HARLEY, R. D.: Filaria loa: Report of a case, 45:901
- HARLEY, R. D., and MISHLER, J. E.: The use of chlorpromazine in cataract surgery: A preliminary report, 43:744; Ataractic and antiemetic drugs in cataract surgery, 47:177
- HARLOWE, H. D.: Buffalo-berry thorn in the eye, 45:285
- HARNWELL, Gaylord P.: Francis Heed Adler, M.D.: 50:1025
- HARPER, John Y., and POMERAT, C. M.: In vitro observations on the behavior of conjunctival and corneal cells in relation to electrolytes, 46:269; Effect of electrolyte mixtures on cells from human iris, 49:446
- HARPER, Lamar B.: See POST, Lawrence T.
- HARPER, Paul V.: See GOREN, Seymour B. See NEWELL, Frank W.
- HARRINGTON, David O.: The pathogenesis of the glaucoma field: Clinical evidence that circulatory insufficiency in the optic nerve is the primary cause of visual field loss in glaucoma, 47:1177; Amblyopia due to tobacco, alcohol and nutritional deficiency: Differential diagnosis with special reference to the character of the visual field defect, 53:967; Self-illuminated stimulus: For tangent screen perimetry, 54:301
- HARRINGTON, David O., and FLOCKS, Milton: Visual field examination by a new tachystoscopic pattern method, 37:719
- HARRIS, Charles, and COHEN, Bernard S.: The effect of hyaluronidase on the therapeutic efficacy of BAL applied to rabbit cornea, 36:777
- HARRIS, Dennis: Sympathetic ophthalmia following iridencleisis: Case report and incidence, 51:829
- HARRIS, Dennis, and BIRCH, Carroll L.: Bilateral uveitis: Associated with gastro-intestinal Endamoeba histolytica infection: A case report, 50:496
- HARRIS, Gordon, and McCULLOCH, Clement: Neutralization of the action of di-isopropyl fluorophosphate by an oxime (monoisonitrosoacetone) 50:414
- HARRIS, John E.: The physiologic control of corneal hydration: The first Jonas S. Friedenwald Memorial Lecture, 44:262. See GILES, Kenneth M. See HAUSCHILDT, James D. See HEINRICH, Daniel J. See LEWIS, Richard P. See TALMAN, Ellen L. See TANNER, K. N.
- HARRIS, John E., CARLSON, A. Eugene, GRUBER, Louise, and HOSKINSON, Gertrude: The aqueous: serum sodium and potassium steady-state ratios in the rabbit: And the influence of Diamox and Dibenzamine thereon, 44:409
- HARRIS, John E., GEHRSTZ, Leta B., and NORDQUIST, Loretta: The in vitro reversal of the lenticular cation shift induced by cold or calcium deficiency, 36:339
- HARRIS, John E., GEHRSTZ, Leta B., and GRUBER, Louise: The hydration of the cornea: II. The effect of the intraocular pressure, 42:325
- HARRIS, John E., and GRUBER, Louise: The hydration of the cornea: III. The influence of the epithelium, 42:330
- HARRIS, John E., GRUBER, Louise, and HOSKINSON, Gertrude: The effect of methylene blue and certain other dyes on cation transport and hydration of the rabbit lens, 47:387
- HARRIS, John E., GRUBER, Louise, TALMAN, Ellen, and HOSKINSON, Gertrude: The influence of oxygen on the photodynamic action of methylene blue on cation transport in the rabbit lens, 48:528
- HARRIS, John E., HAUSCHILDT, James D., and NORDQUIST, Loretta T.: Lens metabolism as studied with the reversible cation shift: I. The role of glucose, 38:141; II. The effect of oxygen and glutamic acid, 38:148; Transport of glucose across the lens surfaces, 39:161
- HARRIS, John E., and NORDQUIST, Loretta T.: The hydration of the cornea: I. The transport of water from the cornea, 40:100
- HARRIS, Jonathan L.: Glaucoma associated with steroid therapy and atopic dermatitis, 49:351

- HARRIS, Ronald B.: See GILL, Elbyrne G.
- HARRIS, William R.: See HAVENER, William H.
- HARRISON, Raymond: Bilateral lens opacities: Associated with use of di-isopropyl fluorophosphate eye-drops, 50:153
- HARRISON, Saul L.: See MATHER, Robert W.
- HARRISON, Stratton W.: See CROFFEAD, George W.
- HARRISON, William J.: The oblique-angle keratome, 36:114; An electrode for use in retinal separation, 36:263; An improved muscle tucker, 36:843
- HART, William M.: See PECKHAM, Robert H.
- HARTFORD, John J.: Retinal vascular changes in diabetes mellitus, 36:324
- HARTMAN, A. AP.: See BRECHER, Gerhard A.
- HARTSTEIN, Jack: Newer corneal types of contact lenses, 45:919. See MILLER, James E.
- HARTZ, Philip H.: See MORALES, Pedro Pablo
- HASSOUNA, M. A. L.: Trachoma in brief, 38:382
- HATCH, Joseph L., and GUNN, Marvin R.: Radiographic characteristics of ophthalmic lenses, 51:1268
- HATFIELD, R. E.: See DUGGAN, J. Winston
- HATLEN, Rachel: See ERICKSON, Olive Fedde
- HAUSCHILDT, James D.: See HARRIS, John E.
- HAUSCHILDT, James D., HARRIS, John E., and NORDQUIST, Loretta T.: Changes in the phosphate fractions of the lens under various conditions which influence cation transport, 39:155
- HAUSER, Paul: See MERZ, Earl H.
- HAUSLER, Hans R., and ORMSBY, Hugh L.: Penetration of magnamycin into the aqueous humor of rabbits, 39:234
- HAUSLER, Hans R., and SIBAY, T. M.: A contribution to the injection technique for studying retinal blood vessels, 48:138
- HAVENER, William H.: Chronic simple glaucoma: Hereditary aspects, 40:828; Schepens' binocular indirect ophthalmoscope, 45:915; Cataract cases lost before surgery, 47:172; Clinical experiences with the photocoagulator, 49:1212/126. See GWATIMEY, Tayloe. See HOWARTH, Charles H. See PRINCE, Jack H. See SPOULE, Ralph T. See SUIE, Ted
- HAVENER, William H., and CAHN, Peter: Forceps localization: In retinal detachment surgery, 54:1130
- HAVENER, William H., and HARRIS, William R.: Retinal detachment in toxoplasmosis, 54:451
- HAVENER, William H., and KIMBALL, O. Paul: Scleral perforation during strabismus surgery, 50:807
- HAVENER, William H., and OLEKSY, Stanley P.: Optical theory of the Maddox rod, 39:231
- HAVENER, William H., and PATTERSON, James: The Wolfe scleral tonometer, 49:355
- HAVENER, William H., and PRINCE, Jack H.: Adapter for tangent screen projector, 40:109
- HAVENER, William H., STAMBAUGH, Norman F., and BEIL, Herbert: Corneal perforation in metaherpetic keratitis with virus inclusions treated with alpha chymotrypsin, 54:756
- HAWES, Susan: See LERMAN, Sidney
- HAYASHIDA, Michihiko: See LEVATIN, Paul
- HAYES, C. V.: See SCHARDT, W. M.
- HAYES, David W.: See MELTON, Carlton E.
- HEALY, Raymond W.: See REICH, Theobald
- HEATH, Parker: Clinical pathologic conference, 37:107; Essential atrophy of the iris: A histopathologic study, 37:219; Clinical pathologic conference, 37:254; 37:420; 37:568; 37:774; 37:931; 38:88; 38:222; A congenital anomaly simulating tumor, 45:102; Calcinosi oculi, 54:771. See HERM, Robert J. See MILAM, D. F., Jr.
- HEATLEY, Juan: See SOLANES, M. Puig
- HEDGES, Charles C., Jr.: Nevxanthoendothelioma: Of the eye treated with superficial X-ray therapy, 47:683
- HEDGES, Thomas R., Jr.: See MONTANA, Jerome A.
- HEDGES, Thomas R., Jr., and CARDOSO de MELO, Osvaldo C.: Corneal and auditory findings in Boeck's sarcoid, 47:673
- HEIN, Paul A., Jr.: Unilateral paralysis of accommodation, 52:711. See BAQUEIRO, Adolfo
- HEINC, Antonin: Chemical burns of the eyes treated with egg membrane: An experimental study, 48:373
- HEINRICHS, Daniel J., and HARRIS, John E.: Lens metabolism with the reversible cation shift: IV. The ability of various metabolites to replace glucose, 42:358
- HELLSTRÖM, Bo E.: See GYLLENSTEN, Lars J.
- HEMPHILL, F. M.: See KINSEY, V. Everett
- HENCH, MILES E.: See WILLIAMS, Richard Kennon
- HENDERSON, John W.: Curare akinesia in cataract operations, 36:781; Expulsive subchoroidal hemorrhage associated with cataract extraction: Report of a case with survival of the eye, 49:791. See DYER, John A. See JOHNSON, Wendell A. See KAZDAN, Martin S. See KEARNS, Thomas P. See STEIN, Harold A.
- HENDERSON, John Woodworth: Problem cases in neuro-ophthalmologic diagnosis, 50:1087. See GILES, Conrad L. See WOLTER, J. Reimer
- HENDERSON, John Woodworth, and SCHNEIDER, Richard C.: The ocular findings in carotid-cavernous fistula in a series of 17 cases, 48:585
- HENKES, Harold E.: Electoretinography: An evaluation of the influence of the retinal and general metabolic condition on electrical response of retina, 43:67
- HENKIND, Paul, and WISE, George N.: Descemet's wrinkles in diabetes, 52:371
- HENRY, Marvin D., and CHAPMAN, A. Zerme: Vitreous hemorrhage and retinopathy associated with sickle-cell disease, 38:204
- HENRY, Morris M.: Nonperforating eye injuries with hyphema, 49:1298
- HENRY, Morris M., and LEE, Pei-fei: Clinical comparison of dichlorophenamide, chlorothiazide and sulcarbilate with acetazolamide in control of glaucoma, 47:199
- HERBERT, Elizabeth: See STONE, William, Jr.
- HERGERT, Carl: See TILLET, Charles W.
- van HERICK, William: See MILLER, William A.
- HERM, Robert J., and HEATH, Parker: A study of retinoblastoma, 41:22
- HERMANN, John S.: Isolated abducens paresis: Complicating herpes zoster ophthalmicus, 54:298; Endogenous ring ulcer of the cornea: Related to the tuberculosis, 54:1137
- HESSBURG, Philip C.: A new type of ocular bandage, 53:518
- HESSBURG, Philip C., TRUANT, Joseph P., and PENN, William P.: Corneal infections in experimental animals: I. Introduction, purpose and techniques, 53:359
- van HEYNINGEN, Ruth, PHIL, D., and PIRIE, Antoinette: Hexokinase in X-ray cataract in rabbits, 43:893
- HIATT, Roger, KENDRICK, Dan L., and GUERRY, DuPont III: Retinoblastoma: Regression and progression, 52:717
- HICKS, B. L.: See LEWALLEN, William M., Jr.
- HICKS, John D.: See SCHEIE, Harold G.
- HIGGINBOTHAM, Don H.: See PATZ, Arnall
- HILDING, A. C.: On the relation of labyrinthine stimulation to deviation of the visual axes: A. The effect of prismatic lenses on vertigo. B. Deviation of the visual axes after the Bárány turning test, 42:621; Multiple peripheral iridectomies: In Narrow-angle glaucoma, 43:109; Corneal epithelium and penetrating corneal defects in cats: With special reference to epithelial downgrowth, 48:787; Comparative behavior of respiratory, conjunctival and corneal epithelium: In the anterior chamber in cats and dogs, 50:276; The experimental approach to cataract surgery: Results in a series of 555 extractions done without conjunctival flap: I. Experimental and clinical work (preoperative preparation, operative techniques, postoperative care), 53:296; II. Postoperative results, 53:606; III. Complications, 53:953
- HILDRETH, H. Rommel: David: Modern surgeon, 36:1071; The tendon transplanting operation, 36:1267; Digital ocular compression preceding cataract surgery, 51:1237
- HILDRETH, H. Rommel, and BECKER, Bernard: Routine tonometry, 43:21
- HILGARTNER, Henry L., and THOMPSON, Hardy E., Jr.: Alpha chymotrypsin in intraocular foreign body extraction, 51:147
- HILGERS, J. H. Ch.: Pterygium: Its incidence, heredity and etiology, 50:635

- HILL, Howard F.: Absence of the medial rectus: Its successful treatment by vertical tendon transplants, 42:93; Surgery in open-angle glaucoma, 42:606; Normal vitreous loss, 50:786
- HILL, Howard F., and BARRAQUER, Joaquin: Some aspects of the use of enzymatic zonulolysis, 54:89
- HILL, J. H.: See BROWN, John L.
- HILL, Kevin, COGAN, David G., and DODGE, Philip R.: Ocular signs associated with hydraencephaly, 51:267
- HILL, Kevin, and STROMBERG, Ann E.: Echothiophate iodide in the management of esotropia, 53:488
- HILTON, George F.: Universal slitlamp attachment: For plotting unilateral central scotomas, 45:913
- HINTZ, Andrés Flores: See BULNES, Luis Sánchez
- HIOKI, Ryuichi, and NAKAMURA, Yasushi: Hioki's polarization anomaloscope: Technical study and clinical study, 40:559
- HIRSCH, O., and HAMLIN, H.: Fate of visual fields and optic discs in pituitary tumors, 37:880
- HIRSCHENFANG, Samuel: See KARLIN, David B.
- HOAK, Carl G.: See RUEDEMANN, Albert D.
- HOBBS, A. C., Jr.: Osteoma of the orbit, 43:615
- HOBBS, Frank I., and SCHIMEK, Robert A.: The clinical value of the Rodenstock refractometer, 42:59
- HOCKWIN, O.: See MULLER, H. K.
- De HOFF, John B., and OZAZEWski, John: Alpha tocopherol to treat diabetic retinopathy, 37:581
- HOFFMAN, H. J.: See BOTTERELL, E. H.
- HOFFMAN, Julius: Pigmentary retinal lipid neuronal heredodegeneration (Spielmeier-Vogt disease): The neuro-ophthalmologic considerations, 42:15
- HOGAN, Michael J.: Atopic keratoconjunctivitis, 36:937; Keratoconjunctivitis: The clinical characteristics of the California epidemic, 1941-1942, 43:41; Corneal transplantation in the treatment of herpetic disease of the cornea, 43:147; Lamellar keratoplasty for herpes febrilis ulceration of the cornea, 45:106; Ocular toxoplasmosis: The XIV Jackson Memorial Lecture, 46:467. See FEENEY, Lynette. See GARRON, L. K.
- See KIMURA, Samuel J. See SPENCER, William H.
- HOGAN, Michael J., and FEENEY, Lynette: Electron microscopy of the human choroid: III. The blood vessels, 51:1084/212
- HOGAN, Michael J., KIMURA, Samuel J., and THYGESEN, Phillips: Signs and symptoms of uveitis: I. Anterior uveitis, 47:1155
- HOGAN, Michael J., YONEDA, Chieko, and ZWEIGART, Phyllis: Growth of Toxoplasma strains in tissue culture, 51:920/48
- HOGAN, Michael J., ZWEIGART, Phyllis A., and LEWIS, Ann: Persistence of Toxoplasma gondii in ocular tissues: I., 42:84
- HOGG, Raymond E., and ALPERN, Mathew: How valid is a scleral tonometer? 49:1221/135
- HOHN, Anselm C.: See STRAATSMAN, Bradley R.
- HOLLAND, Malvern C.: Siderosis bulbi and its spontaneous clearing: A review and case report, 45:259
- HOLLAND, Malvern C., and WORLTON, James T., Jr.: Relationship of pleuropneumonia-like organisms and uveitis, 43:597
- HOLLAND, Monte G.: See BYERS, J. L.
- HOLLAND, Monte G., MADISON, James, and BEAN, William: The ocular rigidity function, 50:958/288
- HOLLAND, Monte G., MALLERICH, Dallas, TISCHLER, Bruce, and BELESTRI, Joseph: Short-circuit current and resistance of the in vitro iris-ciliary body membrane preparation, 51:1027/55
- HOLLAND, Monte G., von SALLMANN, Ludwig, and COLLINS, Eleanor M.: A study of the innervation of the chamber angle; Part II. The origin of trabecular axons revealed by degeneration experiments, 44:206
- HOLLAND, Monte G., TISCHLER, Bruce, and BELESTRI, Joseph: Ocular distensibility as a function of temperature, 51:1024/152
- HOLLAND, R. W. B.: A comparison of the appearance of the vitreous: After intracapsular extraction by the Smith and the forceps methods: A preliminary report, 40:862
- HOLLAND, R. W. B., and LEPISTO, Victor E.: Cortisone and Neosone in complications following cataract surgery, 38:201; Simplified surgical technique in the treatment of chronic glaucoma, 40:243
- HOLLANDER, David H.: See ILIFF, Charles E.
- HOLLANDER, W. M.: See MANNING, Ephraim L.
- HOLLENHORST, Robert W.: Ocular manifestations of insufficiency or thrombosis of the internal carotid artery, 47:753. See BENEDICT, Walter H. See DAVIS, C. Truman. See PRICKMAN, Louis E. See TAUB, Robert G. See WAGENER, Henry P.
- HOLLINGSHEAD, E. E.: See WYMAN, George J.
- HOLM, Arvid G., and BENNETT, Wayne: Hemosiderosis bulbi following trauma, 53:65
- HOLM, Arvid G., and KAUFMANN, Werner C.: Uveal malignant melanomas, 49:612
- HOLM, Arvid, SACHS, Julian, and WILSON, Arthur: Glaucoma secondary to occlusion of the central retinal artery, 48:530
- HOLMAN, Melvin V.: See LORHAN, Paul H.
- HOLMBERG, Ake: Some characteristic components of the ciliary epithelium, 48:426. See KAYES, Jack. See LEY, Albert P.
- HOLMBERG, Ake, and BECKER, Bernard: The effect of hypothermia on aqueous humor dynamics: II. Ultrastructural changes in the rabbit ciliary epithelium, 49:1134/48
- HOLMES, William John: Hereditary congenital ophthalmoplegia, 41:615; Hawaii through the ophthalmoscope, 42:393; Australia and New Zealand through the ophthalmoscope, 43:927; Glaucoma in Central and South Pacific, 51:253
- HOLT, L. Byerly: Durafilm containers for preserved corneas, 54:462. See COLLINS, Wayne. See MOON, T. Elmer
- HONG, Syng-Min: See CIBIS, Paul A.
- HOOVER, Richard E.: Nongranulomatous uveitis: A complication of serum sickness, 41:534
- HOOVER, Richard E., and KUPFER, Carl: Low-vision clinics: A report, 48:177
- HOOVLER, M. R.: See EVERETT, William G.
- HOPE-ROBERTSON, Walter James: Some ophthalmic problems in New Zealand, 46:661
- HOPEN, Joseph M.: Use of parenteral trypsin in acute inflammatory and thrombotic ocular disturbances, 38:84
- HOPEN, Joseph M., and CAMPAGNA, Francis N.: Use of intramuscular trypsin: In traumatic, inflammatory and hemorrhagic ocular disturbances, 40:209
- HOPKINS, Robert E., and CARRIKER, Frederick R.: Malignant melanoma of the ciliary body, 45:835
- HOPKINS, William G.: Lens-induced glaucoma, 43:399
- HORN, Charles: See NEWELL, Darrell E.
- HORSLEY, Margaret E.: See DEUTSCH, Alice R.
- HORWICH, Harry, and TURTZ, Arnold: Experimental evaluation of Hydrosulphosol, 37:239
- HORWITZ, Irving D.: See ABRAHAMSON, Ira A., Jr.
- HOSKINSON, Gertrude: See HARRIS, John E.
- HOULTON, A. C. L.: See LLOYD, J. P. Francis
- HOURLAY-STASSART, C., and LAVERGNE, G.: Emboli of the central retinal artery after mitral commissurotomy, 47:90
- HOWARTH, Charles H., and HAVENER, William H.: Differential diagnosis of an edematous optic disc, 49:150
- HOWAT, J. M. L.: See LASSMAN, L. P.
- HOWELL, Stacy C.: The cranioses, 37:359
- HOWLAND, Alvin W.: See LIPSUUS, Edward I.
- HOYT, William Fletcher: See TOUR, Robert L. See WALSH, Frank B.
- HUANG, Tao: See WAITZMAN, Morton B.
- HUBEL, David H.: Cortical unit responses to visual stimuli in nonanesthetized cat, 46:110
- HUBER, Alfred: Homonymous hemianopia after occipital lobectomy, 54:623
- HUDNELL, Armstead B., Jr.: See SMITH, J. Lawton
- HUDSON, Kenneth E.: See BROWN, William C.
- HUEBNER, Robert J., and ROWE, Wallace P.: Adenoviruses as etiologic agents in conjunctivitis and keratoconjunctivitis, 43:20
- HUECKEL, H.: See BOECK, J.
- HUGHES, Irene: See DOCTOR, Daniel
- HUGHES, Wendell L.: Tapered implants: For insertion along floor of orbit, 40:112; Report of a combination operation for cataract and glaucoma, 43:1; Chymo-

- trypsin in dendritic ulcer, 50:496; Chalazion retractor, 52:260. See BALLEEN, Peter H. See COLE, Helen Grady
- HUGHES, Wendell L., LEWIS, Earl L., and AMDUR, Joseph: Chymotrypsin in various ophthalmic surgical procedures, 51:103
- HUGHES, William F.: The treatment of corneal dystrophies by keratoplasty, 50:1100. See MUNDT, G. Henry, Jr.
- HULL, Forest E.: Management of eye casualties in the Far East command during the Korean conflict, 36:467
- HULSMAN, Helen L.: Visual factors in reading: With implications for teaching, 36:1577
- HULTIN, M., and KORNERUP, T.: An apparatus for investigation of the eye: In monochromatic light with interference filter, 38:68
- HUNTER, W. S., and McCULLOCH, Clement: The neutralization of cholinesterase inhibition by various oximes and by atropine, 52:841/409
- HURWITZ, Paul: Sulfadimethine (Elkosin) in ophthalmology, 36:1621; Buccal Varidase in ophthalmology, 48:823; Ophthalmic Otrivin solution, 50:467
- HYDE, Jane E.: Some characteristics of voluntary human ocular movement in the horizontal plane, 48:85; Crossedness: A study of Siamese cats, 53:70
- HYMAN, George A.: See REESE, Algernon B.
- HYNES, Edward A.: Syndrome of Fisher: Ophthalmoplegia, ataxia and areflexia, 51:701
- I
- IBANA, Barel Guerrero: See SOLANES, M. Puig
- ICHIHARA, T.: See OGINO, S.
- ICHIKAWA, Hiroshi: See NAKAJIMA, Arkia. See MAJIMA, A.
- IGERSHEIMER, Joseph: Serious visual troubles caused by unusual circulatory disturbances in the region of the optic nerve, 47:767
- ILIFF, Charles E.: A simplified ptosis operation, 37:529. See KING, John Harry, Jr.
- ILIFF, Charles E., and HAAS, Joseph S.: Posterior lip sclerectomy, 54:688
- ILIFF, Charles E., and OSSOFKY, Helen Johns: Infantile cortical hyperostosis: An unusual cause of proptosis, 53:976
- ILIFF, Charles E., WOOD, Ronald M., and HOLLANDER, David H.: Successful transplantation of a frozen human cornea, 41:505
- IMPASTATO, David J.: See LINCOFF, Harvey A.
- IMRE, György: Coats' disease, 54:175
- INGALLS, Raymond: See ZIMMERMAN, Lorenz E.
- INGALLS, Theodore, H.: See HABEGGER, Hedwig
- ISABELLA, J.: See STERN, R. U.
- IRONSIDE, William M. S.: See NEWELL, Frank W.
- IRVINE, A. Ray, Jr.: See CURY, Dahar. See IRVINE, Wendell C.
- IRVINE, A. Ray, and IRVINE, A. Ray, Jr.: Variations in normal human corneal endothelium: A preliminary report of pathologic human corneal endothelium, 36:1279
- IRVINE, S. Rodman: A newly defined vitreous syndrome following cataract surgery: Interpreted according to recent concepts of the vitreous: VII Francis I. Proctor Lecture, 36:399
- IRVINE, S. Rodman, BRUNISH, Robert, and ROWEN, John W.: Studies on the vitreous humor: Further observations on sequelae and treatment of prolapsed vitreous: Properties of vitreous dependent upon the hyaluronic acid content, 39:1100
- IRVINE, S. Rodman, and KNOLL, Henry A.: The thermal effect on ocular tissues: Of surgical diathermy currents with frequencies used in treatment of detached retina, 45:113
- IRVINE, Wendell C., and IRVINE, A. Ray, Jr.: Nematode endophthalmitis: *Toxocara canis*: Report of one case, 47:1185
- IRWIN, Edward S.: See SNELL, Albert C., Jr.
- ISAACSON, J. D.: See ALPERN, Mathew
- ISBEY, Edward K., Jr., TANAKA, Kouichi T., and CLIFFORD, George O.: Vitreous hemorrhage: Associated with sickle-cell hemoglobin-C disease, 45:870
- ISER, Gilbert: See GOODMAN, George. See KRILL, Alex E.
- ISER, Gilbert, and GOODMAN, George: Clinical studies with flicker electroretinography, 42:227
- ISOLA, W., and STARK, Berta: Inhibition in strabismus and a new method of treatment, 45:235
- IVORY, R. F.: See FARKAS, T. G.
- J
- JABLONSKA, Stefania: See SEGAL, Pawel
- JACKSON, William E.: See ELLIS, Philip P.
- JACOBUS, Henry F., and GRANDI, Joseph: Chorioiditis with lymphocytic choriomeningitis, 38:231
- JACOBS, Leon: See KAUFMAN, Herbert E. See REMINGTON, Jack S. See WOODS, Alan C.
- JACOBSON, Jerry Hart: See CINOTTI, A. A.
- JACOBSON, Jerry Hart, BASAR, Demir, and KORNZWEIG, Abraham L.: Spectrodifferential electroretinography in macular disease, 42:199
- JACOBSON, Jerry Hart, and GESTRING, Gideon F.: A contribution toward the standardization of clinical electroretinographic equipment, 48:517
- JACOBSON, Jerry H., NAJAC, Harold T., STEPHENS, George, KARA, Gerald B., and GESTRING, Gideon F.: The role of the macula in the ERG of monkey and man, 50:889/219
- JACOBSON, Jerry Hart, ROMAINE, Hunter H., HALBERG, G. Peter, and STEPHENS, George: The electric activity of the eye during accommodation, 46:231
- JAFFE, Norman S.: The pupil in syphilis, 36:493; Anomalous projection: Its incidence, factors in development, characteristic tests and treatment in 146 surgically treated strabismus cases, 36:829
- JAFFE, Norman S., and BROCK, Fred W.: Some phenomena associated with amblyopia, 36:1075
- JAFFE, Norman S., and DURKIN, Lloyd S.: Traumatic bitemporal hemianopia, 36:1623
- JAIN, N. S.: Interpretations of synkinetic oculopalpebral phenomena in acquired ophthalmoplegias, 53:115
- JAIN, N. S., SETHI, D. V., and MAHAJAN, K. C.: Naffziger's orbital decompression: Its application in treating a case of osteomyelitis of the roof of the orbit, 43:768
- JAKUS, Marie A.: Studies on the cornea: I. The fine structure of the rat cornea, 38:40
- JAMES, Burton R.: See WOLTER, J. Reimer
- JAMES-WITTE, J.: See BREEBAART, A. C.
- JAMPEL, Robert S.: Representation of the near-response on the cerebral cortex of the Macaque, 48:573. See ALPERN, Mathew. See KATZ, Joseph L.
- JAMPOLSKY, Arthur: Esotropia and convergent fixation disparity: Of small degree: Differential diagnosis and management, 41:825; Surgical management of exotropia, 46:646. See KORNBLUETH, Walter. See NAWRATSKI, Ilse. See TAMLER, Edward
- JAMPOLSKY, Arthur, and FLOM, Bernice: Transient myopia associated with anterior displacement of the crystalline lens, 36:81
- JAMPOLSKY, Arthur, FLOM, Bernice C., and FREID, Allan N.: Fixation disparity in relation to heterophoria, 43:97
- JANOFF, Lawrence A.: See COLE, J. Gordon
- JARDINICO, Robert E.: See ALPERN, Mathew
- JAWETZ, E.: See HANNA, L. See KIMURA, S. J. See MITSUI, Yukiniko. See OKUMOTO, M. See THYGESON, P.
- JAWETZ, E., KIMURA, S. J., HANNA, L., COLEMAN, V. R., THYGESON, P., and NICHOLAS A.: Studies on the etiology of epidemic keratoconjunctivitis, 40:200
- JAWETZ, E., THYGESON, P., HANN, L., NICHOLAS, A., and KIMURA, S. J.: The etiology of epidemic keratoconjunctivitis, 43:79
- JEFFERY, M. Pauline: Ocular diseases caused by nematodes, 40:41
- JERROLD, S. Harrison, and SHAPIRO, Martin: Pigmentation of corneal endothelium: Report of a case, 54:1121
- JERVEY, J. W.: The postoperative care of retinal detachment, 36:25

- JERVEY, J. W., Jr.: Postoperative care of retinal detachment, 45:544
- JIM, Vernon K. S.: Plasmocytoma of the orbit, 39:43
- JIM, Vernon K. S., and KRAUSE, Arlington C.: Electroencephalography in retrolental fibroplasia, 38:337
- JOHNSON, Carl Cordes: Blepharoptosis: A general consideration of surgical methods, with the results in 162 operations, 38:129; Operations for epicanthus and blepharophimosis: An evaluation and a method for shortening the medial canthal ligament, 41:71
- JOHNSON, Jerry: Cataracts in galactosemia, 36:1380
- JOHNSON, Laverne C.: See MILLER, James E.
- JOHNSON, Lorand V.: See POTTS, Albert M.
- JOHNSON, Wendell A., HENDERSON, John W., PARKHILL, Edith M., and GRINDLAY, John H.: Transplantation of homografts of sclera: An experimental study, 54:1019
- JOHNSON, Wendell A., and KEARNS, Thomas P.: Sludging of blood in retinal veins, 54:201
- JOHNSTON, Philip W.: See GENTILE, James F.
- JOHNSTON, T. L.: See BOUNDS, G. W., Jr.
- JOEL, Alexander: Julius Hirschberg, 48:328; The Life of Oscar Fehr, 54:1011
- JONES, Ira S.: Tumors of the lacrimal sac, 42:561; Lymphangiomas of the ocular adnexa: An analysis of 62 cases, 51:481; The treatment of congenital cataracts by needling, 52:347; See REESE, Algernon B.
- JONES, Ira S., and CLEASBY, Gilbert W.: Hemangioma of the choroid: A clinicopathologic analysis, 48:612
- JONES, Lester T.: Epiphora: Its causes and new surgical procedures for its cure: A preliminary report, 38:824; Epiphora: II. Its relation to the anatomic structures and surgery of the medial canthal region, 43:203; The anatomy of the lower eyelid: And its relation to the cause and cure of entropion, 49:29
- JONES, R. B., Jr.: See GILL, E. G.
- JONES, Sam T., and ZIMMERMAN, Lorenz E.: Macular dystrophy of the cornea (Groenouw Type II): Clinicopathologic report of two cases with comments concerning its differential diagnosis from lattice dystrophy (Biber-Haas-Dimmer), 47:1; Histopathologic differentiation of granular, macular and lattice dystrophies of the cornea, 51:394
- JOSEPH, Robert H.: See ALPERN, Mathew
- JOY, Harold H.: Sympathetic ophthalmic: The history of its pathogenic studies, 36:1100
- JOY, Harold H., ECKER, Arthur, and REIMEN-SCHNIEDER, Paul A.: The role of cerebral angiography in ophthalmology: Normal anatomy: Presellar and suprasellar tumors: Ocular complications, 37:55
- JOYCE, Arthur: Technique of treatment of intraocular tumors with radon seeds, 46:649
- JOYCE, Arthur, and KAYE SCOTT, R.: Treatment of two complicated cases of retinoblastoma, 53:622
- JUKOFSKY, S. Lawrence: Ophthalmology in Korea, 36:1715
- JUNGSCHAFER, Otto H.: A lens: To transpose cylinders in a refractor unit, 48:674; Stand for binocular indirect ophthalmoscope: An aid during retinal detachment surgery, 53:859
- JUNGSCHAFER, Otto H., and BECHTEL, Edward J.: Biomicroscopy of the fundus: With a corneal contact lens, 50:805
- K**
- KACZUROWSKI, Michael I.: The pigment epithelium of the human eye, 53:79; See VOGEL, Adolph W.
- KACZUROWSKI, Michael I., and VOGEL, Adolph W.: A method of making and implanting minute pellets of solid substances: And some of their in vivo uses, 44:372
- KADER, M. Zaki Abdul: See BUTTON, Richard
- KADIN, Maurice: Studies on the effect of coralex, a cholinergic organic phosphate, on the eye, 50:115; Systemic effects of Co-Ral and coralex, 50:622; Clinical investigation of coralex for the treatment of glaucoma, 50:797; Studies on the toxicity and effect of diptherex in rabbits, 53:512
- KAHAN, A., and KAHAN, I. L.: Studies on vitreous hyaluronidase: Paper electrophoresis and chromatographic behavior of it and its enzymatic break-down products, 49:1360
- KAHAN, A., SZEGHY, G., and VAJDA, P.: Clotting phenomena in trachoma, 44:493
- KAHAN, I. L.: See KAHAN, A.
- KALLOS, Andrew: See GIVNER, Isadore
- KAISER, Robert F., MINOR, R. Hugh, and TOZER, George A.: Self-sterilizing solutions of alkaloïds, 54:101
- KAMEL, Sabri: The pterygium: Its etiology and treatment, 38:682
- KAMINSKI, M.: See FRANÇOIS, J.
- KAMIYA, Sadayoshi: Mass treatment of trachoma: In Nara Prefecture, Japan, 1951-54, 42:269
- KANDORI, Fumio: Studies upon the radiation cataract: I. Determination of the threshold dose level of radiation cataract, 41:627; II. Commentary on the radiation cataract, 41:1006
- KANDORI, Fumio, and FUJINAGA, Yutaka: Clinical application of tonography and diurnal variation in ocular tension to evaluation of glaucoma operations, 50:631
- KANDORI, Fumio, and KUROSE, Yoshitoshi: Clinical application of tonography and diurnal variation in ocular tension to evaluation of glaucoma operations, 50:430
- KANDORI, Fumio, KUROSE, Yoshitoshi, and KURI-MOTO, Shinji: Clinical effects of Neptazane, 49:1396
- KANDORI, Fumio, and YOSHIYA, Masuda: Statistical observations of atom bomb cataracts, 42:212
- KANKI, Kazuo: See NAKAJIMA, Akira
- KANOFKY, F. J.: Simplified micrometric linear keratopillometry: An advance in bifocal corneal lens fitting technique, using newly designed reticles in the ocular of the Zeiss slitlamp, 51:1273
- KAPLAN, Alex H.: See MILDNER, Benjamin
- KAPLAN, Alex H., and MILDNER, Benjamin: Psychologic aspects of ophthalmologic practice: Part I. Psychodynamics of looking; ocular neurosis, 52:515
- KAPLAN, Harry A.: See KUPPERMAN, Moses
- KAPLAN, Melvin R., and PILGER, Irvin S.: The effect of Rauwolfia serpentina on intraocular pressure, 43:550
- KAPUSTIAK, Wendell: See FITZGERALD, J. Robert
- KARA, Gerald B.: Ocular findings in some of the xanthomatous diseases, 44:530; See ESPIRITU, Romeo B. See GOLDBERG, Bernard. See JACOBSON, Jerry Hart. See ZAVELL, Saul
- KARLIN, David B.: Congenital entropion, epiblenpharon and antimongoloid obliquity of the palpebral fissure, 50:487
- KARLIN, David B., and HIRSCHENFANG, Samuel: A comparison of visuosensory and visuomotor disturbances in right and left hemiplegies, 50:527
- KARLIN, David B., and WISE, George N.: Keratoconus posticus, 52:119
- KARLSON, Karl E.: See GLIEDMAN, Marvin L.
- KARPE, Gösta, and ZETTERSTRÖM, Birgitta: Congenital retinal dysfunction, 45:249
- KASPER, Kelvin A.: See KEENEY, Arthur H.
- KASS, Miryam Z., and GREEN, Harry: Osmotic pressure measurements of intraocular fluids by an improved cryoscopic method: Physiologic significance relative to aqueous humor dynamics, 48:32
- KASSER, M. D., and FELDMAN, J. B.: Amblyopia in adults: Treatment of those engaged in the various industries, 36:1443
- KATUMORI, Y.: See OGINO, S.
- KATZ, Abraham R.: See PATTERSON, Harold C.
- KATZ, Harold H.: Prismatic effect on symptoms of Meniere's disease, 39:558
- KATZ, Joseph L., VALSAMIS, Marius P., and JAMPPEL, Robert S.: Ocular signs in diffuse carcinomatous meningitis, 52:681
- KATZ, Robert L.: See BINDER, Hertha F.
- KATZIN, Herbert M.: See CHI, H. H. See LATESSA, Anthony J. See POLATNICK, Jerome. See TENG, C. C.
- KAUFFMAN, M. Luther: Retinal hemorrhages in the newborn, 46:658
- KAUFMAN, Herbert E.: The effect of corticosteroids on experimental ocular toxoplasmosis, 50:919/249; The penetration of Daraprim (pyrimethamine) into the monkey eye, 52:402. See GOULD, Herbert L. See

- MALONEY, Emily D. See REMINGTON, Jack S.
- KAUFMAN, Herbert E., and CHAPMAN, Richard B.: Modified probe for canaliculus surgery, 54:461
- KAUFMAN, Herbert E., REMINGTON, Jack S., and JACOBS, Leon: Toxoplasmosis: The nature of its virulence, 46:253
- KAUFMAN, Samuel I.: Repair of a cut McLean suture, 38:398
- KAUFMANN, Werner C.: See HOLM, Arvid G.
- KAYE, Saul: See SKEEHAN, R. A., Jr.
- KAYE-SCOTT, R.: See JOYCE, Arthur
- KAYES, Jack, and HOLMBERG, Ake: The fine structure of Bowman's layer and the basement membrane of the corneal epithelium, 50:1013/143
- KAZDAN, Martin S., HENDERSON, John W., and PARKHILL, Edith M.: Elevation of choroid by insertion of polyvinyl sponge: An experimental study, 47:437
- KEARNS, Thomas P.: Fat embolism of the retina: Demonstrated by a flat retinal preparation, 41:1. See JOHNSON, Wendell A. See RUCKER, C. Wilbur. See STEINMETZ, Rodney D.
- KEARNS, Thomas P., HENDERSON, John W., and HAINES, Samuel F.: Clinical orbitonometry in Graves' disease, 36:45
- KEARNS, Thomas P., and RUCKER, C. Wilbur: Arcuate defects in the visual fields due to chromophobe adenoma of the pituitary gland: Clinics in perimetry No. 1, 45:505; Clinics in perimetry No. 3: Incongruous homonymous hemianopia, 47:317
- KEATES, Richard H., MARTINEZ, Miguel, and PATON, R. Townley: A modified technique for mushroom corneal grafts with a new instrument, 52:239
- KEEFE, William P., YOSS, Robert E., MARTENS, Theodore G., and DALY, David D.: Ocular manifestations of narcolepsy, 49:953
- KEENEY, Arthur H.: Macular holes in retinal separations: Their significance and their surgery, 39:648; Classification and surgical techniques in iridectomy, 51:261. See TOWNES, C. Dwight
- KEENEY, Arthur H., and BARLOW, Fred D.: Histologic methods in the study of retinal vascular patterns: In the albino rat, 42:554
- KEENEY, Arthur H., and DUERSON, H. Lyle, Jr.: Collated near-vision test card, 46:592; Evaluation of a new plastic spectacle lens (Telor Orma 1000), 54:418
- KEENEY, Arthur H., KASPER, Kelvin A., and SHIPMAN, James S.: Central retinal artery occlusion in orbital inflammation, 36:346
- KEENEY, Arthur H., and ZAKI, Hoda, A.: The role of trypsin in experimentally induced hypHEMA, 43:275
- KEINER, E. C. J. F.: See KEINER, G. B. Y.
- KEINER, Gerard B. J.: Physiology and pathology of the optomotor reflexes, 42:233
- KEINER, G. B. Y., and KEINER, E. C. J. F.: Congenital ocular motor apraxia: Report of a case in an adult male, 46:382
- KEITH, C. G.: Duane's retraction syndrome, 51:1257
- KEIZER, John P.: See SWAN, Kenneth C.
- KELLENBERGER, Robert E.: See BROWN, William C.
- KELLERMAN, Leo, and POSNER, Adolph: The value of hereditary in the detection and study of glaucoma, 40:681
- KELLEY, Joyce B.: See GUIDRY, Marion A.
- KELLY, Stephen: An electronic ophthalmodynamometer, 52:570
- KENNEALLY, Elmer V.: The ocular manifestations of gargoylism, 36:663
- KENNEDY, Donald: Responses from the crayfish caudal photoreceptor, 46:119
- KENNEDY, Roscoe J.: See GUNDZIK, John D.
- KENNEDY, Roscoe J., and KING, Robert W.: Carcinoma of the meibomian gland: A case report, 37:259
- KENNEDY, Roscoe J., and MCCARTHY, James L.: Surgical treatment of ectropia: Analysis of case material and results in 315 consecutive cases, 47:508
- KENTON, E. B.: See RESNIK, R. A.
- KEPHART, Newell C.: Visual skills and their relation to school achievement, 36:794
- KERN, Jay: See WIDELITZ, Martin M.
- KERN, Harold L.: See GRANT, Morton W.
- KERNS, Thomas C., Jr.: See BUYS, Norman S.
- KERPELMAN, Larry C.: See KURLAND, Leonard T.
- KESSLER, Julius: The resistance to deformation: Of the tissue of the peripheral iris and the space of the angle of the anterior chamber, 42:734; Mechanisms in angle-closure glaucoma, 43:271; A discussion of the mechanisms in chronic angle-closure glaucoma, 46:889; Tonography: With restoration of the initial pressure, 47:233; An eye closure sign: Related to the visual efficiency of the eyes, 48:537
- KESTENBAUM, Alfred: New kinds of application of telescopic systems, 53:443
- KEYS, Thomas E., and RUCKER, C. Wilbur: The Atlases of Ophthalmoscopy: A bibliography, 1850-1960, 49:881
- KHANNA, V. N.: Ankyloblepharon filiforme adnatum, 43:774
- KIESEL, Robert D.: Conjunctival granuloma due to an imbedded cilium, 51:706
- KIFFNEY, G. Thomas, Jr.: Large conjunctival cysts: A report of three cases, 54:458
- KIFFNEY, G. Thomas, Jr., and STOCKER, Frederick W.: Plain versus chromicized catgut sutures in cataract surgery, 49:711
- KIMBALL, O. Paul: See HAVENER, William H.
- KIMURA, Samuel J.: See HANNA, L. See HOGAN, Michael J. See JAWETZ, E. See McEWEN, W. K.
- KIMURA, Samuel J., DIAZ-BONNET, Victor, OKUMOTO, Masao, and HOGAN, Michael J.: The effect of corticosteroid hormones on experimental herpes simplex keratitis, 51:945/73
- KIMURA, S. J., HANNA, L., NICHOLAS, A., THYGESON, P., and JAWETZ, E.: Sporadic cases of pharyngoconjunctival fever: In northern California, 1955-1956, 43:14
- KIMURA, Samuel J., and OKUMOTO, M.: The effect of corticosteroids on experimental herpes simplex keratoconjunctivitis in the rabbit, 43:131
- KIMURA, Samuel J., and THYGESON, Phillips: The cytology of external ocular disease, 39:137
- KIMURA, Samuel J., THYGESON, Phillips, and GELLER, Hildegard O.: Observations of the effect of adrenal steroids on vaccinia virus: I. The effect of cortisone in experimental vaccinia virus keratoconjunctivitis of the rabbit, 36:116
- KIMURA, Samuel J., THYGESON, Phillips, and HOGAN, Michael J.: Signs and symptoms of uveitis: II. Classification of posterior manifestations of uveitis, 47:1171
- KINCAID, Wilfred M.: See ALPERN, Mathew
- KING, John Harry, Jr.: Contamination of eye medications: Practical methods of prevention, 36:1389; Keratoplasty: Experimental studies with corneas preserved by dehydration, 43:353. See CHAVAN, Shankar B. See LEVI, George A. See OWENS, William Councilman. See SKEEHAN, R. A., Jr.
- KING, John Harry, Jr., and CHAVAN, Shankar B.: Preservation of eye tissues: Current status in transplantation, 47:303
- KING, John Harry, Jr., and FAIR, John R.: The Armed Forces eye field chest, 39:215
- KING, John Harry, Jr., ILIFF, Charles E., McLEAN, John M., and LAMB, Elizabeth M.: Operation Vision: Hong Kong, 54:781
- KING, John Harry, Jr., McTIGUE, John W., and MERYMAN, Harold T.: A simple method of preservation of corneas for lamellar keratoplasty, 53:445
- KING, John Harry, Jr., and PASSMORE, Jack W.: Nutritional amblyopia: A study of American prisoners of war in Korea, 39:1173
- KING, Merrill J.: See ZACHARIAS, Leona. See ZEAVIN, Bernard H.
- KING, Robert W.: See KENNEDY, Roscoe J.
- KINGSBURY, Cecil: See POTTS, Albert M.
- KINOSHITA, Jin H.: See MEROLA, Lorenzo O.
- KINOSHITA, Jin H., and MASURAT, Thomas: The effect of glutathione on the formaldehyde oxidation in the retina, 46:742; Aerobic pathways of glucose metabolism in bovine corneal epithelium, 48:747
- KINOSHITA, Jin H., and MEROLA, Lorenzo O.: The distribution of glutathione and protein sulphydryl groups in calf and cattle lenses, 46:736
- KINOSIAN, Henry J.: Systemic histiocytosis: with in-

- traocular involvement: Report of a case, 49:987
- KINSEY, V. Everett: Biographical data, 36:*4; Published writings, 36:*4; Remarks on the acceptance of the Proctor Medal, June 11, 1952, 36:*7. See WACHTL, Carl
- KINSEY, V. Everett, CAMACHO, Enriqueta, CAVANAUGH, Gerard A., and CONSTANT, Marguerite A.: Diamox and intraocular fluid dynamics, 40:*147
- KINSEY, V. Everett, and HEMPHILL, F. M.: Etiology of retrolental fibroplasia: Preliminary report of a co-operative study of retrolental fibroplasia, 40:166
- KINSEY, V. Everett, REDDY, D. V. M., and SKRENTNY, Beverley A.: Intraocular transport of C^{14} -labeled urea and the influence of Diamox on its rate of accumulation in aqueous humors, 50:1130
- KINSEY, V. Everett, WACHTL, Carl, CONSTANT, Marguerite A., and CAMACHO, Enriqueta: Studies on the crystalline lens: VI. Mitotic activity in the epithelia of lenses cultures in various media, 40:*216
- KIRBY, Daniel B.: A technique for total biopsy of neoplasms of the iris: Report of a case of excision of a leiomyoma, 36:1225; Surgical correction of spastic senile entropion: A new method, 36:1372; Causes of failure of cataract operations, 37:87; Use of direct radial mild chromic-gut sutures in penetrating keratoplasty, 38:349
- KIRBY, Thomas J., Jr., and SORENSON, James M.: Swelling of the eyelids: In malignant lymphoma and varicella: Report of a case, 52:408
- KIRK, Harold Q.: See DIAMOND, Marshall A. See THEOBALD, Georgiana Dvorak
- KIRK, Robert C.: Developmental anomalies of the lacrimal passages: A review of the literature and presentation of three unusual cases, 42:227
- KIRKMAN, Neil: See GUYTON, Jack S.
- KIRSCH, Ralph E.: See MENDELBLATT, Frank I.
- KIRSCH, Ralph E., and STEINMAN, William: Spontaneous rupture of the anterior hyaloid membrane following intracapsular cataract surgery, 37:657
- KISSEN, Abbott T., DELANEY, William V., Jr., and WACHTEL, Joel: The development of chorioretinal lesions produced by photocoagulation, 52:487
- KISSIL, Donald: See WENZEL, Duane G.
- KITAI, Stephan: See ALPERN, Mathew
- KIYA, Kazuko: See HIROSE, Kinnosuke
- KLEH, Thomas: See PATZ, Arnall
- KLIEFELD, O.: See MULLER, H. K.
- KLIEN, Bertha A.: Macular lesions of vascular origin: Part II. Functional vascular conditions leading to damage of the macula lutea, 36:1; Occlusion of the retinal vein: Clinical importance of certain histopathologic observations, 36:316; Late infantile amaurotic idiocy: A clinico-histopathologic study, 38:470; Concerning the pathogenesis of retinal holes, 40:515; Jensen's juxtapapillary retinopathy (idiopathic focal retinal arteriolitis), 42:9; Retinal lesions associated with uveal disease: Part I, 42:831; Fuchs' epithelial dystrophy of the cornea: A clinical and histopathologic study, 46:297; The pathogenesis of some atypical colobomas of the choroid, 48:597; Nodular non-suppurative panniculitis (Weber-Christian syndrome) with relapsing uveitis, 48:730; Spontaneous vascular repair: Arteriolar and venous cilioretinal communications, 50:691; Macular and extramacular serous chorioretinopathy: With remarks upon the role of an extrabulbar mechanism in its pathogenesis, 51:231. See ALBERS, Edward C.
- KNAPP, Philip and von SALLMANN, Ludwig: Treatment of experimental ocular tuberculosis with isoniazid, 38:*199
- KNAUER, W. J., Jr.: The surgical treatment of exophthalmic ophthalmoplegia, 43:58
- KNOLL, Henry A.: An experimental investigation of the basic phenomena of retinopathy: Part I. Electrical impedance measurement, 45:547; Part II. Thermal and shrinkage measurements, 46:37; Torsion demonstrations with a gimbal-mounted projector, 46:696; Ophthalmotropic determination of the combined actions of the extraocular muscles, 48:*233; An experimental investigation of the basic phenomena of retinopathy: III. Resistance and capacitive reactance of the cat's cornea, sclera, choroid and vitreous, 51:113.
- See IRVINE, S. Rodman
- KNOWLES, William F.: Effect of intralamellar plastic membranes on corneal physiology, 51:1146/274
- KNOWLES, William F., and SCHIMEK, Robert A.: Use of perilimbal suction cup: For increasing the function of external filtering operations, 54:844
- KNOX, David L., and COGAN, David G.: Eye pain and homonymous hemianopia, 54:1091
- KOBERNICK, Sidney: See SUGAR, H. Saul
- KOCH, F. L. Philip: Ophthalmologic vasomotor neuroses: A resume, 39:8
- KODAMA, Jero: See THORNFELDT, Paul R.
- KOISTENEN, Aune: See NEWELL, Frank W.
- KOK-VAN ALPHEN C., and HAGEDOORN, A.: Periphal melanoblastoma of choroid: (Para) central scotoma as an initial sign, 49:1406
- KOKE, Martin P.: Probable toxoplasmosis chorioretinitis, 36:845; Akinesia of the orbicularis oculi, 45:442
- KOLKER, Allan E.: See BECKER, Bernard
- KONYAMA, Kazuichi: See NAKAJIMA, Akira
- KORNBLUETH, Walter, and GOMBOS, Georg: The use of intravenous hypertonic urea in cataract extractions, 54:753
- KORNBLUETH, Walter, JAMPOLSKY, Arthur, TAMLER, Edward, and MARG, Elwin: Contraction of the oculorotary muscles and intraocular pressure: A tonographic and electromyographic study of the effect of edrophonium chloride (Tensionol) and succinylcholine on the intraocular pressure, 49:1381
- KORNBLUETH, Walter, and LIBAN, Erich: Benign calcified epithelioma of the eyelid, 39:208
- KORNBLUETH, Walter, NAWRATSKI, Ilse, and GABBAY, Anwar: The effect of extraocular muscle surgery on aqueous humor dynamics: A clinical and experimental study, 48:321
- KORNBLUETH, Walter, and NELKEN, Edith: Partial lamellar corneal grafts in rabbits: Histologic observations on the survival of the stromal cells of the lamellar corneal graft, 45:242; A study on donor-recipient sensitization: In experimental homologous partial lamellar corneal grafts, 45:843
- KORNBLUETH, Walter, NELKEN, Edith, and NELKEN, David: Modified late clouding in experimental corneal grafts: Attenuation of ocular reaction by freezing of the corneal graft with solidified carbon dioxide before implantation of donor skin, 54:76
- KORNBLUETH, Walter, and TENENBAUM, Esther: The inhibitory effect of aqueous humor on the growth of cells in tissue cultures, 42:70
- KORNERUP, T.: See HULTIN, M.
- KORNZWEIG, Abraham: See JACOBSON, Jerry Hart. See SCHNEIDER, Julius
- KORNZWEIG, A. L., FELDSTEIN, M., and SCHNEIDER, J.: The eye in old age: IV. Ocular survey of over one thousand aged persons with special reference to normal and disturbed visual function, 44:29; Pathology of the angle of the anterior chamber in primary glaucoma, 46:311; The pathogenesis of senile macular degeneration, 48:*22
- KORNZWEIG, Abraham L., and THEODORE, Frederick H.: Secondary removal of residual lens capsule and cortex: After cataract extraction, 52:463
- KOROBOWICZ, Jerzy: See ORLOWSKI, Witold J.
- KOZIAK, P. H.: Craniostenosis, 37:380
- KRATKA, William H.: Episcleritis and erythema nodosum: A collagen syndrome: Case report, 36:510; The bullous dermatoses: A review and case report, 39:233
- KRAUSE, Arlington C.: See JIM, Vernon K. S.
- KRAUSE, Arlington C., and GOREN, Seymour B.: The effects of hypoxia and hyperoxia: Upon the oxygen tension in the vitreous humor of the cat, 42:764
- KRAVITZ, Daniel: A further study of the anterior chamber angle: In anterior-segment inflammation of the eye, 38:622
- KREFT, Warren W.: Inferior oblique recession facilitated, 53:529
- KRICHEVSKY, Alice R.: See SINSKEY, Robert M.
- KRILL, Alex E., and FOLK, M. R.: Retinitis punctata albescens: A functional evaluation of an unusual case, 53:450
- KRILL, Alex E., and ISER, Gilbert: The value of electroretinography: In the diagnosis of pigmentary de-

- generations of the retina, 47:649
- KRILL, Alex E., and STAMPS, Frederick W.: The electroencephalogram in retinitis pigmentosa, 49:762
- KRILL, Alex E., WIELAND, A., and ISER, G.: A comparative study of two recording techniques for clinical electroretinography, 54:24
- KRIMSKY, Emanuel: A four-way sight screener, 49:154; A modified Prince rule, 49:827
- KRISHNA, Narendra: See LEOPOLD, Irving H. See LYDA, Wood. See PETER, Philip A.
- KRISHNA, Narendra, FAJARDO, Romeo V., and LEOPOLD, Irving H.: The effects of cyproheptadine (MK-481 Periactin) in rabbit and human eyes, 50:465
- KRISHNA, Narendra, and LEOPOLD, Irving H.: The effect of BC-48 (demecarium bromide) on normal rabbit and human eyes, 49:270; Use of BC-48 (demecarium bromide) in treatment of glaucoma, 49:554; Effect of protopam on the rabbit pupil, 52:565
- KRISHNA, Narendra, MANN, Mayer J., and LEOPOLD, Irving H.: Blood cholinesterases levels of normal and glaucoma subjects, 52:242
- KROHMER, Jack S.: See THOMAS, Charles I.
- KROHN, David L.: See COLES, Robert S.
- KROMAN, Henry S.: See GREEN, Harry
- KROMAN, Henry S., and LEOPOLD, Irving H.: Studies upon the methyl- and fluoro-substituted prednisolones in the aqueous humor of the rabbit: II. Chromatography, 52:77
- KRONENBERG, Bernard: Uveitis in the contralateral eye following cataract extraction, 40:205; Recent advances in ocular sutures, 46:49
- KRONFELD, Peter C.: The hypertensive response of the human eye to anterior chamber puncture, 36:1271; Delayed restoration of the anterior chamber: The VIII Proctor Lecture, 38:453; A tonographic study of the glaucoma: Due to delayed restoration of the anterior chamber after cataract extraction, 39:147; The clinical estimation of ocular rigidity, 47:1147. See PISCHEL, Dohrmann K.
- KRONFELD, Peter C., and FREEMAN, Hal M.: The effect of acetazolamide on the response of anterior chamber puncture in man, 50:1141
- KRONNING, Eric: Conjunctival and corneal stainability with Bengal rose: After instillation of local anesthetics in human eyes, 38:351
- KUCHLE, H. J., REMKY, H., and SATTLER, R.: Diagnosis of glomatous pseudo-uveitis, 45:439
- KUHLMAN, Robert E., and RESNIK, Robert A.: Quantitative histochemical changes in the development of rat lens and cornea, 46:47
- KULSHRESTHA, O. P.: See SHARMA, B. C.
- KULVIN, Max M.: A device for obtaining adequate airway in eye surgery, 41:681. See HALPERN, Arthur E.
- KULVIN, Max M., and SAWCHAK, Walter G.: Tumor of the orbit: Metastatic from malignant bronchial adenoma, 49:833
- KUMNICK, Lillian S.: A scanning pupillometer, 48:259
- KUPFER, Carl: Retinoblastoma treated with intravenous nitrogen mustard, 36:1721; Treatment of amblyopia ex anopsia in adults: A preliminary report of seven cases, 43:918; The projection of the macula in the lateral geniculate nucleus of man, 54:597. See HOOVER, Richard
- KUPFER, Carl, LAWRENCE, Carteret, and LINNER, Erik: Long-term administration of acetazolamide (Diamox) in the treatment of glaucoma, 40:673
- KUPPERMAN, Moses, GORMAN, Warren F., and KAPLAN, Harry A.: Nyctagmus: In a case of acrocephaly with albinism followed by cerebral thrombosis: A case report, 42:633
- KURIMOTO, Shinji: See KANDORI, Fumio
- KURLAND, Leonard T., SACHS, David, KERPELMAN, Larry C., and DAVIS, F. Sterling, Jr.: Evaluation of the phosphorator device: For the detection of increased intraocular pressure, 45:272
- KURLAND, Leonard T., and TAUB, Robert G.: The frequency of glaucoma in a small community, 43:539
- KUROSE, Yoshitoshi: See KANDORI, Fumio
- KUSHNER, Paul: General anesthesia: For ophthalmic surgery in children, 49:839
- KUWABARA, Y.: Studies on heterotransplantation of corneas, 53:911
- KWITKO, Marvin L., and COSTENBADER, Frank D.: Glaucoma due to secondary hyphema: A report of two cases treated with intravenous urea, 53:590
- L
- LACHMAN, Bernard E.: See BEDROSSIAN, E. Howard
- LADENHEIM, Jacob, and METRICK, Seymour: Congenital microphthalmos with cyst formation, 41:1059
- LAFFERS, Z., and BOZSOKY, S.: Endogenous proteus panophthalmitis, 54:83
- LAM, Robert L.: See PRATER, B. G.
- LAMB, Elizabeth: See KING, John Harry, Jr.
- LAMB, Vernon R.: See GIRARD, Louis J.
- LaMOTTE, William O., Jr.: Francis Heed Adler, M.D., 50:1027
- LAND, Richard E.: The effects of nonabsorbable intrascleral sutures: On the growing albino rabbit eye, 43:611
- LANDAU, I., and BROMBERG, Y. M.: Dark adaptation in disorders of the genital function in women, 38:839
- LANDAU, J.: Vasculitis retinae in leprosy, 51:831
- LANDESBURG, Jacques: Primary glaucoma: Open-angle type: An experimental investigation on a new therapeutic approach to the treatment of simple chronic glaucoma, 48:81
- LANGHAM, Maurice E.: The inhibition of corneal vascularization by triethylene thiophosphoramide, 49:1111/25; Steady-state pressure flow relationships in the living and dead eye of the cat, 50:950/280
- LANGLEY, Charlotte: See BURNSIDE, Ronald M.
- LANGLEY, R.: See BESWICK, A. J.
- LANGLEY, Robert K., and McCULLOCH, Clement: The presence of hyaluronidase in the anterior chamber, 45:65
- LANGMAN, J., and van FAASSEN, F.: Congenital defects in the rat embryo: After partial thyroidectomy of the mother animal: A preliminary report on the eye defects, 40:65
- LANMAN, Jonathan T.: See GUY, Loren P.
- LARSEN, Godfred: The mast cells in the uveal tract of the eye and changes induced by hormones and avitaminosis-C, 47:509; An autoradiographic study on the uptake of S-35 labelled sodium sulfate: In the eyes of normal, scorbutic and hormonal treated guinea pigs, 47:519
- LARSON, Bertil F.: See ALPERN, Mathew. See WOLTER, J. Reimer
- LARSON, G. A., and FERCHO, C. K.: Therapeutic efficacy of a prednisolone alcohol solution, 42:260
- LARSON, P. S.: See SILVETTE, H.
- LASKY, Mortimer A.: See OSTRIKER, Paul J.
- LASKY, M. A., and BLUMENTHAL, G.: Use of steel wire in polyethylene tube in retinal detachment surgery: Review of three cases of detachment in aphakic eyes, 48:199
- LASKY, Mortimer A., ZIRNIS, Lucia, and SANDS, Abraham: Glaucoma detection: In a general hospital clinic, 48:515
- LASSMAN, L. P., CULLEN, J. F., and HOWAT, J. M. L.: Stenosis of the aqueduct of Sylvius, 49:261
- LaTESSA, Anthony J.: See POLATNICK, Jerome
- LaTESSA, Anthony J., TENG, C. C., and KATZIN, Herbert M.: The histochemistry of the basement membrane of the cornea, 38:171
- LAUGHLIN, Robert C.: Congenital fibrosis of the extraocular muscles: A report of six cases, 41:432
- LAVAL, Joseph: Surgical correction of collapsed anterior chamber, 44:681. See MAMELOK, Alfred E. See PRENNER, Edward J.
- LAVAL, Joseph, and COLLIER, Robert, Jr.: Elevation of intraocular pressure due to hormonal steroid therapy in uveitis, 39:175
- LAVERGNE, G.: See HOURLAY-STASSART, C. See WEEKERS, R.
- LAVYEL, Amos: Selsunef ointment to treat squamous blepharitis, 49:820
- LAWACZEK, Elmar: See DIXON, Joseph M.
- LAWAEZ, B., MÖLLER, H. U., and ØSTERBERG, G.: Therapeutic value of Nebacetin in ophthalmology, 36:1686
- LAWLOR, Robert C., and LEE, Pei-Fei: Use of echo-

- thiophate (Phospholine Iodide) in the treatment of glaucoma, 49:808
- LAWRENCE, C. A.: Chemical preservation for ophthalmic solutions, 39:385
- LAWRENCE, Carteret: See KUPFER, Carl
- LAWS, H. Wyatt: Iris repositior for combined cyclodialysis and air introduction, 53:136
- LAZARUS, Alfred S., and FARPOUR, Mohamed: Relative frequency and mass treatment of trachoma in southern Iran, 38:665
- LAZOR, Edward B.: See ZEKMAN, Theodore N.
- LEAHEY, Brendan D.: The management of aphakia, 39:67; Penetrating keratoplasty: Observations based on a series of 148 cases with special emphasis on techniques of graft fixation, 46:541; Beta radiation in ophthalmology: Indications, technique and complications, 49:7. See DUNPHY, Edwin B.
- LEBENSOHN, James E.: The Machek operation applied to the lower lid for the relief of senile entropion, 36:504; Anisophoria, anisometropia and the final prescription, 36:643; Lid paresis induced by oculomotor akinesia, 38:395; Effective treatment of tuberculous choroiditis, 39:653; Nature of innervational hyperphoria, 39:854; Parinaud's syndrome: From obstetric trauma with recovery, 40:738; Pupillary hypophoria and hyperphoria, 42:770; Visual acuity tests for near: Implications and correlations, 45:127; Newer optical aids for children with low vision, 46:813; Impromptu cosmetic lens occlusion, 48:247; Orthoptic surgery: For the treatment of amblyopia ex anopsia, 48:844; On the golden anniversary of slit-lamp microscopy, 52:5
- LEBENSOHN, James E., and MONNINGER, Robert H. G.: Topical isopropylarterenol (Isuprel): As adjunct therapy in noncongestive glaucoma, 43:412
- LEE, Gilbert B.: See ALPERN, Mathew
- LEE, Pei-Fei: The influence of systemic steroid therapy on the intraocular pressure, 46:328; Importance of status of visual field and optic disc: In management of open-angle glaucoma, 53:435. See HENRY, Morris M.
- See LAWLOR, Robert C.
- LEGROS, A. M.: See WEEKERS, R.
- LEHMAN, Robert N., and McCASLIN, Murray F.: A suture spreader: For use with preplaced corneoscleral catgut sutures in cataract surgery, 48:676; Anatomic variations of the iris: In relation to basal iridectomy in the treatment of glaucoma, 51:666; A surgical technique for cataract extraction by eye residents: Evaluation of cataract surgery performed by residents at Veterans Administration Hospital, Pittsburgh Pennsylvania, 52:111; An arm rest: For use in ophthalmic surgery, 52:568
- LEHMAN, Roger H.: See GROSSMANN, Erwin E.
- LEHTINEN, Antti: See OKSALA, Arvo
- LEIBOLD, Angela M., and SUIE, Ted: In vitro effects of sulfacetamide: On ocular strains of bacteria, 45:383
- LEIGHT, Harold: See SHAPIRA, Theodore M.
- LEINBACH, R. F.: A nonmagnifying reading aid, 49:1401
- LEINFELDER, P. J.: See RICHARDS, R. D. See SCHWARTZ, Bernard
- LEMBERG, Louis: See MENDELBLATT, Frank I.
- LENNETTE, Edwin H., and van ALLEN, Alwine: Laboratory diagnosis of herpetic infections of the eye, 43:118
- LEO, Louis S., and LIDMAN, Bernard: Dicumarol in retinitis pigmentosa: Resulting changes in visual acuity and visual fields: A preliminary report, 39:46
- LEONARD, Arthur: See COYLE, J. Terrence
- LEONARD, D. D.: See BRECHER, Gerhard A.
- LEOPOLD, Irving H.: Characteristics of hospital epidemics of epidemic keratoconjunctivitis, 43:93; The Wills Eye Hospital: The 125th anniversary of its founding, 45:237; Comments on acceptance of the Friedenwald Award, 51:877/5; Ocular cholinesterase and cholinesterase inhibitors: The Friedenwald Memorial Lecture, 51:885/13. See AMDUR, Joseph. See CARMICHAEL, Paul L. See FAJARDO, Romeo V. See FRISCH, Frederick. See FURGUELE, F. P. See GREEN, Harry. See HALLETT, Joseph W. See HAMILTON, Ralph S. See KRISHNA, Narendra. See KROMAN, Henry S. See MCCOY, Georgia A. See MAMO, Jubran G. See MAYLATH, Florian R. See NAIB, Khalida. See PAUL, Satya Dev. See VOGEL, Adolph W. See WAINSTEIN, Rivka. See WEISS, Daniel I. See WOLKOWICZ, Michael I. See WUDKA, Enrique
- LEOPOLD, Irving H., and APT, Leonard: Postoperative intraocular infections, 50:1225
- LEOPOLD, Irving H., and CLEVELAND, Albert F.: Di-isopropyl fluorophosphate (DFP) (0.01%) in chronic wide-angle glaucoma, 36:226
- LEOPOLD, Irving H., and KRISHNA, Narendra: The effect of echthiophate and ambenonium on the rabbit pupil, 52:526
- LEPISTO, Victor E.: See HOLLAND, R. W. B.
- LERMAN, Sidney: Primary lymphosarcoma of the conjunctiva, 50:147; Intermediate or combined form of glaucoma, 53:45
- LERMAN, Sidney, DEVI, Anima, and HAWES, Susan: The incorporation of labelled amino acids into lens protein of normal, galactose and xylose-fed rats, 51:1012/140
- LeROY, George V.: See FRIEDMAN, Max
- LEVATIN, Paul: Glaucomatocyclitic crises occurring in both eyes, 41:1056; Eye findings in strangulation of the optic nerve, 51:1308
- LEVATIN, Paul, HAYASHIDA, Michihiko, BELLOC, Nedra B., and WEISSMAN, Arthur: Multiple screening for eye diseases, 46:331
- LEVERETT, Hollis M.: A school vision health study in Danbury, Connecticut, 39:527; Vision test performance of school children, 44:508
- LEVI, George A.: See FAIR, John R.
- LEVI, George A., and KING, John Harry, Jr.: Evaluation of certain optical devices in the correction of subnormal vision, 40:28
- LEVIN, Max: Eye disturbances in bromide intoxication, 50:478
- LEVITT, Eugene E.: See SCHLAEGEL, T. F., Jr.
- LEVITT, Jesse M.: Primary glioma of the optic chiasm: Report of a case, 40:856; Monocular aphakia: In a seven-year-old corrected with contact glass, 43:289; Epiblepharon and congenital entropion, 44:112
- LEWALLEN, William M., Jr.: Exudative retinal detachment: A review of the literature and report of a case, 43:679; Lid retraction syndrome: Due to "secondary deviation," 45:565
- LEWALLEN, William M., Jr., and HICKS, B. L.: The use of succinylcholine in ocular surgery, 49:773
- LEWIS, Ann: See HOGAN, Michael J.
- LEWIS, Donald: See BRECHER, Gerhard A.
- LEWIS, Earl L.: Protective corneal lens for prolonged procedure, 45:922; A "tubo-stat": To facilitate handling of tubing in scleral buckling procedures, 48:258. See HUGHES, Wendell L.
- LEWIS, Earl L., and TURTZ, Arnold I.: Bowen's disease of the cornea: A case report, 48:527
- LEWIS, Philip Meriwether: See McCARTY, Ben
- LEWIS, Philip Meriwether, and ZIMMERMAN, Lorenz E.: Delayed recurrence of malignant melanomas of the bulbar conjunctiva, 45:536
- LEWIS, Richard P., TALMAN, Ellen L., and HARRIS, John E.: The effect of oxygen tension on glucose uptake by the isolated rabbit lens, 50:974/304
- LEY, Albert P.: Experimental fungus infections of the cornea: A preliminary report, 42:59. See BECKER, Bernard
- LEY, Albert P., HOLMBERG, Ake S., and YAMASHITA, Tsuyoshi: Histology of zonulolysis with alpha chymotrypsin employing light and electron microscopy, 49:67
- LEYDHECKER, W.: Influence of coffee upon ocular tension: In normal and glaucomatous eyes, 39:700; The technique and organization of mass screening for glaucoma, 51:248
- LIBAN, Erich: See KORNBLUETH, Walter
- LIDDICOAT, Douglas A.: See WOLTER, J. Reimer
- LIDDICOAT, Douglas A., WOLTER, J. Reimer, and WILKINSON, William C.: Retinal metastasis of malignant melanoblastoma: A case report, 48:172
- LIDMAN, Bernard: See LEO, Louis S.
- LIEB, Wolfgang A.: See GEERAETS, Walter J.
- LIEB, Wolfgang A., and GUERRY, DuPont, III: Anterior chamber lenses: For refractive correction of unilateral aphakia, 44:579; Fundus changes in incon-

- tinientia pigmenti: (Bloch-Sulzberger syndrome): 45:265; Experiences with an anterior chamber lens, 46:127
- LIEB, Wolfgang A., and WIESINGER, Herbert: A simplified method for localization of intraocular and intraorbital foreign bodies, 44:739
- LIEBERMAN, Howard L.: See ABRAHAMSON, Ira A., Jr.
- LIEBERMAN, Warren J.: See SCHIMEK, Robert A.
- LIEBERMAN, Warren J., SCHIMEK, Robert A., and SNYDER, C. Harrison: Cockayne's disease: Report of a case, 52:116
- LIJÓ PAVIA, J.: Tapetoretinal degeneration: Report of four cases of a rare form of luminescent crystalline tapetoretinal degeneration: With a discussion of its cause, 36:1416; Iridescent crystals of the macula: Experimental study on rabbits, 36:1591
- LINCOFF, Harvey A.: Management of the psychotic patient for ocular surgery, 37:854
- LINCOFF, Harvey A., BREININ, Goodwin M., and DEVOE, A. Gerard: The effect of succinylcholine on the extraocular muscles, 43:440
- LINCOFF, Harvey A., ELLIS, C. H., DEVOE, A. Gerard, DeBEER, E. J., IMPASTATO, David J., BERG, Seymour, ORKIN, Louis, and MAGDA, Helen: The effect of succinylcholine on intraocular pressure, 40:501
- LINCOFF, Harvey A., and ENNIS, Jerome: Differential diagnosis of hysteria and malingering: In functional amblyopia: Report of a case, 42:415
- LINCOFF, Harvey A., WISE, George N., and ROMAINE, Hunter H.: Total detachment and reattachment of the retina: In herpes zoster ophthalmicus, 41:253
- LINDEKE, Harold L., and MASLER, Sherman R.: Therapy of retinal vein occlusion: Use of fibrinolytic and anticoagulants, 51:456
- LINDENBERG, Richard: A visitor at the city morgue, 54:530
- LINHART, Ralph W.: Resistant staphylococcus conjunctivitis, 51:819
- LINHART, Randolph W.: Vision in industry, 36:1737
- LINHART, William O.: Field findings in functional disease: Report of 63 cases, 42:75
- LINKSZ, Arthur: Optical principles of loupe magnification, 40:831; Visual aids for the partially sighted, 41:30; Aniseikonia: With notes on the Jackson-Lancaster controversy: XV Jackson Memorial Lecture, 48:41. See CURTIN, Brian J.
- LINN, Jay G., Jr.: See TARTER, Robert C. See TERNER, Irwin S.
- LINN, Jay G., Jr., and VEY, E. Kenneth: Topical anesthesia in ophthalmology, 40:697
- LINNER, Erik: Further studies of the episcleral venous pressure in glaucoma, 41:646
- LINNER, Erik, and FRIEDENWALD, Jonas S.: The appearance time of fluorescein as an index of aqueous flow, 44:225
- LIPETZ, Leo E.: Dual response of the Limulus lateral eye to electric stimulation, 44:118; Evaluation of the "Phosphenator" test, 46:55; Response pathways to electric stimulation in the Limulus eye, 46:15
- LIPPINCOTT, Stuart: See LYDA, Wood
- LIPPUS, Edward L.: Postoperative endophthalmitis: A case report and discussion of clinical aspects and treatment, 38:897; Use of sodium saccharine: For testing the functioning of the lacrimal passages, 43:114
- LIPSIUS, Edward L., HOWLAND, Alvin W., TASSMAN, I. S., and HALLETT, Joseph: Hydrodynamic cataract extraction, 50:326
- LIRA, Carlos: See VERDAGUER, Juan, Jr.
- LISS, Leopold: See WOLTER, J. Reimer
- LISS, Leopold, and WOLTER, J. Reimer: Human retinal neurons in tissue culture, 52:834/402
- LITTMANN, Hans: A new ophthalmometer, 36:1540
- LITTMANN, M. L.: See THEODORE, Frederick H.
- LLOYD, J. P. Francis, HOULTON, A. C. L., and PURVIS, Victor: An improved apparatus for scotometry, 36:1130
- LLOYD, Lois A.: See BOTTERELL, E. H. See WALSH, Frank B.
- LOCATCHER-KHORAZO, Deborah: The effect on the ocular bacterial flora of local treatment with Chloromycetin (chloramphenicol), terramycin, or penicillin-streptomycin ophthalmic ointment in preoperative cataract cases and miscellaneous infections, 36:475
- LOCATCHER-KHORAZO, Deborah, and GUTIERREZ, Elizabeth: Eye infections following cataract extraction: With special reference to the role of Staphylococcus aureus, 41:981
- LOCKE, John C.: Studies on antibiotic antagonism and synergism: The combined action of penicillin and Chloromycetin in vitro and in intraocular staphylococcal infections, 36:775; Bowen's disease (intra-epithelial epithelioma) of the cornea and conjunctiva: A clinicopathologic study, 41:801. See EDWARDS, G. Keith
- LOEWENFELD, Irene E.: See LOWENSTEIN, Otto
- LONG, John C., and BLANDFORD, Sidney E.: Ankyloblepharon filiforme adnatum with cleft lip and palate, 53:126
- LONG, John C., and DANIELSON, Ralph W.: Traumatic detachment of retina and pars ciliaris retinae, 36:515
- LONGENECKER, L. Pauline: See EISSLER, Rolf
- LONGFELLOW, Donald W.: See MAUMENEY, A. Edward
- LOPEZ-ENRIQUEZ, Manuel: Direct ophthalmoscopy without reflexes: An experimental model of a photographic ophthalmoscope, 42:647
- LORHAN, Paul H., and HOLMAN, Melvin V.: Cyclizine (Marazine[®]) hydrochloride: For postoperative control of nausea and vomiting following cataract surgery, 45:446
- LORING, Milton J.: Traumatic hyphema, 46:873
- LOSSEF, Samuel: Ocular findings in cerebral palsy, 54:1114
- LOWENSTEIN, Otto: The Argyll Robertson pupillary syndrome: Mechanism and localization, 42:105. See von SALLMANN, Ludwig
- LOWENSTEIN, Otto, and LOEWENFELD, Irene E.: Scotopic and photopic thresholds of the pupillary light reflex in normal man, 48:87; Influence of retinal adaptation upon the pupillary reflex to light in normal man: Part I. Effect of adaptation to bright light on the pupillary threshold, 48:536; Part II. Effect of adaptation to dim illumination upon pupillary reflexes elicited by bright light, 51:644
- LOWREY, Austin, Jr.: See APPLETON, Budd
- LUBECK, Marvin J.: See ALPERN, Mathew
- LUBOW, Martin: Carotid-cavernous fistula: Comments on ocular complications, 53:121
- LUBOWITZ, Richard M.: See DAILEY, Edward G.
- LUCIC, Hugo: See CURY, Dahar
- LUCK, C. P.: See DAVSON, Hugh
- LUDVIGH, Elek: Direction sense of the eye, 36:139
- LUGOSSY, Gyula: Precancerous conditions of the bulbar conjunctiva, 42:112; Glaucoma of myopic individuals and its operation, 49:981; Modified iridencleisis, 49:1368
- LUHR, John P., and SCHLOSSMAN, Abraham: Intermittent and accommodative esotropia: A study of 74 cases, 38:191
- LYDA, Wood: See HAIK, George M. See PETER, Philip A.
- LYDA, Wood, ERIKSEN, Niles, and KRISHNA, Narendra: Studies of Bruch's membrane: Flow and permeability studies in a Bruch's membrane-choroid preparation, 44:362
- LYDA, Wood, and LIPPINCOTT, Stuart W.: Lens-induced endophthalmitis: Experimental bilateral endophthalmitis phacoanaphylactica, 40:120
- LYDA, Wood, and WAUGH, Richey L., Jr.: Healing of the posterior lens capsule and lens-induced endophthalmitis, 38:205
- LYLE, Donald J.: Reading difficulty (paralexia) from impairment of visuo-oculogyric adjustment, 36:1234; Compression atrophy of the optic nerve: With discussion of nerve degeneration and regeneration, 45:133
- LYLE, Donald J., and MAYFIELD, Frank H.: Retraction nystagmus: A case report, 37:177
- LYLE, Donald J., and SCHMIDT, Ida G.: The selective effect of drugs upon nuclei of the oculogyric system, 54:706
- LYLE, Donald J., STAPP, John P., and BUTTON, Richard R.: Ophthalmologic hydrostatic pressure syndrome, 44:652
- LYNN, W. S.: See ANDERSON, Banks

LYTTON, H.: Sutures and incision in cataract surgery, 48:79

Mac & Mc

MacDONALD, R. K.: Tonometer adapter: For the measurement of scleral rigidity, 40:418

MacDONALD, Roderick, Jr., and BYERS, Jerome L.: Dermoid tumor of the orbit simulating a neoplasm, 47:863

MacKNESON, Ruth G.: See HALL, Raymond L.

MacKNESON, Ruth G., and ORMSBY, Hugh L.: The effect of broad and medium spectrum antibiotics on the virus of herpes simplex, 39:689

MacLEAN, Angus L.: Corneoscleral trephining, 41:399

MacLEAN, Angus L., and MAUMENEE, A. Edward:

Hemangioma of the choroid, 50:3

MacLEAN, Florence: See PASSMORE, Jack W.

MacNICHOL, Edward J., and SVAETICHIN, Gunnar: Electric responses from the isolated retinas of fishes, 46:126

McADAMS, George: See DINOLT, Robert

McCARATHY, James L.: Episcleral nodules and erythema nodosum: Report of a case with pathologic findings, 51:60. See FITZGERALD, J. Robert. See KENNEDY, Roscoe J.

McCARATHY, Ben, and LEWIS, Philip Meriwether: Reiter's syndrome: A review and a report of two cases, 54:1008

McCASLIN, Murray F.: Improved cutting edge for eye instruments, 52:413. See LEHMAN, Robert N.

McCASLIN, Murray F., and LEHMAN, Robert N.: Gelatin films used as a seton in glaucoma, 47:690

McCASLIN, Murray F., and THOMAS, George J.: Triphosphazene hydrochloride: Its value in eye surgery, 54:129

McCOMB, D.: See SNYDER, J. C.

McCOY, David, A.: A practical eye-dressing tray, 47:388

McCOY, Francis W.: See PFAHL, S. Baird, Jr.

McCOY, Georgia A., and LEOPOLD, Irving H.: Intracocular penetration of oleandomycin, 48:666; Steroid treatment of alloxan-induced corneal opacification and vascularization, 49:906; Steroid treatment of herpes-simplex infections of the cornea, 49:1355

McCULLOCH, Clement: See BESWICK, A. J.: See HARRIS, Gordon. See HUNTER, W. S. See LANGLEY, Robert K.

McCULLOCH, Clement, and COWAN, R. F.: Changes in volume under ocular bandages and the application of positive pressure to the orbit, 40:193

McCULLOCH, Clement, TURNOUR, N. C., and SMILEY, J. R.: A field study of Hardy-Rand-Rittler color vision plate test, 48:124

McDIARMID, Roper O.: See REED, Howard

McDONALD, James E.: The effect of endothelial curettage on corneal wound healing: Experimental study, 51:930/58

McDONALD, James E., and SINHA, Rana Pratap: Experiences with a new photocoagulator, 52:479

McDONALD, James E., and WILDER, Howard C.: The effect of beta radiation on corneal healing, 40:170

McDONALD, P. Robb: The surgical complications of primary glaucoma, 45:157; Biography of Irving H. Leopold, M.D., 51:878/6; Retinal detachment surgery, 50:1247. See SARIN, L. K.

McDONALD, P. ROBB, and ASHODIAN, Mila J.: Retained glass foreign bodies in the anterior chamber, 48:747

McEWEN, W. K.: The yellow pigment of human lenses, 47:1144. See GARRON, L. K. See ST. HELEN, Roger. See SQUIRE, Catherine. See SURAN, Anita A.

McEWEN, W. K., and KIMURA, Samuel J.: Filter-paper electrophoresis of tears: I. Lysozyme and its correlation with keratoconjunctivitis sicca, 39:200

McEWEN, W. K., KIMURA, Samuel J., and FEENEY, M. Lynette: Filter-paper electrophoresis of tears: III. Human tears and their high molecular weight components, 45:67

McEWEN, W. K., and SURAN, Anita A.: Further studies on vitreous residual protein: I. Composition and solubility studies, 50:228

McFARLAND, Ross A.: See DOMEY, Richard G.

McFARLANE, Donald C.: Correction of spastic entropion: By the method proposed by Wies, 41:657

McGANNON, William J.: A new lens forceps, 37:111

McGRATH, Harry: Safeguards in cataract surgery, 46:388

McGUIRE, William P.: Present concepts of surgery of the superior oblique muscle, 36:1237

McINTIRE, W. C.: See RASGORSHEK, Robert H.

McKEE, Thomas P.: See WILSON, John M.

McKENZIE, Thomas R., and CALLAHAN, Alston: Simultaneous cataract and muscle surgery, 54:108

McKERRICHER, Donald E.: See CALLAHAN, Alston

McKINNA, Alfred J.: Results of treatment of traumatic cataract in children, 52:43

McKINNEY, J. Wesley: See DAHLENE, Oscar

McLAREN, Donald S.: See PATON, David

McLAUGHLIN, Samuel C., Jr.: The elicitation of fusion in strabismus patients who are aware of diplopia, 48:148; An hypothesis concerning the etiology of non-paralytic strabismus, 49:1218/132

McLEAN, John M.: Glial tumors of the retina: In relation to tuberculous sclerosis, 41:428; Management of the primary glaucomas: The Arthur J. Bedell Lecture, 44:323; Steroid prophylaxis in sympathetic ophthalmia, 45:162. See CROTTY, J. M. See GALIN, Miles A. See GORDON, Dan M. See KING, John Harry, Jr. McLEAN, John M., GALIN, Miles A., and BARAS, Irving: Retinal perforation during strabismus surgery, 50:1167

McMEEL, J. Wallace: Colistin treatment of experimentally produced *Pseudomonas* corneal infection, 51:391

McNEILL, Alexander: Bacterial sensitivity tests in the treatment of chronic external ocular infections, 36:480

McPHERSON, Samuel D., Jr.: Primary drusen (hyaline bodies) of the optic nerve, 39:294; A lid speculum, 40:423; The use of absorbable sutures in surgery of the cornea, 51:118. See DRAHEIM, Jerry. See EGLESTON, DuBose

McPHERSON, Samuel D., Jr., DRAHEIM, Jerry W., EVANS, Virginia J., and EARLE, Wilton R.: The viability of fresh and frozen corneas: As determined in tissue culture, 41:513

McPHERSON, Samuel D., Jr., and EGLESTON, DuBose: Dacryocystorhinostomy: A review of 106 operations, 47:328

McPHERSON, Samuel D., Jr., and MORRISON, H. Maxwell, Jr.: The use of corneas from frozen whole eyes: For emergency keratoplasty, 53:917

McTIGUE, John W.: See KING, John Harry, Jr.

M

MAAS, Elizabeth R.: See HAGEDOORN, A.

MACKENSEN, Günter: See von NOORDEN, Gunter K.

MACRI, Frank J.: Outflow patterns of the cat eye, 47:547. See von SALLMANN, Ludwig

MACRI, Frank J., and GRIMES, Patricia A.: The effects of succinylcholine on the extraocular striate muscles and on the intraocular pressure, 44:221

MADDEN, James: See WINTER, Frank Counsel

MADISON, James: See HOLLAND, Monte G.

MAENGWYN-DAVIES, Gertrude: See BECKER, Bernard

MAERTENS, Karl, and VYNCKIER, Henry: Visual fields and industrial deafness, 54:1003

MAFFEI, Sigismondo: See GRAYSTON, J. Thomas

MAGDA, Helen: See LINCOFF, Harvey A.

MAGDER, Harry: Test for central serous retinopathy: Based on clinical observations and trial, 49:147

MAGEE, Alfred J.: The electromyogram of the lateral rectus muscle, 41:275; Minimal values for the A and V syndromes, 50:753

MAGGI, C.: Binocular vision in unilateral aphakia: Corrected by the Strampelli lens, 52:81

MAGRUDER, G. Brock: Lens extraction in hereditary deep corneal dystrophy, 52:677

MAHAJAN, K. C.: See JAIN, N. S.

MAJIMA, Akio: See NAKAJIMA, Akira

MAJIMA, A., NAKAJIMA, A., ICHIKAWA, H., and WATANABE, M.: Prevalence of ocular anomalies among school children, 50:139

MAKLEY, Torrence A., Jr.: Posterior lenticonus: Report of a case with histologic findings, 39:308; Heterochromic cyclitis in identical twins, 41:768. See PFAHL, S. Baird, Jr.

MALBRAN, Enrique: Reflecting mirror: For the Sche-

- pens binocular ophthalmoscope, 50:328. See MALBRAN, Jorge
- MALBRAN, Enrique, and DODDS, Ricardo: Megalocornea and its relation to congenital glaucoma, 49:908
- MALBRAN, Jorge L.: Submuscular sclerecto-cyclodialysis: A new technique for an antiglaucoma operation, 36:365
- MALBRAN, Jorge, and MALBRAN, Enrique: Surgical management of primary glaucoma: A description of a new technique, 47:34
- MALIK, S. R. K.: See AGARWAL, Lalit P.
- MALLERICH, Dallas: See HOLLAND, Monte G.
- MALONEY, Emily D., and KAUFMAN, Herbert E.: The rapid and convenient detection of Toxoplasma antibodies using formaldehyde-treated human erythrocytes, 50:945/275
- MAMELOK, Alfred E., and LAVAL, Joseph: Stenosis of the lacrimal canals and puncta: Caused by the Stevens-Johnson syndrome, 40:83
- MAMELOK, Alfred E., and POSNER, Adolph: Measurements of corneal elasticity: In relation to disease, using the Wiegner elastometer, 39:817
- MAMO, Jubran G., and LEOPOLD, Irving H.: Evaluation and use of oximes in ophthalmology, 46:724
- MANCHANDA, S. S.: See NIRANKARI, M. S.
- MANCHESTER, P. Thomas, Jr.: Advising patients with hereditary eye disease, 40:412
- MANDEL, Paul: See NORDMANN, Jean
- MANKIN, William J.: See WOLTER, J. Reimer
- MANN, Ida: Researches into the regional distribution of eye disease, 47:1134; Geographic ophthalmology: A study of two isolated island cultures, 51:1229. See CROTTY, J. M.
- MANN, Ida, and TURNER, Cecil: Color vision in native races in Australasia, 41:797
- MANN, Mayer J.: See GREEN, Harry. See KRISHNA, Narendra
- MANN, Shelton H.: See TOWNES, C. Dwight
- MANN, William A., and WATT, Russell H.: Late corneal damage following X-ray therapy: Report of two cases, 45:137
- MANNING, Ephraim L.: Severe hyperopia: Associated with corneal vascularization and scarring, 36:983; Corneal foreign-body and rust stain forceps, 40:568
- MANNING, Ephraim L., and HOLLANDER, W. M.: Glaucoma and electroshock therapy, 37:857
- MANSCHOT, W. A.: Subarachnoid hemorrhage: Intracocular symptoms and their pathogenesis, 38:501; The pathology of expulsive hemorrhage, 40:15; Telangiectatic granulomas in the eye with spontaneous expulsive hemorrhage, 43:872; Embolism of the central retinal artery: Originating from an endocardial myxoma, 48:381
- MANSCHOT, W. A., and von WINNING, C. H. O. M.: Hole in the macula due to syphilis: Report of a case, 36:261
- MANSKI, W., AUERBACH, T. P., and HALBERT, S. P.: The evolutionary significance of lens organ specificity, 50:985/315
- MAREN, Thomas H.: See BALLINTINE, Elmer J. See WISTRAND, Per
- MARG, Elwin: See GRANIT, Ragnar. See KORNBLUETH, Walter. See TAMLER, Edward
- MARGOLIS, George: See ANDERSON, Banks
- MARKIEWITZ, Harri H.: The heterophoria of Johannes Mueller, 52:724. See COVELL, Lester L.
- MARLOW, Searle B.: Fields with reduced illumination: Their value and practicability in chronic glaucoma, 43:403
- MARR, Ernest G.: See MARR, William G.
- MARR, William G., and CHAMBERS, Robert G.: Pseudotumor cerebri syndrome: Following unilateral radical neck dissection, 51:605
- MARR, William G., and MARR, Ernest G.: Some observations on Purtscher's disease: Traumatic retinal angiography, 54:693
- MARR, William G., WOOD, Ronald, and GRIEVES, Martha: Further studies on the effect of agents on regeneration of the corneal epithelium, 37:544
- MARR, William G., WOOD, Ronald, SENTERFIT, L., and SIEGELMAN, S.: Effect of topical anesthetics: On regeneration of corneal epithelium, 43:606
- MARSHALL, Curtis: See GOLDBERG, Herman Krieger
- MARSHALL, Don: Glioma of the optic nerve, 37:15; Ectodermal dysplasia: Report of a kindred with ocular abnormalities and hearing defect, 45:143
- MARSHALL, Wade H.: Temporal periodicities in the primary projection system, 46:199
- MARSHALL, W. J.: Interesting medical records and the optic chiasm, 45:283
- MARTENS, Theodore G.: See DYER, John A. See KEEFE, William P.
- MARTENS, Theodore G., and OGLE, Kenneth N.: Observations on accommodative convergence: Especially its nonlinear relationships, 47:455
- MARTIN, Sidney A.: Isolated retinal cyst: Management and pathologic examination: A case report, 53:377
- MARTINEZ, Miguel: A device for centering corneal grafts, 49:617; A new technique for cutting lamellar grafts, 51:512 See KEATES, Richard H. See PATON, R. Townley
- Martinez, Miguel, and WILSON, Geraldine: An improved bar reader, 53:867
- MASCATI, Naumann T.: Bowen's disease, 38:652
- MASCOLI, Carmen C.: See TAYLOR, Frank W.
- MASIAK, Michal: See SEGAL, Pawel
- MASLER, Sherman R.: See LINDEKE, Harold I.
- MASON, Gordon L.: See ALPERN, Mathew
- MASTERS, Stanley: Foster-Kennedy syndrome, 36:983; Toxoplasmosis: A report of the literature and clinical studies based on five cases, 38:194. See AIELLO, John S.
- MASTMAN, Gary J.: Binocular bandage, 54:303
- MASURAT, Thomas: See KINOSHITA, Jin H.
- MATHER, Robert W., SHUMAN, Charles R., and HARRISON, Saul I.: Influence of curare and eserine on ocular tension following electroshock, 37:859
- MATHIAS, Daniel W.: Scleromalacia perforans: Associated with retinitis pigmentosa and rheumatoid arthritis: Report of a case, 39:161
- MATHUR, K. N.: See MATHUR, S. P.
- MATHUR, S. P.: Chloroma of the orbit: A report of four cases, 47:91; Neuroblastoma: A case report, 47:401; Ciliary shock with Benzocaine: In painful blind eyes, 47:867
- MATHUR, S. P., and MATHUR, K. N.: Angioscotometry in glaucoma, 43:704; The effect of tobacco on the normal angioscotoma, 43:923
- MATHUR, S. P., and SANGAL, B. C.: Intra-epithelial melanoma of the cornea, 54:1142
- MATTA, Camil: See DIAB, Alfred
- MATTHEWS, John L.: See BROWN, William C.
- MATTON-VAN LEUVEN, M. Th.: See STOCKER, F. W.
- MAUDGAL, M. C.: See DAS, Tulsi. See NIRANKARI, M. S.
- MAUMENEE, A. Edward: Keratitis secondary to keratinization of the tarsal conjunctiva, 41:477; Penetrating autokeratoplasty of entire cornea, 47:125; The pathogenesis of congenital glaucoma: A new theory, 47:827; Congenital hereditary corneal dystrophy, 50:1114. See CHANDLER, Paul. See DUKE, James R. See GERMUTH, F. G. See MacLEAN, Angus L. See PATZ, Arnall
- MAUMENEE, A. Edward, and LONGFELLOW, Donald W.: Treatment of intraocular neovoxantho-endothelioma (juvenile xanthogranuloma), 49:1
- MAUMENEE, A. Edward, and SHANNON, C. Richard: Epithelial invasion of the anterior chamber, 41:929
- MAURICE, David M.: Protein dynamics in the eye studied with labelled proteins, 47:361; The movement of fluorescein and water in the cornea, 49:1011
- MAXWELL, Earl: New Air Force visual and ophthalmological requirements, 36:353; Metastatic tumors of the uveal tract, 37:867; Glaucoma developing in a moribund patient, 42:915
- MAYER, James H.: See GUNZDIK, John D.
- MAYER, Leo J., and NASSAR, Jamil G.: Metastatic carcinoma of the iris, 45:707
- MAYER, Leo L.: Autopsy of the eye, 53:681
- MAYER, Walter: Chloroquine retinopathy, 53:769. See GUILLETTE, James L.

- MAYER, Walter, and RAY, Edward S.: Metastatic carcinoma of the iris and ciliary body, 39:37
- MAYFIELD, Frank H.: See LYLE, Donald J.
- MAYLATH, Florian R., and LEOPOLD, Irving H.: Study of experimental intraocular infection: I. The recoverability of organisms inoculated into ocular tissues and fluids; II. The influence of antibiotics and cortisone, alone and combined, on intraocular growth of these organisms, 40:86
- MEACHAM, Charles T.: Triethylene thiophosphoramide: In the prevention of pterygium recurrence, 54:751
- MEDINE, Meyer: See GIVNER, Isadore. See PRIESTLEY, Bruno S.
- MEEK, Raymond Emory: Medional lamellar scleral resection: In separation of the retina, 38:777
- MEGER, G. E.: See WRIGHT, J. A.
- MEHRA, K. S.: See DAYAL, Y.
- MEHRA, K. S., and DAYAL, Y.: Progressive external ophthalmoplegia, 53:380
- MEHRA, K. S., and HAMID S.: Retinoblastoma in an adult, 52:405
- MEHRI, Parviz, BECKER, Bernard, and OGLESBY, Richard: Corneal transplants and blood types: A clinical study, 47:48
- MEISSNER, Richard H.: See WACHTEL, Joel G.
- MELARAGNO, Roberto Filho: See CARVALHO, Celso A. de
- MELTON, Carlton E.: See PURNELL, Edward W.
- MELTON, Carlton E., and DeVILLE, William B.: Perfusion studies on eyes of four species, 50:302
- MELTON, Carlton E., and HAYES, David W.: Modification of facility of outflow: By perfusion of the vitreous chamber in the enucleated cat eye, 47:657
- MELTON, Carlton E., PURNELL, Edward W., and BRECHER, Gerhard A.: The effect of sympathetic nerve impulses on the ciliary muscles, 40:155
- MEMBRIVES, Juan Reforzo: See MORALES, Adolfo Gómez
- MENDELBLATT, David Lee: Moniliasis: A review and a report of the first case demonstrating *Candida albicans* in the cornea, 36:379
- MENDELBLATT, Frank I., KIRSCH, Ralph E., and LEMBERG, Louis: A study comparing methods of preventing the oculocardiac reflex, 53:506
- MEROLA, Lorenzo O.: See KINOSHITA, Jin H.
- MEROLA, Lorenzo O., and KINOSHITA, Jin H.: The reactivity of the sulfhydryl groups in normal bovine lens, 44:326
- MERRIAM, George R., Jr.: See REESE, Algernon B.
- MERRILL, David L.: See HAAS, Joseph S.
- MERRILL, D. L., FLEMING, T. C., and GIRARD, Louis J.: The effects of physiologic balanced salt solutions and normal saline on intraocular and extraocular tissues, 49:895
- MERYMAN, Harold T.: See KING, John Harry, Jr.
- MERZ, Earl H., and HAUSER, Paul: Treatment of Eales' disease: Diathermy coagulation, 43:882
- METRICK, Seymour: See LADENHEIM, Jacob
- MEYERS, Marina P.: The use of the Visuscope: For mapping the "field" of retinal function, 47:677. See von SALLMANN, Ludwig
- MICHAELSON, I. C.: See NELKEN, E. See NEUMANN, E.
- MICHAELSON, Jesse J.: Transient myopia due to Hygroton, 54:1146
- MIETUS, Conrad A., HAGUE, Elliott B., and CARBONE, Donato J.: Use of general anesthesia and muscle relaxants in cataract surgery, 47:487
- MIGLIOR, Mario A.: See ORZALESI, Francesco G.
- MIKKELSEN, W. M.: See DREWS, L. C.
- MILAM, D. F., Jr., and HEATH, Parker: Primary epithelial tumors of the lacrimal gland, 41:996
- MILDER, Benjamin: Lacrimal fistula: A surgical technique based on dacryocystography, 39:220; Neurofibroma of the lacrimal sac, 53:1020. See KAPLAN, Alex H.
- MILDER, Benjamin, and KAPLAN, Alex H.: Psychologic aspects of ophthalmic practice: Part II. Psychodynamics of eyeglass acceptance; the ophthalmologist-patient relationship 52:696
- MILDER, Benjamin, and RIFFENBURGH, Ralph S.: An evaluation of Cyclogyl (compound 75 GT), 36:1724
- MILES, Paul W.: The Pulfrich stereo-effect produced by magnification without reducing illumination, 36:240; An analysis of depth factors in anisopia and anisodominance, 37:98; Subjective refraction of deaf mutes, 42:127; Should the myopic child wear glasses all the time? 53:866; A study of heterophoria and myopia in children: Some of whom wore bifocal lenses, 54:111
- MILES, Paul W., and TRAPP, Claude W., Jr.: Variations in quality of target for flicker-fusion field technique, 39:171
- MILLARD, D. Ralph, Jr.: Simple repair of eyelid margin defects, 46:386
- MILLER, George E.: See WILSON, John M.
- MILLER, Irene: See BASU, P. K.
- MILLER, James E.: Electromyographic pattern of saccadic eye movements, 46:183; A comparison of myotics in accommodative esotropia, 49:1350. See BURIAN, Hermann M.
- MILLER, James E., and CONSTANT, Marguerite A.: The measurement of rabbit ciliary epithelial potentials in vivo, 50:855/185
- MILLER, James E., JOHNSON, Laverne C., ULETT, George A., and HARTSTEIN, Jack: Photoc driving in amblyopia ex anopsia, 51:463
- MILLER, John: See FLOCKS, Milton
- MILLER, William A., and van HERICK, William: Primary optic atrophy in von Recklinghausen's disease: Report of a case, 37:36
- MILLMAN, Nathan: See CHATZINOFF, Albert
- MILLS, Charles K.: See BURNSIDE, Ronald M.
- MINODA, Ryoji: See MITSUI, Yukihiko
- MINOR, R. Hugh: See KAISER, Robert F.
- MISHLER, J. E.: See HARLEY, R. D.
- MITCHELL, Douglas G., and NEWELL, Frank W.: Benign calcifying epithelioma of the eyelid, 44:629
- MITCHELL, Walter G.: See BRECHER, Gerhard A.
- MITSUI, Y.: See HANNA, L.
- MITSUI, Yukihiko, HANABUSA, Jun, MINODA, Ryoji, and OGATA, Sho: Effect of inoculating adenovirus (APC virus) type 8 into human volunteers, 43:84
- MITSUI, Yukihiko, and JAWETZ, Ernest: Isolation of adenovirus type 8 (APC type 8) from a case of epidemic keratoconjunctivitis in Japan, 43:91
- MITSUI, Yukihiko, and SAKANASHI, Ryuji: Central angiospastic reinopathy, 41:105
- MITSUI, Yukihiko, SUZUKI, Akihisha, HANABUSA, Jun, MINODA, Ryoji, and OGATA, Sho: Fine structure of chlamydozoon trachomatis, 43:951
- MITSUI, Yukihiko, TANAKA, Chie, and YAMASHITA, Kiichi: Change in the constitution with age: Its influence on the clinical symptoms of conjunctivitis, 39:540
- MIYAZAKI, Sigeo: See OHASHI, Kohei
- MODRELL, Robert W.: See POTTS, Albert M.
- MODRELL, Robert W., and POTTS, Albert M.: The influence of medium composition, pH and temperature on the transcorneal potential, 48:834
- MOLLER, H. U.: See LAWAETZ, B.
- MONAHAN, Robert Hugh: Channels in the human lens capsule and their relationship to senile cataract, 36:24
- MONER, J. I. Barraquer: The present technique and results of the use of curare in ocular surgery, 36:789
- MONNINGER, Robert H. G.: The malignant carcinoma syndrome (argentaffinoma), 44:257; Topical enzymatic ointment: A laboratory and clinical study, 48:194. See LEBENSOHN, James E.
- MONNINGER, R., and PLATT, D.: Toxic amblyopia due to quinine, 43:107
- MONTANA, Jerome A., and HEDGES, Thomas R., Jr.: Carcinoma of the maxillary sinus with ocular involvement: Report of four cases, 49:1337
- MOON, T. Elmer, and HOLT, L. Byerly: Modified trephine design, 45:112; Modern engineering looks at keratoplasty, 45:571
- MOONEY, Alan J.: Some ocular sequelae of tuberculous meningitis: A preliminary survey, 1953-54, 41:753; Further observations on the ocular complications of tuberculous meningitis and their complications, 48:297

- MOOR, William A.: See PRATER, B. G.
- MOORE, Robert A.: Remarks made on acceptance of the portrait of Lawrence T. Post, M.D., 36:1190
- MORALES, Adolfo Gómez, ARATA, Alberto Ferrer, and MEMBRIVES Juan Reforzo: Clinical orbitonometry: In the progress and treatment of Graves' ophthalmopathy, 49:683
- MORALES, Luis A.: Vitreous edema, 39:83
- MORALES, Pedro Pablo, and HARTZ, Phillip H.: A rare malformation of the eyes, 38:716
- MORDHORST, Carl H.: Quantitation of the infectivity for cynomolgus monkeys of egg-grown inclusion conjunctivitis virus: A comparison of the clinical course of the experimental disease, the appearance of inclusion bodies and the regular recovery of the viral agent, 53:780
- MORELLO, Aldo, and COOPER, Irving S.: Visual field studies following occlusion of the anterior choroidal artery, 40:796
- MORI, Naoyuki: Morphology of inclusion bodies: In trachoma and inclusion conjunctivitis, 45:423
- MORIEGA, M. Roiz: See AVELLO, J. Junceda
- MORRISON, H. Maxwell, Jr.: See McPHERSON, Samuel D., Jr.
- MORRISON, W. Howard: Stability of aqueous solutions commonly employed in the treatment of primary glaucoma: I. The pharmacology of miotics, 37:391; II. Drug passage, 37:557; III. Experimental procedure and findings: Summary and conclusions, 37:744
- MORTON, P. L., ORMSBY, Hugh L., and BASU, P. K.: Healing of the endothelium and Descemet's membrane of rabbit cornea, 46:762
- MOSES, Lyle: See SOLOMON, O. David
- MOSES, Robert A.: A teaching device for gonioscopy, 44:407; The Goldmann applanation tonometer, 46:865; Fluorescein in applanation tonometry, 49:1149/63
- MOSES, Robert A., and BECKER, Bernard: Clinical tonography: The scleral rigidity correction, 45:196
- MOSES, Robert A., and TARKKANEN, Ahti: Tonometry: The pressure-volume relationship in the intact human eye at low pressures, 47:557
- MOSKOWITZ, H.: See STERN, R. U.
- MOSS, Hugh MacMillan: Expanding lesions of the orbit: A clinical study of 230 consecutive cases, 54:761
- MOSS, L. Connor: See ZIMMERMAN, Lorenz E.
- MOULTON, Gardner N.: See ROSEN, David A.
- MRZYGLOD, Stanislaw: See SEGAL, Pawel
- MÜLLER, H. K., KLEIFELD, O., ARENS, H. P., DARDENNE, U., FUCHS, R., and HOCKWIN O.: The phosphorus metabolism in the lens 42:431
- MUELLER, M. F.: White spots of the iris, 46:587
- MUISOS, Alfredo Simon: See BARRAQUER, Joaquin Moner
- MULBERGER, Robert D., and CARMICHAEL, Paul L.: Experimental implants of collagen sponge material in rabbit eyes, 54:19
- MULLEN, Carroll R., DeLONG, Perce, and STEINMETZ, Charles G., III: Bilateral metastatic carcinoma of the uveal tract with orbital extension, 37:204
- MUNDT, G. Henry, Jr., and HUGHES, William F., Jr.: Ultrasonics in ocular diagnosis, 41:488
- MUNGOVAN, John F.: More about retrolental fibroplasia, 41:117
- MUNOZ, C. M.: See DISCHE, Zacharias. See von SALLMANN, Ludwig
- MURAKAMI, Nobuko: See TSUTSUI, Jun
- MURAYAMA, Kenichi: See NIHO, Shoji
- MURESAN, I.: See BLATT, Nicolas
- MURPHY, Edward U.: Diamox in cataract wound healing, 39:86
- MURRAY, E. S.: See SNYDER, J. C.
- MURRAY, E. S., CHANG, R. S., BELL, S. D., TARIZZO, M. L., and SNYDER, J. C.: Agents recovered from acute conjunctivitis cases in Saudi Arabia, 43:732
- MURRAY, R. G.: See DRANCE, S. M.
- MURRAY, Robert G.: See WALSH, Frank B.
- N
- NAIB, Khalida: See HALLETT, J. W. See VOGEL, Adolph W.
- NAIB, Khalida, HALLETT, J. W., and LEOPOLD, Irving H.: Observations on the ocular effects of erythromycin, 39:395
- NAIDOFF, David: See WAGMAN, Irving H.
- NAIDOFF, D., PINCUS, I. J., TOWN, A. E., and SCOTT, M. E.: Cataracts in alloxan-diabetic rabbits, 39:510
- NAJAC, Harold T.: See JACOBSON, Jerry Hart
- NAKAGAWA, Osamu: See NAKAJIMA, Akira
- NAKAJIMA, A.: See MAJIMA, A.
- NAKAJIMA, Akira, ICHIKAWA, Hiroshi, NAKAGAWA, Osamu, MAJIMA, Akio, and WATANABE, Masanobu: Ishihara test in color-vision defects: Studies on a statistical method for evaluation of the screening efficiency of several plates, 49:921
- NAKAJIMA, Akira, KANKI, Kazuo, and TAKYAMA Michiko: A new operation for glaucoma, 52:503
- NAKAJIMA, Akira, KONYAMA, Kazuichi, HADEYAMA, Akira, TORII, Ayako, NAKAGAWA, Osamu, and YOSHIMOTO, Teruhisa: Convenient method for use of chymotrypsin in cataract surgery, 52:263
- NAKAMURA, Yasushi: See HIOKI, Ryuichi
- NANO, Hector M., GAVARINI, O., and PEREZ, Humberto A.: RO I-7683/15: A new and effective mydriatic, 49:958
- NANO, Hugo: See GALIN, Miles A.
- NAQUIN, Howard A.: Argyll Robertson pupil: Following herpes zoster ophthalmicus: With remarks on the efferent pupillary pathways, 38:23; An unsuccessful attempt to produce hypersensitivity to uveal tissue in guinea pigs, 39:196; Orbital reconstruction: Utilizing temporalis muscle 41:519; Extirpation of conjunctiva, tarsi and lid margins following enucleation of the eye, 51:227. See SLOAN, Louise L.
- NASSAR, Jamil G.: See MAYER, Leo J.
- NATH, Kailash: See HAMEED, Sami
- NATH, Rajendra: See SHARMA, B. C.
- NATHANIEL, Arthur: See WOLLIN, Nathaniel C. See YOURISH, Norman
- NATHANSON, Morton, BERGMAN, Philip S., and BENDER, Morris B.: Monocular nystagmus, 40:685
- NAUHEIM, Jack Stanley: Corneal ulcer: Due to prolonged wearing of corneal contact lenses, 53:678. See BUCKLEY, Eugene T.
- NAWRATZKI, Ilse: See KORNBLUETH, Walter
- NAWRATSKI, Ilse, and JAMPOLSKY, Arthur: A regional hemiretinal difference in amblyopia, 46:339
- NEEB, Walter G.: Traction suture deflector: For muscle surgery, 52:414
- NEELY, Wanda: See GIRARD, Louis J.
- NEETENS, A.: See FRANÇOIS, J.
- NELKEN, David: See KORNBLUETH, Walter. See NELKEN, Edith
- NELKEN, Edith: See KORNBLUETH, Walter
- NELKEN, E., MICHAELSON, I. C., NELKEN, D., and GUREVITCH, J.: Experimental corneal allergy: Correlation between clinical and serologic findings, 50:583
- NELSON, Fritz: Management of congenital occlusion of the tear duct, 36:1587
- NELSON, Robert: See DAY, Robert M.
- NÉMETH, Lajos: Blepharophimosis and its operation, 49:1357
- NEUMANN, E., and GRATZ, N. G.: Eyelid infestations by *Armillifer armillatus*, 54:305
- NEUMANN, E. GUTMANN, M. J., BLUMENKRANTZ, N., and MICHAELSON, I. C.: A review of 400 cases of vernal conjunctivitis, 47:166
- NEVEU, M., and ELLIOT, A. J.: Prophylaxis and treatment of endophthalmitis, 48:368
- NEWELL, Darrell E., RUBIN, Melvin L., HORN, Charles, and ARMALY, Mansour F.: A pressure-sensitive crystal oscillator, 52:984
- NEWELL, Frank W.: See ALEXANDER, Charles M. See FRIEDMAN, Max. See GOREN, Seymour B. See MITCHELL, Douglas G.
- NEWELL, Frank W., and BEAMAN, Thomas C.: Ocular signs of meningioma, 45:30
- NEWELL, Frank W., CHOI, Ouk, BOOK, Noel A., HARPER, Paul V., and SIMKUS, Aldona: Focal ionizing radiation of the posterior ocular segment, 50:1215
- NEWELL, Frank W., GOREN, Seymour B., and

- CAMPBELL, William L.: Preparation of tritiated acetazolamide by the Wilzbach technique, 51:323
- NEWELL, Frank W., and HARPER, Paul V.: Local irradiation of metastatic carcinoma of choroid with radioactive iodine: A preliminary report, 44:222
- NEWELL, Frank W., HARPER, Paul V., Jr., and KOISTENEN, Aune: Irradiation of the posterior ocular segment with radioactive yttrium, 42:85
- NEWELL, Frank W., and IRONSIDE, William M. S.: Ocular complications of trans-sphenoidal yttrium-90 hypophysectomy, 49:476
- NEWTON, F. H.: Operation for recurrent pterygium, 44:258; Congenital cataracts: A review of 84 cases, 52:368
- NEWTON, F. H., ARRINGTON, J. H., and BRUCE, R. Grady: Retinal ischemia with cataract formation: A case report, 47:862
- NEWTON, F. H., and BRUCE, R. Grady: Contamination from eyelashes and eyebrows: In intraocular surgery, 46:888
- NEWTON, James C.: See WEINGEIST, Samson
- NEWTON, James C., and TULEVECH, Charles B.: Lacrimal canalculitis due to *Candida albicans*: Report of a case and a discussion of its significance, 53:933
- NICHOLAS, A.: See HANNA, L. See JAWETZ, E. See KIMURA, Samuel J.
- NICHOLLS, John V. V.: Macular edema in association with cataract extraction, 37:665; Hereditary characteristics of retinoblastoma, 43:240. See EVELYN, Kenneth A.
- NICHOLS, R. L.: See SNYDER, J. C.
- NIELSEN, Ray H.: The use of perphenazine in ocular surgery: A preliminary report, 46:345
- NIHO, Shoji, YASUDA, Kazuhide, SATO, Tikasi, SUGITA, Sinichiro, MURAYAMA, Kenichi, and OGINO, Norisige: Decompression of the optic canal by the transthemoidal route, 51:659
- NILSSON, Lars Bertil, RENDAHL, Ilmari, and STRÖMBERG, H. Eugen: Retinal arteriospasm in polycythemia vera, 45:358
- NIRANKARI, M. S.: See DAS, Tulsi
- NIRANKARI, M. S., GULATI, G. C., and CHADDAH, M. R.: Retinoblastoma: Genetics and report of a family, 53:523
- NIRANKARI, M. S., MANCHANDA, S. S., and MAUDGAL, M. C.: Laurence-Moon-Biedl syndrome, 49:1410
- NIRANKARI, M. S., and MAUDGAL, M. C.: Bourneville's syndrome (tuberous sclerosis): A case report, 45:110
- NIRANKARI, M. S., PARKASH, Om, and SINGH, Daljit: Scleromalacia paralinostomy, 54:1145; Congenital conjunctivodacryocystorhinostomy: And other congenital anomalies of the lacrimal apparatus, 54:854
- NIRANKARI, M. S., and SINGH, Daljit: Pedunculated hemangiomas of conjunctiva: Report of two cases, 52:266
- NISBET, Alfred A.: A focusing attachment for close-up photography, 40:740; Transilluminating attachment for a penlight, 40:900; A case for dressings and examining equipment, 41:119; The iridocleisis bleb, 44:683. See BROWN, William C.
- NITOWSKY, H.: See COCKBURN, T. Aidan
- NOELL, Werner K.: Experimentally induced toxic effects on structure and function of visual cells and pigment epithelium, 36:103; The origin of the electroretinogram, 38:78; Metabolic injuries of the visual cell, 40:60; Biography, 48:344; Remarks on acceptance of Friedenwald Memorial Plaque, 48:344; The visual cell: Electric and metabolic manifestations of its life processes: The Friedenwald Memorial Lecture, 48:347. See CIBIS, Paul A. See RUEDEMANN, A. D., Jr.
- NOORDEN, Gunter K. von: Treatment of squint amblyopia with the after-image method, 47:809; Modification of an ophthalmoscope: For diagnosis of fixation behavior, 43:672
- NOORDEN, Gunter K. von, ALLEN, Lee, and BURIAN, Hermann M.: A photographic method for the determination of the behavior of fixation, 48:511
- NOORDEN, Gunter K. von, and BURIAN, Hermann M.: An electro-ophthalmographic study: Of the behavior of the fixation of amblyopic eyes in light- and dark-adapted states: A preliminary report, 46:768
- NOORDEN, Gunter K. von, and MACKENSEN, Gunter: Pursuit movements of normal and amblyopic eyes: An electro-ophthalmographic study: I. Physiology of pursuit movements, 53:325; II. Pursuit movements in amblyopic patients, 53:477; Phenomenology of eccentric fixation, 53:642
- NORDMANN, Jean, and MANDEL, Paul: Enzyme studies in radiation cataract, 40:871
- NORDQUIST, Loretta T.: See HARRIS, John E. See HAUSCHILDT, James D.
- NORTON, Herman J., Jr.: Absolute electronic retinal stereophotography, 40:809; Adenocarcinoma metastatic to the distal nerve and optic disc: A stereographic clinicopathologic analysis, 47:195
- NORTON, Herman J., Jr., and SULLIVAN, Charles T.: A modern photographing keratoscope, 53:371
- NOYORI, Satoshi: Hand fundus camera, 42:639
- NOYORI, Satoshi, and BABA, Kenichi: Improved hand fundus camera, 48:486
- O
- O'BRIEN, David D.: See TASSMAN, William S.
- O'BRIEN, James Miles: Field screening test, 41:683
- de OCAMPO, Geminiano: A corneal dissector: For lamellar keratoplasty and anterior or posterior lamellar keratectomy, 48:677; A history of Philippine ophthalmology, 51:93
- de OCAMPO, Geminiano, and ESPIRITU, Romeo B.: Bronchogenic metastatic carcinoma of the choroid, 52:107
- de OCAMPO, Geminiano, and FOJAS, Marcos R.: A new test for the viability and vitality of conjunctival and corneal epithelial cells: Methylene blue decolorization, 52:923
- O'CONNOR, G. Richard: Precipitating antibody to Toxoplasma: A follow-up study on findings in the blood and aqueous humor, 44:75
- OGATA, Sho: See MITSUI, Yukihiko
- OGINO, Norisige: See NIHO, Shoji
- OGINO, S., and ICHIHARA, T.: Biochemical studies on cataract: V. Biochemical genesis of senile cataract, 43:754
- OGINO, S., TOJO, H., FUJISHIGE, I., and KATUMORI, Y.: Biochemical studies on cataract: IX. Contribution to the histopathology of cataract caused by various quinoid substances, 44:94
- OGINO, S., and YASUKURA, K.: Biochemical studies on cataract: VI. Production of cataracts in guinea pigs with dinitrophenol, 43:936
- OGLE, Kenneth N.: On the problem of an international nomenclature for designating visual acuity, 36:909; Blurring of retinal image and foveal differential light threshold, 52:755/323. See BUCKLEY, Paul M. See DYER, John A. See MARTENS, Theodore G. See STEINMETZ, Rodney D.
- OGLESBY, Richard: See MEHRI, Parviz
- OHASHI, Kohei: Improved ptosis operation with buried silk sutures, 45:282
- OHASHI, Kohei, MIYAZAKI, Siego, and YAMADA, Haruo: Test for retinal function and glaucoma: By measuring macular capillary blood pressure, 45:71
- OJERS, Gaylord W.: See YASUNA, Jules M.
- OJERS, Gaylord W., YASUNA, Jules M., and SCHEIE, Harold G.: Cortisone in experimental homologous keratoplasty in the rabbit, 36:120
- OKAMURA, Ichiro D.: See BROCKHURST, Robert J.
- OKITA, George T.: See FRIEDMAN, Max
- OKSALA, Arvo: The chamber angle in interstitial keratitis: Report of a case, 43:719; Interstitial keratitis: Its treatment by mydriatics and hydrocortisone and its recurrence, 44:217; The echogram in vitreous opacities, 49:1301
- OKSALA, Arvo, and LEHTINEN, Antti: Investigations on the structure of the vitreous body by ultrasound, 46:361; Acoustic biomicroscopy of intraocular tumors, 51:1203
- OKUDA, Kunio: See CACCAMISE, William Charles
- OKUDAIRA, Masahiko, and SCHWARZ, Jan: Experimental ocular histoplasmosis in rats: A histo-

- pathologic study of immunogenic and hypersensitive ophthalmitis produced in rats by Histoplasma capsulatum and histoplasmin, 54:427
- OKUMOTO, Masao: See KIMURA, Samuel J. See THYGESON, Phillips
- OKUMOTO, M., JAWETZ, E., and SONNE, M.: Studies on herpes simplex virus: IX. Corneal responses to repeated inoculation with herpes simplex virus in rabbits, 47:61
- OKUN, Edward: Gross and microscopic pathology in autopsy eyes: Part I. Introduction and long posterior ciliary nerves, 50:424; Part II. Peripheral choroidal atrophy, 50:574; Part III. Retinal breaks without detachment, 51:369; Part IV. Pars plana cysts, 51:1221; Chronic papilledema simulating hyaline bodies of the optic disc: A case report, 53:922
- OKUN, Edward, and COLLINS, Eleanor M.: Histopathology of experimental photocoagulation in the dog eye: Part I. Graded lesions, vitreous effect and complications, 54:3; Part II. Production of cytoid body lesions, 54:786
- OLEKSY, Stanley P.: See HAVENER, William H.
- OLENICK, Everett J.: Pig eyes for instruction and practice, 36:1134
- OLIVER, Dalton S.: Recurrent retinoblastoma: A case with a five-year survival, 53:376
- OLMSTED, K. Elizabeth Pierce: A lens to encourage simultaneous macular perception, 40:419
- O'MEARA, R. A. Q.: See SOMMERVILLE-LARGE, L. B.
- O'NEILL, Patricia M.: See SPAETH, Philip G.
- ORBISON, Lowell: See POTTS, Albert M.
- ORFUSS, A. J.: See GIVNER, Isadore
- ORKIN, Louis: See LINCOFF, Harvey A.
- ORLOWSKI, Witold J., and KOROBOWICZ, Jerzy: The lymphadenoglucomatous syndrome: Report of a case, 52:101
- ORMSBY, Hugh: Ophthalmia neonatorum, 39:190; Superficial forms of herpetic keratitis, 43:107; Keratoplasty for herpetic keratitis, 45:179. See BASU, P. K. See BEALE, A. J. See COCKERAM, Anne M. See CRABB, A. M. See DOANE, Frances. See DUMAS, J. See FIELDING, I. L. See FOWLE, Ann M. C. See HALL, Raymond L. See HALLIDAY, J. A. See HAUSLER, Hans R. See MACKNESON, Ruth G. See MORTON, P. L. See SCHIRMER, K. E. See SPEAKMAN, John S. See WITZEL, S. H.
- ORMSBY, Hugh L., and FOWLE, Ann M. C.: Epidemic keratoconjunctivitis, 38:490
- ORMSBY, Hugh L., FOWLE, Ann M. C., and DOANE, Frances: Canadian cases of adenovirus infection, 1951-1956, 43:17
- OROSHNIK, William: See CHATZINOFF, Albert
- O'ROURKE, James F.: An evaluation of streptokinase, 39:119
- O'ROURKE, James F., PATTON, Humphrey, and BRADLEY, Robert: A study of the uptake of P^{32} , Zn^{65} , and I^{131} serum albumen by experimental malignant melanomas, 44:190
- ORZACK, Maressa Hecht, and SCHLAEGEL, T. F., Jr.: The Liebmman effect in binocular perception: Preliminary studies, 39:93
- ORZALESI, Francesco G., and MIGLIOR, Mario A.: The interactions between lens protein and other proteins: Part IV. The behavior of the lens protein-protamine complexes in relation to electrostatic and enzymatic actions: Changes associated with aging of the lens, 47:219
- OSHER, M. S.: Emergency treatment of vitreous bulge and wound gaping: Complicating cataract surgery, 44:409
- OSSOFKY, Helen Johns: See ILIFF, Charles E.
- OSTERBERG, G.: See LAWAETZ, B.
- OSTLER, H. B.: Pulsless disease (Takayasu's disease), 43:583
- OSTRIKER, Paul J., and LASKY, Mortimer A.: Congenital eversion of the upper eyelids, 37:779
- OTAZO, N.: See STERN, R. U.
- O'TOOLE, John J.: See GOREN, Seymour B.
- OTTER, K.: See WORST, J. G. F.
- OWENS, William Councilman: Symposium: Retrolental fibroplasia (retinopathy of prematurity): Clinical course, 40:159
- OWENS, William Councilman, KING, John Harry, Jr., WELLS, H. S.: Radioactive phosphorus for the detection of intraocular tumors, 41:507
- OZANICS, Victoria: See SMELSER, George K.
- OZAZEWSKI, John: See De HOFF, John B.

P

- PADRON, Arturo: See SERY, Theodore W.
- PAGANI, Mario: Corneoconjunctival grafting: In total symblepharon with existing globe, 40:190
- PAGE, R. C.: See SNYDER, J. C.
- PAGE, Vernon, and STONEHILL, Alfred A.: Perforating wounds of the ciliary body: A study of 45 cases, 47:399
- PAGENSTECHER, William Joachim: Tuberculous sclerosis: Historical review and report of two cases, 39:663
- PAJOR, R.: See RADNÓT, M.
- PALMERTON, E. S.: The effect of local cortisone on wound healing in rabbit cornea, 40:344
- PAPPAS, George D., and SMELSER, George K.: Studies on the ciliary epithelium and zonule: I. Electron microscope observations on changes induced by alteration of normal aqueous humor formation in the rabbit, 46:299
- PARK, George E.: Electro-encephalogram and ocular function, 36:1705
- PARKASH, Om: See NIRANKARI, M. S.
- PARKHILL, Edith M.: See JOHNSON, Wendell A. See KADZAN, Martin S.
- PASCAL, Joseph I.: Memory aid for the parallax test, 36:262; The equivalent sphere and chromatic interval in astigmatism, 36:1730; The principle of the biconic lens in anisometropia, 37:706; Effect of version and vergence movements on ocular torsion, 40:735
- PASSMORE, Jack W.: See KING, John Harry, Jr.
- PASSMORE, Jack W., and MacLEAN, Florence: Convergence insufficiency and its management: An evaluation of 100 patients receiving a course of orthoptics, 43:448
- PATEK, Paul R., and BERNICK, Sol: Extravascular pathways of the eye and orbit, 49:135
- PATON, David, and McLAREN, Donald S.: Bitot spots, 50:568
- PATON, R. Townley: Intracapsular forceps, 38:564; Eye-Bank program, 41:419. See KEATES, Richard H. See TENG, C. C.
- PATON, R. Townley, and MARTINEZ, Miguel: A corneal trephine: With built-in optical centering device, 49:1031
- PATTERSON, Harold C., KATZ, Abraham R., and EVANS, Harry D., Jr.: Identification of eye sutures by means of multiple colors, 54:1033
- PATTERSON, James: See HAVENER, William H.
- PATTERSON, John W.: Cataracts caused by carbohydrates, 36:143. See FARKAS, Tibor G.
- PATTERSON, Reese W., Jr., and DEPUE, Ray V., Jr.: Blow-out fracture of the orbit, 53:841
- PATTON, Humphrey: See O'ROURKE, James F.
- PATZ, Arnall: Cataracts in galactosemia: Observations in three cases, 36:453; Oxygen studies in retrolental fibroplasia: IV. Clinical and experimental observations: The First Edward L. Holmes Memorial Lecture, 38:291; Experimental studies, 40:174; Oxygen inhalation in retinal artery occlusion, 40:789
- PATZ, Arnall, and EASTHAM, Ann B.: Oxygen studies in retrolental fibroplasia: VI. The effect of concentration and duration of exposure to oxygen on the immature mouse eye, 44:110
- PATZ, Arnall, EASTHAM, Ann B., HIGGENBOTHAM, Don H., and KLEH, Thomas: Oxygen studies in retrolental fibroplasia: II. The production of the microscopic changes of retrolental fibroplasia in experimental animals, 36:1511
- PATZ, Arnall, and MAUMENEY, A. Edward: Studies on diabetic retinopathy: I. Retinopathy in a dog with spontaneous diabetes mellitus, 54:532
- PATZ, Arnall, WULFF, Lydia, and ROGERS, Sara: Experimental production of epithelial invasion of the anterior chamber, 47:815; Experimental production of ocular tumors, 48:98
- PATZ, Arnall, WULFF, Lydia B., ROGERS, Sara,

- and BARTON, Betty: Ocular tumors produced in mice by methylcholanthrene: II. The effect of reoperation and diathermy on tumor production, 48:429
- PAU, Hans: On the etiology, pathology and surgical treatment of retinal detachment, 47:565
- PAUL, Satya Dev, and FRY, Wilfred E.: Retinal sutures: An experimental evaluation for treatment of detachment of the retina, 45:553
- PAUL, Satya Dev, and LEOPOLD, Irving H.: The effect of chlorpromazine (Thorazine) on the intraocular pressure in experimental animals, 42:107; The effect of tranquilizing and ganglion-blocking agents: On the eyes of experimental animals, 42:752; The effect of vasodilating drugs on choroidal circulation, 42:899
- PAVIA, J. Lijó: Arteriosclerosis hypertension and retinopathy: General and ocular improvement with hormonal treatment, 41:85; Concomitant squint: Method of recording the deviation, 45:278
- PAYNE, Brittain Ford: Epithelialization of the anterior segment: After cataract extraction, 45:182
- PEABODY, Sherman M.: Pellet wound of the orbit: With extensive nerve involvement, 53:130
- PEARLMAN, Maurice D.: An eye template, 43:288
- PEARLSTONE, Arnold D.: Mandibulofacial dysostosis: Surgical correction of the eyelid deformity, 54:859
- PEARSON, Ellery: See DISCHE, Zacharias
- PECKHAM, Robert H., and HART, William M.: Neural integration at the retinal level as evidenced by flicker fusion measurement, 48:594; Binocular summation of subliminal repetitive visual stimulation, 49:1121/35
- PEMBERTON, John W., and FREEMAN, John M.: Craniosynostosis: A review of experience with 40 patients with particular reference to ocular aspects and comments on operative indications, 54:641
- PENIKETT, E. J. B., and REES, D. L.: Nocardia asteroides infection: Of the nasal lacrimal system, 53:1006
- PENN, Robert F.: See SWAN, Jerome W.
- PENN, R. F., and GODWIN, M. C.: Diffuse peritoneal mesothelioma: With metastasis to the orbital area as a presenting symptom, 43:213
- PENN, William P.: See HESSBURG, Philip C.
- PENNER, Robert, and SOMERS, Kenneth: Bilateral macular degeneration associated with chloroquine therapy, 54:381
- PEREZ, Humberto A.: See NANO, Hector M.
- PERRAUT, L. Edward: See DRYDEN, J. Spencer
- PERRY, Robert: See EGLESTON, DuBose
- PERRY, Vernon P.: See DRAHEIM, Jerry
- PESKIN, James C.: The effects of irradiation upon visual purple, 39:849
- PETER, Philip A., LYDA, Wood, and KRISHNA, Narendra: Anterior chamber perfusion studies: II. Controlled particle size in relationship to pore size, 44:198
- PETERS, Lawrence: See BALLINTINE, Elmer J.
- PETROHELOS, Manos A.: See PRESTON, Richard E.
- See THOMAS, Madison H. See WOLTER, J. Reimer
- PFAHL, S. Baird, Jr., MAKLEY, Torrence A., ROTH-ERMICH, Norman O., and MCCOY, Francis W.: The relationship of steroid therapy and cataracts in patients with rheumatoid arthritis, 52:831/399
- PFEIFFER, Carl C.: See APTER, Julia T.
- PFISTER, Roswell R.: See WOLTER, J. Reimer
- PHIL, D.: See von HEYNINGEN, Ruth
- PHILBROOK, F. Randolph: See HABEGGER, Hedwige
- PHILLIPS, Carlton C.: See PRIESTLEY, Bruno S. See SCHLOSSMAN, Abraham
- PHILLIPS, Roland L.: See WOLTER, J. Reimer
- PICO, Guillermo: Use of cortisone in paralysis of ocular muscles: Preliminary report of two cases, 36:1454; Recent advances in the management of retinal detachment, 45:227; Congenital ectropion and distichiasis: Etiologic and hereditary factors: A report of cases and review of the literature, 47:363; Mandibulofacial dysostosis: With the report of two cases, 52:521; Chronic pseudotumoral edema of the conjunctiva: Of possible myxedematous and amyloid origin: With report of two cases, 52:901
- PILGER, Irvin S.: Familial dysautonomia: Report of a case with stimulation of tear production by prostigmine, 43:285; Absorbable gelatin film (Gelfilm): In subconjunctival section of lacrimal ducts, 51:1290. See KAPLAN, Melvin R.
- PILLAT, A.: The contribution of the Vienna school to ophthalmology, 36:15; The differential diagnosis of nummular keratitis (Dimmer) and epidemica keratoconjunctivitis, 43:58. See von SALLMANN, Ludwig
- PINCUS, I. J.: See NAIDOFF, D.
- PINE, Leo, HARDIN, Hilliard, TURNER, Larry, and ROBERTS, Shaler S.: Actinomycotic lacrimal canalculitis: A report of two cases with a review of the characteristics which identify the causal organism, Actinomyces israelii, 49:1278
- PINE, Leo, SHEARIN, William A., and GONZALES, Cesar A.: Mycotic flora of the lacrimal duct, 52:619
- PINKERTON, Ogden D.: Leiomyoidoma of the iris: Report of a case, 42:924
- PIRIE, Antoinette: See van HEYNINGEN, Ruth
- PISCHEL, Dohrmann K.: Detachment of the vitreous as seen by slitlamp examination: With notes on the technique of slitlamp microscopy of the vitreous cavity, 36:1497. See COLYEAR, Bayard H., Jr.
- PISCHEL, D. K., and COLYEAR, Bayard H., Jr.: Clinical results of light coagulation therapy, 50:590
- PISCHEL, Dohrmann K., and KRONFELD, Peter C.: The scleral resection operation for retinal detachment, 36:629
- PITTAR, C. A.: A technique of corneal grafting developed in New Zealand, 38:689
- PLATT, D.: See MONNINGER, R.
- PLATT, Edward S.: Orbitocranial penetrating injuries, 37:744
- PLATTS, Shirley: See REED, Howard
- POLATNICK, Jerome, LALESSA, Anthony J., and KATZIN, Herbert M.: Possible antivascularization factors in the cornea, 42:897
- POLIS, Zbigniew: See SWIETLICKO, Irena
- POLLACK, A. D.: See GERMUTH, F. G.
- POLLACK, Frank M.: Morphology of the cornea: Study with silver stains, 51:1051/179
- POLLACK, Irvin P., and BECKER, Bernard: The effect of hypothermia on aqueous humor dynamics: IV. Carotid artery ligation and blood flow, 51:1039/167; Hyaline bodies (drusen) of the optic nerve, 54:651; Cytoid bodies of the retina: In a patient with scleroderma, 54:655
- POLLACK, Irvin P., BECKER, Bernard, and CONSTANT, Marguerite A.: The effect of hypothermia on aqueous humor dynamics: I. Intraocular pressure and outflow facility in the rabbit eye, 49:1126/40
- POLLACK, Samuel: See SHERMAN, Norton S.
- POMERAT, C. M.: See HARPER, John Y., Jr.
- POPOVICI, V.: See BLATT, Nicolas
- POSER, Eduard: Visual field studies: In a case of familial poor vision: (With comments by the late Dr. Stephan Polyak), 48:283
- POSNER, Adolph: Suction anterior to the iris as a factor in narrow-angle glaucoma, 36:185; Peripheral iris crypts: In relation to medical and surgical therapy of a narrow-angle glaucoma, 40:469; Use of a new carbonic anhydrase inhibitor (Cardrase) in glaucoma, 45:225. See KELLERMAN, Leo. See MAMELOK, Alfred E.
- POSNER, Marvin: A safeguard suture in muscle surgery, 48:396
- POSNER, Ronald E.: See WAITZMAN, Morton B.
- POST, Lawrence T., and HARPER, Lamar B.: A study of glaucoma secondary to cataract extraction: Based on 500 senile cataract extractions, 36:103
- POST, Lawrence T., and POST, Lawrence T., Jr.: The management of second-decade cataracts, 45:184
- POST, Lawrence T., Jr.: Biography: Bernard Becker, M.D. 47:338. See POST, Lawrence T.
- POST, M. Hayward: Prevention of infection in ophthalmic surgery: Further studies, 36:1091; Protection of instruments from dustborne contamination and sterilization of certain solutions by ultraviolet radiation, 36:1258; Refraction: Some practical suggestions, 45:187
- POTTS, Albert M.: The nutritional supply of corneal

- regions in experimental animals: II. The problem of corneal transparency and the toxicity of tears, 36:127; Studies on the visual toxicity of methanol: VI. The clinical aspects of experimental methanol poisoning treated with base, 39:86; A new suture: For resection of the horizontal rotators, 48:103. See GILGER, Anita Peek. See HAMASHIGE, Shinichi. See MODRELL, Robert W. See PRAGLIN, J. See SPERELAKIS, Nick
- POTTS, Albert M., COHEN, Beatrice, and GOODMAN, Doris: Corneal water transport as measured with tritiated water, 47:419
- POTTS, Albert M., and FRIEDMAN, Beatrice C.: Studies on corneal transparency, 43:480
- POTTS, Albert M., GOODMAN, Doris, and JOHNSON, Lorand V.: The nutritional supply of the corneal regions in experimental animals: III. Further studies on the corneal transport of inorganic ions, 38:174
- POTTS, Albert M., and MODRELL, Robert W.: The transcorneal potential, 44:284
- POTTS, Albert M., MODRELL, Robert W., and KINGSBURY, Cecil: Permanent fractionation of the ERG by sodium glutamate, 50:900/220
- POTTS, Albert M., PRAGLIN, Julius, FARKAS, Irene, ORBISON, Lowell, and CHICKERING, Donald: Studies on the visual toxicity of methanol: VIII. Additional observations on methanol poisoning in the primate test subject, 40:76
- POTTS, Albert M., VOLK, David, and WEST, Seymour S.: A television reader: As a subnormal vision aid, 47:580
- POWERS, M. M.: See von SALLMANN, Ludwig
- PRAGLIN, Julius: See POTTS, Albert M.
- PRAGLIN, J., SPURNEY, R., and POTTS, Albert M.: An experimental study of electroretinography: I. The electroretinogram in experimental animals under the influence of methanol and its oxidation products, 39:52
- PRATER, B. G., and LAM, Robert L.: Altitudinal hemianopia and papilledema, 39:738
- PRATER, B. G., and MOOR, William A.: Erythromycin: A report on a new ophthalmic ointment, 37:938
- PRATT-JOHNSON, John A.: Radical tarsectomy: In the treatment of cicatricial complications of trachoma, 44:779; Studies on the anatomy and pathology of the peripheral cornea, 47:478. See GERMUTH, F. G.
- PRENNER, Edward J., LAVAL, Joseph, and THEODORE, Frederick H.: Experimental mycotic endophthalmitis, 54:817
- PRESSBERG, M. H.: Psychologic factors in refraction, 39:567
- PRESTON, Richard E., and PETROHELOS, Manos A.: Application of ophthalmodynamometry in carotid surgery: A report of 26 cases, 53:806
- PRICE, Thomas: See RICKETTS, Marion M.
- PRICKMAN, Louis E., HOLLENHORST, Robert W., and AMMERMAN, Ernst O.: Toxic retinopathy: With vascular proliferation and hemorrhage into the vitreous in an asthmatic patient being treated with arsenic, 50:64
- PRIESTLEY, Bruno S.: A modified euthyscope, 52:406. See SHERMAN, Maurice E.
- PRIESTLEY, Bruno S., BYRON, Herve M., and WESELEY, Alan C.: Pleoptic methods: In the management of amblyopia with eccentric fixation, 48:430
- PRIESTLEY, Bruno S., and MEDINE, Myer M.: A new attachment for the projection perimeter, 37:261
- PRIESTLEY, Bruno S., MEDINE, Myer M., and PHILLIPS, Carlton: Cyclomydril: A new mydriatic agent, 49:1033
- PRIJOT, E.: See WEEKERS, R.
- PRIJOT, Emile L., and STONE, Howard H.: On the ophthalmotonic consensual reaction and its relationship to aqueous humor dynamics, 42:50
- PRINCE, Jack H.: A new test for visual malingering, 42:776; Increasing image magnification: In retinal photography, 42:919; Completion of project 650 (Special print for subnormal vision), 48:122. See HAVENER, William H.
- PRINCE, Jack H., and FRY, Glenn A.: Correction for the guessing bias in the Landolt ring test, 46:77
- PRINCE, Jack H., and HAVENER, William H.: Heat production by slitlamp beam, 43:461
- PRINCE, Jack H., and RUSKELL, Gordon L.: The use of domestic animals for experimental ophthalmology, 49:1202/116
- PRITIKIN, Roland I.: Hand tangent screen, 39:565; Anophthalmos, 45:714
- PROBERT, Lloyd A.: Spherophakia with brachydactyly: Comparison with Marfan's syndrome, 36:1571
- PRYOR, James: See FAJARDO, Romeo V.
- PUGOY, Ruben: See VINCENCIO, A. B.
- PUIG SOLANES, M., QUIROZ, J. Antonio, and BARRIENTOS, G. Gonzalez: Fundus changes in hypertension: In relation to postmortem systemic alteration, 39:137
- PUNTENNY, Irving, and SHOCH, David: The ciliary body in radiation cataract, 38:673
- PURNELL, Edward W.: See MELTON, Carlton E.
- PURNELL, Edward W., MELTON, Carlton E., and ADAMS, Elliot Q.: The effects of nerve stimulation on aqueous outflow in enucleated eyes, 42:182
- PURNELL, Edward W., and SOKOLLU, Adnan: An evaluation of time-amplitude sonography in ocular diagnosis, 54:1103
- PURVIS, Victor: See LLOYD, J. P. Francis
- PAYEATTE, J. E.: Ocular uptake of radiothyroxine and radioiodothyronine, 51:1018/146
- PLYLE, Gilbert C.: See BECKER, Bernard
- Q
- QUEIROGA, Geraldo: Retinal photography and ophthalmoscopy combined in one instrument, 49:140
- QUIGLEY, J. H.: Testing higher visual functions, 48:819
- QUILLIGAN, J. J., Jr., ADRIAN, J., and ALENA, B.: The isolation of 21 strains of type 8 adenovirus: From an outbreak of epidemic keratoconjunctivitis, 48:238
- QUINN, James R.: See RUNDLES, Walter Z.
- QUINN, Lester H.: See BROWNING, Carroll W.
- BURNSIDE, Ronald M.
- QUIROZ, Carlos, BOYES, Truman, and SACKS-WILNER, Arthur: N.F.12: A new topical solution for external eye disease, 41:1020
- QUIROZ, J. Antonio: See PUIG SOLANES, M.
- R
- RABAEE, M.: See FRANCOIS, J.
- RADNÓT, M., and PAJOR, R.: Effect of alpha chymotrypsin on the cornea, 51:598
- RADOS, W. T.: See STERN, R. U.
- RADOS, Walter T., and SCHOLZ, Roy O.: Pseudostrabismus with heterotopia of the macula, 45:683
- RAIFORD, Morgan, and DIXON, Joseph M.: Cystic dermoid tumor: Replacing the anterior segment of the eye with microphthalmos, 36:508
- RAKE, Geoffrey W.: The etiologic role of the virus of herpes simplex in ophthalmic disease, 43:113
- RALPH, Fenn T.: Treatment of eye prosthesis complications, 44:814. See BOYES, Truman L.
- RAMACCIOTTI, N.: See URRUTS-ZAVALIA, A.
- RAMBO, Victor C.: Further notes on the varying ages at which different peoples develop presbyopia, 36:709
- RAMBO, Victor C., and SANGAL, C. P.: A study of the accommodation of the people of India: With further notes on the development of presbyopia at different ages in different peoples, 49:993
- RANDOLPH, M. Elliott: Alan Churchill Woods, M.D., 41:374
- RANDOLPH, M. Elliott, and EARECKSON, Vincent O.: The von Graefe and keratome incisions in cataract extractions, 36:350
- RAPHAEL, S. S.: See SCHIRMER, K. E.
- RASA, Francisco A.: See BERENS, Conrad
- RASGORSHEK, Robert H.: Residual accommodation: A method for its objective determination: With an analysis of several different cycloplegics, especially homatropine (five percent) in methyl-cellulose and Zephiran, 36:1086
- RASGORSHEK, Robert H., and MCINTIRE, W. C.: Cyclogyl®: Re-evaluation and further studies, 40:34
- RAVIN, Louis C.: Facial paralysis: A complication of chicken pox, 52:723

- RAY, Bronson S.: Intracranial operations for diseases of the orbit and adjacent structures, 54:581
- RAY, Edward S.: See MAYER, Walter
- RAYMOND, Louis F.: Neovascularization of the cornea: Due to Butazolidine toxicity, 43:287; Staphylococcus sensitivity in chorioretinitis: Report of two cases, 48:846
- REAPSOME, Jane: See CHAPIN, H. Beecher
- REDDY, D. V. N.: See KINSEY, V. Everett
- REED, Howard, McDIARMID, Roper O., and DALY, Timothy: Removal of an intraocular copper foreign body: With complete recovery of vision, 41:128
- REED, Howard, and PLATTS, Shirley: The self-sterilizing properties of the vitreous, 53:501
- REEH, Merrill J.: Angle-closure glaucoma, 45:444. See STEVENS, Ralph W. See THORNFIELDT, Paul R.
- REEH, Merrill J., and SINGER, Milton: Pathogenesis of exophthalmos, 36:1043
- REES, D. L., See PENIKETT, E. J. B.
- REESE, Algernon B.: Precancerous and cancerous melanosis of the conjunctiva, 39:196; Conclusions (symposium on retrolental fibroplasia), 40:186; Persistent hyperplastic primary vitreous: The Jackson Memorial Lecture, 40:317; The treatment of expanding lesions of the orbit: With particular reference to those arising in the lacrimal gland: The VII Arthur J. Bedell Lecture, 41:3; Telangiectasis of the retina and Coats' disease: XI. Sanford R. Gifford Lecture, 42:1; Metaherpetic keratitis: Notes on treatment, 42:489; Problems encountered in an eye clinic for children 43:24; Medullo-epithelioma (Diktyoma) of the optic nerve, 44:4; Exenteration of the orbit: With transplantation of the temporalis muscle, 45:386; Serendipity: Remarks on acceptance of the Proctor Medal, 46:156; The role of pigment epithelium in ocular pathology, 50:1066
- REESE, Algernon B., and BLODI, Frederick C.: Hematopoiesis in and around the eye, 38:214
- REESE, Algernon B., and CARROLL, Frank D.: Optic neuritis following cataract extraction, 45:659
- REESE, Algernon B., and CLEASBY, Gilbert W.: The treatment of iris melanoma, 47:118
- REESE, Algernon B., and EHRLICH, Gabriele: The culture of uveal melanomas: The Proctor Medal Lecture, 46:163
- REESE, Algernon B., HYMAN, George A., MERRIAM, George R., Jr., and FORREST, Arnold W.: The treatment of retinoblastoma by radiation and triethylene melamine, 43:865
- REESE, Algernon B., and JONES, Ira S.: Benign melanomas of the retinal pigment epithelium, 42:207; The treatment of Eales' disease by roentgen therapy, 49:1311; Exenteration of the orbit and repair by transplantation of the temporalis muscle, 51:217; Hematomas under the retinal pigment epithelium, 53:897
- REESE, Algernon B., and STEPANIK, Josef: Cicatricial stage of retrolental fibroplasia, 33:308
- REESE, Algernon B., and STRAATSMAN, Bradley R.: Retinal dysplasia, 45:199
- REESE, Algernon B., and WADSWORTH, Joseph A. C.: The adhesion of the lens capsule to the hyaloid membrane: And its relation to intracapsular cataract extraction, 46:495
- REESE, Donald R.: See ALFANO, Joseph E.
- REESE, Frederick M.: Bilateral homonymous hemianopia, 38:44
- REESE, Gilbert A.: Method for anchoring polyethylene tubes and re-establishing tear drainage, 41:1063
- REGAN, James J.: See DUNPHY, Edwin B.
- REGAN, William F., Jr.: See SMITH, Byron
- REICH, Theobald, and HEALY, Raymond W.: The effect of age on the carbonic anhydrase activity of bovine lenses, 36:500
- REIMENSCHNEIDER, Paul A.: See JOY, Harold H.
- REINHARDT, Paul R.: See WINTER, Frank Counsel
- REINOEHL, D. A.: See VOGEL, Adolph W.
- REMEDE, G.: See URRETS-ZAVALIA, A., Jr.
- REMININGTON, Jack S.: See KAUFMAN, Herbert E.
- REMININGTON, Jack S., JACOBS, Leon, and KAUFMAN, Herbert E.: Studies on chronic toxoplasmosis: The relation of infective dose to residual infection and to the possibility of congenital transmission, 46:261
- REMKY, H.: See KÜCHLE, H. J.
- REMONDA, C.: See URRETS-ZAVALIA, A.
- RENDALH, Ilmari: See NILSSON, Lars-Bertil
- RESNIK, Robert A.: Lens proteins: I. Alpha crystallin of calf lens, 44:357. See KUHLMAN, Robert E.
- RESNIK, R. A., and KENTON, E. B.: Lens proteins: II. The effect of pH on alpha crystallin, 48:52
- RESNIK, Robert A., WANKO, Theodor, and GAVIN, Mary Ann: Observations on the lens proteins alpha and beta crystallin, 48:309
- REYNOLDS, Leonard: See STONE, William, Jr.
- REYNOLDS, William E.: See ZACHARIAS, Leona
- RHEINS, Melvin: See SUITE, Ted
- RHODE, Jesus, GROM, Edward, BAJARES, Abelardo Cruz, ANSELM, A., CAPRILES, Miguel A., and RIVAS, C.: A study of the electrocardiographic alterations: Occurring during operations on the extraocular muscles, 46:367
- RHODES, A. J.: See DOANE, Frances
- RICHARDS, A. N.: Francis Heed Adler, M.D.: Salutations, 50:1026
- RICHARDS, Richard D.: Unilateral exophthalmos: Caused by metastatic carcinoma, 49:1034. See SCHULTZ, Richard O.
- RICHARDS, R. D., RILEY, E. F., and LEINFELDER, P. J.: Lens changes following X-irradiation: Of single and multiple quadrants, 42:44
- RICHARDSON, Charles B.: See GIRARD, Louis J.
- RICHMAN, Donald W.: See CAMPELL, Henry S. See SMITH, J. Lawton
- RICKETTS, Marion M., PRICE, Thomas, and THOMAS, Maxwell: Choroidal metastasis of bronchial adenoma: Adenoid-cystic carcinoma type, 39:33
- RIDDEL, G. H.: See FLEMING, T. C.
- RIEGELMAN, Sidney: See VAUGHAN, Daniel
- RIESE, Walther, and ARRINGTON, George E.: Johannes Mueller on the inverted image: A new and unabridged translation, 47:185
- RIFFENBURGH, Ralph S.: Bilateral external rectus paralysis with bilateral muscle transplantation, 36:1265; Arteriovenous aneurysm of the retina, 37:908. See MILDNER, Benjamin
- RIGDON, R. H.: See FERGUSON, T. M.
- RIGG, James P., and RIGG, Robert W.: Corneal healing, 48:238
- RIGG, Robert W.: See RIGG, James P.
- RIGGS, Lorin A.: Electroretinography in cases of night blindness, 38:70
- RIISE, Per: Long-term prognosis in glaucoma surgery, 45:807; The importance of early treatment of esotropia, 51:634
- RILEY, E. F.: See RICHARDS, R. D.
- RITTER, Joseph: See BEDROSSIAN, Robert H.
- RIVAS, C.: See RHODE, Jesus
- RIZZUTI, A. Benedict: An iris retractor and expessor: For round-pupil intracapsular cataract extraction, 37:941; Traumatic implantation cysts of the iris: With special emphasis on surgical aspects, 39:13; Angioid streaks with pseudoxanthoma elasticum: A case followed by fundus photography over a period of 27 years, 40:387; A lens forceps with iris retractor: For round-pupil cataract operation, 45:277; Cataract following glaucoma surgery: Inferior approach-scleral incision, 47:548; Simplified double-edge knife, 47:870; Inspection clamp for keratoplasty instruments, 48:251; Lens-iris forceps: For cataract extraction, 50:167; Modified handle for electro-keratotome, 51:524
- ROBBINS, Irving: See FREUDENBERGER, Herbert J.
- ROBERTS, Bernard A., and SCHLOSSMAN, Abraham: Clinicopathology of ocular foreign bodies, 36:803
- ROBERTS, N. Craig: See RUEDEMANN, A. D.
- ROBERTS, Seymour R.: Congenital posterior ectasia of the sclera in collie dogs, 50:451. See ZEHETBAUER, Georg
- ROBERTS, Shaler S.: Nystatin in monilia keratoconjunctivitis, 44:108. See ANDERSON, Banks. See PINE, Leo
- ROBERTS, Winston: Hematoma of the orbit: Report

- of two cases, 40:215; Early diagnosis of primary glaucoma, 44:24; Tonographic criteria in early glaucoma: Clinical tonography as an aid to the diagnosis and management of early glaucoma, 48:31; Clinical tonography: With and without a recording galvanometer, 49:80; The mushroom graft, 52:913. See ROGERS, J. William
- ROBERTS, Winston, and ROGERS, J. William: Ocular rigidity following surgery in glaucomatous eyes, 53:30
- ROBERTS, Winston, and THOMAS, Robert P.: Fluorescent test objects: For pantoscopic tangent screen, 47:688
- ROBESON, Kathryn: See COLLINS, Wayne
- ROBINSON, Benjamin E.: See ALEXANDER, Robert L.
- ROBINSON, John P.: See GRAY, Leon Fowler
- ROBINSON, T.: See COCKBURN, T. Aidan
- ROBINSON, William P.: Congenital anophthalmos, 39:400
- RODGER, F. C.: Eye disease in the African continent 45:343; The pathogenesis and pathology of ocular onchocerciasis: Part I. Introduction to the subject and the thesis: Part II. The pathogenesis; Part III. The posterior segmental lesion, 49:104; Part IV. The pathology, 49:327; 49:560
- RODGER, F. C., SAIDUZZAFAR, H., and GROVER, A. D.: The effect of citral and vitamin A: On the intraocular dynamics of rabbits, 50:309
- deROETH, Andrew F.: Ridley's cataract operation, 36:1568; The technique of lamellar keratotomy, 42:860; The vitreous face following intracapsular extraction, 45:59
- RODRIGUEZ-VASQUEZ, Francisco: A new implant material for retinal detachment surgery: Insertion of scleral strips in buckling procedures, 53:937
- ROGERS, J. William: See ROBERTS, Winston
- ROGERS, J. William, and ROBERTS, Winston: Scleral rigidity determinations: Before and after tonography, 51:150
- ROGERS, Sara: See PATZ, Arnall
- ROHEN, Johannes: Comparative and experimental studies on the iris of primates, 52:384; The histologic structure of the chamber angle in primates, 52:529. See UNGER, H.-H.
- ROHEN, J., and UNGER, H.-H.: Studies on the morphology and pathology: Of the trabecular meshwork in the human eye, 46:802
- ROMAINE, Hunter H.: See JACOBSON, Jerry Hart: See LINCOFF, Harvey A.
- RONES, Benjamin: The tolerance of high tension in glaucoma, 41:408; A mechanistic element in trabecular function, 45:189; Ochronosis oculi in alkaptonuria, 49:440
- RONES, Benjamin, and LINGER, Harry T.: Early malignant melanoma of the choroid, 38:163
- ROPER, Kenneth L.: Modern approach to glaucoma, 39:312; Alpha chymotrypsin irrigating cannula, 50:500. See ALFANO, Joseph E.
- ROSE, H. W.: See TILLET, Charles W.
- ROSEN, David A.: The effects of a ganglionic blocking drug (pentaptyridinium): On aqueous humor flow of normal and glaucomatous eyes, 44:370
- ROSEN, David A., and MOULTON, Gardner N.: Multiple malignant melanomas in one eye, 36:73
- ROSEN, David A., and WARMAN, Alberto G.: Observations on the clinical determination of scleral rigidity, 54:375
- ROSEN, Emanuel: Biomicroscopic examination of the fundus with a f55D lens, 48:782; The ascension phenomenon of the anterior vitreous, 53:55; Microzonulocopy: Biomicroscopic examination of the zonules without a contact lens, 53:345; Microzonulocopy: In Krukenberg spindles and annular pigment rings of the lens 53:845; Alpha chymotrypsin and juvenile cataract, 53:993; Direct application of alpha chymotrypsin: In cataract surgery, 54:240; Vitreous detachment: Associated with nuclear sclerosis, 54:837
- ROSEN, Fred: See CHATZINOFF, Albert
- ROSEN, Morris: Diabetes mellitus with relative hyperopia: A case report, 41:680
- ROSENBAUM, Joseph George: The care of ophthalmic surgical instruments, 49:903
- ROSENBERG, Alan J.: See SCHWILK, Norman F.
- ROSENGREN, Bengt: The etiology of acute glaucoma, 36:488
- ROSENTHAL, J. William: The Blaskovitz pterygium operation, 36:259; Chronology of pterygium therapy, 36:1601; A hook for polyethylene tubes, 54:1148
- ROSENTHAL, J. William, and WILLIAMS, Guy T.: Scleromalacia perforans: As a complication of rheumatoid arthritis, 54:862
- ROSNER, Robert S.: Self-testing device: For screening color vision, 54:139
- ROSNER, Robert S., and GANS, M. E.: A new air conditioner: For the patient during surgery under local anesthesia, 40:563
- ROSS, J. V. M.: Ocular varicella: With an unusual complication, 51:1307
- ROSS, Milton G.: Narrow-angle glaucoma: Gonioscopic observation in two cases provoked by the darkroom test 36:640
- ROTH, F. Dale: See BECKER, Bernard. See SMILIE, John W.
- ROTHERMICH, Norman O.: See PFAHL, S. Baird, Jr.
- ROTTER, Hans: Technique of biomicroscopy of the posterior eye, 42:409
- De ROUCK, A.: See FRANCOIS, J.
- ROWE, Wallace P.: See HUEBNER, Robert P.
- ROWEN, John W.: See IRVINE, S. Rodman
- RUBIN, Melvin L.: Spectral hue loci of normal and anomalous trichromates, 52:166. See NEWELL, Darrell E.
- RUBIN, Milton R.: A simple fixation light: For the cardinal directions of gaze, 41:119
- RUBIN, William: A note on the management of recent fractures of the zygoma involving the floor of the orbit, 39:183
- RUBNER, Karl: See CHAMLIN, Max. See GARTNER, Samuel
- RUCKER, C. William: Nystagmus, 36:250; Paralysis of the third, fourth and sixth cranial nerves, 46:787. See CORDES, Frederick C. See KEARNS, Thomas P. See KEYS, Thomas E. See STEINMETZ, Rodney D. See TAUB, Robert G.
- RUCKER, C. Wilbur, DYER, John A., SMITH, Dale C., and TAUB, Robert G.: The causes of acquired paralysis of the ocular muscles, 41:951
- RUCKER, C. Wilbur, and KEARNS, Thomas P.: Bilateral homonymous hemianopia: Clinics in perimetry No. 2, 47:42; Mistaken diagnoses in some cases of meningioma: Clinics in perimetry No. 5, 51:15; Tobacco amblyopia: Clinics in perimetry No. 4, 51:509
- RUEDEMANN, A. D.: Foveal co-ordination, 36:1220; Evisceration with retention of the cornea, 45:433
- RUEDEMANN, A. D., ROBERTS, N. Craig, and SELIGSON, A. R.: Voluntary luxation of the globes: Report of a case, 37:351
- RUEDEMANN, Albert D., Jr.: A corneal scleral epithelial inclusion cyst: A rarely described clinicopathologic entity, 41:316; Modified Burch type evisceration with scleral implant, 49:41; The electroretinogram in methyl alcohol poisoning in human beings, 54:34; Use of a silicone implant: For evisceration and enucleation, 54:867
- RUEDEMANN, Albert D., Jr., and HOAK, Carl G.: Molluscum sebaceum (kerato-acanthoma): Or squamous cell carcinoma of the lid, 40:199
- RUEDEMANN, Albert D., Jr., and NOELL, Werner K.: A contribution to the electroretinogram of retinitis pigmentosa, 47:564
- RUFFIN, R. S.: See HAM, W. T., Jr. See WIESINGER, Herbert
- RUNDLES, Walter Z., and QUINN, James K.: Management of acute ocular lime burns, 37:209
- RUPP, Joseph J.: See WIDELITZ, Martin M.
- RUSSELL, Gordon L.: Choroidal vascularization in the rabbit, 52:807/375; The orbital arteries in the rabbit, 53:96. See PRINCE, Jack H.
- RUSSELL, Dan A., Jr., and GUYTON, Jack S.: Retrobulbar injection of Lidocaine (Xylocaine®) for anesthesia and akinesia, 38:78

- RUSZKOWSKI, Marian: See SEGAL, Pawel.
- RYAN, Hugh: Postnatal cataracts in a premature infant, 41:310
- RYAN, Ralph W.: See GUNKEL, Ralph D.
- S
- SABIN, Albert B.: Human toxoplasmosis: With special reference to intraocular inflammation: A critical review: The Sixth William Hamlin Wilder Memorial Lecture, 41:600
- SACHS, David: See KURLAND, Leonard T.
- SACHS, Julian: See HOLM, Arvid
- SACKS-WILNER, Arthur: See QUIROZ, Carlos
- SACKS-WILNER, Arthur, and SACKS-WILNER, Erwin: Glaucoma therapy with echthiophate (Phospholine Iodide), 51:695
- SACKS-WILNER, Arthur, SINCLAIR, S., and BOYES, Truman: Streptokinase and streptodornase: In intraocular hemorrhage, 39:730
- SACKS-WILNER, Erwin: See SACKS-WILNER, Arthur
- SAGGESE, Domingo A.: The fundus in tuberculous meningitis in children, 37:215
- SAIDUZZAFAR, H.: See RODGER, F. C.
- St. HELEN, Roger, and McEWEN, W. K.: Rheology of the human sclera: I. Anelastic behavior, 52:539
- SAKANASHI, Ryuji: See MITSUI, Yukihiro
- SALIM, I.: See HAGEDOORN, A.
- SALLEE, William T.: Enzymatic debridement to treat corneal erosion: A case report, 53:124
- SALLMANN, Ludwig von: Karl D. Lindner, M.D.: 36:14; The lens epithelium in the pathogenesis of cataract: XIII. Edward Jackson Memorial Lecture, 44:159. See DISCHE, Zacharias. See HOLLAND, Monte G. See KNAPP, Philip
- SALLMANN, Ludwig von, CARAVAGGIO, Leo L., COLLINS, Eleanor M., and WEAVER, Kirk: Examination of lenses of steroid-treated rats, 50:1147
- SALLMANN, Ludwig von, CARAVAGGIO, Leo L., and GRIMES, Patricia: Studies on the corneal endothelium of the rabbit: I. Cell division and growth, 51:955/83
- SALLMANN, Ludwig von, FUORTES, Michelangelo G. F., MACRI, Frank, and GRIMES, Patricia: Study of afferent electric impulses induced by intraocular pressure changes, 45:211
- SALLMANN, Ludwig von, GRIMES, Patricia, and COLLINS, Eleanor: Mimosine cataract, 47:1107
- SALLMANN, Ludwig von, and LOWENSTEIN, Otto: Responses of intraocular pressure, blood pressure and cutaneous vessels to electric stimulation in the dienkephalon: The IX Francis I. Proctor Lecture, 39:111
- SALLMANN, Ludwig von, MACRI, Frank J., WANKO, Theodor, and GRIMES, Patricia: Some mechanisms of centrally induced eye pressure responses, 42:130
- SALLMANN, Ludwig von, MEYERS, M. P., and PILLAT, B.: Studies on the effect of noradrenaline and adrenaline on the eye, 36:91
- SALLMANN, Ludwig von, PILLAT, B., and POWERS, M. M.: The influence of ACTH and cortisone on the reactivity of the terminal vascular bed in the eye, 38:122; Further studies on the influence of ACTH on the reactivity of the terminal vascular bed in the eye, 38:655
- SALUS, Robert: Ophthalmology in a concentration camp, 44:12; A contribution to the diagnosis of arteriosclerosis and hypertension, 45:81
- SAMIS, William D.: An experimental method to produce angle block in rabbits: And the use of Phospholine Iodide after angle block, 54:1089
- SAMPSON, Whitney G.: See GIRARD, Louis J.
- SAMPSON, Whitney G., and GIRARD, Louis J.: The coefficient of scleral rigidity: Effect of variation of the intraocular volume, 52:789/357
- SAMUELS, S. Lawrence: Inflammatory granuloma of the iris, 49:829; Juxtaocular cysts: And other retinal involvement in malignant melanoma of the choroid, 51:517
- SAND, Bruce J., and ABRAHAM, Samuel V.: Anterior lenticonus: An operated case and a review of the literature, 53:636
- SANDERS, Murray: Etiology of epidemic keratoconjunctivitis based on 1942 studies, 43:65
- SANDERS, T. E.: Intraocular biopsy: An evaluation, 36:1204; Intraocular juvenile xantho-granuloma (nevus xantho-endothelioma), 53:455
- SANDS, Abraham: See LASKY, Mortimer
- SANGAL, B. C.: See MATHUR, S. P.
- SANGAL, C. P.: See RAMBO, Victor C.
- SANTOS, Paul: See SUGAR, H. Saul
- SANZ, E. Gutiérrez: See TALAMAS, J. Lorente
- SARIN, L. K., TASSMAN, William D., and McDONALD, P. Robb: Retinal holes in congenital glaucoma, 53:365
- SARWAR, M.: Factors in the genesis of corneal edema: A slightly different viewpoint of the mode of production, 40:37
- SATO, Tikasi: See NIHO, Shoji
- SATO, Tikasi, and BABA, Kenichi: Appearance and disappearance of the fundus disturbances in Oguchi's disease, 51:243
- SATO, Tutomu: Posterior half-incision of cornea for astigmatism: Operative procedures and results of the improved tangent method, 36:462; A new proposal for the surgical treatment of anterior synechia, 36:698; A new approach to the pterygium operation, 37:903; Flexible retractor, 47:692; Suture in sclera for zonulotomy, 47:867
- SATO, Tutomu, AKIYAMA, Koechi, SHIBATA, Hirohiko: A new surgical approach to myopia, 36:823
- SATTLER, R.: See KÜCHLE, H. J.
- SAUER, John L.: Corneoscleral suturing forceps, 39:237; A corneal debrider, 45:448
- SAUNDERS, J. B. DeC.: See CARTER, W. E.
- SAWCHAK, Walter G.: See KULVIN, Max M.
- SAWYER, John L.: See GREEN, Harry
- SAXENA, L. R. P.: See AGARWAL, L. P.
- SAYOC, Burgos T.: Plastic construction of the superior palpebral fold, 38:556; Simultaneous construction of the superior palpebral fold in ptosis operation, 41:1040; Absence of superior palpebral fold in slit eyes: An anatomic and physiologic explanation, 42:298; Blepharochalasis in upper eyelids: Including its classification, 43:970; Exotropic retraction syndrome: With congenital homolateral ptosis, 44:777; Correction of blepharoptosis: With a simple surgical technique, 46:220; Mandibulofacial dysostosis: Or bilateral facial agenesis (Treacher-Collins syndrome), 46:886; Blepharoptosis, 48:75; An improved ptosis operation, 48:392; Surgical management of unilateral almond eye 52:122; Monocular ptosis without levator action, 54:867; Senile entropion, 54:1143
- SCHAEFFER, Alexander J.: Malignant melanoma of the upper conjunctival fornix, 38:228
- SCHARDT, W. M., UNSWORTH, A. C., and HAYES, C. V.: Corneal ulcer due to Nocardia asteroides, 42:303
- SCHARENBERG, K.: The cells and nerves of the human cornea: A study with silver carbonate, 40:368
- SCHEFFLER, Milton M.: Endophthalmitis phacoanaphylactica with granulomatous iritis: Clinico-pathologic report, 36:1449; Epithelial implantation cyst of the iris: A clinico-pathologic report, 39:76
- SCHEIE, Harold G.: Retraction of scleral wound edges: As a fistulizing procedure for glaucoma, 45:220; Aspiration of congenital or soft cataracts: A new technique, 50:1048; Filtering operations for glaucoma: A comparative study: The Albert C. Snell Memorial Lecture, 53:571. See OJERS, Gaylord W. See YASUNA, Jules M.
- SCHEIE, Harold G., HAMBRICK, George W., Jr., and BARNES, Lewis A.: A newly recognized forme fruste of Hurler's disease (gargoylism): The Sanford R. Gifford Lecture, 53:753
- SCHEIE, Harold G., and HICKS, John D.: Mooren's-like ulcer in a corneal graft, 43:385
- SCHENK, H.: Temporary artificial paresis of the external eye muscles, 46:213
- SCHEPENS, Charles L.: Clinical aspects of pathologic changes in the vitreous body, 38:8; General discussion on the vitreous, 38:37; Fundus changes caused by alterations of the vitreous body, 39:631. See BROCKHURST, Robert J.

- SCHER, David: Systemic complications of retinal detachment surgery, 37:582
- SCHER, Jordon M., and SPANKUS, Willard H.: Flicker-fusion frequency and hypertension, 39:705
- SCHIFF, Frank S.: The effects of beta radiation on aqueous secretion in rabbits, 47:553
- SCHILLINGER, Robert J.: A surgical tonometer, 54:295
- SCHIMEK, Robert A.: A simplified entropion operation: Use of a permanently buried horizontal suture to tighten the orbicularis, 43:245. See DUKE, James R. See HOBBS, Frank I. See KNOWLES, William F. See LIEBERMAN, Warren J.
- SCHIMEK, Robert A., and BEALLO, Allen: Ophthalmodynamometry: A diagnostic aid in cerebrovascular disease, 48:220
- SCHIMEK, Robert A., and CUSICK, Paul L.: Evaluation of a modified Blaskovics operation (Iliff technique) for blepharoptosis, 46:819
- SCHIMEK, Robert A., and LIEBERMAN, Warren J.: The influence of Cyclogyl¹⁸ and Neosynephrine on¹⁸ on tonographic studies of miotic control in open-angle glaucoma, 51:781
- SCHIMEK, R. A., and STEFFENSEN, E. H.: Vitreous hemorrhage absorption: Experimental study on rabbit eyes of the effects of intravitreal hyaluronidase and streptokinase-streptodornase on the influence of ACTH, 39:677
- SCHIRMER, K. E.: Interocular diameter measurement: For exophthalmos-producing factor, 53:973
- SCHIRMER, K. E., and ORMSBY, Hugh L.: Experimental studies with acetazolamide in anaphylactic iridocyclitis in rabbits, 41:667
- SCHIRMER, K. E., and RAPHAEL, S. S.: Ocular reactions to plastic material: Polyethylene and Teflon, 52:61
- SCHLAEGEL, T. F., Jr.: See ORZACH, Maressa Hecht
- SCHLAEGEL, T. F., Jr., ARBOGAST, J. L., and ESTELA, L. A.: The value of the Middlebrook-Dubos hemagglutination test for tuberculosis: When run on aqueous samples of eyes with granulomatous iridocyclitis, 51:627
- SCHLAEGEL, T. F., Jr., and LEVITT, Eugene E.: Psychopathology in adults with uveitis, 48:312
- SCHLAEGEL, T. F., Jr., and WILSON, Fred M.: Experimental granulomatous uveitis: Studies on the mechanism of production of the contralateral reaction after the use of horse serum in rabbits, 38:194
- SCHLEZINGER, Nathan S.: See BONIUK, Milton
- SCHLOSSMAN, Abraham: See LUHR, John P. See ROBERTS, Bernard
- SCHLOSSMAN, Abraham and BORUCHOFF, S. Arthur: Correlation between physiologic and clinical aspects of exotropia, 40:53
- SCHLOSSMAN, Abraham, and PHILLIPS, Carlton C.: Optic neuritis in relation to demyelinating diseases: A clinical study, 37:487
- SCHLOSSMAN, Abraham, and SHIER, Julius M.: Criteria for the management of alternating strabismus, 39:351
- SCHMERL, Ernest, DIETZ, Albert A., and STEINBERG, Bernhard: Mechanism of miopiesin formation, 39:684
- SCHMERL, Ernst, and STEINBERG, Bernhard: Multiple stresses, intraocular pressure and acute glaucoma, 39:332; Quantitative effects of miopiesin and hyperpiesin on intraocular pressure, 39:547
- SCHMIDT, F. H.: See HAM, William T., Jr. See WIESINGER, Herbert
- SCHMIDT, Ida G.: See LYLE, Donald J.
- SCHMIDT, Theo: Equipment: For objective determination of visual acuity according to Goldmann, 42:123; The clinical application of the Goldmann applanation tonometer, 49:967
- SCHMIDT, William: See DUNPHY, Edwin B.
- SCHNEIDER, Julius: See KORNZWEIG, Abraham L.
- SCHNEIDER, Julius, FELDSTEIN, Morris, and KORNZWEIG, Abraham L.: Scleral rigidity and tonometry in the aged, 48:643
- SCHNEIDER, Julius, KORNZWEIG, Abraham L., and FELDSTEIN, Murray: Epidemic keratoconjunctivitis: Description of an outbreak in an institution for the aged, 42:266
- SCHNEIDER, Richard: See HENDERSON, John Woodworth
- SCHOLZ, Roy O.: Studies on the physiology of the eye using tracer substances. Part IV. A comparison of the steady-state ratio of sodium between the plasma and aqueous humor in normal and scorbutic guinea pigs, 36:64. See RADOS, Walter T.
- SCHRAFF, Albert G.: See BENNETT, James E.
- SCHULTZ, Richard O., BRALEY, Alson E., and HAMILTON, Henry E.: Bio-assay for an exophthalmos-producing substance in human serum, using the Atlantic minnow, 50:783
- SCHULTZ, Richard O., HAMILTON, Henry E., and BRALEY, Alson E.: Ocular changes related to endocrine dysfunction: With emphasis on ocular complications in thyrotoxicosis, 50:26
- SCHULTZ, Richard O., RICHARDS, Richard D., and HAMILTON, Henry E.: Asymmetric ptosis, 52:10
- SCHWARTING, Bland H.: Testing infants' vision: An apparatus for estimating the visual acuity of infants and young children, 33:714
- SCHWARTZ, Ariah: Drainage of subretinal fluid in retinal detachment surgery, 47:798. See CORDES, Frederick C.
- SCHWARTZ, Bernard, DANES, Betty, and LEINFELDER, P. J.: The role of metabolism in the hydration of the isolated lens and cornea, 38:182
- SCHWARTZ, Bernard, and LEINFELDER, P. J.: Ascorbic-acid as an oxidation-reduction system: In the maintenance of the metabolism of lens cultured in vitro: I. Weight and cation equilibrium, 40:224
- SCHWARTZ, Herman: Chloroform anesthesia for ophthalmic examination: A useful technique for ambulatory children, 43:27
- SCHWARZ, Jan: See OKUDAIRA, Masahiko
- SCHWARZ-KARSTEN, H.: See BOECK, Josef
- SCHWILK, Norman F., and ROSENBERG, Alan J.: An evaluation of heparin in the treatment of senile macular degeneration, 51:57
- SCOTT, Joseph M.: The use of urea in ophthalmology, 53:988
- SCOTT, M. E.: See NAIDOFF, D.
- SCRUGGS, James H.: Malignant melanoma of the uvea, 49:594
- SCULLICA, L.: Observations of uveal blood flow pattern in excised arterially perfused rabbit eyes, 54:1057
- SEARS, Marvin L.: Ocular leprosy, 46:359. See TEASDALL, R. D.
- SEELY, R. H.: See SHIPMAN, James S.
- SEGAL, Pawel, JABLONSKA, Stefania and MRZYGLOD, Stanislaw: Ocular changes in linear scleroderma, 51:807
- SEGAL, Pawel, RUSZKOWSKI, Marian, BERGER, Stanislaw and MASIAK, Michal: Abortive form of Wilson's syndrome: With dark-adaptation disturbances, 44:623
- SEGALL, Walter: Congenital neuroparalytic keratitis, 39:732
- SEIFF, Stephen S.: Goniotomy loupe: For American Optical-Schepens binocular ophthalmoscope, 54:1133
- SELIGSON, A. R.: See RUEDEMANN, A. D.
- SELLS, S. B.: See BERENS, Conrad
- SELLS, S. B., and FIXOTT, Richard S.: Evaluation of research on effects of visual training on visual functions, 44:230
- SELVERSTONE, Bertram: See DUNPHY, Edwin B.
- SELYE, Hans: Prevention by thyroxine of the ocular changes: Normally produced by BB'-iminodipropionitrile (IDPN), 44:763
- SENIOR, B., FRIEDMANN, A. L., and BRAUDO, J. L.: Juvenile familial nephropathy with tapetoretinal degeneration: A new oculorenal dystrophy, 52:625
- SENTERFIT, L. B.: See GERMUTH, F. G. See MARR, William G.
- SERY, Theodore W.: Random occurrence of herpetic disciform keratitis in rabbits, 48:57. See FURGUELE, F. P.
- SERY, Theodore W., and FURGUELE, Francis P.:

- The inactivation of herpes simplex virus by chemical agents, 51:42
- SETHI, D. V.: See JAIN, N. S.
- SEWARD, William H.: See DRYDEN, J. Spencer
- SEZER, F. Neeadet: The isolation of a virus as the cause of Behcet's disease, 36:301; Further investigations on the virus of Behcet's disease, 41:41
- SHAFFER, Donald M.: See CURTIN, Brian J.
- SHAFFER, M. C.: See HAM, William T., Jr.
- SHAFFER, Robert N.: Alpha irradiation: Effect of astatine on the anterior segment and on the epithelial cyst, 37:183; Goniotomy technique in congenital glaucoma, 47:190
- SHAFFER, Robert N., and TOUR, Robert L.: A comparative study of gonioscopic methods, 41:256
- SHANNON, C. Richard: See MAUMENEE, A. Edward
- SHAPIRA, Theodore M., and LEIGHT, Harold: Pathologic study of brain and retinal tissues in amaurotic familial idiocy, 39:874
- SHAPIRO, Herbert: Swelling and dissolution of the rabbit cornea in alkali, 42:292
- SHAPIRO, Irving: See WOLTER, J. Reimer
- SHAPIRO, Martin: See JERROLD, S. Harrison
- SHARMA, B. C., and KULSHRESTHA, O. P.: Neu-riemomma of the orbit, 51:522
- SHARMA, B. C., KULSHRESTHA, O. P., and NATH, Rajendra: Optic neuritis: Evaluation of treatment with retrobulbar hydrocortisone, 49:824
- SHEA, M.: See ANDERSON, D. L.
- SHEARIN, William A. See PINE, Leo
- SHEETS, John H.: Carotid-cavernous fistula: Report of two cases with their ocular manifestations, 44:812
- SHEKTER, William B.: Divergent strabismus with weakness of the inferior rectus muscle, 39:359
- SHEPHERD, Edwin M.: Reading efficiency of 809 average school children: The effect of reversal on their performance, 41:1029
- SHEPPARD, L. Benjamin: Comparative effects of cortisone on rabbit eyes treated by cyclodiathermy and cyclo-electrolysis, 36:193; Retrociliary cyclodiathermy versus retrociliary cyclo-electrolysis: Effects on the normal rabbit eye, 46:27; See BERENS, Conrad
- SHERMAN, Maurice E., and PRIESTLEY, Bruno S.: The Haidinger brush phenomenon: A new clinical use, 54:807
- SHERMAN, Norton S.: Significance of phthisis bulbi in retinoblastoma, 47:403
- SHERMAN, Norton S., and POLLACK, Samuel: Retinal vascular occlusion: Associated with gastro-intestinal hemorrhage, 54:851
- SHIBATA, Hirohiko: See SATO, Tutomu
- SHIER, Julius: See SCHLOSSMAN, Abraham
- SHIPLEY, Thorne: Problems of corticogenic vision: A false hope for the blind, 47:358
- SHIPMAN, James E.: See KEENEY, Arthur H.
- SHIPMAN, James S., DELANEY, J. H., and SEELY, R. H.: Magnet extraction of intraocular foreign bodies by anterior and posterior routes: A survey of 150 cases, 36:620
- SHOCH, David: See PUNTENNEY, Irving. See VAN VIEN, Stefan. See ZELLER, E. Albert
- SHRECK, Horace W.: Sensitivity tests of staphylococcus cultures: Using 30-percent sodium sulfacetamide, 36:389
- SHUKLA, K. N.: Reconstruction of the lower fornix: By a pedicle graft from skin of the upper lid, 36:694; Acute concomitant squint with diplopia: Simulating bilateral lateral rectus paresis, 41:211
- SHUMAN, Charles R.: See MATHER, Robert W.
- SIBAY, T. M.: See BASU, P. K. See HAUSLER, H. R.
- SIDRYS, Rimvydas: See ABRAHAMSON, Ira A., Jr. See ALFANO, Joseph E.
- SIEGER, D. H.: See HAGEDOORN, A.
- SIGELMAN, S.: See MARR, William G.
- SILLS, Robert A.: Removable guard for Bard-Parker knife blade, 40:255
- SILVERMAN, William A.: Pediatric considerations, 40:163
- SILVERSTEIN, Arthur M.: See ZIMMERMAN, Lorenz E.
- SILVERSTEIN, Arthur M., WELTER, Sylvia, and ZIMMERMAN, Lorenz E.: Studies on experimental ocular hypersensitivity to simple chemicals, 50:927/267
- SILVERSTEIN, Arthur M., and ZIMMERMAN, Lorenz E.: Immunogenic endophthalmitis produced in the guinea pig by different pathogenetic mechanisms, 48:435
- SILVETTE, H., HAAG, H. B., and LARSON, P. S.: Tobacco amblyopia: The evaluation and natural history of "tobaccogenic" disease, 50:71
- SIMKUS, Aldona: See NEWELL, Frank W.
- SIMMONDS, Noel T.: Dry-heat office sterilization: A practical and inexpensive method to sterilize eye instruments for surgery in a general hospital, 44:259; Anthrax of the eyelid, 49:838; Behind the iron curtain, 50:110; Stratified squamous iris cyst: Unsuccessfully treated by repeated electrolysis, 50:334; Catheter erisophake, 54:866; Embolus of the central retinal artery: Successfully treated by paracentesis, 54:1129
- SIMMONS, F. H.: Jimson weed mydriasis in farmers, 44:109
- SIMMONS, Violet: See FOWLE, Ann M.
- SIMMONS, William D.: A review of data on the occurrence of glaucoma, 47:162
- SIMONSON, Ernst: Adaptation to glare, 46:353; The fusion frequency of flicker as a criterion of central nervous system fatigue, 47:556
- SIMONTON, John Thayer: Manipulation of contact glass, 50:148
- SIMONTON, John T., and BLAYDES, J. Elliott, Jr.: Bedside removal of corneal sutures, 45:111
- SIMPSON, Derek G.: Glaucomatocyclitic crises, 50:163
- SIMPSON, G. Victor: See ZIMMERMAN, Lorenz E.
- SIMS, Edith: See GOLDBERG, Herman Krieger
- SINCLAIR, S.: See SACKS-WILNER, Arthur
- SINGER, Milton: See REEH, Merrill J.
- SINGH, Daljit: See NIRANKARI, M. S.
- SINGH, Satnam, and GROVER, A. D.: Lid abscess (ghangan): As a cause of cicatricial ectropion and lagophthalmos, 46:77
- SINHA, Rana Pratap: See McDONALD, James E.
- SINSKEY, Robert M.: The status of lenticular opacities caused by atomic radiation: Hiroshima and Nagasaki, Japan, 1951-1953, 39:285
- SINSKEY, Robert M., and KRICHECKY, Alice R.: Experimental hyphema in rabbits: I. The effects of mydriatics on the rate of absorption, 48:215; II. The effect of acetazolamide (Diamox) on the rate of absorption, 50:743; III. The effect of iridectomy, iridencleisis and temporary elevation in intraocular pressure on the rate of absorption, 52:58; IV. The effect of fibrinolytic enzymes on the rate of absorption, 54:445; V. The production of a hemolytic agent and its effect on the rate of absorption, 54:1093
- SISLER, Hampson A.: A review of ophthalmodynamometry, 50:419
- SITCHEVSKA, Olga: Metastatic carcinoma of the choroid, 37:873; Pseudotumor cerebri: Or benign intracranial pressure, 47:215
- SJÖGREN, Henrik: Keratoplasty with punch forceps, 41:854
- SKEEHAN, Raymond A., Jr.: A portable sterilizer: For the application of ethylene oxide gas in ophthalmology, 47:86
- SKEEHAN, Raymond A., Jr., KING, John Harry, Jr., and KAYE, Saul: Ethylene oxide sterilization in ophthalmology, 42:424
- SKELLY, James R.: See BINDER, R. F.
- SKELLY, James R., and BINDER, Rudolf: The influence of vitreous body on the clotting system of plasma, 53:51
- SKRENTNY, Beverly A.: See KINSEY, V. Everett
- SLACK, William J.: See GEORGE, Craig W.
- SLADE, Harry W., and WEEKLEY, Robert D.: Glioma of the optic tract: Report of a case, 42:585
- SLOAN, Louise L.: An explanation for the poor performance of aphakic patients on the Harrington-Flocks screening test, 41:987; The photopic retinal receptors of the typical achromat, 46:81; New test charts for the measurement of visual acuity at far and near distances, 48:807; Evaluation of the Tokyo Medical College color vision test, 52:650

- SLOAN, Louise L., and BROWN, Darlene J.: Progressive retinal degeneration with selective involvement of the cone mechanism, 54:629
- SLOAN, Louise L., and HABEL, Adelaide: Reading aids for the partially blind: New methods of rating and prescribing optical aids, 42:863
- SLOAN, Louise L., and NAQUIN, Howard A.: A quantitative test for determining the visibility of the Haidinger brushes: Clinical applications, 40:393
- SLOAN, Malachi W., II: Glaucoma control: Results of routine tonometry in 2,100 patients: A preliminary report, 47:641
- SLOANE, Albert E.: Simple lens for use in aphakia, 54:458 See DUNPHY, Edwin B.
- SLOANE, Albert E., DUNPHY, Edwin B., EMMONS, William V., and GALLAGHER, J. Roswell: A comparison of refraction results on the same individuals, 37:696
- SMART, Don M.: A new method for attaching eye shields, 44:817
- SMART, Don M., and SNYDACKER, Daniel: A successful Hummelt operation, 47:89
- SMELSER, George K.: Experimental studies on exophthalmos: XVIII Jackson Memorial Lecture, 54:929. See PAPPAS, George D.
- SMELSER, George K., and OZANICS, Victoria: The effect of Harderian and lacrimal glands upon regeneration of the corneal epithelium, 36:1545; Studies on the nature of exophthalmos-producing principle in pituitary extracts, 38:107; Further studies on the nature of the exophthalmos-producing principles in pituitary extracts, 39:146; Distribution of radioactive sulfate in the developing eye, 44:102; Hydrophilia of the orbital connective tissue in experimental exophthalmos, 47:380; The effect of vascularization on the metabolism: Of the sulfated mucopolysaccharides and swelling properties of the cornea, 48:418
- SMILEY, J. R.: See McCULLOCH, Clement
- SMILLIE, John W.: The effect of streptokinase on simulated hyphema: With a study of its toxicity to anterior chambers of rabbits, 37:911; External ankyloblepharon with pseudoxenotropia, 43:460
- SMILLIE, John W., ROTH, F. Dale, BLUM, Fred, and GATES, L. Keith: Glaucoma detection in a general hospital: A survey of 1,054 nearly consecutive admissions of patients over the age of 40 years, 44:20
- SMITH, Albert G., and BROCKMAN, John L.: Epithelial tumors of the eyelids, 40:522
- SMITH, Byron, and REGAN, William F., Jr.: Blow-out fracture of the orbit: Mechanism and correction of internal orbital fractures, 44:733
- SMITH, Byron, and SOLL, David B.: Malignant melanoma of the choroid: Report of a case discovered after evisceration, 50:330; Strabismus associated with thyroid disease, 50:473
- SMITH, Dale C.: See RUCKER, C. Wilbur
- SMITH, E. H. Newel: Hereditary pulverulent nuclear cataracts, 54:123
- SMITH, Glendon G., CRASILNECK, Harold B., and BROWNING, Carroll W.: A follow-up study of suppression amblyopia: In children previously subjected to hypnotherapy, 52:690
- SMITH, Homer A.: Aplasia of the optic nerve, 37:498
- SMITH, J. Lawton: Ocular complications of rheumatic fever and rheumatoid arthritis, 43:575; Raeder's paratrigeminal syndrome, 46:194; Concomitant orbital tumor and thyroid disease, 53:467; Homonymous hemianopia: A review of 100 cases, 54:616; Color perimetry: I. The normal isopter to 3/330 red with the Aimark perimeter, 54:1085. See CAMPBELL, H. S.
- SMITH, J. Lawton, and COGAN, David G.: Optokinetic nystagmus: A test for parietal lobe lesions: A study of 31 anatomically verified cases, 48:187; Ophthalmodynamometric diagnosis: Of acute renal hypertension in pulseless syndrome, 48:326; The ophthalmodynamometric posture test, 48:735
- SMITH, J. Lawton, STEMPFEL, Robert S., CAMPBELL, Henry S., HUDNELL, Armstead B., Jr., and RICHMAN Donald W.: Diurnal variation of plasma 17-hydroxycorticoids and intraocular pressure in glaucoma, 54:411
- SMITH, Joseph G.: A method of avoiding hammock pupil in cases of vitreous loss in cataract extraction, 36:56
- SMITH, T. R.: See DRANCE, S. M.
- SMITH, Vernon L.: Extraction of posteriorly luxated cataract from fluid vitreous, 45:909
- SMITH, William A.: Boeck's sarcoid of the orbit: Report of a case receiving questionable benefit from steroid therapy, 45:567
- SMITH, William O., Jr.: See BARBEE, Richard F.
- SNELL, Albert C., Jr.: Wound healing of the iris: In the presence of autologously transplanted granulation tissue, 41:499
- SNELL, Albert C., Jr., and IRWIN, Edward S.: Hereditary deep dystrophy of the cornea, 45:636
- SNYDACKER, Daniel: See SMART, Don M. See ZEKMAN, Theodore N.
- SNYDER, C. Harrison: See LIEBERMAN, Warren J.
- SNYDER, J. C.: See MURRAY, E. S.
- SNYDER, J. C., PAGE, R. C., MURRAY, E. S., DAGGY, R. H., BELL, S. D., Jr., NICHOLAS, R. L., HADDAD, N. A., HANNA, A. T., and McCOMB, D.: Observations on the etiology of trachoma, 48:325
- SOKOLLU, Adnan: See PURNELL, Edward W.
- SOLANES, M. Puig, HEATLEY, Juan, ARENAS, Francisco, and IBANA, Gabriel Guerrero: Ocular complications in brucellosis, 36:675
- SOLL, David B.: See SMITH, Byron
- SOLOMON, O. David, MOSES, Lyle, and VOLK, Myron: Steroid therapy in cavernous sinus thrombosis, 54:1122
- SOLOMON, Shirley A.: See GREEN, Harry
- SOMERS, Kenneth: See PENNER, Robert
- SOMERVILLE-LARGE, L. B., and O'MEARA, R. A. Q.: Malignant synovioma of the superior oblique, 45:631
- SONNE, M.: See OKUMOTO, M.
- SONNIER, Earl: See BAHN, Gustav C.
- SOPER, Joseph W.: See GIRARD, Louis J.
- SORENSEN, E. John, and GILMORE, John E.: Cardiac arrest during strabismus surgery: A preliminary report, 41:748
- SORENSEN, James M.: See KIRBY, Thomas J., Jr.
- SOUDAKOFF, Peter S.: Bacteriologic examination of the conjunctiva: A survey of 3,000 patients, 38:374
- SOUDAKOFF, Peter S., and WHALMAN, Harold F.: Ocular pemphigus: Report of a case with the histologic findings in the cornea, 36:231
- SPAETH, Edmund B.: Further considerations on the surgical correction of blepharophimosis (epicanthus), 41:61; The correction through plastic surgery: Of defects resulting from ophthalmic malignancies, 46:635
- SPAETH, Edmund B., and CLEVELAND, Albert F.: Rhabdomyosarcoma in infancy and childhood, 53:463
- SPAETH, Philip G.: See HANNO, Harold A.
- SPAETH, Philip G., and O'NEILL, Patricia M.: Functional results with contact lenses in unilateral congenital cataracts, high myopia and traumatic cataracts, 49:548
- SPLATER, Harold F.: Ophthalmodynamometry and carotid artery thrombosis, 47:453
- SPANKUS, Willard H.: See SCHER, Jordan M.
- SPAULDING, William L.: Glioma of the optic nerve and its management, 46:654
- SPEAKMAN, John S., and ORMSBY, Hugh L.: Studies of immunity in vaccinia keratitis in rabbits, 40:194
- SPENCER, William H., and FISHER, Julian J.: The association of keratoconus with atopic dermatitis, 47:332
- SPENCER, William H., and HOGAN, Michael J.: Ocular manifestations of Chediak-Higashi syndrome: Report of a case with histopathologic examination, 50:1197
- SPERELAKIS, Nick, and POTTS, Albert M.: Additional observations on the bio-electric potentials of the lens, 47:395
- SPIVEY, Bruce E.: See BURIAN, Hermann M.
- SPROUL, Robert G.: See CARTER, W. E.
- SPROULE, Ralph T., and HAVENER, William H.: A binocular tangent-screen malingering test, 39:562
- SPURGEON, William M.: See BOLES-CARENINI, B. See CAMBIAGGI, Amerigo

- SPURGEON, William M., BOLES-CARENINI, N., and CAMBIAGGI, A. Are aqueous humor dynamics influenced by aging? II, 46:845
- SPURNEY, R.: See PRAGLIN, J.
- SPYRATOS, S.: Hypersensitive uveitis: And neuritis of probable virus origin, 54:846
- SQUIRE, Catherine, and McEWEN, W. K.: The effect of iron compounds on rabbit vitreous, 46:356
- SROUFE, Stanley A.: See SUITE, Ted
- STADNIK, Louis J., and McFADDEN, Harry W., Jr.: Harada's disease: A case report, 38:232
- STAFFORD, Wilfred F.: Evacuation of secretions: A technique to be used following insertion of a Stone-Jardon implant, 36:705
- STAMBAUGH, Norman F.: See HAVENER, William H.
- STAMPS, Frederick W.: See KRILL, Alex E.
- STAPP, John P.: See LYLE, Donald J.
- STARK, Berta: See ISOLA, W.
- STATION, Y. A.: An eye-dressing tray, 51:158
- STECKLER, M. I.: Baggy eyelids, 37:113
- STEDDEN, E. H. See SCHIMEK, R. A.
- STEIN, Harold A., and HENDERSON, John W.: Sarcoidosis of the orbit: A survey of the literature and report of a case, 41:1054
- STEIN, Lester: Ophthalmoluminescence: Definitions and descriptions of effects, 44:360; Circine fluorescent tube keratograph, 45:106; Fluorescent lamp examining unit: Combining black and white light, 45:279
- STEIN, R.: Complications in eye surgery: Due to introduction into the anterior chamber of solutions erroneously prepared with an antiseptic, 52:261
- STEINBERG, Bernhard: See SCHMERL, Ernst
- STEINER, Albert A.: Pituitary cyst, 44:783
- STEINER, Matthew M.: Galactosemia and galactosuria, 36:841
- STEINMAN, William: See KIRSCH, Ralph E.
- STEINMETZ, Charles G., III: See MULLEN, Carroll P.
- STEINMETZ, Rodney D., and KEARNS, Thomas P.: H-R-R pseudoisochromatic plates: As a diagnostic aid in retinobulbar neuritis of multiple sclerosis, 41:833
- STEINMETZ, Rodney D., OGLE, Kenneth N., and RUCKER, C. Wilbur: Some physiologic considerations of hereditary macular degeneration, 42:304
- STEMPFEL, Robert S.: See SMITH, J. Lawton
- STEPANIK, Josef: Measuring velocity of flow in aqueous veins, 37:918; Diurnal tonographic variations and their relation to visible aqueous outflow, 38:629. See REESE, Algonon B.
- STEPHENS, George: See JACOBSON, Jerry Hart
- STERN, John J.: Acute glaucoma during cortisone therapy, 36:389; Vasodilator therapy for hemorrhagic glaucoma, 37:401
- STERN, Richard U.: A new projector chart, 52:988
- STERN, R. U., RADOS, W. T., INSABELLA, J., GAMBACORTA, H., MOSKOWITZ, H., and OTAZO, N.: A controlled study with trichobionium chloride: In external ocular infection, 50:595
- STERTZBACH, C. W.: See WENAAS, E. J.
- STEVENS, Ralph W., and REEH, Merrill J.: Bilateral metastatic carcinoma of the choroid: Report of two cases treated with X-ray therapy, 45:654
- STEWART, George M.: Eye protection against small high-speed missiles, 51:80
- STICHEL, Frederick L.: See ABRAHAMSON, Ira A., Jr.
- STOCKER, Frederick W.: Use of acetazolamide (Diamox): For endothelial corneal dystrophy and diseased corneal grafts, 41:203; The use of corneoscleral gut sutures: Covered by a conjunctival flap in cataract surgery, 42:730; On changes in intraocular pressure after application of the tonometer: In the same eye and in the other eye, 45:192; A new technique for corneal mushroom grafts: And its indication, 48:27. See KIFFNEY, G. Thomas, Jr.
- STOCKER, F. W., EIRING, A., GEORGIAD, R., and GEORGIAD, N.: A tissue culture technique for growing corneal, epithelial, stromal and endothelial tissues separately, 46:294; Evaluation of viability of preserved rabbit corneas by tissue culture procedures, 47:772
- STOCKER, Frederick W., MATTON, M. Th., EIRING, A., GEORGIAD, R., and GEORGIAD, N.: Long-term preservation of donor tissues for corneal grafting: Correlation of results from tissue cultures with those from experimental graftings, 49:729
- STOCKER, F. W., MATTON-VAN LEUVEN, M. Th., EIRING, A., GEORGIAD, R., and GEORGIAD, N.: Morphologic and histochemical changes occurring in cat corneas during long-term glycerol freezing, 51:579
- STOCKER, F. W., MATTON-VAN LEUVEN, M. Th., and GEORGIAD, N.: Host tissue reaction to fresh and frozen cornea, 53:279
- STOLZAR, Irwin H.: A new group of cycloplegic drugs, 36:110
- STONE, Howard H.: See PRIJOT, Emile L. See WOODS, Alan C.
- STONE, L. S.: An experimental analysis of lens regeneration, 36:31
- STONE, William, Jr.: Study of the patency of openings in corneas anterior to interlamellar plastic artificial discs, 39:185
- STONE, William, Jr., and HERBERT, Elizabeth: Experimental study of plastic material as replacement for the cornea: A preliminary report, 36:168
- STONE, William, Jr., and REYNOLD, Leonard: Setup for the photography of the anterior segment of the rabbit eye, 39:40
- STONEHILL, Alfred A.: See PAGE, Vernon
- STORAASLI, John P.: See THOMAS, Charles I.
- STRAATSMAN, Bradley R.: Ocular manifestations of Wegener's granulomatosis, 44:789. See REESE, Algonon B.
- STRAATSMAN, Bradley R., CANCELLA, Michael L., and HOHN, Anselm C.: Anterior lenticonus: Review and a case report, 37:197
- STREITEN, Barbara Wiard, and FALLS, Harold F.: Hereditary fleck dystrophy of the cornea, 51:275
- STROMBERG, Ann E.: See HILL, Kevin. See TROTTER, Robert R.
- STROMBERG, H. Eugen: See NILSSON, Lars-Bertil
- STROMINGER, Jack L.: See WORTMAN, Bernard
- STUART, Harold C.: See DUNPHY, Edwin B.
- STUART, James A.: A technique for extraocular electromyography in chronic animals, 51:1157/285
- STUART, James A., and BURIAN, Hermann M.: Changes in horizontal heterophoria: With elevation and depression of gaze, 53:274; A study of separation difficulty: Its relationship to visual acuity in normal and amblyopic eyes, 53:471
- SUDARSKY, R. David: Postvaccinal disciform keratitis: Recurrent episodes treated with steroids, 44:810
- SUDARSKY, R. David, and VOLK, David: Aspherical objective lenses: As an aid in indirect ophthalmoscopy: A preliminary report, 47:572
- SUGAR, H. Saul: The mechanical and neurovascular schools in the mechanism of primary glaucoma, 38:645; The surgical treatment of divergence-excess types of intermittent exotropia, 42:619; Coats' disease: Telangiectatic or multiple vascular origin? 45:508; Pupil block in aphakic eyes, 46:831; The course of change in size of successful filtering cicatrices, 49:795; Experimental trabeculectomy in glaucoma, 51:623; Limboscleral trephination, 52:29; Late refractive changes following various operations for angle-closure glaucoma, 53:43; Congenital pits in the optic disc with acquired macular pathology, 53:307; Tarsotomy for proliferative palpebral vernal conjunctivitis, 53:429; Late glaucoma associated with inactive syphilitic interstitial keratitis, 53:602; Some recent advances in the surgery of glaucoma: XV Mark J. Schoenberg Lecture, 54:917
- SUGAR, H. Saul, and FAINSTEIN, Saul: The coefficient of outflow of aqueous: With the water test and following the use of Diamox, 40:693
- SUGAR, H. Saul, and KOBERNICK, Sidney: The pinguicula, 47:341; The white limbus girdle of Vogt, 50:101

- SUGAR, H. Saul, and SANTOS, Raul: The priscoline provocative test, 40:510
- SUGAR, H. Saul, and WILLENZ, Alexander L.: Posterior lamellar resection of the cornea: For epithelial implantation cyst in the anterior chamber, 54:800
- SUGAR, H. Saul, and ZEKMAN, Theodore: Late infection of filtering conjunctival scars, 46:155
- SUGITA, Sinichiro: See NIHO, Shoji
- SUIE, Ted: Insensitivity to commonly used antibiotics, 40:425; Present status of experimental iso-allergies in relation to the eye, 49:36. See LEIBOLD, Angela M. See TAYLOR, Frank W. See WACHTEL, Joel G.
- SUIE T., BLATT, M. M., HAVENER, W. H., SROUFE, S. A., and BALSTAD, P.: Bacterial corneal ulcers: With special reference to those caused by *Proteus vulgaris*, 48:775
- SUIE, Ted, and DODD, Matt C.: An immunologic study of rabbits sensitized with homologous uveal tissue, 39:377
- SUIE, Ted, SROUFE, Stanley A., TAYLOR, Frank W., and HAVENER, W. H.: Simplified office bacteriology: For the ophthalmologist, 44:816
- SUIE, Ted, and TAYLOR, Frank W.: The production of anaphylaxis: In guinea pigs with heterologous uveal tissue, 42:67
- SUIE, Ted, TAYLOR, Frank W., and RHEINS, Melvin: The persistence of antibodies and antigen: In aqueous humor following experimental ocular trauma, 42:288
- SULLIVAN, Charles T.: See NORTON, Herman J., Jr.
- SULLIVAN, John V., and ANNEBERG, A. Reas: Lens extraction by traction, 47:396
- SULLIVAN, William B.: See VAN WIEN, Stefan
- SUMMARY of the symposium, 43:161
- SURAN, Anita A.: See McEWEN, W. K.
- SURAN, Anita A., and McEWEN, W. K.: Residual proteins of the vitreous 42:338; Further studies on vitreous residual protein: II. Enzymatic fractionation, 50:232; Diffusion studies with ox vitreous, 51:814
- SUTLIFF, Frederick P., and HAMILTON, Robert Houston: Variations in concentration of ions in aqueous humor: Following paracentesis in the contralateral eye, 39:517
- SUZUKI, Akihisa: See MITSUI, Yukihiko
- SVAETICHIN, Gunnar: See MacNICHOL, Edward J.
- SVERDLICH, José: The origin of the aqueous humor: And the secretory activity of the epithelium of the ciliary body, 49:780; Primitive lymphomatous hyperplasia: Of the palpebral conjunctiva, conjunctival cul-de-sac and plica semilunaris, 49:1415; Subretinal intraocular hydatid cyst: Clinical diagnosis and surgical treatment, 52:981
- SWAN, Jerome W., and PENN, Robert F.: Scleritis following mumps: Report of a case, 53:366
- SWAN, Kenneth C.: Iris pigment nodules complicating miotic therapy, 37:886; The blindspot mechanism in strabismus: X Sanford R. Gifford Lecture, 38:765; Remarks on acceptance of the Proctor Medal Award, 38:73; The syndrome of congenital epiblepharon and inferior oblique insufficiency, 39:1130; Modified knife and technique for dissection, 47:156; Surgery for exotropia: Fusional ability and choice of procedure, 50:1158
- SWAN, Kenneth C., and KEIZER, John P.: Levator advancement and resection without tarsectomy for blepharoptosis, 45:229
- SWANLJUNG, Helvi, and BLODI, Frederick C.: Tonography in some provocative tests for glaucoma, 41:187
- SWANN, H. G.: The physiologic constrictions in the ocular veins, 38:845
- SWANSON, A. A.: See FERGUSON, T. M.
- SWARTZ, Edgar A.: Vogt-Koyanagi syndrome: Precipitated by lens extraction: Report of a case, 39:488
- SWEET, William: See DUNPHY, Edwin B.
- SWIETLICKO, Irena, SZAPIRO, Jerzy, and POLIS, Zbigniew: Value of retinal artery pressure determination: In the diagnosis of internal carotid artery thrombosis: The role of the carotid compression test, 52:862
- SYKES, John H. J., and GIRARD, Louis J.: Heterologous corneal transplants in rabbit: A preliminary report, 48:259
- SYKOWSKI, Peter: Retrobulbar neuritis: Caused by toxicity from digitalis preparations, 36:976
- SZAPIRO, Jerzy: See SWIETLICKO, Irena
- SZEGHY, G.: See KAHAN, A.
- SZEWCZYK, Thaddeus S.: Retrolental fibroplasia and related ocular diseases: Classification, etiology and prophylaxis, 36:1336
- SZLAZAK, Jan P.: Operative correction of senile entropion, 43:617
- SZMYT, J. J.: Method to set prostheses in deformed orbits, 36:516

T

- TABOR, George L., Jr.: See BEUERMAN, Virgil A.
- TABOWITZ, David: See ESPIRITU, Romeo B.
- TAFFET, Simeon, and CARTER, George Z.: The use of fascia lata graft in the treatment of scleromalacia perforans, 52:693
- TAIT, Edwin, F.: Intraocular astigmatism, 41:813
- TAKAHASHI, Ellen: See TAMLER, Edward
- TAKAYAMA, Michiko: See NAKAJIMA, Akira
- TALAMAS, J. Lorente, SANZ, E. Gutiérrez, and BENITO-ARRANZ, S.: The effect of Neptazane and Diamox on the hypothalamic-pituitary-adrenal axis: An experimental study, 53:107
- TALMAN, Ellen L.: See HARRIS, John E. See LEWIS, Richard P.
- TALMAN, Ellen L., and HARRIS, John E.: Ocular changes induced by polysaccharides: II. Detection of hyaluronic acid sulfate after injection into ocular tissues, 47:428; III. Paper chromatographic fractionation of a biologically active hyaluronic acid sulfate preparation, 48:560
- TAMLER, Edward: Observations on the pathology of retinal detachment operations on human eyes: Part I. Diathermy reattachment, 43:685; Part II. Scleral resections, 43:408; Large aberrant macular vessels, 45:108; Electric cataract: A case report, 54:865. See KORNBLUTH, Walter
- TAMLER, Edward, JAMPOLSKY, Arthur, and MARG, Elwin: An electromyographic study of asymmetric convergence, 46:174
- TAMLER, Edward, and TAKAHASHI, Ellen: Collateral circulation to the eye, 52:381
- TANAKA, Chie: Epidemic keratoconjunctivitis in Japan and the Orient, 43:46. See MITSUI, Yukihiko
- TANAKA, Kouichi R.: See ISBEY, Edward K., Jr.
- TANIGUCHI, Yoshiaki: Ultrastructure of pigment granules of retinal epithelium: I. Cow's eye, 48:221; II. Dog, fish, frog, monkey, mouse and pig, 49:935
- TANNER, K. N., and HARRIS, John E.: The effect of artificial osmotic loads on the intraocular pressure, 48:487
- TARIZZO, M. L.: See MURRAY, E. S.
- TARKKANEN, Ahti: See MOSES, Robert A.
- TARKKANEN, Ahti, and BECKER, Bernard: Aqueous humor dynamics: The effect of pentolinium (Ansolyse) on normal human eyes, 46:499
- TARTER, Robert C., and LINN, Jay G., Jr.: A clinical study of the use of intravenous urea in glaucoma, 52:323
- TASSMAN, I. S.: See LIPSUS, Edward I.
- TASSMAN, William S.: See SARIN, L. K.
- TASSMAN, William N., O'BRIEN, David D., and HAHN, Kurt: Retinal lesions in kala-azar, 50:161
- TAUB, Robert G.: See KURLAND, Leonard T. See RUCKER, C. Wilbur
- TAUB, Robert G., and HOLLENHORST, Robert W.: Sulfonamides as a cause of toxic amblyopia, 40:486
- TAUB, Robert G., and RUCKER, C. Wilbur: The relationship of retrobulbar neuritis to multiple sclerosis, 37:494
- TAYLOR, B. Evelyn: See BERENS, Conrad
- TAYLOR, Daniel M.: Emergency penetrating keratoplasty: In the treatment of perforated corneal ulcers, 46:67; Exploratory sclerotomy, 48:211; Optimum wound closure in cataract surgery, 48:660; Principles of lens delivery: With and without alpha chymotrypsin, 50:649; Effective management of strabismus,

- 50:757; Prevention of flat anterior chamber in cataract surgery, 53:93
- TAYLOR, Earl A.: The spans: Perception, apprehension and recognition: As related to reading and speed reading, 44:501
- TAYLOR, Frank W.: See SUIE, Ted
- TAYLOR, Frank W., and SUIE, Ted: Effect of trauma on the production of experimental uveitis: A report of preliminary studies, 41:299
- TAYLOR, Frank W., SUIE, Ted, and MASCOLI, Carmen C.: Rabbit corneal transplants: Report of an unsuccessful attempt to maintain them in chick embryos, 43:462
- TEASDALL, R. D., and SEARS, M. L.: Myasthenia gravis: Electromyographic evidence for myopathy, 54:541
- TEIR, Harald: See VANNAS, Salme
- TEITGEN, Ralph E.: Single instillation of cycloplegic solutions, 37:940
- TENENBAUM, Esther: See KORNBLUTH, Walter
- TENG, C. C.: The fine structure of the corneal epithelium and basement membrane of the rabbit, 51:278; Fine structure of the human cornea: Epithelium and stroma, 54:969. See CHI, H. H. See LATESSA, Anthony J.
- TENG, C. C., and CHI, H. H.: Vitreous changes and the mechanism of retinal detachment, 44:335
- TENG, C. C., CHI, H. H., and KATZIN, H. M.: Histology and mechanism of filtering operations, 47:16; Aqueous degenerative effect and the protective role of endothelium in eye pathology, 50:365; The histology of iridectomy: Wound healing and the mechanism of function, 54:204
- TENG, C. C., and KATZIN, H. M.: An anatomic study of the peripheral retina: II. Peripheral cystoid degeneration of the retina: formation of cysts and holes, 36:29; III. Congenital retinal rosettes, 36:169; The basement membrane of corneal epithelium: A preliminary report, 36:895; The evidence for a retinoblastoma induction factor, 39:20
- TENG, C. C., KATZIN, H. M., and CHI, H. H.: Primary degeneration in the vicinity of the chamber angle: As an etiologic factor in wide-angle glaucoma: Part II, 43:193
- TENG, C. C., PATON, R. T., and KATZIN, H. M.: Primary degeneration in the vicinity of the chamber angle: As an etiologic factor in wide-angle glaucoma, 40:623
- TERNER, Irwin S., LINN, Jay G., Jr., and GOLDSTROHM, Robert: Clinical experiences with demecarium bromide (BC-48) in the treatment of glaucoma, 52:553
- TER-POGOSSIAN, Michael: See BECKER, Bernard
- TERRY, Walter: See THOMAS, R. P.
- TETIRICK, C. E.: See WRIGHT, H. D.
- THEOBALD, Georgiana Dvorak: Pseudo-exfoliation of the lens capsule: Relation to "true" exfoliation of the lens capsule as reported in the literature and its role in the production of glaucoma capsulo-cuticular, 37:1; Further studies on the canal of Schlemm: Its anastomoses and anatomic relations, 39:165; Acute tuberculous endophthalmitis: Report of a case, 45:403; Cytomegalic inclusion disease: Report of a case, 47:52; The limbal area: With particular reference to the trabecular meshwork in health and disease: XIV Francis I. Proctor Lecture, 50:543
- THEOBALD, Georgiana D., FLOYD, Glen, and KIRK, Harold Q.: Hyperplasia of the retinal pigment epithelium: Stimulating a neoplasm: Report of two cases, 45:235
- THEOBALD, Georgiana Dvorak, and KIRK, Harold Quentin: Aqueous pathways in some cases of glaucoma, 41:11
- THEODORE, Frederick H.: The classification and treatment of allergies of the conjunctiva, 36:1689; The use of Sulfergamide in external diseases of the eye, 40:406; The treatment of ocular allergies, 45:435. See CURTIN, Brian J. See KORNZWEIG, Abraham L. See PRENNER, Edward J.
- THEODORE, Frederick H., LITTMAN, M. L., and ALMEDA, Ernesto: Endophthalmitis following cataract extraction: Due to *Neurospora sitophylla*, a so-called nonpathogenic fungus, 53:35
- THEODORIDES, E., and KOUTROLIKOS, D.: Blastomycosis of the conjunctiva: Report of two additional cases, 36:978
- THOMAS, Charles L., KROHMNER, Jack S., STORASLI, John P., and FRIEDEL, Hymer L.: Detection of intraocular tumors by the use of radioactive phosphorus, 38:93
- THOMAS, George J.: See McCASLIN, Murray F.
- THOMAS, Madison H., and PETROHELOS, Manousos A.: Diagnostic significance of retinal artery pressure in internal carotid involvement: Findings in eight cases with carotid-artery lesions compared to 50 control and 210 cases from the literature, 36:335
- THOMAS, Maxwell: See RICKETTS, Marion M.
- THOMAS, Maxwell, and BURNSIDE, Ronald M.: Von Hippel-Lindau disease, 51:140
- THOMAS, Robert P.: Mandibulofacial dysostosis, 48:670. See ROBERTS, Winston
- THOMAS, Robert P., and TERRY, Walter: An eye speculum for animal surgery, 50:660
- THOMPSON, Hardy E.: See BECKER, Bernard
- THOMPSON, Hardy E., Jr.: See HILGARTNER, Henry L.
- THOMPSON, Rollin L.: See ELLIS, Philip P.
- THORNFELDT, Paul R., and REEH, Merrill J.: Congenital retinal detachment, 46:742
- THORNFELDT, Paul R., REEH, Merrill J., and KODAMA, Jero: Investigation of acid mucopolysaccharide in fetal chamber angles, 50:801
- THORPE, Harvey E.: Gonioscopy and ophthalmoscopy: With slitlamp and Allen-Thorpe gonioscopy, 40:11; Enzymatic zonulolysis: Alpha chymotrypsin: an aid to intracapsular cataract extraction, 49:531
- THYGESON, Phillips: Present status of the viral keratoconjunctivitis problem, 43:3; Office and dispensary transmissions of epidemic keratoconjunctivitis, 43:98; Cytologic observations on herpetic keratitis, 45:240; Observations on recurrent erosion of the cornea, 47:48. See HANNA, L. See HOGAN, Michael J. See JAWETZ, E. See KIMURA, Samuel J.
- THYGESON, Phillips, and BRALEY, Alton E.: Personal reminiscences of Dr. Francis I. Proctor, 39:13
- THYGESON, Phillips, and CROCKER, T. T.: Observations on experimental trachoma and inclusion conjunctivitis, 42:76
- THYGESON, Phillips, DAWSON, C., HANNA, L., JAWETZ, E., and OKUMOTO, M.: Observations on experimental trachoma in monkeys produced by strains of virus propagated in yolk sac, 50:907/237
- THYGESON, Phillips, HANNA, L., DAWSON, C., ZICHOSCH, J., and JAWETZ, E.: Inoculation of a human volunteer with egg-grown inclusion conjunctivitis virus, 53:786
- THYGESON, Phillips, and KIMURA, Samuel J.: Deep forms of herpetic keratitis, 43:109
- TILLER, C. O.: See WIESINGER, Herbert
- TILLET, Charles W.: Posterior lamellar keratoplasty, 41:530; Visual aids in office practice, 46:186
- TILLET, Charles W., ROSE, H. W., and HERGRET, Carl: High-speed photographic study of perforating ocular injuries by the BB, 54:675
- TISCHLER, Bruce: See HOLLAND, Monte C.
- TOJO, H.: See OGINO, S.
- TOLMAN, Charles P.: See BERENS, Conrad
- TOPALIS, C.: See CHARAMIS, John
- TORII, Ayako: See NAKAJIMA, Akira
- TOUR, Robert L.: Disturbances of ocular motility in relation to supranuclear lesions, 42:873; Miliary retinal aneurysms, 43:426. See SHAFFER, Robert N.
- TOUR, Robert L., and ASBURY, Taylor: Overcorrection of esotropia: Following bilateral five-mm. medial rectus recession, 45:644
- TOUR, Robert L., and HOYT, William Fletcher: The syndrome of the aortic arch: Ocular manifestations of pulseless disease and a report of a surgically treated case, 47:135
- TOUSIMIS, A. J., and FINE, Ben S.: Ultrastructure of the iris: An electron microscopic study, 48:397
- TOWN, A. E.: See NAIDOFF, D.

- TOWNES, C. Dwight: Complete or peripheral iridectomy in cataract surgery, 49:286
- TOWNES, C. Dwight, and KEENEY, Arthur H.: South American ophthalmology re-examined, 52:95
- TOWNES, C. Dwight, and MANN, Shelton H.: Intravenous sedation in cataract surgery, 46:179
- TOWNSEND, Clark A.: See BRECHER, Gerhard A.
- TOZER, George A.: See KAISER, Robert F.
- TRANOS, Lucy: Mandibulofacial dysostosis associated with dermolipoma of the conjunctiva, 37:354
- TRAPP, Claude W., Jr.: See MILES, Paul W.
- TRAYNOR, Edwin M.: See DOCTOR, Daniel W.
- TRIBIN-PIEDIAHITA, Alfonso: See GAITAN-NI-ETO, Alfonso
- TRONCOSO, Manuel Uribe: Original articles, 43:856; Portrait, 43:855
- TROTTER, Robert R., and STROMBERG, Ann E.: An improvement on the after-image test, 46:71
- TRUANT, Joseph P.: See HESSBURG, Philip C.
- TRUHLSEN, Stanley M.: Eosinophilic granuloma involving the orbit: Report of a case, 37:571
- TSUKAHARA, Isamu: See FLOCKS, Milton
- TSUTSUI, Jun: Tetanus infection of the cornea: Its treatment with achromycin, 43:723; Problems of the mode of onset of trachoma, 45:44. See WATANABE, Saeko
- TSUTSUI, Jun, and WATANABE Saeko: Heterograft of fish cornea into rabbit eyes, 48:363
- TSUTSUI, Jun, WATANABE, Saeko, and MURAKAMI, Nobuko: Lyophilized cornea in experimental heterografts, 54:265
- TUCKER, Donald D.: Blue sclerotics syndrome simulating buphthalmos, 47:345
- TULEVECH, Charles B.: See NEWTON, James C.
- TULEVECH, Charles B., and BERENS, Conrad: The bilateral simultaneous bulbar compression test: A useful office procedure in glaucoma, 54:421
- TURNBULL, D. C.: Galactosemia cataracts: A report of two cases, 42:602; Optic neuritis: Associated with Bornholm disease, 46:81
- TURNBULL, W.: See EVELYN, Kenneth A.
- TURNER, Cecil: See MANN, Ida
- TURNER, James A.: See WENZEL, Duane G.
- TURNER, Larry: Results from prednisolone therapy: In primary inflammatory conditions and postoperative complications of the eye, 43:30; Syphilitic tarsitis: A case report, 47:389. See PINE, Leo
- TURNOUR, N. C.: See McCULLOCH, Clement
- TURTZ, Arnold: See HORWICH, Harry. See LEWIS, Earl L. See TURTZ, Charles A. See WIEDMAN, Michael
- TURTZ, Charles A.: Visual toxic symptoms from digitals, 38:400; Unilateral retinitis pigmentosa, 41:368; Transient loss of vision following use of quinine, 44:110
- TURTZ, Charles A., and TURTZ, Arnold I.: Reversal of lens changes in early diabetes 46:219; Pectichial hemorrhages: Following treatment of scleritis with cortisone, 46:391; Vitamin-A intoxication, 50:165
- TYNER, George S.: Wegener's granulomatosis: A case report, 50:1203. See ELLIS, Philip P.
- U
- UEMURA, Misao, UEMURA, Yasuo, and AKIYA, Shin-oh: A study of plasmin in eye disease, 54:67
- UEMURA, Yasuo: See UEMURA, Misao
- UHLANER, J. E.: See GORDON, Dan M.
- ULETT, George A.: See MILLER, James E.
- ULLERICH, K., WULF, K., and WISKEMANN, A.: Photoallergic keratoconjunctivitis, 49:1324
- ULLMAN, Egon V.: Albrecht von Graefe: The man in his time Part I, 38:525; Part II, 38:695; Part III, 38:791
- UNGER, H.-H.: See ROHEN, J.
- UNGER, H.-H., and ROHEN, J.: Studies on the histology of the wall of Schlemm's canal, 48:204; Biopsy of the trabecular meshwork: In 50 cases of chronic primary glaucoma, 50:37
- UNGER, Sol M.: See BERNSTEIN, Martin
- UNSWORTH, A. C.: See SCHRADT, W. M.
- UPTON, A. C.: See BENEDICT, W. H.
- URES, Frederick A.: An improved chalazion forceps, 36:519
- URRETS-ZAVALIA, A.: See URRETS-ZAVALIA, A., Jr.
- URRETS-ZAVALIA, A., Jr., and REMEDI, G.: Ionometry of the aqueous humor: Report on the mode of action of acetazolamide, 41:197
- URRETS-ZAVALIA, A., REMONDA, C., and RAMACCIOTTI, N.: Peculiar type of corneal ulcer: Associated with Candida mycetozoa, 46:170
- URRETS-ZAVALIA, A., Jr., and URRETS-ZAVALIA, A.: Nonpenetrating cyclodiathermy in the treatment of glaucoma: Diathermia retrociliaris, 36:203
- URIST, Martin J.: Exotropia with bilateral elevation in adduction: Part I. Diagnosis, 38:58; Part II. Surgery, 38:178; Atypical accommodative esotropia, 41:955; The etiology of the so-called A and V syndromes, 46:835; Primary and secondary deviation in comitant squint, 48:647; Divergence excess combined with convergence excess in the V-syndrome, 50:765; Fixation anomalies in amblyopia ex anopia, 52:19
- UZELAC, V. S.: Gastro-intestinal extract: In the treatment of chemical corneal injuries in guinea pigs, 44:541
- V
- VAIL, Derrick: Metastatic malignant melanoma of the uvea: A case report, 36:1199; Treatment of cysts of the iris with diathermy coagulation, 38:513; Surgery of the subluxated lens: With particular reference to the Smith method (a motion picture) 39:1109; Primary glaucoma: Etiology and general considerations, 41:207; Diamox to prevent hyphema after cataract extraction: A negative report, 44:637; Stewart Duke-Elder, 45:5; Angiomatosis retinae 11 years after diathermy coagulation, 46:525; An editorial: F. C. C. extracurricular, 47:116; On the presentation of the Proctor Medal: Of the Association for Research in Ophthalmology to Sir Stewart Duke-Elder, 50:843/173; The treatment of dextrothyrotoxic exophthalmos: The suggested use of dextro-thyroxine: XIV annual Mark J. Schoenberg Lecture, 52:145
- VAJDA, P.: See KAHAN, A.
- VALSAMIS, Marius P.: See KATZ, Joseph L.
- VAN ALLEN, Alwine: See LENNETTE, Edwin H.
- VAN ALLEN, Maurice W.: See BLODI, Frederick C.
- VAN ALLEN, Maurice W., and BLODI, Frederick C.: Retinal artery blood pressure changes: With compression or ligation of the carotid arteries, 45:364
- VAN ARNAM, C. E.: See GERMUTH, F. G.
- VAN HEUVEN, J. Alexander, and DUNN, James Philip: Correlation of intraocular pressure with microscopic sections following cyclodiathermy on normal rabbits, 36:1447
- VAN WIEN, Stefan, and SHOCH, David: Bilateral metastatic carcinoma to choroid and optic nerves: With hemorrhage into one optic nerve: A clinicopathologic report, 43:723
- VAN WIEN, Stefan, and SULLIVAN, William B.: Congenital retinal fold: A case report, 39:643
- VANNAS, Salme, and TEIR, Harald: Histologic observations of the structure of the sclera in glaucomatous human eyes, 49:411
- VARGA, Laszlo, and BALAZS, Endre A.: Studies on the structure of the vitreous body: Part II. Electrophoretic and sedimentation properties, 38:79
- VAUGHAN, Daniel G., Jr.: The contamination of fluorescein solutions: With special reference to Pseudomonas aeruginosa (Bacillus pyocyaneus), 39:55. See ASBURY, Taylor
- VAUGHAN, Daniel, and RIEGELMAN, Sidney: New irrigating device especially useful for anterior chamber irrigation, 47:134
- VEIRS, Everett R.: Stenosis of the canaliculus following irradiation therapy, 44:249; Treatment of frequent disorders of the lacrimal drainage system, 53:39
- VELAZQUEZ, Tomás: See de BUEN, Sadi
- VELZEBOER, C. M. J.: Spontaneous choroidal detachment: Report of two cases, 49:898. See HAGEDOORN, A.

- VERDAGUER, Juan, Jr., and LIRA, Carlos: Intravenous urea in malignant glaucoma, 54:309
- VERHOEFF, Frederick H.: Personal recollections: The early years of the ophthalmic laboratories of the Massachusetts Eye and Ear Infirmary, 39:138; The so-called blindspot mechanism, 40:802; Are Moore's lightning streaks of serious portent? 41:837; A case of ligneous conjunctivitis now 36 years in duration, 45:246; Fixation disparity, 48:339; The T illusion, 50:336
- VERHOEFF, Frederick H., and CHANDLER, Paul A.: A new trephining operation, 33:21
- VERRIEST, G.: See FRANÇOIS, J.
- VEY, E. Kenneth: See LINN, J. G., Jr.
- VEY, E. Kenneth, FINLAY, James, and EVERETT, William G.: A clinical evaluation of mepivacaine: For retrobulbar anesthesia, 53:827
- VICENCIO, A. B.: The scleral insert (sclerocleisis) for glaucoma: A preliminary report of three cases, 42:402; Modified sclerocleisis for glaucoma, 43:408
- VICENCIO, A. B., and PUGOV, Ruben: Electric-arc welding amblyopia: Report of a case, 46:885
- VILLASECA, Alfredo: Pseudoparalysis of the medial rectus: In postoperative divergent squint 41:124; Strabismus fixus, 48:751; The A and V syndromes, 52:172
- VOGEL, Adolph W.: See KACZUROWSKI, Michael A.
- VOGEL, Adolph W., and KACZUROWSKI, Michael: Combined transilluminator cautery: For retinal detachment operations, 42:780
- VOGEL, Adolph W., and LEOPOLD, Irving H.: The effect of Compound F upon horse-serum uveitis in rabbit eyes, 36:690
- VOGEL, Adolph W., and NAIB, Khalida: A study of intraocular Vx2 and its treatment, 42:27
- VOGEL, Adolph W., and REINOHL, D. A.: In vivo intralenticular studies, 44:298
- VOLK, David: Objective methods of refraction: A comparison of the Rodenstock eye-refractometer and the Reid streak-retinoscope in determining the refractive status of an eye, 39:719; Conoid refracting surfaces and conoid lenses, 46:786; Conoid cataract lenses for the correction of aphakia 51:615. See POTTS, Albert M. See SUDARSKY, R. David
- VOLK, David, and BRUELL, Jan H.: Eye movements in an adult with cerebral hemispherectomy, 42:319
- VOLK, Myron: See SOLOMON, O. David
- VOZZA, Riccardo: Cataract in rats fed on human milk, 44:387
- VOZZA, Riccardo, and BALDUCCI, Diego: The technique of fluorescent antibodies in ophthalmology: A study of herpes simplex and vaccine keratoconjunctivitis and human trachomatous infection, 52:72
- VRABEC, František: The inner surface of the trabecular meshwork studied by a replica technique, 44:7. See BERGGREN, Lennart
- VYNCKIER, Henry: See MAERTENS, Karel
- W
- WACHTEL, Joel: See KISSEN, Abbott T.
- WACHTEL, Joel G., SUIE, Ted, and MEISSNER, Richard H.: The effect of anergex on immunologic uveitis in rabbits: A preliminary report, 52:340
- WACHTL, Carl: See KINSEY, V. Everett
- WACHTL, Carl, and KINSEY, V. Everett: Studies on the crystalline lens: VII. Utilization of several carbohydrates and their effects on mitosis of lens epithelium, 44:318; VIII. A synthetic medium for lens culture and the effects of various constituents on cell division in the epithelium, 46:288
- WADSWORTH, Joseph A. C.: Complications following cataract extraction: With emphasis on pathologic documentation, 37:672. See REESE, Algernon B.
- WAGENER, Henry P., and HOLLENHORST, Robert W.: The ocular lesions of temporal arteritis, 45:617
- WAGMAN, Irving H., and NAIDOFF, David: A speed-light unit for eye photography, 38:396
- WAGMAN, Irving H., WALDMAN, Joseph, NAIDOFF, David, FEINSCHIL, L. B., and CAHAN, R.: The recording of the electroretinogram in humans and in animals: Investigation of retinal sensitivity following brief flashes of light, 38:60
- WAGNER, Henry G., and WOLBARSH, Myron L.: Studies on the functional organization of the vertebrate retina, 46:746
- WAHLEN, Henry E.: See WOODS, Alan C.
- WAINSTEIN, Rivka, and LEOPOLD, Irving H.: Lactic dehydrogenase in the reaction of ocular tissues to injury in vitro: Studies with Nitro BT, 54:363
- WAINSTOCK, Michael: New instruments for corneal repair and corneoscleral suturing, 37:428
- WAITZMAN, Morton B.: Autonomicle effects of ocular extracts, 49:1208/122. See BALLINTINE, Elmer J.
- WAITZMAN, Morton B., and BALLINTINE, Elmer J.: Adenylic acid deaminase activity of ciliary processes, 46:796
- WAITZMAN, Morton B., HUANG, Tao, and BALLINTINE, Elmer J.: Further studies of ciliary processes enzyme systems, 52:847/415
- WAITZMAN, Morton B., and POSNER, Ronald E.: Further studies on the autonomiclike properties of ocular extracts, 52:845/413
- WALD, George: Remarks made on acceptance of the Proctor Medal Award, 40:2; The photoreceptor process in vision, 40:18. See AUERBACH, Edgar. See ZEAVIN, Bernard H.
- WALDAPFEL, Richard: Location of congenital dacryostenosis in children, 37:768
- WALDMAN, Joseph: See WAGMAN, Irving H.
- WALKER, A. Earl: The neurosurgical evaluation of the chiasmal syndromes, 54:563
- WALKER, Robert V.: See BROWNING, Carroll W.
- WALLS, Gordon L.: A branches-pathway schema for the color-vision system and some of the evidence for it, 39:78
- WALSH, Frank B.: See DUKE, James R. See ZIMMERMAN, Lorenz E.
- WALSH, Frank B., CHAMBERS, John W., and LLOYD, Lois A.: The ocular signs of tumors involving the anterior visual pathways: X. Francis I. Proctor Lecture, 42:347
- WALSH, Frank B., and GASS, J. Donald: Concerning the optic chiasm: Selected pathologic involvement and clinical problems: The deSchweinitz Lecture, 50:1031
- WALSH, Frank B., and HOYT, William F.: External ophthalmoplegia: As part of congenital myasthenia in siblings: Myasthenia gravis in children: Report of a family showing congenital myasthenia, 47:128
- WALSH, Frank B., and MURRAY, Robert G.: Ocular manifestations of disturbances in calcium metabolism: IX Sanford R. Gifford Lecture, 36:1657
- WAITER, William L.: Pterygium surgery: An evaluation and discussion of various operative procedures with the description of a surgical technique, 51:441; Skeletal free method of ocular roentgenography: A modification of Vogt's technique, 53:494; Pseudo-epitheliomatous hyperplasia of the conjunctiva: A lesion simulating squamous-cell carcinoma: A case report, 53:959; Removable guard: For a Lange disposable knife blade, 54:134; Intralenticular foreign body: As a cause of traumatic cataract, 54:856
- WANKO, Theodor: See RESNIK, Robert A. See von SALLMANN, Ludwig
- WARFEL, John H.: A case of unilateral degenerative anophthalmia, 51:698
- WARMAN, Alberto G.: See ROSEN, David A.
- WATANABE, Masanobu: See NAKAJIMA, Akira. See MAJIMA, A.
- WATANABE, Saeko: See TSUTSUI, Jun
- WATANABE, Saeko, and TSUTSUI, Jun: Electrophoretic study of corneal proteins: Comparative analysis of corneal protein fractions in different animal species, 51:314
- WATILLON, M.: See WEEKERS, R.
- WATT, Russell H.: See MANN, William A.
- WATZKE, R. C.: Use of silastic as rubber substitute: Application in a new erisophake, 54:29
- WAUGH, Richey L., Jr.: See HAIK, George M. See LYDA, Wood

- WEALE, R. A.: An early stage in the pathology of photocoagulation, 53:665
- WEAVER, Harry S., Jr.: See FINLEY, John K.
- WEAVER, Kirk: See von SALLMANN, Ludwig
- WEAVER, Richard G., and DAVIS, Courtland H., Jr.: Subhyaloid hemorrhage, 52:257
- WEEKERS, R., DELMARCELLE, Y., and GUSTIN, J.: Treatment of ocular hypertension by adrenalin and diverse sympathomimetic amines, 40:666
- WEEKERS, R., DELMARCELLE, Y., PRIJOT, E., and LAVERGNE, G.: Modification of outflow facility: By variation in aqueous formation and ocular tension, 43:899
- WEEKERS, R., LAVERGNE, G., WATILLON, M., GILSON, M., and LEGROS, A. M.: Effects of photocoagulation of ciliary body on ocular tension, 52:156
- WEEKLEY, Robert D.: See SLADE, Harry W.
- WEEREKON, Lloyd M.: Treatment of retinal artery occlusions, 43:947
- WEIDENHEIM, C. W.: See GALLARDO, Edward
- WEIMAR, Virginia: The transformation of corneal stromal cells to fibroblasts in corneal wound healing, 44:173. See DUNNINGTON, John H.
- WEINER, Alvin: See COYLE, J. Terrence
- WEINER, Alvin, and COYLE, J. Terrence: Management of cataract extractions: In a patient with a blood dyscrasia, 53:125
- WEINGEST, Samson, and NEWTON, James C.: A double traction suture, 51:1304
- WEINSTEIN, Paul: Clinical data concerning the central origin of glaucomatous attacks, 36:361; The crush syndrome in ophthalmology, 36:660; Pharmacodynamics of the ciliary ganglion, 40:202; Further data on the central origin of a glaucomatous attack, 44:540; The homeostatic reflex: In the regulation of the intraocular pressure, 47:871; A new concept of the glaucoma problem, 49:1032
- WEINSTEIN, Paul, and BROOSER, G.: Flicker perimetry in glaucoma, 53:373
- WEINSTEIN, Paul, and FORGACS, J.: Clinical aspects of permeability of the blood-aqueous barrier, 38:377
- WEISS, Daniel I., and LEOPOLD, Irving H.: Prognosis of secondary glaucoma following retinal artery occlusion: With the report of an interesting case, 51:793
- WEISSMAN, Arthur: See LEVATIN, Paul
- WEIZENBLATT, S.: Basal cell carcinoma of cyst of Moll: Report of a case, 43:968; Metastatic disease of the optic nerve, 47:77
- WELCH, Robert B., and DUKE, James R.: Lesions of the lids: A statistical note, 45:415
- WELLS, August H.: See BINDER, Hertha F.
- WELLS, Francis B.: Instrument for goniotomy procedures: And description of a technique for keeping the anterior chamber filled and aiding hemostasis, 51:527
- WELLS, H. S.: See OWENS, William Councilman
- WELSH, Robert C.: The roving ring scotoma: With its jack-in-the-box phenomenon of strong-plus (aphakic) spectacle lenses, 51:1277
- WELTER, Sylvia: See SILVERSTEIN, Arthur M.
- WENAAS, E. J., and STERTZBACH, C. W.: Cataract extraction with iris inclusion, 39:71
- WENZEL, Duane G., TURNER, James A., and KISSIL, Donald: Lipid infiltration in the rabbit iris, 48:535
- WESELEY, Alan C.: See BYRON, Herve M. See PRIESTLEY, Bruno S.
- WESKAMP, Carlos: Filamentary keratitis: New histopathologic concepts, 42:115
- WEST, Seymour S.: See POTTS, Albert M.
- WESTERBERG, Martha R.: See GILES, Conrad L.
- WESTSMITH, Richard A.: Uses of a monocular contact lens, 46:78; Patients' acceptance of corneal micro-lenses: A study based on a questionnaire survey, 46:869
- WESTSMITH, Richard A., DEMOREST, Byron, and FLOCKS, Milton: Muscle transplants to sclera in animals, 48:228
- WEYMOUTH, Frank W.: Visual sensory units and the minimal angle of resolution, 46:102; Stimulus orientation and threshold: An optical analysis, 48:6
- WHALMAN, Harold F.: See SOUDAKOFF, Peter S.
- WHELCHER, Merritt C.: See FOLK, Eugene R.
- WHITE, J. Warren: Malignant melanoma of the choroid: Report of a case with evaluation of early diagnosis, 37:257
- WHITEHOUSE, Frank, Jr.: See WOLTER, J. Reimer
- WIDELITZ, Martin M., RUPP Joseph J., and KERN, Jay: Idiopathic hypothyroid disease and exophthalmos, 53:1018
- WIEDMAN, Michael, and TURTZ, Arnold L.: Antibiotics in herpes simplex: And an experimental and clinical investigation of cycloserine, 48:517
- WIEGERSMA, G.: Elastometry of the eye, 39:811
- WIELAND, A.: See KRILL, Alex E.
- WIEME R. J.: See FRANÇOIS, J.
- WIES, Frederick A.: An improved chalazion forceps, 36:519
- WIESEL, Torsten N.: See BROWN, Kenneth T.
- WIESINGER, Herbert: See GUERRY, DuPont, III. See HAM, William T., Jr. See LIEB, Wolfgang A.
- WIESINGER, Herbert, SCHMIDT, F. H., WILLIAMS, R. C., TILLER, C. O., GUERRY, DuPont, III, and HAM, William T., Jr.: The transmission of light: Through the ocular media of the rabbit eye, 42:507
- WIJEWSKI, Eugenia: See WOLKOWICZ, M. I.
- WILD, John J.: Endophthalmitis: In a contact lens wearer, 54:847
- WILDER, Howard C.: See McDONALD, James E.
- WILKINSON, William C.: See LIDDICOAT, Douglas A.
- WILLARD, Robert L.: See CUSHMAN, Beulah
- WILLENS, Alexander L.: See SUGAR, H. Saul
- WILLIAMS, Frederick D.: Supplemental intravenous analgesia: For cataract surgery, 46:594
- WILLIAMS, Guy T.: See ROSENTHAL, J. William
- WILLIAMS, R. C.: See HAM, William T., Jr. See WIESINGER, Herbert
- WILLIAM, Richard Kennon, HENCH, Miles E., and GUERRY, DuPont, III: Pyocyanus ulcer: Clinical report and experimental investigation, 37:538
- WILLIS, James: See BARBER, Aetela Nichols
- WILSON, Arthur: See HOLM, Arvid
- WILSON, Clinton A.: Modifications of the Katzin mask, 44:687
- WILSON, Fred M.: See SCHLAEGEL, T. F., Jr.
- WILSON, Geraldine: See MARTINEZ, Miguel
- WILSON, John M., McKEE, Thomas P., CAMPBELL, E. Malcolm, and MILLER, George E.: Air injection in the treatment of traumatic hyphema, 37:409
- WILSON, Warren A.: Oedipism, 40:563
- WILSON, W. Webb: See WOLTER, J. Reimer
- WINKLER, Charles H.: See DIXON, Joseph M.
- WINNING, C. H. O. M., von: See MANSCHOT, W. A.
- WINTER, Frank C.: Sympathetic uveitis: A clinical and pathologic study of the visual result, 39:340; The second eye in acute primary shallow-chamber angle glaucoma, 40:557. See BECKER, Bernard
- WINTER, Frank C., and BOOMER, Robert D.: Changes in corneal astigmatism observed following surface diathermy to rabbit corneas, 48:336
- WINTER, Frank C., REINHARDT, Paul R., and MAD-DEN, James: Ocular effects of high intensity gamma radiation in the cat, 46:114
- WINTERS, David M.: See BRECHER, Gerhard A.
- WINTERS, David M., and ASBURY, Taylor: Filamentary keratitis: Response to beta radiation, 51:1292
- WISE, George N.: Uveitis with secondary retinal arteriosclerosis, 51:797; Factors influencing retinal new vessel formation, 52:637. See FEDUKOWICZ, Helena. See HENKIND, Paul. See KARLIN, David B. See LINCOFF, Harvey A.
- WISKEMANN, A.: See ULLERICH, K.
- WISTRAND, Per, and MAREN, Thomas H.: The effect of carbonic anhydrase inhibition on intraocular pressure of rabbits with different CO₂ equilibria, 50:291
- WITMER R.: Periodic ophthalmia in horses, 37:243
- WITZEL, S. H., FIELDING, Ingrid Z., and ORMSBY, Hugh L.: Ocular penetration of antibiotics by iontophoresis, 42:89
- WOELLNER, Richard C.: See GRAYBIEL, Ashton
- WOLBARSH, Myron L.: See WAGNER, Henry G.
- WOLFF, Stewart McKay, and ZIMMERMAN, Lorenz E.: Chronic secondary glaucoma: Associated with

- retrodisplacement of iris root and deepening of the anterior chamber angle secondary to contusion, 54:547
- WOLKOWICZ, Michael I.: Central serous retinopathy: Clinical and experimental studies, 42:531; Chalazion-like neoplasms of the lid: Report of two cases, 54:249. See HALLETT, Joseph W.
- WOLKOWICZ, Michael I., HALLETT, Joseph W., and LEOPOLD, Irving H.: C-reactive protein in ophthalmology: Clinical and experimental studies of its use, 41:942; Studies on antibody production in rabbit eyes: I. Antibody formation in vitro after intraocular injection of typhoid bacilli, 50:126
- WOLKOWICZ, M. I., HALLETT, J. W., LEOPOLD, I. H., FERIA, Q. A., and WIJEWSKI, Eugenia: Nonspecific tests in uveitis, 48:502
- WOLLIN, Nathaniel: See YOURISH, Norman
- WOLLIN, Nathaniel C., YOURISH, Norman, and NATHANIEL, Arthur: Bilateral ectopia lentis in a dwarf, 39:569
- WOLTER, J. Reimer: The astroglia of the human retina: And other glial elements of the retina under normal and pathologic conditions, 40:788; The pericytes of the choroid of the human eye, 41:990; Reactions of the elements of retina and optic nerve: In common morbid entities of the human eye, 42:710; The human optic papilla: A demonstration of new anatomic and pathologic findings, 44:748; Perivascular glia of the blood vessels of the human retina, 44:766; Glia of the human retina, 48:370; Pathology of cotton wool spots, 48:473; Histopathology of the trabecular meshwork in glaucoma, 49:1089/3; The macrophages of the human vitreous body, 49:1185/99; Secondary cornea guttata: A late change in luetic interstitial keratopathy, 50:17; Expulsive hemorrhage during retinal detachment surgery: A case with survival of the eye after Verhoeff sclerotomy, 51:264; Adhesions of the lens capsule: To the anterior hyaloid membrane, 51:511; Diabetic retinopathy, 51:1123/251; Instrument for inserting encircling tubes, 52:260; The rosettes of a neuro-epitheliomatous retinoblastoma, 52:497; Parallel horizontal retinal folding, 53:26; The pericytes of the human retina, 53:981; Fuchs' epithelioma in a filtering bleb: An unusual complication of glaucoma surgery, 54:842. See LIDDICOT, Douglas A. See LISS, Leopold.
- WOLTER, J. Reimer, and BENTLEY, Maxwell D.: Scleromalacia perforans and massive granuloma of the sclera: A report of an unusual combination of ocular pathology in rheumatoid arthritis, 51:71
- WOLTER, J. Reimer, and CUTLER, William M.: Granular dystrophy of the cornea: A histopathologic study of a case, 45:1
- WOLTER, J. Reimer, and FECHNER, P. Ulrich: Glass membranes on the anterior iris surface, 53:235
- WOLTER, J. Reimer, and FLAHERTY, N. W.: Persistent hyperplastic vitreous: Study of a complete case with a new histologic technique, 47:491
- WOLTER, J. Reimer, GONZALES-SIRIT, Rafael, and MANKIN, William J.: Neurofibromatosis of the choroid, 54:217
- WOLTER, J. Reimer, HENDERSON, John W., and GATES, Keith: Endothelial and epithelial dystrophy of the cornea: Histopathologic study of a case, 44:191
- WOLTER, J. Reimer, and JAMES, Burton R.: Adult type of medullo-epithelioma of the ciliary body, 46:19
- WOLTER, J. Reimer, and LARSON, Bertil F.: Pathology of cornea guttata, 48:761
- WOLTER, J. Reimer, and LIDDICOT, Douglas A.: Secondary glaucoma following occlusion of the central artery of the retina, 46:182
- WOLTER, J. Reimer, and LISS, Leopold: The evolution of hyaline corpuscles (cytoid bodies) in the human optic nerve, 43:885
- WOLTER, J. Reimer, and PETROHELOS, Manos A.: Congenital aphakia, 49:945
- WOLTER, J. Reimer, and PFISTER, Roswell R.: Tumors of the pars ciliaris retinae, 52:659
- WOLTER, J. Reimer, and PHILLIPS, Roland L.: Secondary glaucoma following occlusion of the central retinal artery, 47:335
- WOLTER, J. Reimer, and SHAPIRO, Irving: Morphology of the fixed cells of the cornea: Of the rabbit following incision, 40:24
- WOLTER, J. Reimer, SHAPIRO, Irving, and WHITEHOUSE, Frank, Jr.: Pathology of experimental primary herpetic keratitis in rabbit, 41:639
- WOLTER, J. Reimer, and WILSON, W. Webb: Degeneration of the peripheral retina: Report of an instructive case, 47:153
- WONG, Andrew S.: See CHUNG, Stanley, M. K.
- WONG, Sam C.: See CHAPIN, H. Beecher
- WONG, Wayne W.: Carcinoma of the conjunctiva, 36:1732
- WOOD, Don C., and BURGESS, Lurline: An electrophoretic study of soluble lens proteins from different species, 51:305
- WOOD, Ronald M.: See ILIFF, Charles E. See MARR, William G. See WOODS, Alan C.
- WOOD, Ronald M., BECKER, Bernard, and WOODS, Alan C.: The effect of hormonal therapy on experimental Brucella uveitis, 36:1025
- WOODS, Alan C.: Research in ophthalmology, 39:729; Disputed pathogeneses and entities in uveitis: XII Francis I. Proctor Lecture, 45:251; Algernon Beverly Reese: An appreciation, 46:148; Cyclotron cataracts, 47:720; An adventure in ophthalmic literature: Manuel Straub and the tradition of toxicity in lens protein, 48:463; Modern concepts of the etiology of uveitis, 50:1170. See WOOD, Ronald M.
- WOODS, Alan C., and ABRAHAM, I. Willard: Uveitis survey: Sponsored by the American Academy of Ophthalmology and Otolaryngology, 51:761
- WOODS, Alan C., FRIEDENWALD, Jonas S., and WOOD, Ronald M.: The histopathology of the acute and chronic ocular hypersensitive reactions in the experimental rabbit, 40:631
- WOODS, Alan C., JACOBS, Leon, WOOD, R. M., and COOK, M. K.: A study of the role of toxoplasmosis in adult chorioretinitis, 37:163
- WOODS, Alan C., and STONE, Howard H.: A clinical and electrophoretic study of patients with uveitis: With reference to the possible association of systemic collagen disease, 45:11
- WOODS, Alan C., and WAHLEN, Henry E.: The probable role of benign histoplasmosis in the etiology of granulomatous uveitis, 49:205
- WOODSON, W. Burbank: Spontaneous unilateral pulsating exophthalmos, 36:40
- WOOLRIDGE, Robert L.: See GRAYSTON, J. Thomas
- WORTON, James T.: See HOLLAND, Malvern C.
- WORST, J. G. F.: Method for removal of nonmagnetic foreign bodies, 45:911; Episcleral needles: For foreign body localization, 46:76; A new method: For fixing diagnostic contact lenses, 48:849; A dacryocystorhinostomy needle, 49:153; A small electric rust-ring remover, 52:122; Fornix depressor: An aid in muscle surgery, 52:259; Method for reconstructing torn lacrimal canaliculus, 53:520; A simple muscle recession technique, 53:676; Direct and indirect image gonioscopy: A method for inspection of the chamber angle for clinical and surgical use with special reference to early postoperative gonioscopy, 54:243; Surgical uses for the tendinoscleral muscle ending: The formation of a nonfraying self-edge to the muscle tendon, applied in recession of a rectus muscle and in some other interventions involving the muscles, 54:964
- WORST, J. G. F., and OTTER, K.: Low vacuum diagnostic contact lenses: Description of a series of self-attaching lenses to be used for diagnostic purposes, 51:410
- WORTMAN, Bernard: Acid mucopolysaccharides in beef retina: I. Isolation and fractionation, 47:203
- WORTMAN, Bernard, and BECKER, Bernard: Enzymatic activities of the lens: A preliminary survey, 42:342
- WORTMAN, Bernard, and STROMINGER, Jack L.: Incorporation of inorganic sulfate-S³⁵ into sulfated mucopolysaccharides of cornea in vitro, 44:291
- WRIGHT, Edwin S.: See FRIEDMAN, M. Wallace
- WRIGHT, H. D., and TETRICK, C. E.: Preanesthetic medication in the ocular surgery of children, 36:1624
- WRIGHT, J. C., and MEGER, G. E.: Allergic keratoconjunctivitis: Secondary to seborrheic dermatitis, 53:686; Bronchogenic carcinoma: Metastatic to the choroid, 53:1003; Metastatic bronchogenic carcinoma of the eyelid, 54:135

- WUDKA, Enrique, and LEOPOLD, Irving H.: The action of curare alkaloids on the pupil, 37:41
- WUEST, Frederick C.: A useful stretcher: For transportation of the intraocular surgical patient, 49:618
- WUEST, Frederick C., and ERDBRINK, Wayne L.: Posterior embryotoxon: Report of an interesting case, 51:148
- WULF, K.: See ULLERICH, K.
- WULFF, Lydia B.: See PATZ, Arnall
- WYMAN, George J.: Glaucoma induced by air injections into the anterior chamber, 37:424
- WYMAN, George J., and HOLLINGSHEAD, E. E.: Subconjunctival cortisone in iris-inclusion surgery, 36:1617
- Y**
- YAMADA Haruo: See OHASHI, Kohei
- YAMASHITA, Kiichi: See MITSUI, Yukihiko
- YAMASHITA, Tsuyoshi: See CIBIS, Paul A. See LEY, Albert P.
- YAMASHITA, Tsuyoshi, BECKER, Bernard, and CIBIS, Paul A.: Histochemical studies of the primate ciliary body, 50:407
- YAMASHITA, Tsuyoshi, and DREWS, Robert C.: Discussion with the aid of a fixation needle (Sato technique), 49:978
- YANG, Chung-yan: See GRAYSTON, J. Thomas
- YASUDA, Kazuhide: See NIHO, Shoji
- YASUKURA, K.: See OGINO, S.
- YASUNA, Elton: Acute myopia associated with prochlorperazine (Compazine) therapy, 54:793; Use of prepared fascia lata in the correction of ptosis, 54:1097. See DUNPHY, Edwin B.
- YASUNA, Jules M.: See OJERS, Gaylord W.
- YASUNA, Jules M., OJERS, Gaylord W., FRAYER, William C. and SCHEIE, Harold G.: An experimental study of the effect of cortisone on the eye, 37:923
- YATZKAN, David N.: Angioid streaks of the fundus: In association with posthemorrhage amaurosis, 43:219
- YEN, Chun-hui: See GRAYSTON, J. Thomas
- YONEDA, Chieko: See HOGAN, Michael J.
- YONEMURA, Diazo: Cross-scotomas in optic neuritis, 43:960
- YOSHIMOTO, Teruhisa: See NAKAJIMA, Akira
- YOSHIIYA, Masuda: See KANDORI, Fumio
- YOSS, Robert E.: See KEEFE, William P.
- YOULUS, Joshua: See DISCHE, Zacharias
- YOUNG, Charles A., Jr.: Equatorial scleral staphyloma: Surgical treatment in a case with retinal detachment, 40:12; Percutaneous division of the external canthal ligament, 47:83
- YOUNG, Francis A.: The effect of restricted visual space on the primate eye, 52:799/367
- YOURISH, Norman B.: Significance of Bitot's spots, 36:109. See WOLLIN, Nathaniel C.
- YOURISH, Norman, WOLLIN, Nathaniel, and NATHANIEL, Arthur: A case of syringomyelia: Associated with vascular anomalies of the eyes, 39:728
- YUDKIN, Arthur M.: Instrument to manage chronic gut sutures in ophthalmic surgery, 41:858
- YUGE, Tunekazu: The relation between Vogt-Koyanagi syndrome and sympathetic ophthalmia: Report of a case, 43:735
- Z**
- ZACHARIAS, Leona, CHISHOLM, Julian F., Jr. and CHAPMAN, Richard B.: Visual and ocular damage in retrolental fibroplasia, 53:337
- ZACHARIAS, Leona, REYNOLDS, William E., CHISHOLM, Julian F., Jr., and KING, Merrill J.: The incidence and severity of retrolental fibroplasia in relation to possible causative factors: Part I. Observations on the occurrence of retrolental fibroplasia: Part II. Studies of the relationship of retrolental fibroplasia to degree of prematurity, oxygen therapy, general health, and date of birth of premature infants, 38:317
- ZAGORSKI, H. J.: See GORDON, D. A.
- ZAKI, Hoda A.: See KEENEY, Arthur H.
- ZANKAN, Leo: Benign calcified epithelioma of the eyelid, 37:426
- ZARET, Milton M.: See FEDUKOWICZ, Helena
- ZAVELL, Saul: See ANHALT, Edward F. See GOLDBERG, Bernard
- ZAVELL, Saul, BLAYDES, J. Elliott, Jr., ANHALT, Edward F., and KARA, Gerald B.: Evaluation of Kenacort® (triamcinolone) in the treatment of uveitis, 48:777
- ZEAVIN, Bernard H., KING, Merrill J., and GOHD, Robert S.: A case of Behcet's disease, 41:55
- ZEAVIN, Bernard H., and WALD, George: Rod and cone vision in retinitis pigmentosa, 42:253
- ZEHEBAUER, George and ROBERTS, Seymour R.: Antibacterial effects in the vitreous, 54:797
- ZEIDNER, J.: See GORDON, D. A.
- ZEITER, Henry J.: Calcification and ossification in ocular tissue, 53:265
- ZEKMAN, Theodore N.: See ABRAHAMSON, Ira A., Jr. See SUGAR, H. Saul
- ZEKMAN, Theodore N. and LAZOR, Edward B.: Hot air sterilizer: Results of multiple sterilization tests, 41:858
- ZEKMAN, Theodore N., and SNYDACKER, Daniel: Increased intraocular pressure produced by diisopropyl fluorophosphate (DFP), 36:1709
- ZELLER, E. Albert: Contribution to the enzymology of the normal and cataractous lens: III. On the catalase of crystalline lens, 36:51
- ZELLER, E. Albert, and DEVI, Anima: On the enzymology of the refractory media of the eye: V. On the occurrence of proteolytic enzymes in normal and cataractous lenses, 44:281
- ZELLER, E. Albert, and SHOCH, David: On the enzymology of the refractory media of the eye: VI. Effect of intralenticular injection of halogen acetates on the transparency and peptidase activity of the rabbit lens, 52:65
- ZELMENIS, Ginevra: See DISCHE, Zacharias
- ZERBE, Jean: See BERENS, Conrad
- ZETTERSTRÖM, Birgitta: See KAREP, Gösta
- ZICHOSCH, J.: See HANNA, L. See THYGESON, P.
- ZIMMERMAN, Lorenz E.: Demonstration of hyaluronidase-sensitive acid mucopolysaccharide: In trabecula and iris in routine paraffin sections of adult human eyes: A preliminary report, 44:1; The Registry of Ophthalmic Pathology: Past, present and future: XVII Jackson Memorial Lecture, 52:927. See BONIUK, Milton. See FINE, Ben S. See JONES, Sam T. See LEWIS, Philip Meriwether. See SILVERSTEIN, Arthur M. See WOLFF, Stewart MacKay
- ZIMMERMAN, Lorenz E., and ADLER, Francis Heed: Clinical pathologic conference, 43:223
- ZIMMERMAN, Lorenz E., and EASTHAM, Ann B.: Acid mucopolysaccharide in the retinal pigment epithelium and visual cell layer of the developing mouse eye, 47:488
- ZIMMERMAN, Lorenz E., and GIBSON, Glen G.: Clinical pathologic conference, 45:826
- ZIMMERMAN, Lorenz E., and INGALLS, Raymond: Clinical pathologic conference, 43:417
- ZIMMERMAN, Lorenz E., and MOSS, L. Connor: Clinical pathologic conference, 42:97
- ZIMMERMAN, Lorenz E., and SILVERSTEIN, Arthur M.: Experimental ocular hypersensitivity: Histopathologic changes observed in rabbits receiving a single injection of antigen into the vitreous, 48:447
- ZIMMERMAN, Lorenz E., and SIMPSON, G. Victor: Clinical pathologic conference, 42:284
- ZIMMERMAN, Lorenz E., and WALSH, Frank B.: Clinical pathologic conference, 42:737
- ZIRNIS, Lucia: See LASKY, Mortimer A.
- ZUBERO, Jose: See CALLAHAN, Alston
- ZUBERO, Jose, and CALLAHAN, Alston: Luxated and subluxated lenses: Their study, removal and observation after surgery, 54:196
- ZUGSMITH, George S.: A new approach to surgery of the inferior oblique muscle, 47:667; Absorbable gelatin film (Gelofilm) in ophthalmic surgery, 50:729
- ZULLO, James E.: An improved tape for eye bandaging, 47:687
- ZWEIFACH, Philip: See GALIN, Miles A.
- ZWEIGART, Phyllis A.: See HOGAN, Michael J.
- ZWENG, H. Christian: See FLOCKS, Milton
- ZWENG, H. Christian, and FLOCKS, Milton: Experimental photocoagulation of the anterior chamber angle: A preliminary report, 52:163

